

□ Pandoc: The Universal Document Converter □

Pandoc is a powerful, open-source universal document converter that allows you to convert files from one markup format to another. It's an indispensable tool for writers, developers, and anyone who needs to work with various document formats.

□ Guide Contents □

1. **Installation and Dependencies**
 2. **Basic Usage**
 3. **Conversion Examples**
 4. **Important Notes and Tips**
-

□ 1. Installation and Dependencies □

Pandoc itself can be installed via your system's package manager. For PDF output, you'll often need additional dependencies, particularly a LaTeX distribution or alternative PDF rendering engines.

1.1. Install Pandoc:

```
sudo apt install pandoc -y
```

1.2. Install PDF Generation Dependencies:

For high-quality PDF output, especially with complex formatting, LaTeX is the traditional choice. However, it can be a large installation. `wkhtmltopdf` and `weasyprint` offer lighter alternatives for generating PDFs from HTML, which Pandoc can produce as an intermediate step.

- **For LaTeX-based PDF generation (recommended for best quality and features):**

```
sudo apt install texlive texlive-xetex texlive-fonts-recommended texlive-latex-extra -y
```

This installs a comprehensive TeX Live distribution, including `xelatex`, which is often preferred for its Unicode and font support.

- **For `wkhtmltopdf` (alternative PDF engine, good for HTML-based PDFs):**

```
sudo apt install wkhtmltopdf -y
```

- **For `weasyprint` (another alternative PDF engine, also good for HTML-based PDFs):**

```
# WeasyPrint is a Python library, so it's usually installed via pip
sudo apt install python3-pip -y # Install pip if you don't have it
pip install weasyprint
```

Note: weasyprint might require additional system dependencies like libcairo2-dev, libffi-dev, libxml2-dev, libxslt1-dev, pango1.0-dev for successful installation via pip. You might need to install these first using sudo apt install ... if pip install weasyprint fails.

□ 2. Basic Usage □

The general syntax for Pandoc is:

```
pandoc [options] [input-file] -o [output-file]
```

- [options]: Various flags to control the conversion process (e.g., input/output format, PDF engine, templates, metadata).
- [input-file]: The file you want to convert. If omitted, Pandoc reads from standard input.
- -o [output-file]: The name of the output file. If omitted, Pandoc writes to standard output.

You can explicitly specify input and output formats using -f (or --from) and -t (or --to):

```
pandoc -f markdown -t html input.md -o output.html
```

If you omit -f or -t, Pandoc will try to guess the format from the file extension.

□ 3. Conversion Examples □

Here are some common conversion scenarios:

3.1. Markdown to PDF (using LaTeX/xelatex)

This is the most common and often highest-quality method for generating PDFs from Markdown.

```
pandoc your_document.md -o your_document.pdf \
--pdf-engine=xelatex \
-V geometry=margin=1in \
-V fontsize=11pt \
-V mainfont="DejaVu Serif"
```

- your_document.md: Your input Markdown file.
- -o your_document.pdf: Your desired output PDF file.
- --pdf-engine=xelatex: Specifies xelatex as the engine for PDF generation. This requires texlive-xetex to be installed.
- -V geometry=margin=1in: Sets a 1-inch margin on all sides (LaTeX variable).

- `-V fontsize=11pt`: Sets the base font size to 11pt (LaTeX variable).
- `-V mainfont="DejaVu Serif"`: Specifies the main font to use. Ensure this font is available on your system.

3.2. Markdown to PDF (using `wkhtmltopdf` - bypassing LaTeX)

This method converts Markdown to an intermediate HTML representation and then uses `wkhtmltopdf` to render that HTML to PDF. This can be useful if you have issues with LaTeX or prefer HTML/CSS for styling.

```
pandoc gum_charmbracelet_glamorous_shell_scripts.md -o gum_charmbracelet_glamorous_shell_scripts.pdf \
--from markdown --to html5 \
--pdf-engine=wkhtmltopdf
```

- `--from markdown --to html5`: Explicitly tells Pandoc to convert Markdown to HTML5 first.
- `--pdf-engine=wkhtmltopdf`: Uses `wkhtmltopdf` to create the PDF from the intermediate HTML.

3.3. Markdown to PDF (using `weasyprint` - bypassing LaTeX)

Similar to `wkhtmltopdf`, `weasyprint` is another HTML-to-PDF converter that Pandoc can leverage.

```
pandoc gum_charmbracelet_glamorous_shell_scripts.md -o gum_charmbracelet_glamorous_shell_scripts.pdf \
--pdf-engine=weasyprint
```

- `--pdf-engine=weasyprint`: Uses `weasyprint` to create the PDF. Pandoc will automatically convert the Markdown to HTML internally before passing it to `weasyprint`.

3.4. PDF to Markdown

As discussed, converting PDF to Markdown is challenging due to the nature of PDF files. Pandoc can attempt this, but the results might require significant manual cleanup, especially for complex layouts or scanned PDFs.

```
pandoc input.pdf -o output.md
```

- **Important:** For scanned PDFs, you *must* run OCR (Optical Character Recognition) on them first to extract selectable text. Pandoc cannot perform OCR.

3.5. Markdown to HTML

A very common conversion for web content.

```
pandoc input.md -o output.html
```

To include a full HTML header and body (standalone document):

```
pandoc -s input.md -o output.html
```

3.6. Markdown to Microsoft Word (.docx)

Useful for collaborating with users who prefer word processors.

```
pandoc input.md -o output.docx
```

3.7. HTML to Markdown

Converting web pages or HTML snippets back to Markdown.

```
pandoc input.html -o output.md
```

□ 4. Important Notes and Tips □

- **Check the Manual:** Pandoc has extensive options and features. For a complete list and detailed explanations, always refer to the official Pandoc User's Guide by running `man pandoc` or visiting the Pandoc website.
- **PDF Quality:** For the best PDF output quality, especially with complex documents, LaTeX (and `xelatex` as the engine) is generally superior. HTML-based engines (`wkhtmltopdf`, `weasyprint`) are good for simpler documents or when you want more control over styling via CSS.
- **Templates:** Pandoc uses templates for generating output formats like HTML, LaTeX, and DOCX. You can customize these templates to control the appearance of your converted documents.
- **Metadata:** You can include metadata (title, author, date, etc.) in your Markdown file (e.g., using YAML metadata blocks at the top) which Pandoc can use in the output.
- **Filters:** Pandoc supports filters (e.g., Lua filters, Python filters) that allow you to programmatically transform the abstract syntax tree during conversion, enabling highly customized workflows.

□ Happy Converting! □