

# How to Present

**Tao LIN**

September 7, 2026



## 1 From Communication to Presentation

- A Step-by-Step Workflow
- Audience and Purpose

## 2 Design the Talk

- Constraints and Story
- Opening the Talk

## 3 Explain the Evidence

- Guide Attention Through the Body

## 4 Deliver, Close, and Respond

- Delivery and Rehearsal
- Close the Talk
- Questions and Discussion

# Course Schedule

| Week | Date          | Topics                                                        |
|------|---------------|---------------------------------------------------------------|
| 1    | 2026. Sep. 01 | How to communicate                                            |
| 2    | 2026. Sep. 08 | How to present                                                |
| 3    | 2026. Sep. 15 | How to be a good AI researcher (I): doing research            |
| 4    | 2026. Sep. 22 | How to be a good AI researcher (II): productivity and career  |
| 5    | 2026. Sep. 29 | How to be a good AI researcher (III): writing and peer review |
| 6    | 2026. Oct. 13 | Experiences in writing excellent papers and rebuttals         |
| 7    | 2026. Oct. 20 | Practice class I                                              |
| 8    | 2026. Oct. 27 | Practice class II                                             |

# Table of Contents

## 1 From Communication to Presentation

- A Step-by-Step Workflow
- Audience and Purpose

## 2 Design the Talk

## 3 Explain the Evidence

## 4 Deliver, Close, and Respond

Why is it important to be a good communicator?

# Good communication helps you...

Opportunities!

# Good communication helps you...

- Publishing papers at top-tier venues

Opportunities!

# Good communication helps you...

- Publishing papers at top-tier venues
- Sharing research beyond the paper

Opportunities!



# Good communication helps you...

- Publishing papers at top-tier venues
- Sharing research beyond the paper
- Getting a job or internship

Opportunities!

# Good communication helps you...

- Publishing papers at top-tier venues
- Sharing research beyond the paper
- Getting a job or internship
- Getting funding


Opportunities!

# Good communication helps you...

- Publishing papers at top-tier venues
- Sharing research beyond the paper
- Getting a job or internship
- Getting funding
- Finding collaborators


Opportunities!

# Elevator pitch




An elevator pitch is a brief (think 30 seconds!) way to create a useful first impression:

# Elevator pitch



An elevator pitch is a brief (think 30 seconds!) way to create a useful first impression: *introducing yourself, getting across a key point or two, and making a connection with someone.*

# The 7 C's of communication



Please revisit our previous lecture when necessary.

## Practice: Research Update Diagnosis

**4 minutes**

“Training is unstable. I tried several things, but nothing helped. Any suggestions?”

- In pairs, identify what prevents a collaborator from responding.
- Discuss how the 7 Cs from Lecture 02 would improve the update.

## Practice: Research Update Diagnosis

4 minutes

“Training is unstable. I tried several things, but nothing helped. Any suggestions?”

- In pairs, identify what prevents a collaborator from responding.
- Discuss how the 7 Cs from Lecture 02 would improve the update.

**Debrief:** A useful update states the goal, expected behavior, setup, evidence, attempted fixes, and the specific help needed.



# Principles, not performance rules

There is no single correct presentation style.

Use these principles to make deliberate choices for your audience, purpose, and setting.

# Why bother giving a great talk?

**Goal: Help the audience understand and remember your central idea**

# Why bother giving a great talk?

**Goal: Help the audience understand and remember your central idea**

- Get the audience to know something new

# Why bother giving a great talk?

**Goal: Help the audience understand and remember your central idea**

- Get the audience to know something new
- Make the audience want to read your research papers

# Why bother giving a great talk?

**Goal: Help the audience understand and remember your central idea**

- Get the audience to know something new
- Make the audience want to read your research papers

**Why need a great talk?**

# Why bother giving a great talk?

**Goal: Help the audience understand and remember your central idea**

- Get the audience to know something new
- Make the audience want to read your research papers

**Why need a great talk?**

- The audience has one chance to hear the talk

# Why bother giving a great talk?

**Goal: Help the audience understand and remember your central idea**

- Get the audience to know something new
- Make the audience want to read your research papers

**Why need a great talk?**

- The audience has one chance to hear the talk
- The audience hears many talks in one day

# Why bother giving a great talk?

**Goal: Help the audience understand and remember your central idea**

- Get the audience to know something new
- Make the audience want to read your research papers

**Why need a great talk?**

- The audience has one chance to hear the talk
- The audience hears many talks in one day
- Earn attention by being clear, relevant, and credible



# Why bother giving a great talk?

**Goal: Help the audience understand and remember your central idea**

- Get the audience to know something new
- Make the audience want to read your research papers

**Why need a great talk?**

- The audience has one chance to hear the talk
- The audience hears many talks in one day
- Earn attention by being clear, relevant, and credible

A great talk creates shared understanding and invites further engagement.

Great talks require effort & time!

# A general guide for the whole talk

- 1 The audience determines the talk.
- 2 Rehearsal makes deliberate delivery possible.
- 3 Nervous energy can be directed into focus.
- 4 Every talk should motivate a problem.
- 5 An academic talk is about an idea, not a paper.
- 6 Slides must not overwhelm the viewer.
- 7 Images and diagrams are better than text.
- 8 Mathematics must earn the attention it requires.

# Consider the context: purpose of presentation

# Consider the context: purpose of presentation

- To convey information

# Consider the context: purpose of presentation

- To convey information
- To demonstrate facts / issues / a skill

# Consider the context: purpose of presentation

- To convey information
- To demonstrate facts / issues / a skill
- To persuade / impress the audience

# Consider the context: purpose of presentation

- To convey information
- To demonstrate facts / issues / a skill
- To persuade / impress the audience
- To raise and widen understanding



# Consider the context: purpose of presentation

- To convey information
- To demonstrate facts / issues / a skill
- To persuade / impress the audience
- To raise and widen understanding
- To enlist sympathy for a cause

# Consider the context: purpose of presentation

- To convey information
- To demonstrate facts / issues / a skill
- To persuade / impress the audience
- To raise and widen understanding
- To enlist sympathy for a cause

To achieve the purpose, first understand your audience.

# Consider the context: know your audience

# Consider the context: know your audience

- Who are they?

# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area

# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area
  - Colleagues in your field (e.g., computer science)

# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area
  - Colleagues in your field (e.g., computer science)
  - Students at different stages

# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area
  - Colleagues in your field (e.g., computer science)
  - Students at different stages
  - A broader audience with mixed backgrounds



# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area
  - Colleagues in your field (e.g., computer science)
  - Students at different stages
  - A broader audience with mixed backgrounds
- How many?

# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area
  - Colleagues in your field (e.g., computer science)
  - Students at different stages
  - A broader audience with mixed backgrounds
- How many?
- What needs to be understood to convey the big idea?

# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area
  - Colleagues in your field (e.g., computer science)
  - Students at different stages
  - A broader audience with mixed backgrounds
- How many?
- What needs to be understood to convey the big idea?
- What do they (probably) know already about my topic?

# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area
  - Colleagues in your field (e.g., computer science)
  - Students at different stages
  - A broader audience with mixed backgrounds
- How many?
- What needs to be understood to convey the big idea?
- What do they (probably) know already about my topic?
- What do they want/need to know more?

# Consider the context: know your audience

- Who are they?
  - Colleagues in your research area
  - Colleagues in your field (e.g., computer science)
  - Students at different stages
  - A broader audience with mixed backgrounds
- How many?
- What needs to be understood to convey the big idea?
- What do they (probably) know already about my topic?
- What do they want/need to know more?
- What questions are they likely to ask?

Your audience determines your framing, depth, and evidence.

# Practice: Audience Adaptation

**5 minutes**

Choose one contribution from your current research.

- 1 Discuss how you would explain it to a specialist in your area.
- 2 Then identify what would change for a first-year computer science graduate student.

## Practice: Audience Adaptation

**5 minutes**

Choose one contribution from your current research.

- 1 Discuss how you would explain it to a specialist in your area.
- 2 Then identify what would change for a first-year computer science graduate student.

**Debrief:** The contribution stays fixed. Framing, vocabulary, examples, and evidence change with the audience.

# Table of Contents

- 1 From Communication to Presentation
- 2 **Design the Talk**
  - Constraints and Story
  - Opening the Talk
- 3 Explain the Evidence
- 4 Deliver, Close, and Respond



# Planning: practicalities

What are your constraints?

# Planning: practicalities

What are your constraints?

- Time

# Planning: practicalities

What are your constraints?

- Time
  - Session length — 5 minutes is very different from 45 minutes

# Planning: practicalities

What are your constraints?

- Time
  - Session length — 5 minutes is very different from 45 minutes
  - Time of day — 10 a.m. differs from 2 p.m. or 5 p.m.

# Planning: practicalities

What are your constraints?

- Time
  - Session length — 5 minutes is very different from 45 minutes
  - Time of day — 10 a.m. differs from 2 p.m. or 5 p.m.
  - Other presenters/ events on the day — are you a one-off or part of a series?

# Planning: practicalities

What are your constraints?

- Time
  - Session length — 5 minutes is very different from 45 minutes
  - Time of day — 10 a.m. differs from 2 p.m. or 5 p.m.
  - Other presenters/ events on the day — are you a one-off or part of a series?
- Equipment available

# Planning: practicalities

What are your constraints?

- Time
  - Session length — 5 minutes is very different from 45 minutes
  - Time of day — 10 a.m. differs from 2 p.m. or 5 p.m.
  - Other presenters/ events on the day — are you a one-off or part of a series?
- Equipment available
- Room layout and location

# Planning: for the delivery

**Goal:** Come up with a story that fits within your time budget

Case study for a 20-minute talk:

- Slide 1: Cover
- Slides 2-4: Frontend of the talk
- Slide 5: Outline/Menu
- Slides 6-15: Main body of the talk
- Slide 16: Outline
- Slides 17-19: Evaluation
- Slide 20: Conclusion



Increasing complexity

Plan backward from the conclusion and time budget.



# Planning: for the delivery

Others:

# Planning: for the delivery

Others:

- Location & layout of the room

# Planning: for the delivery

Others:

- Location & layout of the room
- Audience seating arrangements

# Planning: for the delivery

Others:

- Location & layout of the room
- Audience seating arrangements
- Visibility, position, and voice projection

# Planning: for the delivery

Others:

- Location & layout of the room
- Audience seating arrangements
- Visibility, position, and voice projection
- Available equipment: check and practice beforehand

# Hook

Every talk needs motivation:  
Why should the audience grant you attention?

# Hook

✗ “Hi, my name is .. I am a .. from .. My research .. I am happy to be here. Today I am going to present this title on the slide.”

# Hook

- ✗ “Hi, my name is .. I am a .. from .. My research .. I am happy to be here. Today I am going to present this title on the slide.”
- ✓ Start with a story, picture, surprising statistic, quote, question, audience poll, or guessing game that motivates the problem.



## Practice: A 30-Second Opening

**5 minutes**

Read this opening pattern and discuss where it creates clarity or curiosity:

“Many \_\_\_\_\_ struggle with \_\_\_\_\_.  
Current approaches \_\_\_\_\_.  
In this talk, I will show \_\_\_\_\_ and explain why it matters for \_\_\_\_\_.”

With a partner, identify the problem, the gap, and the promise. Suggest one verbal improvement.

## Practice: A 30-Second Opening

**5 minutes**

Read this opening pattern and discuss where it creates clarity or curiosity:

“Many \_\_\_\_\_ struggle with \_\_\_\_\_.  
Current approaches \_\_\_\_\_.  
In this talk, I will show \_\_\_\_\_ and explain why it matters for \_\_\_\_\_.”

With a partner, identify the problem, the gap, and the promise. Suggest one verbal improvement.

**Debrief:** If the listener cannot recover both ideas, revise the opening before adding more detail.

# Transition

After the hook earns attention, connect it explicitly to the topic of the talk.

# Transition

After the hook earns attention, connect it explicitly to the topic of the talk.

- “Now why do I tell you this story?”

# Transition

After the hook earns attention, connect it explicitly to the topic of the talk.

- “Now why do I tell you this story?”
- “Why do I show this particular picture?”

# Transition

After the hook earns attention, connect it explicitly to the topic of the talk.

- “Now why do I tell you this story?”
- “Why do I show this particular picture?”
- “I see most of you raised your hand. But in fact ...”

# Preview

Once you have talked about WHY you want to talk about your topic with your hook and transition

# Preview

Once you have talked about WHY you want to talk about your topic with your hook and transition  
give a preview of WHAT you are going to talk about.



# Benefit for your audience

## **Convince**

why your audience should spend the next 40 mins of their life

# Benefit for your audience

## Convince

why your audience should spend the next 40 mins of their life  
*(that they cannot get back)*

# Benefit for your audience

## Convince

why your audience should spend the next 40 mins of their life  
*(that they cannot get back)*  
listening to your talk.

# Benefit for your audience

## Convince

why your audience should spend the next 40 mins of their life  
*(that they cannot get back)*  
listening to your talk.

E.g.,

# Benefit for your audience

## Convince

why your audience should spend the next 40 mins of their life  
*(that they cannot get back)*  
listening to your talk.

E.g.,

- What questions will you answer?

# Benefit for your audience

## Convince

why your audience should spend the next 40 mins of their life  
*(that they cannot get back)*  
listening to your talk.

E.g.,

- What questions will you answer?
- What will they learn?

# Benefit for your audience

## Convince

why your audience should spend the next 40 mins of their life  
*(that they cannot get back)*  
listening to your talk.

E.g.,

- What questions will you answer?
- What will they learn?
- How will your talk benefit the audience?

# Table of Contents

- 1 From Communication to Presentation
- 2 Design the Talk
- 3 Explain the Evidence**
  - Guide Attention Through the Body
- 4 Deliver, Close, and Respond



# Organizing your talk with an OUTLINE slide?

## Organizing your talk with an OUTLINE slide?

NO!! I couldn't think of a weaker way of starting presentation with an outline!

# Organizing your talk with an OUTLINE slide?


NO!! I couldn't think of a weaker way of starting presentation with an outline!

\$\$\$ is All You Need

Jia-Bin Huang

## Outline

- Introduction
- Motivation
- Related work
- Overview
- Proposed method
- Experimental results
- Conclusion



# Organizing your talk with an OUTLINE slide?

NO!! I couldn't think of a weaker way of starting presentation with an outline!


Instead, start the presentation by explaining

\$\$\$ is All You Need

Jia-Bin Huang

## Outline

- Introduction
- Motivation
- Related work
- Overview
- Proposed method
- Experimental results
- Conclusion



# Organizing your talk with an OUTLINE slide?

NO!! I couldn't think of a weaker way of starting presentation with an outline!

Instead, start the presentation by explaining


Why should they care?

\$\$\$ is All You Need

Jia-Bin Huang

## Outline

- Introduction
- Motivation
- Related work
- Overview
- Proposed method
- Experimental results
- Conclusion



# Organizing your talk with an OUTLINE slide?

NO!! I couldn't think of a weaker way of starting presentation with an outline!

Instead, start the presentation by explaining

Why should they care?

Describe why the problem is


- important
- interesting
- challenging

\$\$\$ is All You Need

Jia-Bin Huang

## Outline

- Introduction
- Motivation
- Related work
- Overview
- Proposed method
- Experimental results
- Conclusion



# Motivate first, then provide concise navigation

After motivating the problem,

- show two or three meaningful parts that help the audience navigate the argument.

# Motivate first, then provide concise navigation

After motivating the problem,

- show two or three meaningful parts that help the audience navigate the argument.

Why?



# Motivate first, then provide concise navigation

After motivating the problem,

- show two or three meaningful parts that help the audience navigate the argument.

Why?

- because the menu provides an easy way to navigate your talk.

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
    - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)



## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

## 3-steps for each Entrée/part

- Tell them what you are going to say
  - Present all the Entrée options,
  - then highlight the first one (and don't forget to de-emphasize the remaining ones).
- Say it
  - Now you have set the stage. Just say it!
  - Here you can use as many slides as you want to introduce the first Entrée.
- Tell them what you've said
  - Summarize what you've just said
  - Explain why we need to check out second Entrée (remember to emphasize/de-emphasize different Entrées)

Then repeat the 3-steps for next Entrée.

## Be concise

Do not treat slides as a script; manage the audience's reading load.

# Be concise

Do not treat slides as a script; manage the audience's reading load.

Useful defaults when preparing a talk:

# Be concise

Do not treat slides as a script; manage the audience's reading load.

Useful defaults when preparing a talk:

- Prefer short phrases when the speaker supplies the explanation.

# Be concise

Do not treat slides as a script; manage the audience's reading load.

Useful defaults when preparing a talk:

- Prefer short phrases when the speaker supplies the explanation.
- Use complete sentences when precision or quotation requires them.

# Be concise

Do not treat slides as a script; manage the audience's reading load.

Useful defaults when preparing a talk:

- Prefer short phrases when the speaker supplies the explanation.
- Use complete sentences when precision or quotation requires them.
- Keep only the text the audience must read at that moment.



# Make your audience as relaxed as possible

## **Attention is limited.**

The audience must listen, read, and interpret evidence at the same time.

# Make your audience as relaxed as possible

- Control the level of details.

*Your audience will be much happier to see a concise and clear talk.*

# Make your audience as relaxed as possible

- Control the level of details.

*Your audience will be much happier to see a concise and clear talk.*

- Use animation to break down a complicated figure/concept and describe them step by step.

# Make your audience as relaxed as possible

- Control the level of details.

*Your audience will be much happier to see a concise and clear talk.*

- Use animation to break down a complicated figure/concept and describe them step by step.

*Slides must not overwhelm the viewer!*

# Make your audience as relaxed as possible

- Control the level of details.

*Your audience will be much happier to see a concise and clear talk.*

- Use animation to break down a complicated figure/concept and describe them step by step.

*Slides must not overwhelm the viewer!*

- Use an arrow/box/circle pointing to some number/texts/figure in your slides (with animation)

# Make your audience as relaxed as possible

- Control the level of details.

*Your audience will be much happier to see a concise and clear talk.*

- Use animation to break down a complicated figure/concept and describe them step by step.

*Slides must not overwhelm the viewer!*

- Use an arrow/box/circle pointing to some number/texts/figure in your slides (with animation)
- Include the take-home message for most of your slides

# Make your audience as relaxed as possible

- Control the level of details.

*Your audience will be much happier to see a concise and clear talk.*

- Use animation to break down a complicated figure/concept and describe them step by step.

*Slides must not overwhelm the viewer!*

- Use an arrow/box/circle pointing to some number/texts/figure in your slides (with animation)
- Include the take-home message for most of your slides
- Use Emphasis/De-emphasis to attract your audience's attention!

# Make your audience as relaxed as possible

- Control the level of details.

*Your audience will be much happier to see a concise and clear talk.*

- Use animation to break down a complicated figure/concept and describe them step by step.

*Slides must not overwhelm the viewer!*

- Use an arrow/box/circle pointing to some number/texts/figure in your slides (with animation)
- Include the take-home message for most of your slides
- Use Emphasis/De-emphasis to attract your audience's attention!  
e.g., some take-home message or important concepts.



# Use informative slide titles

- Avoid using the most salient part of a slide only for labels such as “Results”, “Visual comparison”, or “Ablation study”.
- The title should describe the TAKEAWAY message from that slide.

# Use simple table and highlight the key message

| Algorithm             | Scale | Set5                  |      |     | Set14                 |      |     | BSDS100               |      |     | Urban100              |      |     | Manga109              |      |     |
|-----------------------|-------|-----------------------|------|-----|-----------------------|------|-----|-----------------------|------|-----|-----------------------|------|-----|-----------------------|------|-----|
|                       |       | PSNR                  | SSIM | IFC | PSNR                  | SSIM | IFC | PSNR                  | SSIM | IFC | PSNR                  | SSIM | IFC | PSNR                  | SSIM | IFC |
| Bicubic               | 2x    | 33.69 / 0.931 / 6.166 |      |     | 30.25 / 0.870 / 6.126 |      |     | 29.57 / 0.844 / 5.695 |      |     | 26.89 / 0.841 / 6.319 |      |     | 30.86 / 0.936 / 6.214 |      |     |
| A+ [3]                |       | 36.60 / 0.955 / 8.715 |      |     | 32.32 / 0.906 / 8.200 |      |     | 31.24 / 0.887 / 7.464 |      |     | 29.25 / 0.895 / 8.440 |      |     | 35.37 / 0.968 / 8.906 |      |     |
| RFL [5]               |       | 36.59 / 0.954 / 8.741 |      |     | 32.29 / 0.905 / 8.224 |      |     | 31.18 / 0.885 / 7.473 |      |     | 29.14 / 0.891 / 8.439 |      |     | 35.12 / 0.966 / 8.921 |      |     |
| SelfExSR [22]         |       | 36.60 / 0.955 / 8.404 |      |     | 32.24 / 0.904 / 8.018 |      |     | 31.20 / 0.887 / 7.239 |      |     | 29.55 / 0.898 / 8.414 |      |     | 35.82 / 0.969 / 8.721 |      |     |
| SRCNN [9]             |       | 36.72 / 0.955 / 8.166 |      |     | 32.51 / 0.908 / 7.867 |      |     | 31.38 / 0.889 / 7.242 |      |     | 29.53 / 0.896 / 8.092 |      |     | 35.76 / 0.968 / 8.471 |      |     |
| FSRCNN [15]           |       | 37.05 / 0.956 / 8.199 |      |     | 32.66 / 0.909 / 7.841 |      |     | 31.53 / 0.892 / 7.180 |      |     | 29.88 / 0.902 / 8.131 |      |     | 36.67 / 0.971 / 8.587 |      |     |
| SCN [10]              |       | 36.58 / 0.954 / 7.358 |      |     | 32.35 / 0.905 / 7.085 |      |     | 31.26 / 0.885 / 6.500 |      |     | 29.52 / 0.897 / 7.324 |      |     | 35.51 / 0.967 / 7.601 |      |     |
| VDSR [11]             |       | 37.53 / 0.952 / 8.190 |      |     | 33.05 / 0.913 / 7.878 |      |     | 31.80 / 0.896 / 7.169 |      |     | 30.72 / 0.914 / 8.270 |      |     | 37.22 / 0.975 / 9.120 |      |     |
| DRCN [12]             |       | 37.43 / 0.952 / 8.326 |      |     | 33.06 / 0.912 / 8.025 |      |     | 31.85 / 0.895 / 7.220 |      |     | 30.76 / 0.914 / 8.527 |      |     | 37.63 / 0.974 / 9.541 |      |     |
| LapSRN [16]           |       | 37.52 / 0.959 / 9.010 |      |     | 33.08 / 0.913 / 8.501 |      |     | 31.80 / 0.895 / 7.715 |      |     | 30.41 / 0.910 / 8.907 |      |     | 37.27 / 0.974 / 9.481 |      |     |
| DRRN [13]             |       | 37.74 / 0.959 / 8.671 |      |     | 33.23 / 0.914 / 8.320 |      |     | 32.05 / 0.897 / 7.613 |      |     | 31.23 / 0.919 / 8.917 |      |     | 37.92 / 0.976 / 9.268 |      |     |
| MS-LapSRN-D5R2 (ours) |       | 37.62 / 0.960 / 9.038 |      |     | 33.13 / 0.913 / 8.539 |      |     | 31.93 / 0.897 / 7.776 |      |     | 30.82 / 0.915 / 9.081 |      |     | 37.38 / 0.975 / 9.434 |      |     |
| MS-LapSRN-D5R5 (ours) |       | 37.72 / 0.960 / 9.265 |      |     | 33.24 / 0.914 / 8.726 |      |     | 32.00 / 0.898 / 7.906 |      |     | 31.01 / 0.917 / 9.334 |      |     | 37.71 / 0.975 / 9.710 |      |     |
| MS-LapSRN-D5R8 (ours) |       | 37.78 / 0.960 / 9.305 |      |     | 33.28 / 0.915 / 8.748 |      |     | 32.05 / 0.898 / 7.927 |      |     | 31.15 / 0.919 / 9.406 |      |     | 37.78 / 0.976 / 9.765 |      |     |
| Bicubic               | 3x    | 30.41 / 0.869 / 3.596 |      |     | 27.55 / 0.775 / 3.491 |      |     | 27.22 / 0.741 / 3.168 |      |     | 24.47 / 0.737 / 3.661 |      |     | 26.99 / 0.859 / 3.521 |      |     |
| A+ [3]                |       | 32.62 / 0.909 / 4.979 |      |     | 29.15 / 0.820 / 4.545 |      |     | 28.31 / 0.785 / 4.028 |      |     | 26.05 / 0.799 / 4.883 |      |     | 29.93 / 0.912 / 4.880 |      |     |
| RFL [5]               |       | 32.47 / 0.906 / 4.956 |      |     | 29.07 / 0.818 / 4.533 |      |     | 28.23 / 0.782 / 4.023 |      |     | 25.88 / 0.792 / 4.781 |      |     | 29.61 / 0.905 / 4.758 |      |     |
| SelfExSR [22]         |       | 32.66 / 0.910 / 4.911 |      |     | 29.18 / 0.821 / 4.505 |      |     | 28.30 / 0.786 / 3.923 |      |     | 26.45 / 0.810 / 4.988 |      |     | 27.57 / 0.821 / 2.193 |      |     |
| SRCNN [9]             |       | 32.78 / 0.909 / 4.682 |      |     | 29.32 / 0.823 / 4.372 |      |     | 28.42 / 0.788 / 3.879 |      |     | 26.25 / 0.801 / 4.630 |      |     | 30.59 / 0.914 / 4.698 |      |     |
| FSRCNN [15]           |       | 33.18 / 0.914 / 4.970 |      |     | 29.37 / 0.824 / 4.569 |      |     | 28.53 / 0.791 / 4.061 |      |     | 26.43 / 0.808 / 4.878 |      |     | 31.10 / 0.921 / 4.912 |      |     |
| SCN [10]              |       | 32.62 / 0.908 / 4.321 |      |     | 29.16 / 0.818 / 4.006 |      |     | 28.33 / 0.783 / 3.553 |      |     | 26.21 / 0.801 / 4.253 |      |     | 30.22 / 0.914 / 4.302 |      |     |
| VDSR [11]             |       | 33.67 / 0.921 / 5.088 |      |     | 29.78 / 0.832 / 4.606 |      |     | 28.83 / 0.799 / 4.043 |      |     | 27.14 / 0.829 / 5.045 |      |     | 32.01 / 0.934 / 5.389 |      |     |
| DRCN [12]             |       | 33.83 / 0.922 / 5.206 |      |     | 29.77 / 0.832 / 4.606 |      |     | 28.80 / 0.797 / 4.070 |      |     | 27.15 / 0.828 / 5.185 |      |     | 32.31 / 0.936 / 5.564 |      |     |
| LapSRN [16]           |       | 33.82 / 0.922 / 5.194 |      |     | 29.87 / 0.832 / 4.662 |      |     | 28.82 / 0.798 / 4.057 |      |     | 27.07 / 0.828 / 5.168 |      |     | 32.21 / 0.935 / 5.406 |      |     |
| DRRN [13]             |       | 34.03 / 0.924 / 5.397 |      |     | 29.96 / 0.835 / 4.878 |      |     | 28.95 / 0.800 / 4.269 |      |     | 27.53 / 0.764 / 5.456 |      |     | 32.74 / 0.939 / 5.659 |      |     |
| MS-LapSRN-D5R2 (ours) |       | 33.88 / 0.923 / 5.165 |      |     | 29.89 / 0.834 / 4.637 |      |     | 28.87 / 0.800 / 4.040 |      |     | 27.23 / 0.831 / 5.142 |      |     | 32.28 / 0.936 / 5.384 |      |     |
| MS-LapSRN-D5R5 (ours) |       | 34.01 / 0.924 / 5.307 |      |     | 29.96 / 0.836 / 4.758 |      |     | 28.92 / 0.801 / 4.127 |      |     | 27.39 / 0.835 / 5.333 |      |     | 32.60 / 0.938 / 5.559 |      |     |
| MS-LapSRN-D5R8 (ours) |       | 34.06 / 0.924 / 5.390 |      |     | 29.97 / 0.836 / 4.806 |      |     | 28.93 / 0.802 / 4.154 |      |     | 27.42 / 0.837 / 5.409 |      |     | 32.68 / 0.939 / 5.621 |      |     |
| Bicubic               | 4x    | 28.43 / 0.811 / 2.337 |      |     | 26.01 / 0.704 / 2.246 |      |     | 25.97 / 0.670 / 1.993 |      |     | 23.15 / 0.660 / 2.386 |      |     | 24.93 / 0.790 / 2.289 |      |     |
| A+ [3]                |       | 30.32 / 0.860 / 3.260 |      |     | 27.34 / 0.751 / 2.961 |      |     | 26.83 / 0.711 / 2.565 |      |     | 24.34 / 0.721 / 3.218 |      |     | 27.03 / 0.851 / 3.177 |      |     |
| RFL [5]               |       | 30.17 / 0.855 / 3.205 |      |     | 27.24 / 0.747 / 2.924 |      |     | 26.76 / 0.708 / 2.538 |      |     | 24.20 / 0.712 / 3.101 |      |     | 26.80 / 0.841 / 3.055 |      |     |
| SelfExSR [22]         |       | 30.34 / 0.862 / 3.249 |      |     | 27.41 / 0.753 / 2.952 |      |     | 26.84 / 0.713 / 2.512 |      |     | 24.83 / 0.740 / 3.381 |      |     | 27.83 / 0.866 / 3.358 |      |     |
| SRCNN [9]             |       | 30.50 / 0.863 / 2.997 |      |     | 27.52 / 0.753 / 2.766 |      |     | 26.91 / 0.712 / 2.412 |      |     | 24.53 / 0.725 / 2.992 |      |     | 27.66 / 0.859 / 3.045 |      |     |
| FSRCNN [15]           |       | 30.72 / 0.866 / 2.994 |      |     | 27.61 / 0.755 / 2.722 |      |     | 26.98 / 0.715 / 2.370 |      |     | 24.62 / 0.728 / 2.916 |      |     | 27.90 / 0.861 / 2.950 |      |     |
| SCN [10]              |       | 30.41 / 0.863 / 2.911 |      |     | 27.39 / 0.751 / 2.651 |      |     | 26.88 / 0.711 / 2.309 |      |     | 24.52 / 0.726 / 2.860 |      |     | 27.39 / 0.857 / 2.889 |      |     |
| VDSR [11]             |       | 31.35 / 0.883 / 3.496 |      |     | 28.02 / 0.768 / 3.071 |      |     | 27.29 / 0.726 / 2.627 |      |     | 25.18 / 0.754 / 3.405 |      |     | 28.83 / 0.887 / 3.664 |      |     |
| DRCN [12]             |       | 31.54 / 0.884 / 3.502 |      |     | 28.03 / 0.768 / 3.066 |      |     | 27.24 / 0.725 / 2.587 |      |     | 25.14 / 0.752 / 3.412 |      |     | 28.98 / 0.887 / 3.674 |      |     |
| LapSRN [16]           |       | 31.54 / 0.885 / 3.559 |      |     | 28.19 / 0.772 / 3.147 |      |     | 27.32 / 0.727 / 2.677 |      |     | 25.21 / 0.756 / 3.530 |      |     | 29.09 / 0.890 / 3.729 |      |     |
| DRRN [13]             |       | 31.68 / 0.888 / 3.703 |      |     | 28.21 / 0.772 / 3.252 |      |     | 27.38 / 0.728 / 2.760 |      |     | 25.44 / 0.764 / 3.700 |      |     | 29.46 / 0.896 / 3.878 |      |     |
| MS-LapSRN-D5R2 (ours) |       | 31.62 / 0.887 / 3.585 |      |     | 28.16 / 0.772 / 3.151 |      |     | 27.36 / 0.729 / 2.684 |      |     | 25.32 / 0.760 / 3.537 |      |     | 29.18 / 0.892 / 3.750 |      |     |
| MS-LapSRN-D5R5 (ours) |       | 31.74 / 0.888 / 3.705 |      |     | 28.25 / 0.773 / 3.238 |      |     | 27.42 / 0.731 / 2.737 |      |     | 25.45 / 0.765 / 3.674 |      |     | 29.48 / 0.896 / 3.888 |      |     |
| MS-LapSRN-D5R8 (ours) |       | 31.74 / 0.889 / 3.749 |      |     | 28.26 / 0.774 / 3.261 |      |     | 27.43 / 0.731 / 2.755 |      |     | 25.51 / 0.768 / 3.727 |      |     | 29.54 / 0.897 / 3.928 |      |     |

# Use simple table and highlight the key message

| Algorithm             | Scale | Set5                  |      |     | Set14                 |      |     | BSDS100               |      |     | Urban100              |      |     | Manga109              |      |     |
|-----------------------|-------|-----------------------|------|-----|-----------------------|------|-----|-----------------------|------|-----|-----------------------|------|-----|-----------------------|------|-----|
|                       |       | PSNR                  | SSIM | IFC | PSNR                  | SSIM | IFC | PSNR                  | SSIM | IFC | PSNR                  | SSIM | IFC | PSNR                  | SSIM | IFC |
| Bicubic               | 2x    | 33.69 / 0.931 / 6.166 |      |     | 30.25 / 0.870 / 6.126 |      |     | 29.57 / 0.844 / 5.695 |      |     | 26.89 / 0.841 / 6.319 |      |     | 30.86 / 0.936 / 6.214 |      |     |
| A+ [3]                |       | 36.60 / 0.955 / 8.715 |      |     | 32.32 / 0.906 / 8.200 |      |     | 31.24 / 0.887 / 7.464 |      |     | 29.25 / 0.895 / 8.440 |      |     | 35.37 / 0.968 / 8.906 |      |     |
| RFL [5]               |       | 36.59 / 0.954 / 8.741 |      |     | 32.29 / 0.905 / 8.224 |      |     | 31.18 / 0.885 / 7.473 |      |     | 29.14 / 0.891 / 8.439 |      |     | 35.12 / 0.966 / 8.921 |      |     |
| SelfExSR [22]         |       | 36.60 / 0.955 / 8.404 |      |     | 32.24 / 0.904 / 8.018 |      |     | 31.20 / 0.887 / 7.239 |      |     | 29.55 / 0.898 / 8.414 |      |     | 35.82 / 0.969 / 8.721 |      |     |
| SRCNN [9]             |       | 36.72 / 0.955 / 8.166 |      |     | 32.51 / 0.908 / 7.867 |      |     | 31.38 / 0.889 / 7.242 |      |     | 29.53 / 0.896 / 8.092 |      |     | 35.76 / 0.968 / 8.471 |      |     |
| FSRCNN [15]           |       | 37.05 / 0.956 / 8.199 |      |     | 32.66 / 0.909 / 7.841 |      |     | 31.53 / 0.892 / 7.180 |      |     | 29.88 / 0.902 / 8.131 |      |     | 36.67 / 0.971 / 8.587 |      |     |
| SCN [10]              |       | 36.58 / 0.954 / 7.358 |      |     | 32.35 / 0.905 / 7.085 |      |     | 31.26 / 0.885 / 6.500 |      |     | 29.52 / 0.897 / 7.324 |      |     | 35.51 / 0.967 / 7.601 |      |     |
| VDSR [11]             |       | 37.53 / 0.952 / 8.190 |      |     | 33.05 / 0.913 / 7.878 |      |     | 31.80 / 0.896 / 7.169 |      |     | 30.72 / 0.914 / 8.270 |      |     | 37.22 / 0.975 / 9.120 |      |     |
| DRCN [12]             |       | 37.43 / 0.952 / 8.326 |      |     | 33.06 / 0.912 / 8.025 |      |     | 31.85 / 0.895 / 7.220 |      |     | 30.76 / 0.914 / 8.527 |      |     | 37.63 / 0.974 / 9.541 |      |     |
| LapSRN [16]           |       | 37.52 / 0.959 / 9.010 |      |     | 33.08 / 0.913 / 8.501 |      |     | 31.80 / 0.895 / 7.715 |      |     | 30.41 / 0.910 / 8.907 |      |     | 37.27 / 0.974 / 9.481 |      |     |
| DRRN [13]             |       | 37.74 / 0.959 / 8.671 |      |     | 33.23 / 0.914 / 8.320 |      |     | 32.05 / 0.897 / 7.613 |      |     | 31.23 / 0.919 / 8.917 |      |     | 37.92 / 0.976 / 9.268 |      |     |
| MS-LapSRN-D5R2 (ours) |       | 37.62 / 0.960 / 9.038 |      |     | 33.13 / 0.913 / 8.539 |      |     | 31.93 / 0.897 / 7.776 |      |     | 30.82 / 0.915 / 9.081 |      |     | 37.38 / 0.975 / 9.434 |      |     |
| MS-LapSRN-D5R5 (ours) |       | 37.72 / 0.960 / 9.265 |      |     | 33.24 / 0.914 / 8.726 |      |     | 32.00 / 0.898 / 7.906 |      |     | 31.01 / 0.917 / 9.334 |      |     | 37.71 / 0.975 / 9.710 |      |     |
| MS-LapSRN-D5R8 (ours) |       | 37.78 / 0.960 / 9.305 |      |     | 33.28 / 0.915 / 8.748 |      |     | 32.05 / 0.898 / 7.927 |      |     | 31.15 / 0.919 / 9.406 |      |     | 37.78 / 0.976 / 9.765 |      |     |
| Bicubic               | 3x    | 30.41 / 0.869 / 3.596 |      |     | 27.55 / 0.775 / 3.491 |      |     | 27.22 / 0.741 / 3.168 |      |     | 24.47 / 0.737 / 3.661 |      |     | 26.99 / 0.859 / 3.521 |      |     |
| A+ [3]                |       | 32.62 / 0.909 / 4.979 |      |     | 29.15 / 0.820 / 4.545 |      |     | 28.31 / 0.785 / 4.028 |      |     | 26.05 / 0.799 / 4.883 |      |     | 29.93 / 0.912 / 4.880 |      |     |
| RFL [5]               |       | 32.47 / 0.906 / 4.956 |      |     | 29.07 / 0.818 / 4.533 |      |     | 28.23 / 0.782 / 4.023 |      |     | 25.88 / 0.792 / 4.781 |      |     | 29.61 / 0.905 / 4.758 |      |     |
| SelfExSR [22]         |       | 32.66 / 0.910 / 4.911 |      |     | 29.18 / 0.821 / 4.505 |      |     | 28.30 / 0.786 / 3.923 |      |     | 26.45 / 0.810 / 4.988 |      |     | 27.57 / 0.821 / 2.193 |      |     |
| SRCNN [9]             |       | 32.78 / 0.909 / 4.682 |      |     | 29.32 / 0.823 / 4.372 |      |     | 28.42 / 0.788 / 3.879 |      |     | 26.25 / 0.801 / 4.630 |      |     | 30.59 / 0.914 / 4.698 |      |     |
| FSRCNN [15]           |       | 33.18 / 0.914 / 4.970 |      |     | 29.37 / 0.824 / 4.569 |      |     | 28.53 / 0.791 / 4.061 |      |     | 26.43 / 0.808 / 4.878 |      |     | 31.10 / 0.921 / 4.912 |      |     |
| SCN [10]              |       | 32.62 / 0.908 / 4.321 |      |     | 29.16 / 0.818 / 4.006 |      |     | 28.33 / 0.783 / 3.553 |      |     | 26.21 / 0.801 / 4.253 |      |     | 30.22 / 0.914 / 4.302 |      |     |
| VDSR [11]             |       | 33.67 / 0.921 / 5.088 |      |     | 29.78 / 0.832 / 4.606 |      |     | 28.83 / 0.799 / 4.043 |      |     | 27.14 / 0.829 / 5.045 |      |     | 32.01 / 0.934 / 5.389 |      |     |
| DRCN [12]             |       | 33.83 / 0.922 / 5.286 |      |     | 29.77 / 0.832 / 4.670 |      |     | 28.80 / 0.797 / 4.070 |      |     | 27.15 / 0.828 / 5.185 |      |     | 32.31 / 0.936 / 5.564 |      |     |
| LapSRN [16]           |       | 33.82 / 0.922 / 5.194 |      |     | 29.87 / 0.832 / 4.662 |      |     | 28.82 / 0.798 / 4.057 |      |     | 27.07 / 0.828 / 5.168 |      |     | 32.21 / 0.935 / 5.406 |      |     |
| DRRN [13]             |       | 34.03 / 0.924 / 5.397 |      |     | 29.96 / 0.835 / 4.878 |      |     | 28.95 / 0.800 / 4.269 |      |     | 27.53 / 0.764 / 5.456 |      |     | 32.74 / 0.939 / 5.659 |      |     |
| MS-LapSRN-D5R2 (ours) |       | 33.88 / 0.923 / 5.165 |      |     | 29.89 / 0.834 / 4.637 |      |     | 28.87 / 0.800 / 4.040 |      |     | 27.23 / 0.831 / 5.142 |      |     | 32.28 / 0.936 / 5.384 |      |     |
| MS-LapSRN-D5R5 (ours) |       | 34.01 / 0.924 / 5.307 |      |     | 29.96 / 0.836 / 4.758 |      |     | 28.92 / 0.801 / 4.127 |      |     | 27.39 / 0.835 / 5.333 |      |     | 32.60 / 0.938 / 5.559 |      |     |
| MS-LapSRN-D5R8 (ours) |       | 34.06 / 0.924 / 5.390 |      |     | 29.97 / 0.836 / 4.806 |      |     | 28.93 / 0.802 / 4.154 |      |     | 27.42 / 0.837 / 5.409 |      |     | 32.68 / 0.939 / 5.621 |      |     |
| Bicubic               | 4x    | 28.43 / 0.811 / 2.337 |      |     | 26.01 / 0.704 / 2.246 |      |     | 25.97 / 0.670 / 1.993 |      |     | 23.15 / 0.660 / 2.386 |      |     | 24.93 / 0.790 / 2.289 |      |     |
| A+ [3]                |       | 30.32 / 0.860 / 3.260 |      |     | 27.34 / 0.751 / 2.961 |      |     | 26.83 / 0.711 / 2.565 |      |     | 24.34 / 0.721 / 3.218 |      |     | 27.03 / 0.851 / 3.177 |      |     |
| RFL [5]               |       | 30.17 / 0.855 / 3.205 |      |     | 27.24 / 0.747 / 2.924 |      |     | 26.76 / 0.708 / 2.538 |      |     | 24.20 / 0.712 / 3.101 |      |     | 26.80 / 0.841 / 3.055 |      |     |
| SelfExSR [22]         |       | 30.34 / 0.862 / 3.249 |      |     | 27.41 / 0.753 / 2.952 |      |     | 26.84 / 0.713 / 2.512 |      |     | 24.83 / 0.740 / 3.381 |      |     | 27.83 / 0.866 / 3.358 |      |     |
| SRCNN [9]             |       | 30.50 / 0.863 / 2.997 |      |     | 27.52 / 0.753 / 2.766 |      |     | 26.91 / 0.712 / 2.412 |      |     | 24.53 / 0.725 / 2.992 |      |     | 27.66 / 0.859 / 3.045 |      |     |
| FSRCNN [15]           |       | 30.72 / 0.866 / 2.994 |      |     | 27.61 / 0.755 / 2.722 |      |     | 26.98 / 0.715 / 2.370 |      |     | 24.62 / 0.728 / 2.916 |      |     | 27.90 / 0.861 / 2.950 |      |     |
| SCN [10]              |       | 30.41 / 0.863 / 2.911 |      |     | 27.39 / 0.751 / 2.651 |      |     | 26.88 / 0.711 / 2.309 |      |     | 24.52 / 0.726 / 2.860 |      |     | 27.39 / 0.857 / 2.889 |      |     |
| VDSR [11]             |       | 31.35 / 0.883 / 3.496 |      |     | 28.02 / 0.768 / 3.071 |      |     | 27.29 / 0.726 / 2.627 |      |     | 25.18 / 0.754 / 3.405 |      |     | 28.83 / 0.887 / 3.664 |      |     |
| DRCN [12]             |       | 31.54 / 0.884 / 3.502 |      |     | 28.03 / 0.768 / 3.066 |      |     | 27.24 / 0.725 / 2.587 |      |     | 25.14 / 0.752 / 3.412 |      |     | 28.98 / 0.887 / 3.674 |      |     |
| LapSRN [16]           |       | 31.54 / 0.885 / 3.559 |      |     | 28.19 / 0.772 / 3.147 |      |     | 27.32 / 0.727 / 2.677 |      |     | 25.21 / 0.756 / 3.530 |      |     | 29.09 / 0.890 / 3.729 |      |     |
| DRRN [13]             |       | 31.68 / 0.888 / 3.703 |      |     | 28.21 / 0.772 / 3.252 |      |     | 27.38 / 0.728 / 2.760 |      |     | 25.44 / 0.764 / 3.700 |      |     | 29.46 / 0.896 / 3.878 |      |     |
| MS-LapSRN-D5R2 (ours) |       | 31.62 / 0.887 / 3.585 |      |     | 28.16 / 0.772 / 3.151 |      |     | 27.36 / 0.729 / 2.684 |      |     | 25.32 / 0.760 / 3.537 |      |     | 29.18 / 0.892 / 3.750 |      |     |
| MS-LapSRN-D5R5 (ours) |       | 31.74 / 0.888 / 3.705 |      |     | 28.25 / 0.773 / 3.238 |      |     | 27.42 / 0.731 / 2.737 |      |     | 25.45 / 0.765 / 3.674 |      |     | 29.48 / 0.896 / 3.888 |      |     |
| MS-LapSRN-D5R8 (ours) |       | 31.74 / 0.889 / 3.749 |      |     | 28.26 / 0.774 / 3.261 |      |     | 27.43 / 0.731 / 2.755 |      |     | 25.51 / 0.768 / 3.727 |      |     | 29.54 / 0.897 / 3.928 |      |     |

✓ It is a very informative table in your paper

# Use simple table and highlight the key message

| Algorithm             | Scale | Set5  |       |       | Set14 |       |       | BSDS100 |       |       | Urban100 |       |       | Manga109 |       |       |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|----------|-------|-------|----------|-------|-------|
|                       |       | PSNR  | SSIM  | IFC   | PSNR  | SSIM  | IFC   | PSNR    | SSIM  | IFC   | PSNR     | SSIM  | IFC   | PSNR     | SSIM  | IFC   |
| Bicubic               | 2x    | 33.69 | 0.931 | 6.166 | 30.25 | 0.870 | 6.126 | 29.57   | 0.844 | 5.695 | 26.89    | 0.841 | 6.319 | 30.86    | 0.936 | 6.214 |
| A+ [3]                |       | 36.60 | 0.955 | 8.715 | 32.32 | 0.906 | 8.200 | 31.24   | 0.887 | 7.464 | 29.25    | 0.895 | 8.440 | 35.37    | 0.968 | 8.906 |
| RFL [5]               |       | 36.59 | 0.954 | 8.741 | 32.29 | 0.905 | 8.224 | 31.18   | 0.885 | 7.473 | 29.14    | 0.891 | 8.439 | 35.12    | 0.966 | 8.921 |
| SelfExSR [22]         |       | 36.60 | 0.955 | 8.404 | 32.24 | 0.904 | 8.018 | 31.20   | 0.887 | 7.239 | 29.55    | 0.898 | 8.414 | 35.82    | 0.969 | 8.721 |
| SRCNN [9]             |       | 36.72 | 0.955 | 8.166 | 32.51 | 0.908 | 7.867 | 31.38   | 0.889 | 7.242 | 29.53    | 0.896 | 8.092 | 35.76    | 0.968 | 8.471 |
| FSRCNN [15]           |       | 37.05 | 0.956 | 8.199 | 32.66 | 0.909 | 7.841 | 31.53   | 0.892 | 7.180 | 29.88    | 0.902 | 8.131 | 36.67    | 0.971 | 8.587 |
| SCN [10]              |       | 36.58 | 0.954 | 7.358 | 32.35 | 0.905 | 7.085 | 31.26   | 0.885 | 6.500 | 29.52    | 0.897 | 7.324 | 35.51    | 0.967 | 7.601 |
| VDSR [11]             |       | 37.53 | 0.952 | 8.190 | 33.05 | 0.913 | 7.878 | 31.80   | 0.896 | 7.169 | 30.72    | 0.914 | 8.270 | 37.22    | 0.975 | 9.120 |
| DRCN [12]             |       | 37.43 | 0.952 | 8.326 | 33.06 | 0.912 | 8.025 | 31.85   | 0.895 | 7.220 | 30.76    | 0.914 | 8.527 | 37.63    | 0.974 | 9.541 |
| LapSRN [16]           |       | 37.52 | 0.959 | 9.010 | 33.08 | 0.913 | 8.501 | 31.80   | 0.895 | 7.715 | 30.41    | 0.910 | 8.907 | 37.27    | 0.974 | 9.481 |
| DRRN [13]             |       | 37.74 | 0.959 | 8.671 | 33.23 | 0.914 | 8.320 | 32.05   | 0.897 | 7.613 | 31.23    | 0.919 | 8.917 | 37.92    | 0.976 | 9.268 |
| MS-LapSRN-D5R2 (ours) |       | 37.62 | 0.960 | 9.038 | 33.13 | 0.913 | 8.539 | 31.93   | 0.897 | 7.776 | 30.82    | 0.915 | 9.081 | 37.38    | 0.975 | 9.434 |
| MS-LapSRN-D5R5 (ours) |       | 37.72 | 0.960 | 9.265 | 33.24 | 0.914 | 8.726 | 32.00   | 0.898 | 7.906 | 31.01    | 0.917 | 9.334 | 37.71    | 0.975 | 9.710 |
| MS-LapSRN-D5R8 (ours) |       | 37.78 | 0.960 | 9.305 | 33.28 | 0.915 | 8.748 | 32.05   | 0.898 | 7.927 | 31.15    | 0.919 | 9.406 | 37.78    | 0.976 | 9.765 |
| Bicubic               | 3x    | 30.41 | 0.869 | 3.596 | 27.55 | 0.775 | 3.491 | 27.22   | 0.741 | 3.168 | 24.47    | 0.737 | 3.661 | 26.99    | 0.859 | 3.521 |
| A+ [3]                |       | 32.62 | 0.909 | 4.979 | 29.15 | 0.820 | 4.545 | 28.31   | 0.785 | 4.028 | 26.05    | 0.799 | 4.483 | 29.93    | 0.912 | 4.880 |
| RFL [5]               |       | 32.47 | 0.906 | 4.956 | 29.07 | 0.818 | 4.533 | 28.23   | 0.782 | 4.023 | 25.88    | 0.792 | 4.471 | 29.61    | 0.905 | 4.758 |
| SelfExSR [22]         |       | 32.66 | 0.910 | 4.911 | 29.18 | 0.821 | 4.505 | 28.30   | 0.786 | 3.923 | 26.45    | 0.810 | 4.988 | 27.57    | 0.821 | 2.193 |
| SRCNN [9]             |       | 32.78 | 0.909 | 4.682 | 29.32 | 0.823 | 4.372 | 28.42   | 0.788 | 3.879 | 26.25    | 0.801 | 4.630 | 30.59    | 0.914 | 4.698 |
| FSRCNN [15]           |       | 33.18 | 0.914 | 4.970 | 29.37 | 0.824 | 4.569 | 28.53   | 0.791 | 4.061 | 26.43    | 0.808 | 4.878 | 31.10    | 0.921 | 4.912 |
| SCN [10]              |       | 32.62 | 0.908 | 4.321 | 29.16 | 0.818 | 4.006 | 28.33   | 0.783 | 3.553 | 26.21    | 0.801 | 4.253 | 30.22    | 0.914 | 4.302 |
| VDSR [11]             |       | 33.67 | 0.921 | 5.088 | 29.78 | 0.832 | 4.606 | 28.83   | 0.799 | 4.043 | 27.14    | 0.829 | 5.045 | 32.01    | 0.934 | 5.389 |
| DRCN [12]             |       | 33.83 | 0.922 | 5.206 | 29.77 | 0.832 | 4.896 | 28.80   | 0.797 | 4.070 | 27.15    | 0.828 | 5.185 | 32.31    | 0.936 | 5.564 |
| LapSRN [16]           |       | 33.82 | 0.922 | 5.194 | 29.87 | 0.832 | 4.662 | 28.82   | 0.798 | 4.057 | 27.07    | 0.828 | 5.168 | 32.21    | 0.935 | 5.406 |
| DRRN [13]             |       | 34.03 | 0.924 | 5.397 | 29.96 | 0.835 | 4.878 | 28.95   | 0.800 | 4.269 | 27.53    | 0.764 | 5.456 | 32.74    | 0.939 | 5.659 |
| MS-LapSRN-D5R2 (ours) |       | 33.88 | 0.923 | 5.165 | 29.89 | 0.834 | 4.637 | 28.87   | 0.800 | 4.040 | 27.23    | 0.831 | 5.142 | 32.28    | 0.936 | 5.384 |
| MS-LapSRN-D5R5 (ours) |       | 34.01 | 0.924 | 5.307 | 29.96 | 0.836 | 4.758 | 28.92   | 0.801 | 4.127 | 27.39    | 0.835 | 5.333 | 32.60    | 0.938 | 5.559 |
| MS-LapSRN-D5R8 (ours) |       | 34.06 | 0.924 | 5.390 | 29.97 | 0.836 | 4.806 | 28.93   | 0.802 | 4.154 | 27.42    | 0.837 | 5.409 | 32.68    | 0.939 | 5.621 |
| Bicubic               | 4x    | 28.43 | 0.811 | 2.337 | 26.01 | 0.704 | 2.246 | 25.97   | 0.670 | 1.993 | 23.15    | 0.660 | 2.386 | 24.93    | 0.790 | 2.289 |
| A+ [3]                |       | 30.32 | 0.860 | 3.260 | 27.34 | 0.751 | 2.961 | 26.83   | 0.711 | 2.565 | 24.34    | 0.721 | 3.218 | 27.03    | 0.851 | 3.177 |
| RFL [5]               |       | 30.17 | 0.855 | 3.205 | 27.24 | 0.747 | 2.924 | 26.76   | 0.708 | 2.538 | 24.20    | 0.712 | 3.101 | 26.80    | 0.841 | 3.055 |
| SelfExSR [22]         |       | 30.34 | 0.862 | 3.249 | 27.41 | 0.753 | 2.952 | 26.84   | 0.713 | 2.512 | 24.83    | 0.740 | 3.381 | 27.83    | 0.866 | 3.358 |
| SRCNN [9]             |       | 30.50 | 0.863 | 2.997 | 27.52 | 0.753 | 2.766 | 26.91   | 0.712 | 2.412 | 24.53    | 0.725 | 2.992 | 27.66    | 0.859 | 3.045 |
| FSRCNN [15]           |       | 30.72 | 0.866 | 2.994 | 27.61 | 0.755 | 2.722 | 26.98   | 0.715 | 2.370 | 24.62    | 0.728 | 2.916 | 27.90    | 0.861 | 2.950 |
| SCN [10]              |       | 30.41 | 0.863 | 2.911 | 27.39 | 0.751 | 2.651 | 26.88   | 0.711 | 2.309 | 24.52    | 0.726 | 2.860 | 27.39    | 0.857 | 2.889 |
| VDSR [11]             |       | 31.35 | 0.883 | 3.496 | 28.02 | 0.768 | 3.071 | 27.29   | 0.726 | 2.627 | 25.18    | 0.754 | 3.405 | 28.83    | 0.887 | 3.664 |
| DRCN [12]             |       | 31.54 | 0.884 | 3.502 | 28.03 | 0.768 | 3.066 | 27.24   | 0.725 | 2.587 | 25.14    | 0.752 | 3.412 | 28.98    | 0.887 | 3.674 |
| LapSRN [16]           |       | 31.54 | 0.885 | 3.559 | 28.19 | 0.772 | 3.147 | 27.32   | 0.727 | 2.677 | 25.21    | 0.756 | 3.530 | 29.09    | 0.890 | 3.729 |
| DRRN [13]             |       | 31.68 | 0.888 | 3.703 | 28.21 | 0.772 | 3.252 | 27.38   | 0.728 | 2.760 | 25.44    | 0.764 | 3.700 | 29.46    | 0.896 | 3.878 |
| MS-LapSRN-D5R2 (ours) |       | 31.62 | 0.887 | 3.585 | 28.16 | 0.772 | 3.151 | 27.36   | 0.729 | 2.684 | 25.32    | 0.760 | 3.537 | 29.18    | 0.892 | 3.750 |
| MS-LapSRN-D5R5 (ours) |       | 31.74 | 0.888 | 3.705 | 28.25 | 0.773 | 3.238 | 27.42   | 0.731 | 2.737 | 25.45    | 0.765 | 3.674 | 29.48    | 0.896 | 3.888 |
| MS-LapSRN-D5R8 (ours) |       | 31.74 | 0.889 | 3.749 | 28.26 | 0.774 | 3.261 | 27.43   | 0.731 | 2.755 | 25.51    | 0.768 | 3.727 | 29.54    | 0.897 | 3.928 |

✓ It is a very informative table in your paper

✗ It is a disaster for a talk

# Use simple table and highlight the key message

| Algorithm             | Scale | Set5  |       |       | Set14 |       |       | BSDS100 |       |       | Urban100 |       |       | Manga109 |       |       |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|----------|-------|-------|----------|-------|-------|
|                       |       | PSNR  | SSIM  | IFC   | PSNR  | SSIM  | IFC   | PSNR    | SSIM  | IFC   | PSNR     | SSIM  | IFC   | PSNR     | SSIM  | IFC   |
| Bicubic               | 2x    | 33.69 | 0.931 | 6.166 | 30.25 | 0.870 | 6.126 | 29.57   | 0.844 | 5.695 | 26.89    | 0.841 | 6.319 | 30.86    | 0.936 | 6.214 |
| A+ [3]                |       | 36.60 | 0.955 | 8.715 | 32.32 | 0.906 | 8.200 | 31.24   | 0.887 | 7.464 | 29.25    | 0.895 | 8.440 | 35.37    | 0.968 | 8.906 |
| RFL [5]               |       | 36.59 | 0.954 | 8.741 | 32.29 | 0.905 | 8.224 | 31.18   | 0.885 | 7.473 | 29.14    | 0.891 | 8.439 | 35.12    | 0.966 | 8.921 |
| SelfExSR [22]         |       | 36.60 | 0.955 | 8.404 | 32.24 | 0.904 | 8.018 | 31.20   | 0.887 | 7.239 | 29.55    | 0.898 | 8.414 | 35.82    | 0.969 | 8.721 |
| SRCNN [9]             |       | 36.72 | 0.955 | 8.166 | 32.51 | 0.908 | 7.867 | 31.38   | 0.889 | 7.242 | 29.53    | 0.896 | 8.092 | 35.76    | 0.968 | 8.471 |
| FSRCNN [15]           |       | 37.05 | 0.956 | 8.199 | 32.66 | 0.909 | 7.841 | 31.53   | 0.892 | 7.180 | 29.88    | 0.902 | 8.131 | 36.67    | 0.971 | 8.587 |
| SCN [10]              |       | 36.58 | 0.954 | 7.358 | 32.35 | 0.905 | 7.085 | 31.26   | 0.885 | 6.500 | 29.52    | 0.897 | 7.324 | 35.51    | 0.967 | 7.601 |
| VDSR [11]             |       | 37.53 | 0.952 | 8.190 | 33.05 | 0.913 | 7.878 | 31.80   | 0.896 | 7.169 | 30.72    | 0.914 | 8.270 | 37.22    | 0.975 | 9.120 |
| DRCN [12]             |       | 37.63 | 0.952 | 8.326 | 33.06 | 0.912 | 8.025 | 31.85   | 0.895 | 7.220 | 30.76    | 0.914 | 8.527 | 37.63    | 0.974 | 9.341 |
| LapSRN [16]           |       | 37.52 | 0.959 | 9.010 | 33.08 | 0.913 | 8.501 | 31.80   | 0.895 | 7.715 | 30.41    | 0.910 | 8.907 | 37.27    | 0.974 | 9.481 |
| DRRN [13]             |       | 37.74 | 0.959 | 8.671 | 33.23 | 0.914 | 8.320 | 32.05   | 0.897 | 7.613 | 31.23    | 0.919 | 8.917 | 37.92    | 0.976 | 9.268 |
| MS-LapSRN-D5R2 (ours) |       | 37.62 | 0.960 | 9.038 | 33.13 | 0.913 | 8.539 | 31.93   | 0.897 | 7.776 | 30.82    | 0.915 | 9.081 | 37.38    | 0.975 | 9.434 |
| MS-LapSRN-D5R5 (ours) |       | 37.72 | 0.960 | 9.265 | 33.24 | 0.914 | 8.726 | 32.00   | 0.898 | 7.906 | 31.01    | 0.917 | 9.334 | 37.71    | 0.975 | 9.710 |
| MS-LapSRN-D5R8 (ours) |       | 37.78 | 0.960 | 9.305 | 33.28 | 0.915 | 8.748 | 32.05   | 0.898 | 7.927 | 31.15    | 0.919 | 9.406 | 37.78    | 0.976 | 9.765 |
| Bicubic               | 3x    | 30.41 | 0.869 | 3.596 | 27.55 | 0.775 | 3.491 | 27.22   | 0.741 | 3.168 | 24.47    | 0.737 | 3.661 | 26.99    | 0.859 | 3.521 |
| A+ [3]                |       | 32.62 | 0.909 | 4.979 | 29.15 | 0.820 | 4.545 | 28.31   | 0.785 | 4.028 | 26.05    | 0.799 | 4.483 | 29.93    | 0.912 | 4.880 |
| RFL [5]               |       | 32.47 | 0.906 | 4.956 | 29.07 | 0.818 | 4.533 | 28.23   | 0.782 | 4.023 | 25.88    | 0.792 | 4.471 | 29.61    | 0.905 | 4.758 |
| SelfExSR [22]         |       | 32.66 | 0.910 | 4.911 | 29.18 | 0.821 | 4.505 | 28.30   | 0.786 | 3.923 | 26.45    | 0.810 | 4.988 | 27.57    | 0.821 | 2.193 |
| SRCNN [9]             |       | 32.78 | 0.909 | 4.682 | 29.32 | 0.823 | 4.372 | 28.42   | 0.788 | 3.879 | 26.25    | 0.801 | 4.630 | 30.59    | 0.914 | 4.698 |
| FSRCNN [15]           |       | 33.18 | 0.914 | 4.970 | 29.37 | 0.824 | 4.569 | 28.53   | 0.791 | 4.061 | 26.43    | 0.808 | 4.878 | 31.10    | 0.921 | 4.912 |
| SCN [10]              |       | 32.62 | 0.908 | 4.321 | 29.16 | 0.818 | 4.006 | 28.33   | 0.783 | 3.553 | 26.21    | 0.801 | 4.253 | 30.22    | 0.914 | 4.302 |
| VDSR [11]             |       | 33.67 | 0.921 | 5.088 | 29.78 | 0.832 | 4.606 | 28.83   | 0.799 | 4.043 | 27.14    | 0.829 | 5.045 | 32.01    | 0.934 | 5.389 |
| DRCN [12]             |       | 33.83 | 0.922 | 5.306 | 29.77 | 0.832 | 4.686 | 28.80   | 0.797 | 4.070 | 27.15    | 0.828 | 5.187 | 32.31    | 0.936 | 5.564 |
| LapSRN [16]           |       | 33.82 | 0.922 | 5.194 | 29.87 | 0.832 | 4.662 | 28.82   | 0.798 | 4.057 | 27.07    | 0.828 | 5.168 | 32.21    | 0.935 | 5.406 |
| DRRN [13]             |       | 34.03 | 0.924 | 5.397 | 29.96 | 0.835 | 4.878 | 28.95   | 0.800 | 4.269 | 27.53    | 0.764 | 5.456 | 32.74    | 0.939 | 5.659 |
| MS-LapSRN-D5R2 (ours) |       | 33.88 | 0.923 | 5.165 | 29.89 | 0.834 | 4.637 | 28.87   | 0.800 | 4.040 | 27.23    | 0.831 | 5.142 | 32.28    | 0.936 | 5.384 |
| MS-LapSRN-D5R5 (ours) |       | 34.01 | 0.924 | 5.307 | 29.96 | 0.836 | 4.758 | 28.92   | 0.801 | 4.127 | 27.39    | 0.835 | 5.333 | 32.60    | 0.938 | 5.559 |
| MS-LapSRN-D5R8 (ours) |       | 34.06 | 0.924 | 5.390 | 29.97 | 0.836 | 4.806 | 28.93   | 0.802 | 4.154 | 27.42    | 0.837 | 5.409 | 32.68    | 0.939 | 5.621 |
| Bicubic               | 4x    | 28.43 | 0.811 | 2.337 | 26.01 | 0.704 | 2.246 | 25.97   | 0.670 | 1.993 | 23.15    | 0.660 | 2.386 | 24.93    | 0.790 | 2.289 |
| A+ [3]                |       | 30.32 | 0.860 | 3.260 | 27.34 | 0.751 | 2.961 | 26.83   | 0.711 | 2.565 | 24.34    | 0.721 | 3.218 | 27.03    | 0.851 | 3.177 |
| RFL [5]               |       | 30.17 | 0.855 | 3.205 | 27.24 | 0.747 | 2.924 | 26.76   | 0.708 | 2.538 | 24.20    | 0.712 | 3.101 | 26.80    | 0.841 | 3.055 |
| SelfExSR [22]         |       | 30.34 | 0.862 | 3.249 | 27.41 | 0.753 | 2.952 | 26.84   | 0.713 | 2.512 | 24.83    | 0.740 | 3.381 | 27.83    | 0.866 | 3.358 |
| SRCNN [9]             |       | 30.50 | 0.863 | 2.997 | 27.52 | 0.753 | 2.766 | 26.91   | 0.712 | 2.412 | 24.53    | 0.725 | 2.992 | 27.66    | 0.859 | 3.045 |
| FSRCNN [15]           |       | 30.72 | 0.866 | 2.994 | 27.61 | 0.755 | 2.722 | 26.98   | 0.715 | 2.370 | 24.62    | 0.728 | 2.916 | 27.90    | 0.861 | 2.950 |
| SCN [10]              |       | 30.41 | 0.863 | 2.911 | 27.39 | 0.751 | 2.651 | 26.88   | 0.711 | 2.309 | 24.52    | 0.726 | 2.860 | 27.39    | 0.857 | 2.889 |
| VDSR [11]             |       | 31.35 | 0.883 | 3.496 | 28.02 | 0.768 | 3.071 | 27.29   | 0.726 | 2.627 | 25.18    | 0.754 | 3.405 | 28.83    | 0.887 | 3.664 |
| DRCN [12]             |       | 31.54 | 0.884 | 3.502 | 28.03 | 0.768 | 3.066 | 27.24   | 0.725 | 2.587 | 25.14    | 0.752 | 3.412 | 28.98    | 0.887 | 3.674 |
| LapSRN [16]           |       | 31.54 | 0.885 | 3.559 | 28.19 | 0.772 | 3.147 | 27.32   | 0.727 | 2.677 | 25.21    | 0.756 | 3.530 | 29.09    | 0.890 | 3.729 |
| DRRN [13]             |       | 31.68 | 0.888 | 3.703 | 28.21 | 0.772 | 3.252 | 27.38   | 0.728 | 2.760 | 25.44    | 0.764 | 3.700 | 29.46    | 0.896 | 3.878 |
| MS-LapSRN-D5R2 (ours) |       | 31.62 | 0.887 | 3.585 | 28.16 | 0.772 | 3.151 | 27.36   | 0.729 | 2.684 | 25.32    | 0.760 | 3.537 | 29.18    | 0.892 | 3.750 |
| MS-LapSRN-D5R5 (ours) |       | 31.74 | 0.888 | 3.705 | 28.25 | 0.773 | 3.238 | 27.42   | 0.731 | 2.737 | 25.45    | 0.765 | 3.674 | 29.48    | 0.896 | 3.888 |
| MS-LapSRN-D5R8 (ours) |       | 31.74 | 0.889 | 3.749 | 28.26 | 0.774 | 3.261 | 27.43   | 0.731 | 2.755 | 25.51    | 0.768 | 3.727 | 29.54    | 0.897 | 3.928 |

✓ It is a very informative table in your paper

✗ It is a disaster for a talk

- No one knows what [17] and [39] mean

# Use simple table and highlight the key message

| Algorithm             | Scale | Set5  |       |       | Set14 |       |       | BSDS100 |       |       | Urban100 |       |       | Manga109 |       |       |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|----------|-------|-------|----------|-------|-------|
|                       |       | PSNR  | SSIM  | IFC   | PSNR  | SSIM  | IFC   | PSNR    | SSIM  | IFC   | PSNR     | SSIM  | IFC   | PSNR     | SSIM  | IFC   |
| Bicubic               | 2x    | 33.69 | 0.931 | 6.166 | 30.25 | 0.870 | 6.126 | 29.57   | 0.844 | 5.695 | 26.89    | 0.841 | 6.319 | 30.86    | 0.936 | 6.214 |
| A+ [3]                |       | 36.60 | 0.955 | 8.715 | 32.32 | 0.906 | 8.200 | 31.24   | 0.887 | 7.464 | 29.25    | 0.895 | 8.440 | 35.37    | 0.968 | 8.906 |
| RFL [5]               |       | 36.59 | 0.954 | 8.741 | 32.29 | 0.905 | 8.224 | 31.18   | 0.885 | 7.473 | 29.14    | 0.891 | 8.439 | 35.12    | 0.966 | 8.921 |
| SelfExSR [22]         |       | 36.60 | 0.955 | 8.404 | 32.24 | 0.904 | 8.018 | 31.20   | 0.887 | 7.239 | 29.55    | 0.898 | 8.414 | 35.82    | 0.969 | 8.721 |
| SRCNN [9]             |       | 36.72 | 0.955 | 8.166 | 32.51 | 0.908 | 7.867 | 31.38   | 0.889 | 7.242 | 29.53    | 0.896 | 8.092 | 35.76    | 0.968 | 8.471 |
| FSRCNN [15]           |       | 37.05 | 0.956 | 8.199 | 32.66 | 0.909 | 7.841 | 31.53   | 0.892 | 7.180 | 29.88    | 0.902 | 8.131 | 36.67    | 0.971 | 8.587 |
| SCN [10]              |       | 36.58 | 0.954 | 7.358 | 32.35 | 0.905 | 7.085 | 31.26   | 0.885 | 6.500 | 29.52    | 0.897 | 7.324 | 35.51    | 0.967 | 7.601 |
| VDSR [11]             |       | 37.53 | 0.952 | 8.190 | 33.05 | 0.913 | 7.878 | 31.80   | 0.896 | 7.169 | 30.72    | 0.914 | 8.270 | 37.22    | 0.975 | 9.120 |
| DRCN [12]             |       | 37.63 | 0.952 | 8.326 | 33.06 | 0.912 | 8.025 | 31.85   | 0.895 | 7.220 | 30.76    | 0.914 | 8.527 | 37.65    | 0.974 | 9.341 |
| LapSRN [16]           |       | 37.52 | 0.959 | 9.010 | 33.08 | 0.913 | 8.501 | 31.80   | 0.895 | 7.715 | 30.41    | 0.910 | 8.907 | 37.27    | 0.974 | 9.481 |
| DRRN [13]             |       | 37.74 | 0.959 | 8.671 | 33.23 | 0.914 | 8.320 | 32.05   | 0.897 | 7.613 | 31.23    | 0.919 | 8.917 | 37.92    | 0.976 | 9.268 |
| MS-LapSRN-D5R2 (ours) |       | 37.62 | 0.960 | 9.038 | 33.13 | 0.913 | 8.539 | 31.93   | 0.897 | 7.776 | 30.82    | 0.915 | 9.081 | 37.38    | 0.975 | 9.434 |
| MS-LapSRN-D5R5 (ours) |       | 37.72 | 0.960 | 9.265 | 33.24 | 0.914 | 8.726 | 32.00   | 0.898 | 7.906 | 31.01    | 0.917 | 9.334 | 37.71    | 0.975 | 9.710 |
| MS-LapSRN-D5R8 (ours) |       | 37.78 | 0.960 | 9.305 | 33.28 | 0.915 | 8.748 | 32.05   | 0.898 | 7.927 | 31.15    | 0.919 | 9.406 | 37.78    | 0.976 | 9.765 |
| Bicubic               | 3x    | 30.41 | 0.869 | 3.596 | 27.55 | 0.775 | 3.491 | 27.22   | 0.741 | 3.168 | 24.47    | 0.737 | 3.661 | 26.99    | 0.859 | 3.521 |
| A+ [3]                |       | 32.62 | 0.909 | 4.979 | 29.15 | 0.820 | 4.545 | 28.31   | 0.785 | 4.028 | 26.05    | 0.799 | 4.483 | 29.93    | 0.912 | 4.880 |
| RFL [5]               |       | 32.47 | 0.906 | 4.956 | 29.07 | 0.818 | 4.533 | 28.23   | 0.782 | 4.023 | 25.88    | 0.792 | 4.471 | 29.61    | 0.905 | 4.758 |
| SelfExSR [22]         |       | 32.66 | 0.910 | 4.911 | 29.18 | 0.821 | 4.505 | 28.30   | 0.786 | 3.923 | 26.45    | 0.810 | 4.988 | 27.57    | 0.821 | 2.193 |
| SRCNN [9]             |       | 32.78 | 0.909 | 4.682 | 29.32 | 0.823 | 4.372 | 28.42   | 0.788 | 3.879 | 26.25    | 0.801 | 4.630 | 30.59    | 0.914 | 4.698 |
| FSRCNN [15]           |       | 33.18 | 0.914 | 4.970 | 29.37 | 0.824 | 4.569 | 28.53   | 0.791 | 4.061 | 26.43    | 0.808 | 4.878 | 31.10    | 0.921 | 4.912 |
| SCN [10]              |       | 32.62 | 0.908 | 4.321 | 29.16 | 0.818 | 4.006 | 28.33   | 0.783 | 3.553 | 26.21    | 0.801 | 4.253 | 30.22    | 0.914 | 4.302 |
| VDSR [11]             |       | 33.67 | 0.921 | 5.088 | 29.78 | 0.832 | 4.606 | 28.83   | 0.799 | 4.043 | 27.14    | 0.829 | 5.045 | 32.01    | 0.934 | 5.389 |
| DRCN [12]             |       | 33.83 | 0.922 | 5.302 | 29.77 | 0.832 | 4.896 | 28.80   | 0.797 | 4.070 | 27.15    | 0.828 | 5.185 | 32.31    | 0.936 | 5.564 |
| LapSRN [16]           |       | 33.82 | 0.922 | 5.194 | 29.87 | 0.832 | 4.662 | 28.82   | 0.798 | 4.057 | 27.07    | 0.828 | 5.168 | 32.21    | 0.935 | 5.406 |
| DRRN [13]             |       | 34.03 | 0.924 | 5.397 | 29.96 | 0.835 | 4.878 | 28.95   | 0.800 | 4.269 | 27.53    | 0.764 | 5.456 | 32.74    | 0.939 | 5.659 |
| MS-LapSRN-D5R2 (ours) |       | 33.88 | 0.923 | 5.165 | 29.89 | 0.834 | 4.637 | 28.87   | 0.800 | 4.040 | 27.23    | 0.831 | 5.142 | 32.28    | 0.936 | 5.384 |
| MS-LapSRN-D5R5 (ours) |       | 34.01 | 0.924 | 5.307 | 29.96 | 0.836 | 4.758 | 28.92   | 0.801 | 4.127 | 27.39    | 0.835 | 5.333 | 32.60    | 0.938 | 5.559 |
| MS-LapSRN-D5R8 (ours) |       | 34.06 | 0.924 | 5.390 | 29.97 | 0.836 | 4.806 | 28.93   | 0.802 | 4.154 | 27.42    | 0.837 | 5.409 | 32.68    | 0.939 | 5.621 |
| Bicubic               | 4x    | 28.43 | 0.811 | 2.337 | 26.01 | 0.704 | 2.246 | 25.97   | 0.670 | 1.993 | 23.15    | 0.660 | 2.386 | 24.93    | 0.790 | 2.289 |
| A+ [3]                |       | 30.32 | 0.860 | 3.260 | 27.34 | 0.751 | 2.961 | 26.83   | 0.711 | 2.565 | 24.34    | 0.721 | 3.218 | 27.03    | 0.851 | 3.177 |
| RFL [5]               |       | 30.17 | 0.855 | 3.205 | 27.24 | 0.747 | 2.924 | 26.76   | 0.708 | 2.538 | 24.20    | 0.712 | 3.101 | 26.80    | 0.841 | 3.055 |
| SelfExSR [22]         |       | 30.34 | 0.862 | 3.249 | 27.41 | 0.753 | 2.952 | 26.84   | 0.713 | 2.512 | 24.83    | 0.740 | 3.381 | 27.83    | 0.866 | 3.358 |
| SRCNN [9]             |       | 30.50 | 0.863 | 2.997 | 27.52 | 0.753 | 2.766 | 26.91   | 0.712 | 2.412 | 24.53    | 0.725 | 2.992 | 27.66    | 0.859 | 3.045 |
| FSRCNN [15]           |       | 30.72 | 0.866 | 2.994 | 27.61 | 0.755 | 2.722 | 26.98   | 0.715 | 2.370 | 24.62    | 0.728 | 2.916 | 27.90    | 0.861 | 2.950 |
| SCN [10]              |       | 30.41 | 0.863 | 2.911 | 27.39 | 0.751 | 2.651 | 26.88   | 0.711 | 2.309 | 24.52    | 0.726 | 2.860 | 27.39    | 0.857 | 2.889 |
| VDSR [11]             |       | 31.35 | 0.883 | 3.496 | 28.02 | 0.768 | 3.071 | 27.29   | 0.726 | 2.627 | 25.18    | 0.754 | 3.405 | 28.83    | 0.887 | 3.664 |
| DRCN [12]             |       | 31.54 | 0.884 | 3.502 | 28.03 | 0.768 | 3.066 | 27.24   | 0.725 | 2.587 | 25.14    | 0.752 | 3.412 | 28.98    | 0.887 | 3.674 |
| LapSRN [16]           |       | 31.54 | 0.885 | 3.559 | 28.19 | 0.772 | 3.147 | 27.32   | 0.727 | 2.677 | 25.21    | 0.756 | 3.530 | 29.09    | 0.890 | 3.729 |
| DRRN [13]             |       | 31.68 | 0.888 | 3.703 | 28.21 | 0.772 | 3.252 | 27.38   | 0.728 | 2.760 | 25.44    | 0.764 | 3.700 | 29.46    | 0.896 | 3.878 |
| MS-LapSRN-D5R2 (ours) |       | 31.62 | 0.887 | 3.585 | 28.16 | 0.772 | 3.151 | 27.36   | 0.729 | 2.684 | 25.32    | 0.760 | 3.537 | 29.18    | 0.892 | 3.750 |
| MS-LapSRN-D5R5 (ours) |       | 31.74 | 0.888 | 3.705 | 28.25 | 0.773 | 3.238 | 27.42   | 0.731 | 2.737 | 25.45    | 0.765 | 3.674 | 29.48    | 0.896 | 3.888 |
| MS-LapSRN-D5R8 (ours) |       | 31.74 | 0.889 | 3.749 | 28.26 | 0.774 | 3.261 | 27.43   | 0.731 | 2.755 | 25.51    | 0.768 | 3.727 | 29.54    | 0.897 | 3.928 |

✓ It is a very informative table in your paper

✗ It is a disaster for a talk

- No one knows what [17] and [39] mean

Highlight and interpret the key results for your audience.

# Guide your audience to read your plots step-by-step

Explain how to read your plots step-by-step:

# Guide your audience to read your plots step-by-step

Explain how to read your plots step-by-step:

- What does x-axis/y-axis mean?



# Guide your audience to read your plots step-by-step

Explain how to read your plots step-by-step:

- What does x-axis/y-axis mean?
- What do different lines mean?

# Guide your audience to read your plots step-by-step

Explain how to read your plots step-by-step:

- What does x-axis/y-axis mean?
- What do different lines mean?
- What can we learn from this plot?

# Guide your audience to read your plots step-by-step

Explain how to read your plots step-by-step:

- What does x-axis/y-axis mean?
- What do different lines mean?
- What can we learn from this plot?

If you plan to skip the discussion of some figures, just remove them.

# Mathematics must earn the attention it requires

The challenge is to show only the mathematics needed for the central reasoning.

# Mathematics must earn the attention it requires

The challenge is to show only the mathematics needed for the central reasoning.

## Concrete super- $\beta$ I

$$\begin{aligned}
 \text{Local-Inlinable}((\kappa', \psi'), pr) &\iff \\
 &\forall ([[f \text{ } \theta^* \text{ } q^*]_\kappa], \beta, \text{ve}, \delta, t) \in \mathcal{V}(pr) : \\
 &\quad \text{if } \kappa = \kappa' \text{ and } (L_{pr}(\psi), \beta_b, t_b) = \mathcal{A} \beta \text{ve } t f \\
 &\quad \text{then } \begin{cases} \psi = \psi' \\ \exists \vec{\gamma} : \left\{ \begin{array}{l} [[t_b, t]] \succ^{\vec{\gamma}} \epsilon \\ \text{free}(L_{pr}(\psi')) \subseteq \overline{B(\vec{\gamma})} \end{array} \right.
 \end{cases}
 \end{aligned}$$

# Mathematics must earn the attention it requires

The challenge is to show only the mathematics needed for the central reasoning.

Even for experts, it takes time to parse and translate mathematics into internal mental concepts.

Concrete super- $\beta$  I

$$\begin{aligned}
 \text{Local-Inlinable}((\kappa', \psi'), pr) &\iff \\
 &\forall ([[f \ e^* \ q^*]_\kappa], \beta, ve, \delta, t) \in \mathcal{V}(pr) : \\
 &\quad \text{if } \kappa = \kappa' \text{ and } (L_{pr}(\psi), \beta_b, t_b) = \mathcal{A} \ \beta \ ve \ t \ f \\
 &\quad \text{then } \begin{cases} \psi = \psi' \\ \exists \vec{\gamma} : \begin{cases} [[t_b, t]] \succ^{\vec{\gamma}} \epsilon \\ \text{free}(L_{pr}(\psi')) \subseteq \overline{B(\vec{\gamma})}. \end{cases} \end{cases}
 \end{aligned}$$

# Mathematics must earn the attention it requires

The challenge is to show only the mathematics needed for the central reasoning.

Even for experts, it takes time to parse and translate mathematics into internal mental concepts.

Ask yourself the following questions:

Concrete super- $\beta$  I

$$\begin{aligned}
 \text{Local-Inlinable}((\kappa', \psi'), pr) &\iff \\
 &\forall ([[f \text{ } e^* \text{ } q^*]_\kappa], \beta, ve, \delta, t) \in \mathcal{V}(pr) : \\
 &\quad \text{if } \kappa = \kappa' \text{ and } (L_{pr}(\psi), \beta_b, t_b) = \mathcal{A} \beta \text{ } ve \text{ } t \text{ } f \\
 &\quad \text{then } \begin{cases} \psi = \psi' \\ \exists \vec{\gamma} : \begin{cases} [[t_b, t]] \succ^{\vec{\gamma}} \epsilon \\ \text{free}(L_{pr}(\psi')) \subseteq \overline{B(\vec{\gamma})}. \end{cases} \end{cases}
 \end{aligned}$$

# Mathematics must earn the attention it requires

The challenge is to show only the mathematics needed for the central reasoning.

Even for experts, it takes time to parse and translate mathematics into internal mental concepts.

Ask yourself the following questions:

- 1 Is understanding this math essential to the idea?

Concrete super- $\beta$  I

$$\begin{aligned}
 \text{Local-Inlinable}((\kappa', \psi'), pr) &\iff \\
 &\forall ([[f \text{ } \theta^* \text{ } q^*]_\kappa], \beta, ve, \delta, t) \in \mathcal{V}(pr) : \\
 &\quad \text{if } \kappa = \kappa' \text{ and } (L_{pr}(\psi), \beta_b, t_b) = \mathcal{A} \beta \text{ } ve \text{ } t \text{ } f \\
 &\quad \text{then } \begin{cases} \psi = \psi' \\ \exists \vec{\gamma} : \begin{cases} [[t_b, t]] \succ^{\vec{\gamma}} \epsilon \\ \text{free}(L_{pr}(\psi')) \subseteq \overline{B(\vec{\gamma})}. \end{cases} \end{cases}
 \end{aligned}$$



# Mathematics must earn the attention it requires

The challenge is to show only the mathematics needed for the central reasoning.

Even for experts, it takes time to parse and translate mathematics into internal mental concepts.

Ask yourself the following questions:

- 1 Is understanding this math essential to the idea?
- 2 Is there no way to use a diagram or analogy instead?

Concrete super- $\beta$  I

$$\begin{aligned}
 \text{Local-Inlinable}((\kappa', \psi'), pr) &\iff \\
 &\forall ([[f \text{ } e^* \text{ } q^*]_k], \beta, ve, \delta, t) \in \mathcal{V}(pr) : \\
 &\quad \text{if } \kappa = \kappa' \text{ and } (L_{pr}(\psi), \beta_b, t_b) = \mathcal{A} \beta \text{ ve } t \text{ f} \\
 &\quad \text{then } \begin{cases} \psi = \psi' \\ \exists \vec{\gamma} : \begin{cases} [[t_b, t]] \succ^{\vec{\gamma}} \epsilon \\ \text{free}(L_{pr}(\psi')) \subseteq \overline{B(\vec{\gamma})}. \end{cases} \end{cases}
 \end{aligned}$$

# Mathematics must earn the attention it requires

The challenge is to show only the mathematics needed for the central reasoning.

Even for experts, it takes time to parse and translate mathematics into internal mental concepts.

Ask yourself the following questions:

- 1 Is understanding this math essential to the idea?
- 2 Is there no way to use a diagram or analogy instead?
- 3 Can plain English establish the idea first?

Concrete super- $\beta$  I

$$\begin{aligned}
 \text{Local-Inlinable}((\kappa', \psi'), pr) &\iff \\
 &\forall ([[f \text{ } \theta^* \text{ } q^*]_k], \beta, ve, \delta, t) \in \mathcal{V}(pr) : \\
 &\quad \text{if } \kappa = \kappa' \text{ and } (L_{pr}(\psi), \beta_b, t_b) = \mathcal{A} \beta \text{ ve } t \text{ f} \\
 &\quad \text{then } \begin{cases} \psi = \psi' \\ \exists \vec{\gamma} : \left\{ \begin{array}{l} [[t_b, t]] \succ^{\vec{\gamma}} \epsilon \\ \text{free}(L_{pr}(\psi')) \subseteq \overline{B(\vec{\gamma})} \end{array} \right.
 \end{cases}
 \end{aligned}$$

# Mathematics must earn the attention it requires

The challenge is to show only the mathematics needed for the central reasoning.

Even for experts, it takes time to parse and translate mathematics into internal mental concepts.

Concrete super- $\beta$  I

$$\begin{aligned}
 \text{Local-Inlinable}((\kappa', \psi'), pr) &\iff \\
 &\forall ([[f \text{ } \theta^* \text{ } q^*]_\kappa], \beta, ve, \delta, t) \in \mathcal{V}(pr) : \\
 &\quad \text{if } \kappa = \kappa' \text{ and } (L_{pr}(\psi), \beta_b, t_b) = \mathcal{A} \beta \text{ ve } t \text{ f} \\
 &\quad \text{then } \begin{cases} \psi = \psi' \\ \exists \vec{\gamma} : \left\{ \begin{array}{l} [[t_b, t]] \succ^{\vec{\gamma}} \epsilon \\ free(L_{pr}(\psi')) \subseteq \overline{B(\vec{\gamma})} \end{array} \right.
 \end{cases}
 \end{aligned}$$

Ask yourself the following questions:

- 1 Is understanding this math essential to the idea?
- 2 Is there no way to use a diagram or analogy instead?
- 3 Can plain English establish the idea first?
- 4 Is it infeasible to infer the concept with examples?

$$\begin{aligned} \text{Local-Inlinable}((\kappa', \psi'), pr) &\iff \\ &\forall ([[f \text{ e}^* q^*]_x], \beta, ve, \delta, t) \in \mathcal{V}(pr) : \\ &\quad \text{if } \kappa = \kappa' \text{ and } (L_{pr}(\psi), \beta_b, t_b) = \mathcal{A}\beta \text{ ve } t \text{ f} \\ &\quad \text{then } \begin{cases} \psi = \psi' \\ \exists \bar{\gamma} : \left\{ \begin{array}{l} [[t_b, t]] \succ^{\bar{\gamma}} \in \\ \text{free}(L_{pr}(\psi')) \end{array} \right\} \subseteq \overline{B(\bar{\gamma})}. \end{cases} \end{aligned}$$

- 1 Is understanding this math essential to the idea?
- 2 Is there no way to use a diagram or analogy instead?
- 3 Can plain English establish the idea first?
- 4 Is it infeasible to infer the concept with examples?

Keep essential mathematics, and guide the audience through it step by step

# Practice: Evidence Slide Explanation

**6 minutes**

Consider one of the preceding plots, tables, or formulas. Discuss how its explanation should begin.

- State the conclusion in the slide title.
- Establish the reading order before interpreting the evidence.
- Highlight the comparison that supports the conclusion.
- Remove visual elements that you do not discuss.

## Practice: Evidence Slide Explanation

**6 minutes**

Consider one of the preceding plots, tables, or formulas. Discuss how its explanation should begin.

- State the conclusion in the slide title.
- Establish the reading order before interpreting the evidence.
- Highlight the comparison that supports the conclusion.
- Remove visual elements that you do not discuss.

**Debrief:** The partner should be able to state the conclusion without seeing the slide again.

# Table of Contents

- 1 From Communication to Presentation
- 2 Design the Talk
- 3 Explain the Evidence
- 4 **Deliver, Close, and Respond**
  - Delivery and Rehearsal
  - Close the Talk
  - Questions and Discussion

# Delivery connects you with the audience

- Make eye contact to monitor confusion, interest, and pacing.



# Delivery connects you with the audience

- Make eye contact to monitor confusion, interest, and pacing.
- Face the audience and keep important content visible.

# Delivery connects you with the audience

- Make eye contact to monitor confusion, interest, and pacing.
- Face the audience and keep important content visible.
- Use movement purposefully rather than pacing continuously.

# Delivery connects you with the audience

- Make eye contact to monitor confusion, interest, and pacing.
- Face the audience and keep important content visible.
- Use movement purposefully rather than pacing continuously.
- Adjust voice, stance, and formality to the room and occasion.

# Delivery connects you with the audience

- Make eye contact to monitor confusion, interest, and pacing.
- Face the audience and keep important content visible.
- Use movement purposefully rather than pacing continuously.
- Adjust voice, stance, and formality to the room and occasion.
- Prioritize comfort and credibility over a rigid dress code.

# Practice is the key to a “natural” delivery

- Rehearse repeatedly until additional practice produces little improvement.
- Practice is not about memorizing every word; rehearse the reasoning and transitions.
- Consider recording a later rehearsal to find awkward transitions, slow slides, or inadequate explanations.
- If a concept remains difficult to explain, decide whether to remove it or give it more time and visual support.

## Questions for a rehearsal partner

- Could a listener remember the motivation?
- Could a listener state the main idea?
- Could a listener summarize the talk in three sentences?
- Would a listener know when to consult the paper?

An academic talk is about an idea, not a paper.

You have kicked off your talk with a fascinating story and presented an amazing body of work.

You have kicked off your talk with a fascinating story and presented an amazing body of work.

So now how do you end your talk?



You have kicked off your talk with a fascinating story and presented an amazing body of work.

So now how do you end your talk?

Use a simple sequence: look back, look forward, and support discussion.

# Look back

- Remind everyone what the KEY POINTS are
- Limit the summary to a few memorable ideas.
- Make it visual! Make it concise!

# Look forward

Answer the NOW WHAT question for your audience.

# Look forward

Answer the NOW WHAT question for your audience.

- Where can they learn more?

# Look forward

Answer the NOW WHAT question for your audience.

- Where can they learn more?
- What new exciting directions can they explore?

# Look forward

Answer the NOW WHAT question for your audience.

- Where can they learn more?
- What new exciting directions can they explore?
- How can they apply what you presented?

# Look forward

Answer the NOW WHAT question for your audience.

- Where can they learn more?
- What new exciting directions can they explore?
- How can they apply what you presented?

Make it actionable!

# Give credits

BE generous!



# Give credits

- Highlight the people behind the work with their names and pictures.

BE generous!

# Give credits

- Highlight the people behind the work with their names and pictures.
- Giving clear credit strengthens the credibility of the collaboration.

BE generous!

# End with summary, not “thank-you slide”

## End with summary, not “thank-you slide”

Use the final visible slide to reinforce the talk's value.

# End with summary, not “thank-you slide”

Use the final visible slide to reinforce the talk's value.

At the end of your talk,

# End with summary, not “thank-you slide”

Use the final visible slide to reinforce the talk's value.

At the end of your talk,

- Show the summary slide as your final slide.

# End with summary, not “thank-you slide”

Use the final visible slide to reinforce the talk's value.

At the end of your talk,

- Show the summary slide as your final slide.
- Keep this slide visible during Q&A.

# End with summary, not “thank-you slide”

Use the final visible slide to reinforce the talk's value.

At the end of your talk,

- Show the summary slide as your final slide.
- Keep this slide visible during Q&A.
- It helps people ask good questions.



## Practice: Closing and Q&A

**6 minutes**

Discuss which three elements a useful final slide should keep visible.

- The main result in one sentence.
- One implication or next step.
- The resource that should remain visible during questions.

With a partner, compare a direct answer with an answer that delays the point. Which better supports discussion?

## Practice: Closing and Q&A

**6 minutes**

Discuss which three elements a useful final slide should keep visible.

- The main result in one sentence.
- One implication or next step.
- The resource that should remain visible during questions.

With a partner, compare a direct answer with an answer that delays the point. Which better supports discussion?

**Debrief:** A strong final slide supports both recall and discussion. A strong answer addresses the question before adding context.

# Reframe the question

Briefly restating a question can help the whole room.

# Reframe the question

Briefly restating a question can help the whole room.

- 1 ensure the questioner feels heard,

# Reframe the question

Briefly restating a question can help the whole room.

- 1 ensure the questioner feels heard,
- 2 confirm that you are answering the right Q,

# Reframe the question

Briefly restating a question can help the whole room.

- 1 ensure the questioner feels heard,
- 2 confirm that you are answering the right Q,
- 3 let the rest of the audience understand the question, and

# Reframe the question

Briefly restating a question can help the whole room.

- 1 ensure the questioner feels heard,
- 2 confirm that you are answering the right Q,
- 3 let the rest of the audience understand the question, and
- 4 give yourself a moment to plan the answer.

# Respond to the question concisely

Address the question directly and concisely.



# Respond to the question concisely

Address the question directly and concisely.

Answer first; use a backup slide only when it adds necessary evidence.

# Respond to the question concisely

Address the question directly and concisely.

Answer first; use a backup slide only when it adds necessary evidence.

When you

# Respond to the question concisely

Address the question directly and concisely.

Answer first; use a backup slide only when it adds necessary evidence.

When you

- know the answer  $\Rightarrow$  State it directly, then support it.

# Respond to the question concisely

Address the question directly and concisely.

Answer first; use a backup slide only when it adds necessary evidence.

When you

- know the answer  $\Rightarrow$  State it directly, then support it.
- do not know the answer  $\Rightarrow$  Say so clearly and offer to follow up.

# Manage questions without losing the talk's pace

Use a clear boundary when a question belongs elsewhere, e.g.,

# Manage questions without losing the talk's pace

Use a clear boundary when a question belongs elsewhere, e.g.,

- Questions about material covered later:

# Manage questions without losing the talk's pace

Use a clear boundary when a question belongs elsewhere, e.g.,

- Questions about material covered later:
  - “I will cover that in the next few slides.”

# Manage questions without losing the talk's pace

Use a clear boundary when a question belongs elsewhere, e.g.,

- Questions about material covered later:
  - “I will cover that in the next few slides.”
- Questions requiring substantial detail:



# Manage questions without losing the talk's pace

Use a clear boundary when a question belongs elsewhere, e.g.,

- Questions about material covered later:
  - “I will cover that in the next few slides.”
- Questions requiring substantial detail:
  - “I am happy to discuss that after the session.”

# Manage questions without losing the talk's pace

Use a clear boundary when a question belongs elsewhere, e.g.,

- Questions about material covered later:
  - “I will cover that in the next few slides.”
- Questions requiring substantial detail:
  - “I am happy to discuss that after the session.”
- Questions about closely related prior work:

# Manage questions without losing the talk's pace

Use a clear boundary when a question belongs elsewhere, e.g.,

- Questions about material covered later:
  - “I will cover that in the next few slides.”
- Questions requiring substantial detail:
  - “I am happy to discuss that after the session.”
- Questions about closely related prior work:
  - “The key difference is ...”

# Check if your audience is following along

✗ “Any questions for this part?”, “Is this clear?”, “Does it make sense?”

# Check if your audience is following along

- ✗ “Any questions for this part?”, “Is this clear?”, “Does it make sense?”
  - No questions asked indicates a clear talk??

# Check if your audience is following along

- ✗ “Any questions for this part?”, “Is this clear?”, “Does it make sense?”
  - No questions asked indicates a clear talk??
  - Silence may also mean uncertainty, low confidence, or disengagement.

# Check if your audience is following along

- ✗ “Any questions for this part?”, “Is this clear?”, “Does it make sense?”
  - No questions asked indicates a clear talk??
  - Silence may also mean uncertainty, low confidence, or disengagement.
- ✓ Instead, invite specific participation: “What should I clarify before we continue?”

# Final synthesis: design for shared understanding

- 1 Start with the audience, purpose, and constraints.
- 2 Build one memorable story around the central idea.
- 3 Guide attention through evidence step by step.
- 4 Rehearse the reasoning, timing, and transitions.
- 5 Close with the result, implication, and invitation to discuss.



# Table of Contents

- 5 Appendix
  - Acknowledgments
  - Additional Resources

# Acknowledgments

- [The 7 Cs of Communication](#), World of Work Project
- [Awesome Tips](#), JiaBin Huang
- [How to give a technical presentation](#), Michael Ernst
- [Presentation and Oral Communication Skills](#), Shiri Azenkot and Armando Solar-Lezama
- [Presentation Skills of Computer Science](#), Sophie Miller
- [Tips for preparing a clear talk](#), Kristen Grauman
- [10 tips for academic talks](#), Matt Might

# How to Present a Line Plot?

Check this [website](#).

# How to Make a Research Poster?

Check this [website](#).

# How to Present a Poster at a Conference?

Check this [website](#).

# How to Present a Theory Paper?

Check this [document](#).

# Online Example

<https://www.youtube.com/watch?v=5tidNjeVG8s>