

Resumo global - displasia

Arquitetura	Treino	Augmentation	Acc	F1 Macro	F1 Weighted	Parâmetros	GFLOPs	Best epoch	Val acc best
ResNet18	FS	com augmentation	0.8913 ± 0.0000	0.8908 ± 0.0000	0.8908 ± 0.0000	11177025.0000 ± 0.0000	3.6470 ± 0.0000	16.0000 ± 0.0000	1.0000 ± 0.0000
ResNet18	FS	sem augmentation	1.0000 ± 0.0000	1.0000 ± 0.0000	1.0000 ± 0.0000	11177025.0000 ± 0.0000	3.6470 ± 0.0000	14.0000 ± 0.0000	0.9737 ± 0.0000
ResNet18	PT-ALL	com augmentation	0.9783 ± 0.0000	0.9783 ± 0.0000	0.9783 ± 0.0000	11177025.0000 ± 0.0000	3.6470 ± 0.0000	6.0000 ± 0.0000	1.0000 ± 0.0000
ResNet18	PT-ALL	sem augmentation	0.9565 ± 0.0000	0.9564 ± 0.0000	0.9564 ± 0.0000	11177025.0000 ± 0.0000	3.6470 ± 0.0000	7.0000 ± 0.0000	1.0000 ± 0.0000
ResNet18	PT-FC	com augmentation	0.9348 ± 0.0000	0.9348 ± 0.0000	0.9348 ± 0.0000	11177025.0000 ± 0.0000	3.6470 ± 0.0000	38.0000 ± 0.0000	0.9211 ± 0.0000
ResNet18	PT-FC	sem augmentation	0.9783 ± 0.0000	0.9783 ± 0.0000	0.9783 ± 0.0000	11177025.0000 ± 0.0000	3.6470 ± 0.0000	43.0000 ± 0.0000	0.9737 ± 0.0000
ResNet34	FS	com augmentation	0.9348 ± 0.0000	0.9345 ± 0.0000	0.9345 ± 0.0000	21285185.0000 ± 0.0000	7.3565 ± 0.0000	40.0000 ± 0.0000	1.0000 ± 0.0000
ResNet34	FS	sem augmentation	0.8478 ± 0.0000	0.8442 ± 0.0000	0.8442 ± 0.0000	21285185.0000 ± 0.0000	7.3565 ± 0.0000	9.0000 ± 0.0000	0.9737 ± 0.0000
ResNet34	PT-ALL	com augmentation	0.9783 ± 0.0000	0.9783 ± 0.0000	0.9783 ± 0.0000	21285185.0000 ± 0.0000	7.3565 ± 0.0000	1.0000 ± 0.0000	1.0000 ± 0.0000
ResNet34	PT-ALL	sem augmentation	0.9783 ± 0.0000	0.9783 ± 0.0000	0.9783 ± 0.0000	21285185.0000 ± 0.0000	7.3565 ± 0.0000	4.0000 ± 0.0000	1.0000 ± 0.0000
ResNet34	PT-FC	com augmentation	0.9348 ± 0.0000	0.9345 ± 0.0000	0.9345 ± 0.0000	21285185.0000 ± 0.0000	7.3565 ± 0.0000	7.0000 ± 0.0000	0.8684 ± 0.0000
ResNet34	PT-FC	sem augmentation	1.0000 ± 0.0000	1.0000 ± 0.0000	1.0000 ± 0.0000	21285185.0000 ± 0.0000	7.3565 ± 0.0000	7.0000 ± 0.0000	1.0000 ± 0.0000