

Resumo global - displasia

Arquitetura	Treino	Augmentation	Acc	F1 Macro	F1 Weighted	Parâmetros	GFLOPs	Best epoch	Val acc best
ResNet18	FS	com augmentation	0.9493 ± 0.0502	0.9491 ± 0.0505	0.9491 ± 0.0505	11177025.0000 ± 0.0000	3.6470 ± 0.0000	13.0000 ± 4.3589	0.9912 ± 0.0152
ResNet18	FS	sem augmentation	0.9783 ± 0.0217	0.9782 ± 0.0218	0.9782 ± 0.0218	11177025.0000 ± 0.0000	3.6470 ± 0.0000	13.0000 ± 2.6458	0.9825 ± 0.0152
ResNet18	PT-ALL	com augmentation	0.9203 ± 0.0547	0.9193 ± 0.0558	0.9193 ± 0.0558	11177025.0000 ± 0.0000	3.6470 ± 0.0000	6.3333 ± 1.5275	0.9912 ± 0.0152
ResNet18	PT-ALL	sem augmentation	0.9855 ± 0.0251	0.9855 ± 0.0251	0.9855 ± 0.0251	11177025.0000 ± 0.0000	3.6470 ± 0.0000	17.6667 ± 18.4752	1.0000 ± 0.0000
ResNet18	PT-FC	com augmentation	0.9493 ± 0.0126	0.9492 ± 0.0125	0.9492 ± 0.0125	11177025.0000 ± 0.0000	3.6470 ± 0.0000	28.3333 ± 15.0444	0.9035 ± 0.0152
ResNet18	PT-FC	sem augmentation	0.9783 ± 0.0000	0.9783 ± 0.0000	0.9783 ± 0.0000	11177025.0000 ± 0.0000	3.6470 ± 0.0000	31.0000 ± 14.4222	0.9737 ± 0.0000
ResNet34	FS	com augmentation	0.9275 ± 0.0126	0.9271 ± 0.0128	0.9271 ± 0.0128	21285185.0000 ± 0.0000	7.3565 ± 0.0000	27.3333 ± 17.0098	0.9912 ± 0.0152
ResNet34	FS	sem augmentation	0.9275 ± 0.0699	0.9263 ± 0.0719	0.9263 ± 0.0719	21285185.0000 ± 0.0000	7.3565 ± 0.0000	14.0000 ± 6.2450	0.9825 ± 0.0152
ResNet34	PT-ALL	com augmentation	0.9565 ± 0.0575	0.9561 ± 0.0583	0.9561 ± 0.0583	21285185.0000 ± 0.0000	7.3565 ± 0.0000	11.3333 ± 8.9629	1.0000 ± 0.0000
ResNet34	PT-ALL	sem augmentation	0.8768 ± 0.1948	0.8609 ± 0.2224	0.8609 ± 0.2224	21285185.0000 ± 0.0000	7.3565 ± 0.0000	8.6667 ± 4.1633	0.9912 ± 0.0152
ResNet34	PT-FC	com augmentation	0.9130 ± 0.0217	0.9123 ± 0.0222	0.9123 ± 0.0222	21285185.0000 ± 0.0000	7.3565 ± 0.0000	16.0000 ± 17.3494	0.8860 ± 0.0152
ResNet34	PT-FC	sem augmentation	1.0000 ± 0.0000	1.0000 ± 0.0000	1.0000 ± 0.0000	21285185.0000 ± 0.0000	7.3565 ± 0.0000	23.6667 ± 18.7705	0.9912 ± 0.0152