

Resumo global - ndb

Arquitetura	Treino	Augmentation	Acc	F1 Macro	F1 Weighted	Parâmetros	GFLOPs	Best epoch	Val acc best
ResNet18	FS	com augmentation	0.4530 ± 0.0296	0.4258 ± 0.0076	0.4537 ± 0.0206	11178051.0000 ± 0.0000	3.6470 ± 0.0000	33.3333 ± 3.5119	0.6923 ± 0.0256
ResNet18	FS	sem augmentation	0.4957 ± 0.0534	0.4288 ± 0.0257	0.4698 ± 0.0238	11178051.0000 ± 0.0000	3.6470 ± 0.0000	24.3333 ± 23.0290	0.6667 ± 0.0256
ResNet18	PT-ALL	com augmentation	0.5214 ± 0.1291	0.5026 ± 0.1309	0.5149 ± 0.1306	11178051.0000 ± 0.0000	3.6470 ± 0.0000	26.3333 ± 3.0551	0.7179 ± 0.0444
ResNet18	PT-ALL	sem augmentation	0.5641 ± 0.0513	0.5350 ± 0.0619	0.5598 ± 0.0618	11178051.0000 ± 0.0000	3.6470 ± 0.0000	33.0000 ± 11.1355	0.7265 ± 0.0534
ResNet18	PT-FC	com augmentation	0.4444 ± 0.0148	0.4393 ± 0.0055	0.4565 ± 0.0120	11178051.0000 ± 0.0000	3.6470 ± 0.0000	35.6667 ± 15.3080	0.7179 ± 0.0256
ResNet18	PT-FC	sem augmentation	0.4957 ± 0.0740	0.4648 ± 0.0788	0.4872 ± 0.0811	11178051.0000 ± 0.0000	3.6470 ± 0.0000	10.6667 ± 4.9329	0.6581 ± 0.0534
ResNet34	FS	com augmentation	0.5385 ± 0.0444	0.4614 ± 0.0913	0.5068 ± 0.0821	21286211.0000 ± 0.0000	7.3565 ± 0.0000	20.6667 ± 17.7858	0.6325 ± 0.0148
ResNet34	FS	sem augmentation	0.5043 ± 0.0148	0.4506 ± 0.0198	0.4885 ± 0.0207	21286211.0000 ± 0.0000	7.3565 ± 0.0000	26.0000 ± 6.0000	0.6581 ± 0.0392
ResNet34	PT-ALL	com augmentation	0.5556 ± 0.0148	0.4846 ± 0.0697	0.5250 ± 0.0494	21286211.0000 ± 0.0000	7.3565 ± 0.0000	20.0000 ± 19.6723	0.6838 ± 0.0392
ResNet34	PT-ALL	sem augmentation	0.6410 ± 0.0256	0.5805 ± 0.0214	0.6234 ± 0.0214	21286211.0000 ± 0.0000	7.3565 ± 0.0000	33.6667 ± 11.5902	0.7436 ± 0.0444
ResNet34	PT-FC	com augmentation	0.4957 ± 0.0824	0.4972 ± 0.0825	0.5135 ± 0.0779	21286211.0000 ± 0.0000	7.3565 ± 0.0000	30.6667 ± 20.2567	0.5812 ± 0.0824
ResNet34	PT-FC	sem augmentation	0.4786 ± 0.0592	0.4567 ± 0.0619	0.4775 ± 0.0601	21286211.0000 ± 0.0000	7.3565 ± 0.0000	24.3333 ± 21.4554	0.6838 ± 0.0534