

Resumo global - ndb

Arquitetura	Treino	Augmentation	Acc	F1 Macro	F1 Weighted	Parâmetros	GFLOPs	Best epoch	Val acc best
ResNet18	FS	com augmentation	0.4872 ± 0.0000	0.4960 ± 0.0000	0.5108 ± 0.0000	11178051.0000 ± 0.0000	3.6470 ± 0.0000	33.0000 ± 0.0000	0.7179 ± 0.0000
ResNet18	FS	sem augmentation	0.4103 ± 0.0000	0.4092 ± 0.0000	0.4085 ± 0.0000	11178051.0000 ± 0.0000	3.6470 ± 0.0000	48.0000 ± 0.0000	0.6410 ± 0.0000
ResNet18	PT-ALL	com augmentation	0.5385 ± 0.0000	0.4722 ± 0.0000	0.5107 ± 0.0000	11178051.0000 ± 0.0000	3.6470 ± 0.0000	27.0000 ± 0.0000	0.7692 ± 0.0000
ResNet18	PT-ALL	sem augmentation	0.4615 ± 0.0000	0.4311 ± 0.0000	0.4534 ± 0.0000	11178051.0000 ± 0.0000	3.6470 ± 0.0000	43.0000 ± 0.0000	0.7436 ± 0.0000
ResNet18	PT-FC	com augmentation	0.4359 ± 0.0000	0.4264 ± 0.0000	0.4501 ± 0.0000	11178051.0000 ± 0.0000	3.6470 ± 0.0000	44.0000 ± 0.0000	0.7436 ± 0.0000
ResNet18	PT-FC	sem augmentation	0.5385 ± 0.0000	0.5290 ± 0.0000	0.5456 ± 0.0000	11178051.0000 ± 0.0000	3.6470 ± 0.0000	14.0000 ± 0.0000	0.7179 ± 0.0000
ResNet34	FS	com augmentation	0.3590 ± 0.0000	0.3294 ± 0.0000	0.3399 ± 0.0000	21286211.0000 ± 0.0000	7.3565 ± 0.0000	8.0000 ± 0.0000	0.6154 ± 0.0000
ResNet34	FS	sem augmentation	0.4615 ± 0.0000	0.3846 ± 0.0000	0.4201 ± 0.0000	21286211.0000 ± 0.0000	7.3565 ± 0.0000	32.0000 ± 0.0000	0.6923 ± 0.0000
ResNet34	PT-ALL	com augmentation	0.5385 ± 0.0000	0.4596 ± 0.0000	0.5047 ± 0.0000	21286211.0000 ± 0.0000	7.3565 ± 0.0000	41.0000 ± 0.0000	0.6923 ± 0.0000
ResNet34	PT-FC	com augmentation	0.5385 ± 0.0000	0.5337 ± 0.0000	0.5571 ± 0.0000	21286211.0000 ± 0.0000	7.3565 ± 0.0000	37.0000 ± 0.0000	0.6410 ± 0.0000
ResNet34	PT-FC	sem augmentation	0.5128 ± 0.0000	0.4942 ± 0.0000	0.5159 ± 0.0000	21286211.0000 ± 0.0000	7.3565 ± 0.0000	49.0000 ± 0.0000	0.6410 ± 0.0000