

# Propositional Logic

Dave Dubin

Fall Semester, 2017

# “Bene disserere est finis logices”

- Most logic books (including your assigned reading) introduce propositional logic as a tool or system for analyzing the validity and soundness of reasoning.

# “Bene disserere est finis logices”

- Most logic books (including your assigned reading) introduce propositional logic as a tool or system for analyzing the validity and soundness of reasoning.
- van Benthem, et al. contrast arguments like this invalid one:

# “Bene disserere est finis logices”

- Most logic books (including your assigned reading) introduce propositional logic as a tool or system for analyzing the validity and soundness of reasoning.
- van Benthem, et al. contrast arguments like this invalid one:

# “Bene disserere est finis logices”

- Most logic books (including your assigned reading) introduce propositional logic as a tool or system for analyzing the validity and soundness of reasoning.
- van Benthem, et al. contrast arguments like this invalid one:

(2.4)      If you take my medication, you will get better  
             But you are not taking my medication.  
             

---

             So, you will not get better.       $\therefore$

# “Bene disserere est finis logices”

- Most logic books (including your assigned reading) introduce propositional logic as a tool or system for analyzing the validity and soundness of reasoning.
- van Benthem, et al. contrast arguments like this invalid one:

(2.4)      If you take my medication, you will get better  
             But you are not taking my medication.  
             

---

             So, you will not get better.       $\therefore$

- ...and this valid argument:

(2.6)      If you take my medication, you will get better  
             But you are not getting better.  
             

---

             So, you have not taken my medication.       $\therefore$

# Concepts from earlier in the semester

- Propositions are the bearers of truth values: the kinds of things that can be true or false.

# Concepts from earlier in the semester

- Propositions are the bearers of truth values: the kinds of things that can be true or false.
- States of affairs are the parts of reality responsible for making propositions true or false.



- We represent propositions with lower case letters (typically  $p$ ,  $q$ , and  $r$ ).

- We represent propositions with lower case letters (typically  $p$ ,  $q$ , and  $r$ ).
- A set of proposition letters generates a set of states of affairs: ways the world might be.

- We represent propositions with lower case letters (typically  $p$ ,  $q$ , and  $r$ ).
- A set of proposition letters generates a set of states of affairs: ways the world might be.
- $n$  proposition letters generate  $2^n$  states of affairs.

- We represent propositions with lower case letters (typically  $p$ ,  $q$ , and  $r$ ).
- A set of proposition letters generates a set of states of affairs: ways the world might be.
- $n$  proposition letters generate  $2^n$  states of affairs.
- $\{pqr, pq\bar{r}, p\bar{q}r, p\bar{q}\bar{r}, \bar{p}qr, \bar{p}q\bar{r}, \bar{p}\bar{q}r, \bar{p}\bar{q}\bar{r}\}$

# Logical Operators

Table 1: 2.15 from van Benthem, et al.

Symbol	In natural language	Technical name
$\neg$	not	negation
$\wedge$	and	conjunction
$\vee$	or	disjunction
$\rightarrow$	if ... then	implication
$\leftrightarrow$	if and only if	equivalence

- A sentence constructed from proposition letters and operators is true or false in each state of affairs.

- A sentence constructed from proposition letters and operators is true or false in each state of affairs.
- Consider, for example:  $((\neg p \vee q) \rightarrow r)$

- A sentence constructed from proposition letters and operators is true or false in each state of affairs.
- Consider, for example:  $((\neg p \vee q) \rightarrow r)$
- The sentence is mapped to a truth value via the following tables



# Semantics of the operators

$\varphi$	$\neg\varphi$
0	1
1	0

Table 3: 2.18 from van Benthem, et al.

$\varphi$	$\psi$	$\varphi \wedge \psi$	$\varphi \vee \psi$	$\varphi \rightarrow \psi$	$\varphi \leftrightarrow \psi$
0	0	0	0	1	1
0	1	0	1	1	0
1	0	0	1	0	0
1	1	1	1	1	1

## Exercise 2.6

- “I will only go to school if I get a cookie now.”

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s =$  “I will go to school” and  $c =$  “I get a cookie.”

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s$  = “I will go to school” and  $c$  = “I get a cookie.”
- John and Mary are running

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s$  = “I will go to school” and  $c$  = “I get a cookie.”
- John and Mary are running
- $(j \wedge m)$



## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s$  = “I will go to school” and  $c$  = “I get a cookie.”
- John and Mary are running
- $(j \wedge m)$
- A foreign national is entitled to social security if he has legal employment or if he has had such less than three years ago, unless he is currently also employed abroad.

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s$  = “I will go to school” and  $c$  = “I get a cookie.”
- John and Mary are running
- $(j \wedge m)$
- A foreign national is entitled to social security if he has legal employment or if he has had such less than three years ago, unless he is currently also employed abroad.
- $((e \vee l) \wedge \neg a) \rightarrow s$

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s$  = “I will go to school” and  $c$  = “I get a cookie.”
- John and Mary are running
- $(j \wedge m)$
- A foreign national is entitled to social security if he has legal employment or if he has had such less than three years ago, unless he is currently also employed abroad.
- $((e \vee l) \wedge \neg a) \rightarrow s)$
- $e$  = “A foreign national has legal employment.”

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s$  = “I will go to school” and  $c$  = “I get a cookie.”
- John and Mary are running
- $(j \wedge m)$
- A foreign national is entitled to social security if he has legal employment or if he has had such less than three years ago, unless he is currently also employed abroad.
- $((e \vee l) \wedge \neg a) \rightarrow s)$
- $e$  = “A foreign national has legal employment.”
- $l$  = “He has had legal employment less than three years ago.”

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s$  = “I will go to school” and  $c$  = “I get a cookie.”
- John and Mary are running
- $(j \wedge m)$
- A foreign national is entitled to social security if he has legal employment or if he has had such less than three years ago, unless he is currently also employed abroad.
- $((e \vee l) \wedge \neg a) \rightarrow s$
- $e$  = “A foreign national has legal employment.”
- $l$  = “He has had legal employment less than three years ago.”
- $a$  = “He is currently employed abroad.”

## Exercise 2.6

- “I will only go to school if I get a cookie now.”
- Compare with “I will go to school if I get a cookie”
- The latter is cookie implies school, but the former is school implies cookie.
- You want  $(s \rightarrow c)$
- Gloss:  $s$  = “I will go to school” and  $c$  = “I get a cookie.”
- John and Mary are running
- $(j \wedge m)$
- A foreign national is entitled to social security if he has legal employment or if he has had such less than three years ago, unless he is currently also employed abroad.
- $((e \vee l) \wedge \neg a) \rightarrow s$
- $e$  = “A foreign national has legal employment.”
- $l$  = “He has had legal employment less than three years ago.”
- $a$  = “He is currently employed abroad.”
- $s$  = “He is entitled to social security.”

# Drawing truth tables for expressions

p	q	r	$((\sim p \vee q) \rightarrow r)$				
1	1	1	0	1	1	1	1
1	1	0	0	1	1	0	0
1	0	1	0	1	0	1	1
1	0	0	0	1	0	1	0
0	1	1	1	0	1	1	1
0	1	0	1	0	1	0	0
0	0	1	1	0	1	1	1
0	0	0	1	0	1	0	0

# Drawing truth tables for expressions

p	q	r	$(( \sim p \vee q ) \rightarrow r )$				
1	1	1	0	1	1	1	1
1	1	0	0	1	1	0	0
1	0	1	0	1	0	1	1
1	0	0	0	1	0	1	0
0	1	1	1	0	1	1	1
0	1	0	1	0	1	0	0
0	0	1	1	0	1	1	1
0	0	0	1	0	1	0	0



# Drawing truth tables for expressions

p	q	r	$(( \sim p \vee q ) \rightarrow r )$				
1	1	1	0	1	1	1	1
1	1	0	0	1	1	0	0
1	0	1	0	1	0	1	1
1	0	0	0	1	0	1	0
0	1	1	1	0	1	1	1
0	1	0	1	0	1	0	0
0	0	1	1	0	1	1	1
0	0	0	1	0	1	0	0

# Drawing truth tables for expressions

p	q	r	$(( \sim p \vee q ) \rightarrow r )$				
1	1	1	0	1	1	1	1
1	1	0	0	1	1	0	0
1	0	1	0	1	0	1	1
1	0	0	0	1	0	1	0
0	1	1	1	0	1	1	1
0	1	0	1	0	1	0	0
0	0	1	1	0	1	1	1
0	0	0	1	0	1	0	0

## Exercise 2.11

p	q	$((p \rightarrow q) \vee (q \rightarrow p))$						
1	1	1	1	1	1	1	1	1
1	0	1	0	0	1	0	1	1
0	1	0	1	1	1	1	0	0
0	0	0	1	0	1	0	1	0

## Exercise 2.11

p	q	r	$(( (p \vee \sim q) \& r ) \leftrightarrow ( \sim (p \& r) \vee q ))$										
1	1	1	1	1	0	1	1	1	0	1	1	1	1
1	1	0	1	1	0	1	0	0	0	1	1	0	0
1	0	1	1	1	1	0	1	1	0	0	1	1	0
1	0	0	1	1	1	0	0	0	0	1	1	0	0
0	1	1	0	0	0	1	0	1	0	1	0	0	1
0	1	0	0	0	0	1	0	0	0	1	0	0	1
0	0	1	0	1	1	0	1	1	1	0	0	1	1
0	0	0	0	1	1	0	0	0	0	1	0	0	0

# Grammar of propositional logic

Let  $P$  be a set of proposition letters and let  $p \in P$ .

The following expression defines the recursive grammar for a logical expression  $\varphi$  in Backus–Naur Form:

$$\varphi ::= p \mid \neg\varphi \mid (\varphi \wedge \varphi) \mid (\varphi \vee \varphi) \mid (\varphi \rightarrow \varphi) \mid (\varphi \leftrightarrow \varphi)$$

# Syntactically conforming expressions

Let  $P = \{o, q, r, s\}$

Examples of grammatically conforming expressions include:

- $r$

Grammatically *incorrect* expressions would include:

How many correct expressions are consistent with the last one?

# Syntactically conforming expressions

Let  $P = \{o, q, r, s\}$

Examples of grammatically conforming expressions include:

- $r$
- $\neg q$

Grammatically *incorrect* expressions would include:

How many correct expressions are consistent with the last one?

# Syntactically conforming expressions

Let  $P = \{o, q, r, s\}$

Examples of grammatically conforming expressions include:

- $r$
- $\neg q$
- $(s \leftrightarrow o)$

Grammatically *incorrect* expressions would include:

How many correct expressions are consistent with the last one?



# Syntactically conforming expressions

Let  $P = \{o, q, r, s\}$

Examples of grammatically conforming expressions include:

- $r$
- $\neg q$
- $(s \leftrightarrow o)$
- $(\neg(s \leftrightarrow \neg\neg\neg o) \rightarrow (q \wedge q))$

Grammatically *incorrect* expressions would include:

How many correct expressions are consistent with the last one?

# Syntactically conforming expressions

Let  $P = \{o, q, r, s\}$

Examples of grammatically conforming expressions include:

- $r$
- $\neg q$
- $(s \leftrightarrow o)$
- $(\neg(s \leftrightarrow \neg\neg\neg o) \rightarrow (q \wedge q))$

Grammatically *incorrect* expressions would include:

- $\neg \vee p$

How many correct expressions are consistent with the last one?

# Syntactically conforming expressions

Let  $P = \{o, q, r, s\}$

Examples of grammatically conforming expressions include:

- $r$
- $\neg q$
- $(s \leftrightarrow o)$
- $(\neg(s \leftrightarrow \neg\neg\neg o) \rightarrow (q \wedge q))$

Grammatically *incorrect* expressions would include:

- $\neg \vee p$
- $\vee)p\neg$

How many correct expressions are consistent with the last one?

# Syntactically conforming expressions

Let  $P = \{o, q, r, s\}$

Examples of grammatically conforming expressions include:

- $r$
- $\neg q$
- $(s \leftrightarrow o)$
- $(\neg(s \leftrightarrow \neg\neg\neg o) \rightarrow (q \wedge q))$

Grammatically *incorrect* expressions would include:

- $\neg \vee p$
- $\vee)p\neg$
- $\neg p \vee q \rightarrow r$

How many correct expressions are consistent with the last one?

These conforming expressions are all consistent with  $\neg p \vee q \rightarrow r$

- $((\neg p \vee q) \rightarrow r)$

These conforming expressions are all consistent with  $\neg p \vee q \rightarrow r$

- $((\neg p \vee q) \rightarrow r)$
- $(\neg(p \vee q) \rightarrow r)$

These conforming expressions are all consistent with  $\neg p \vee q \rightarrow r$

- $((\neg p \vee q) \rightarrow r)$
- $(\neg(p \vee q) \rightarrow r)$
- $\neg((p \vee q) \rightarrow r)$

These conforming expressions are all consistent with  $\neg p \vee q \rightarrow r$

- $((\neg p \vee q) \rightarrow r)$
- $(\neg(p \vee q) \rightarrow r)$
- $\neg((p \vee q) \rightarrow r)$
- $(\neg p \vee (q \rightarrow r))$



These conforming expressions are all consistent with  $\neg p \vee q \rightarrow r$

- $((\neg p \vee q) \rightarrow r)$
- $(\neg(p \vee q) \rightarrow r)$
- $\neg((p \vee q) \rightarrow r)$
- $(\neg p \vee (q \rightarrow r))$
- $\neg(p \vee (q \rightarrow r))$

## Exercise 2.7

Which of the following are formulas in propositional logic?

- $p \rightarrow \neg q$

## Exercise 2.7

Which of the following are formulas in propositional logic?

- $p \rightarrow \neg q$
- $\neg\neg \wedge q \vee p$

## Exercise 2.7

Which of the following are formulas in propositional logic?

- $p \rightarrow \neg q$
- $\neg\neg \wedge q \vee p$
- $p\neg q$

- Semantics is the relationship of a language to the part of the world that we're modeling.

- Semantics is the relationship of a language to the part of the world that we're modeling.
- Valuations are functions from expressions to truth values.

- Semantics is the relationship of a language to the part of the world that we're modeling.
- Valuations are functions from expressions to truth values.
- “ $V(\varphi) = 1$ ” means the formula (or sentence)  $\varphi$  is true in the state of affairs represented by the function  $V$ . “ $V(\varphi) = 0$ ” means that  $\varphi$  is false in the state of affairs represented by the function  $V$ .

- Semantics is the relationship of a language to the part of the world that we're modeling.
- Valuations are functions from expressions to truth values.
- “ $V(\varphi) = 1$ ” means the formula (or sentence)  $\varphi$  is true in the state of affairs represented by the function  $V$ . “ $V(\varphi) = 0$ ” means that  $\varphi$  is false in the state of affairs represented by the function  $V$ .
- For “ $V(\varphi) = 1$ ” we also write “ $V \models \varphi$ ” read as “ $V$  is a model of  $\varphi$ ” or “ $V$  satisfies  $\varphi$ .”



- Semantics is the relationship of a language to the part of the world that we're modeling.
- Valuations are functions from expressions to truth values.
- " $V(\varphi) = 1$ " means the formula (or sentence)  $\varphi$  is true in the state of affairs represented by the function  $V$ . " $V(\varphi) = 0$ " means that  $\varphi$  is false in the state of affairs represented by the function  $V$ .
- For " $V(\varphi) = 1$ " we also write " $V \models \varphi$ " read as " $V$  is a model of  $\varphi$ " or " $V$  satisfies  $\varphi$ ."
- If  $V$  doesn't satisfy  $\varphi$  we write " $V \not\models \varphi$ ". In other words  $V(\varphi) = 0$ .

# Logical truth and logical falsity.

- A statement  $\varphi$  is logically true if it is true in every state of affairs generated by its propositional variables.

# Logical truth and logical falsity.

- A statement  $\varphi$  is logically true if it is true in every state of affairs generated by its propositional variables.
- A statement  $\varphi$  is logically false if it is false in every state of affairs generated by its propositional variables.

# Logical truth and logical falsity.

- A statement  $\varphi$  is logically true if it is true in every state of affairs generated by its propositional variables.
- A statement  $\varphi$  is logically false if it is false in every state of affairs generated by its propositional variables.
- If a statement  $\varphi$  is neither logically true or logically false then it is contingent.

# Logical truth and logical falsity.

- A statement  $\varphi$  is logically true if it is true in every state of affairs generated by its propositional variables.
- A statement  $\varphi$  is logically false if it is false in every state of affairs generated by its propositional variables.
- If a statement  $\varphi$  is neither logically true or logically false then it is contingent.
- Examples:

# Logical truth and logical falsity.

- A statement  $\varphi$  is logically true if it is true in every state of affairs generated by its propositional variables.
- A statement  $\varphi$  is logically false if it is false in every state of affairs generated by its propositional variables.
- If a statement  $\varphi$  is neither logically true or logically false then it is contingent.
- Examples:
  - ①  $(q \vee \neg q)$  is logically true.

# Logical truth and logical falsity.

- A statement  $\varphi$  is logically true if it is true in every state of affairs generated by its propositional variables.
- A statement  $\varphi$  is logically false if it is false in every state of affairs generated by its propositional variables.
- If a statement  $\varphi$  is neither logically true or logically false then it is contingent.
- Examples:
  - ①  $(q \vee \neg q)$  is logically true.
  - ②  $(q \wedge \neg q)$  is logically false.

- A set of propositional logic statements is consistent if at least one state of affairs satisfies every statement in the set.



- A set of propositional logic statements is consistent if at least one state of affairs satisfies every statement in the set.
- A set of propositional logic statements is inconsistent if no state of affairs satisfies every statement in the set.

- A conclusion is *valid* with respect to a set of premises if the conclusion is true in every situation where the premises are true (van Benthem, et al, page 2-4).

- A conclusion is *valid* with respect to a set of premises if the conclusion is true in every situation where the premises are true (van Benthem, et al, page 2-4).
- One can validly infer a conclusion  $\varphi$  from a set of premises  $P$  if the negation of  $\varphi$  is inconsistent with the set of statements  $P$ .

(From van Bentham, et al., chapter 2)

- ① Computing a truth value for a formula takes linear time.

(From van Bentham, et al., chapter 2)

- 1 Computing a truth value for a formula takes linear time.
- 2 Computing a truth table for validity takes exponential time.

(From van Benthem, et al., chapter 2)

- ① Computing a truth value for a formula takes linear time.
- ② Computing a truth table for validity takes exponential time.
- ③ The problem of testing for validity in propositional logic is decidable: there exists a mechanical method that computes the answer, at least in principle.