



Product Catalogue



YOUR
SAFETY
AT
WORK

Table of Contents

ELVEX DeltaPlus Products

Head and Face Protection.....	3
Disposable Overalls, Reflective Vests.....	4
Double Zip and Single Zip One Piece Overalls, 2 Piece Overalls.....	5
Parka Jacket, Freezer Pants, Hi-Viz Jacket & Pants	6
Stonewashed / Grey Pants, Vests and Jackets	7
Mach 2 Two piece overalls, Rainsuits	8
Lite, Lule, Fidji Jackets	9
Gloves.....	10-13
Safety Glasses.....	14 - 19
Goggles and overspecs	20
Overspecs and prescription ready frame (RXP-100)	21
Bi-Focals (RX).....	22
QuickSnap™ System Overview	23
Visor Brackets & Slot Adaptor, Electric Arc Face Shield	24
Face Shields.....	25
Gold Plated Face shield, Welding shade Faceshield, Headgear, Forestry Screens.....	26
Hearing Protection Basics.....	27
ValueMuff (HB-25), Maximuff (HB-35), SonicSlim Earmuffs (HB-10), Flatliner (HB-640)	28
Quicksnap (HM-20, HM-80), Level Dependant Impulse Filter Earmuffs (Com-655)	
Spa3, Suzuka, Yas Marina	29
Reuseable earplugs, Disposable earplugs	30
Safetyglass Counter- and Floor stands, Anti-fog Gel, Lens Cleaner, 70%+ Alcohol Sanitizer...	31
Safetyglass Cords, Safety Glass Bags, DeltaPlus Belt, Deltaplus Tool Holder, Knee pads	32
About us, Advance Technology Innovation.....	33
Lens Performance and Tint Specification, Lens Colours Applications, Key to Symbols	34 - 35

Havalon Knives

Havalon Knives	36 - 37
----------------------	---------

BALBI



Clear



Faceshield with front protection and Visorpc visor: Clear polycarbonate visor with plastic edge. 39. x 20 cm.


CE EN-166

VISORHOLDER



Faceshield holder suitable for Baseball Diamond safety helmets to combine with Visorpc.

VISORPC



Clear



Pack of 2 clear polycarbonate visors with plastic edge. Universal fixing. Suitable for Balbi and Visor Holder. 39 x 20 cm.

CE EN-166

BASEBALL DIAMOND V



White
Orange
Yellow
390g
Adjustable



ABS safety helmet. Innovative "baseball cap" shape to improve vision when looking up. Also tested for front back wearing, to reduce encumbrance. Polyamide cradle: 3 textile straps with 8 fixing points. Foam sweat band. Innovative button adjustment "colour to colour" for head size 53 to 63 cm. 2 possible positions of the headband (top/low) for better comfort. Electrical insulation up to 1000 V.A.C or 1500 V.D.C.

- Button for easy adjustment
- Fluorescent colours and silver band for high visibility
- Also tested for front-to-back wear for improved vision
- Very curved visor for higher vertical vision

CE EN-397
MM
LD
-30°C + 50°C
440VAC
EN-50365
CLASS 0



BASALPHA



Black

Bag of 10 Foam sweatbands for Diamond hardhats
Nylon / Toweling

HARNESS V

Black

Bag of 10 spare harnesses for BASEBALL DIAMOND safety helmet.
Textile lining, foam sweat band, adjustment with button.

DYNAMIC JUGALPHA



Black
Adjustable

Bag of 10 chin straps. 4 Fixing points for work at height. Safety-breaking system. Suitable for BASEBALL DIAMOND safety helmets.



AIR COLTAN



Fluorescent
Yellow

Navy / Orange

200g
Adjustable
Peak - 7cm



Impact resistant baseball style bump cap. Highly ventilated polyester/ Cotton with mesh fabric. Lined with polyethylene and comfortable EVA foam shell to absorb shocks. Adjustable size by buckle 55/62 cm.

- Rear adjustment
- Bi-material
- Polyethylene shell with 18 holes
- Highly ventilated Mesh fabric

CE EN-812

DT 115



White

M / L / XL / XXL



Non woven microporous laminate overall with elasticated hood.
Zip fastening under adhesive flap.
Elasticated round head, waist, cuffs and ankles.
Antistatic. Individual airtight pack.

- Zip with self adhesive flap
- Elasticated cuffs
- Elasticated ankles
- 0% Silicone Latex
- Extra soft

CE

EN 13034
TYPE 6

EN ISO
13982-1
TYPE 5

EN 1149-5

DT 117



White

M / L / XL / XXL



Overall with elasticated hood. Non woven microporous laminate Deltatek[®]5000. Zip fastening under adhesive flap (top and bottom opening). Elasticated waist and ankles. Knitted wrist.
Antistatic. Individual airtight pack.

- DELTATEK[®] 5000
The polyethylene film ensures greater resistance to chemical hazards and higher mechanical resistance (abrasion - tearing)
- Supports head movement for increased comfort
- Zip with self adhesive flap
- Elasticated cuffs
- Elasticated ankles
- Lint free
- Extra soft

CE

EN 13034
TYPE 6-B

EN ISO
13982-1
TYPE 5-B

EN 14126

EN 1073-2
CLASS 1

EN 1149-5

GILM3



Fluorescent
Yellow

L / XXL



Polyester mesh fabric.
Retro-reflective sewn bands.
Mesh vest. Fastening with velcro band.
High visibility: Class 2 - Silver colour - Shoulder Belt and Parallel assembly.

ANSI

ANSI-SEA 107
Not FR
CLASS 2
R

GILP4



Fluorescent
Yellow /
Fluorescent
Orange

L / XXL



Vest. Fastening with velcro band. High visibility:
Class 2 - Silver colour - Shoulder-belt assembly.

- Polyester fabric.
- Retro-reflective sewn bands.

CE

EN ISO 20471
CLASS 2



Mach2 One Piece Double Zip M2CZ



Grey-Orange

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m².
Overalls with 2 Zips. Elasticated waist.
10 pockets including 1 ruler pocket.



Mach6 One Piece 1 Zip M6COM



Grey-Orange
Navy blue -
orange

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m².
Overalls. Zip fastening under bias. Elasticated waist. Elasticated
cuffs. 10 pockets including 1 on the sleeve and 1 ruler pocket.



Mach6 Jacket M6VES



Grey-Orange
Navy blue -
Orange

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 235g/m².
Jacket. Front zip fastening with bias finishing.
Elasticated cuffs. 4 pockets



Mach6 Pants M6PAN



Grey-Orange
Navy blue -
Orange

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 235g/m².
Trousers. Elasticated waist on both sides. 5 pockets including 1
ruler pocket.





GOTEBORG




Navy Blue

S / M / L /
XL / XXL
3XL



PVC-coated Twill polyester fabric.
Top lining: Wadded polyester polar fleece.
Bottom lining: Wadded polyester Taffeta.
Parka. Waterproof seams. Collar with polar lining for optimal comfort.
Fastening with zip under velcro storm flap. Removable hood.
Adjustable bottom of garment with elastic drawstring. 5 pockets.

- Fixed badge holder included
- Rear vent for embroidery access
- No metallic part



ICEBERG




Navy Blue

S / M / L /
XL / XXL
3XL



Polyurethane-coated Oxford polyester fabric.
Quilted polyester Taffeta lining.
Warm Salopette. Waterproof seams. Adjustable waist with elastic drawstring. Adjustable braces. Preformed and reinforced knees.
5 Pockets.

- Cold protection
- Waterproof Zipped pockets
- Bottom of legs with storm flap
- Higher back protection



PHVE2



Fluorescent
yellow-Navy
Blue

S / M / L /
XL / XXL
3XL



Twill 80% polyester 20% cotton 230 g/m².
Retro-reflective sewn bands.
Jacket. Elasticated cuffs. High visibility: Class 2 - Silver colour -
Shoulder belt and parallel assembly. 2 pockets.



PHPA2



Fluorescent
yellow-Navy
Blue

S / M / L /
XL / XXL
3XL



Twill 80% polyester 20% cotton 230 g/m².
Retro-reflective sewn bands.
Trousers. Elasticated waist on both sides. High visibility:
Class 2 - Silver colour
5 pockets including 1 ruler pocket.

- Internal kneepad pocket





M5SGI



Beige

S / M / L /
XL / XXL
3XL



Twill 65% Polyester 35% cotton 245g/m²
Stonewashed multipocket vest.
Zip fastening under bias.
12 pockets
• Flap back ventilation
• Fixed badge holder included

M5SPA



Beige

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m²
3 in 1 stonewashed trousers. Elasticated waist on both sides.
Preformed knees.
8 pockets including 1 ruler pocket.
• Reinforced crotch
• Tripple Seams
• Pockets for ruler and tools
• Convertible legs with zip
• Kneepad pockets

M5GI - Mach Spirit Vest



Grey/Black
Beige/Black

S / M / L /
XL / XXL
3XL



Canvas 60% Cotton, 40% Polyester 270g/m²
Multipocket vest.
Zip fastening under bias.

- Elasticated waist on both sides
- 9 Pockets, including 2 inner
- Fixed badge holder
- Covered Zips



M5PA - Mach Spirit Jacket



Grey/Black
Beige/Black



Canvas 60% Cotton, 40% Polyester 270g/m²
Jacket. Fastening with zip under velcro storm flap. Elasticated waist on both sides. Underarm ventilation eyelets.
9 Pockets including 2 inner.



M5PA - Mach Spirit Trouser



Grey/Black
Beige/Black

S / M / L /
XL / XXL
3XL



Canvas 60% Cotton 40%, 270g/m²
Yokes: Cordura® and Oxford polyester.
Preformed knees.
8 pockets including 1 ruler pocket.





M2VE2



Grey-Orange
Navy blue -
Royal Blue
M / L / XL / 2XL / 3XL



Twill 65% polyester 35% cotton 245g/m².
Jacket. Elasticated cuffs adjustable with Velcro. 5 pockets including 1 zipped and 1 inside.



M2PA2



Grey-Orange
Navy blue -
Royal Blue
S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m².
Trousers. Elasticated waist on both sides. 7 pockets including 1 ruler pocket.



EN 400JA



Yellow
Navy Blue

M / L / XL / XXL



PVC-coated polyester fabric.
Rain jacket and trousers. Waterproof seams.
JACKET: Fastening with zip under storm flap. Fixed hood.
Raglan sleeves. Adjustable cuffs with press-studs. 2 pockets.
TROUSERS: Elasticated waist. Adjustable bottom of legs with press-studs. 2 hand slits.

- Ventilation back flap
- Underarm ventilation eyelets



EN400LV



Fluorescent
yellow
Navy Blue

M / L / XL / XXL



PVC-coated polyester fabric.
Rain jacket and trousers. Waterproof seams. JACKET: Fastening with zip under storm flap. Fixed hood. Raglan sleeves. Adjustable cuffs with press-studs. 2 pockets. TROUSERS: Elasticated waist. Adjustable bottom of legs with press-studs. 2 hand slits.





LITE



Navy Blue/Orange
Black
M / L / XL / 2XL / 3XL



Lite Bomber Jacket. Waterproof Seams. Fixed Hood. Fastening with zip under storm flap. Elasticated waist and bottom of garment.

- PVC-coated polyester fabric
- Polyester mesh lining



LULE



Grey / Orange
Navy Blue

S / M / L / XL /
2XL / 3XL



Softshell Jacket. Fastening with zip under storm flap. Bottom of sleeves with bias finishing. Adjustable bottom of garment with elastic drawstring. 5 Pockets



FIDJI



Grey / Orange
Navy Blue

S / M / L / XL /
2XL / 3XL



Body warmer. Collar with polar fleece lining for optimal comfort. 4 Pockets

PVC-Coated Pongee polyester fabric
Yokes: PVC-coated Oxford polyester
Wadded Polyester polar fleece lining



DR 605



Black
10



Furniture Cowhide Grain Leather / Cotton Canvas

- Furniture cowhide grain leather. Canvas Back with leather reinforcement
- Reinforced canvas cuff



EN-388
3 1 2 1

NI155



Blue
10



Nitrile on cotton jersey lining. Knitted wrist. Fully Coated.

Nitrile on jersey lining:

- Heat resistant
- Excellent performances in oily and greasy environments

Full protection of the hand:

- Back hand protection.



EN-388
4 1 1 1

PVC7335



Red
10



PVC on interlock cotton lining. Length: 35cm. Thickness: 0.90mm



EN-388
4 1 1 1

EN374-2

EN374-3

HERCULE VV750



Black
9



Inside: 100% Acrylic Gauge 7. Outside: 100% Polyamide Gauge 13.
3/4 foam nitrile coating on palm, fingers and half back.

3/4 Coating:

- Full protection of the fingers against cold and water
- Long lifespan

Inside Acrylic Support:

- Excellent comfort, keeps hands warm in cold conditions

Outside Polyamide Support:

- High flexibility

Cold Protection



EN-388
3 2 3 3 X

EN-511
X
2
X

THRYM VV736



Light Blue
9 / 10



Inside: 100% Acrylic Gauge 10. Outside: 100% Polyamide Gauge 15.
Full Latex coating of the hand. Second foam latex coating on palm and fingers tips.

Scratch Acrylic support:

- Cold Protection
- Scratching: Excellent comfort, keep hands warm in cold conditions.

Full Coating:

- Full protection of the fingers against cold and water
- High flexibility

Very good cold and humidity protection



EN-388
2 3 4 2

EN-511
1
2
1

CA615K



Red
10



High quality heat-resistant split leather (HR). Cuff with canvas lining.
Kevlar® Technology sewn. American assembly. Length: 35cm.



EN-388
3 1 3 3

EN-407
4, 1, 3
X, 4, X

EN 12477
TYPE A

DS202RP



Grey-Blue
10



Cowhide split leather with cotton canvas lining.
Reinforcement on palm, thumb and index finger.
Canvas back with leather reinforcement.
Reinforced canvas cuff.



EN-388
4 2 2 3

CHEMSAFE PLUS VV836



Blue
10



Double PVC/nitrile coating on polyamide lining. Third rough PVC/nitrile coating on hand. Length: 30cm. Thickness: 1mm - 1.35mm on palm.

- Rough-textured hand: Excellent grip
- Nitrile/PVC triple coating: Good abrasion resistance
- Light and flexible
- 100% polyamide lining: Comfortable
- Gauge 18



EN-388
3 1 2 1 X

EN-374-2

EN 16523-1
TYPE B
K6 > 480mm
L4 > 120mm
M2 > 30mm
P6 > 480mm



VE715



Black
10



100% Polyester Glove with 3/4 100% Nitrile Coating on palm and fingers.
Gauge 13.



VE713



Black
9 / 10



100% Polyamide. Double nitrile coating on palm, fingers and half back.
Gauge 13.

3/4 Nitrile Coating

- Increased protection of fingers
- Protection against oils
- Strength at joints
- Long lifespan

Double Coating:

- A hardwearing nitrile layer
- A breathable nitrile layer
- Abrasion resistance
- Oils' protection
- Breathability



VE730OR



Yellow Orange
8 / 9 / 10



Polycotton. Rough latex coating on palm and fingertips. Gauge 10.



Ve726



Yellow Orange
10



Polymide/Spandex. Nitrile/Polyurethane coating on palm and fingertips.
Gauge 15.



TP169



White



Polycotton. PVC dots on palm.
Gauge 7.



VENICUT41GN



Grey

8 / 9 / 10



SOFTnocut® high performance fibre. Nitrile Coating on palm and fingertips. Reinforcement between the thumb and index finger. Gauge 13.

Reinforcement between the thumb and index finger

- For better longevity



EN-388
4 X 4 4 C

ANSI ANSI-ISEA 105
A3

VENICUT52



Yellow-Black

9 / 10



TAEKI® 5 High performance polyethylene fibre. Latex coating on palm and fingertips. Gauge 10.

Latex Coating

- Good abrasion resistance
- Anti slip rough texture
- Excellent grip

TAEKI® 5 high performance polyethylene:

- Excellent Cut resistance
- Maximum abrasion resistance



EN-388 2016
4 X 4 3 D

EN-388
4 5 4 2

EN-407
X2,X
X,X,X

ANSI ANSI-ISEA 105
A4

VENICUT54BL



Royal Blue -
Black

8 / 9 / 10



DELTAnocut® + high performance fibre. Double nitrile coating. Gauge 13.

Double nitrile coating to work in oil environments

- First smooth nitrile coating: Oil permeability
- Second foam nitrile coating: Good grip

3/4 Coating:

- Increased protection of fingers
- Protection against oils
- Strength at joints
- Long lifespan



EN-388
4 X 4 4 D

ANSI ANSI-ISEA 105
A4

VECUT57G3



Grey -
Black

9



ECONOCUT® high performance fibre. Nitrile coating on palm and fingertips. Gauge 13. Bag of 3 pairs.



EN-388
4 X 4 4 D

ANSI ANSI-ISEA 105
A4

ECONOCUT5M



White - Black
One Size



ECONOCUT® high performance fibre. Knitted sleeve with thumbhole. Length 55 cm. Gauge 13. Bag of 1 pair.



EN-388
4 X 4 X D

ANSI ANSI-ISEA 105
A4



VULCANO2 CLEAR



Clear
26g



Polycarbonate single lens glasses. Adjustable and tilting nylon arms. Spatula tips. Integrated TPE nose piece. Side protection.



VULCANO2 SMOKE



Smoke
26g



Polycarbonate single lens glasses. Adjustable and tilting nylon arms. Spatula tips. Integrated TPE nose piece. Side protection.



EGON SMOKE



Grey
32g



Ergonomic glasses. Polycarbonate lens glasses. Sport look. Twin material arms. Extra comfort soft TPE nose piece.



KILIMANDJARO SMOKE



Smoke
32g



Polycarbonate single lens glasses. Adjustable nylon arms. Side protection.



PACAYA CLEAR LYVIZ



Clear
38g



Polycarbonate single lens glasses. Integrated polycarbonate nose piece. Adjustable and tilting nylon arms. Side protection.



LIPARI2 T5



Shade 5
34g



Polycarbonate single lens glasses. Adjustable and tilting nylon arms. Spatula tips. Integrated TPE nose piece. Side protection.



SCREEN




Black
474g



Helmet for electric arc welding with self-obscuring screen. Can be used for MIG, MAG, TIG and plasma welding requiring DIN9 to DIN13 shade protection.

- Replaceable batteries (CR2032)
- High performance optical class
- Shade external adjustment



Problem-Solving Protective Eyewear

When competitor's eyewear can't deliver the safety, comfort and functionality you need, count on ELVEX®. We can rapidly adapt or develop protective eyewear that solves your specific work site problems. And our hands-on approach means you'll get a timely response and customized solution. Here are some examples:

Get Goggle-like Protection in a Comfortable, Custom-fitting Spec

ELVEX® has become a category leader in the development of closed cell foam protection for dusty, dirty and windy environments - where airborne particulates pose a real threat to workers eyes. Our growing line of Go-Specs™ safety glasses provide a dynamic range of comfortable, goggle-like protection in a safety glass.

Foam Lined Go-Specs™ and Brow-Specs™ Safety Glasses: ELVEX® now has a deep line of industry leading models of EVA foam line and silicone line safety glasses that combines safety glass technology with "goggle-like" protection. The best combination of fit and protection you can get in a stylish lens!

GoSpecs Pro™ GG-55



GG-55GAF



GG-55BB50



GG-55CAF

Polycarbonate safety glasses with removable foam carrier with very soft flame resistant open cell foam for excellent protection, ventilation and comfort.

- Goggle-Like protection, Comfort of a spectacle
- Flame resistant open cell foam carrier
- Excellent protection, ventilation and comfort



AirSpecs™ GG-50



Stainless steel mesh lens to protect eye socket from pokes, prods of stationary or low energy objects greater than 1mm in diameter.

- Great for humid environments where nothing keeps lenses from fogging up
- EVA closed cell foam seal provides a comfortable face seal
- Pantoscopic adjustable elastic fabric strap for secure fit



GoSpecs II™ GG-45



GG-45CAF



GG-45GAF



GG-45AAF



GG-45WS3



GG-45WS3

Goggle "like" protection with excellent comfort, closer fit and a wide field of vision. Temples and Flame Retardant elastic fabric strap included!

- Soft Foam Fills gap between face and lens to keep out wind, dust sand or airborne debris.
- Deep ventilation channels on top and bottom for Superior Anti-Fog performance.
- Flame Retardant EVA closed cell foam and elastic strap for improved wearer safety.
- Pantoscopic lens angle adjustments for greater comfort and protection.
- Replaceable Lens Available
- Kits also available



GG-45GAFCAMO



GG-45CAF CAMO



GG-45AAF CAMO

GoSpecs™ GG-40



GG-40CAF



GG-40GAF



GG-40BB50AF



GG-40AAF

Polycarbonate safety glasses with closed cell foam lining

- Soft Foam Fills gap between face and lens to keep out wind, dust sand or airborne debris.
- Multiple ventilation ports allow air circulation, Superior Anti-Fog performance.
- EVA closed cell foam seal provides a comfortable face seal, long lasting, resists body oil and sweat.
- Pantoscopic lens angle adjustments for greater comfort and protection.



GoSpecs IV GG-16



GG-16CAF



GG-16GAF

Value Priced Goggle-like Protection

- Goggle-Like protection, Comfort of a spectacle
- Eva Foam lined carrier, removable
- Excellent protection, ventilation and comfort



Acer™ SG-12



SG-12CCAMO



SG-12ACAMO



SG-12GCAMO



SG-12C/CAF



SG-12I/O



SG-12G/GAF



SG12M



SG12A

Full coverage floating lens design; appeals to the "Outdoorsman" in the workplace

- Floating lens design allows frame to flex outward to fit broader range of face sizes
- Broad and soft rubber saddle nose piece for greater comfort and impact protection, and reduces slipping.
- Green desert camo and slate grey frame available



TNT™ SG-13



SG-13G/GAF



SG-13C/CAF



SG-13I/O

A dynamite economical and popular safety glass.

- Sleek contemporary design with 10 base curve
- Wrap around one-piece lens for full eye protection
- Lightweight, 28 grams
- Soft, rubber temple tips to minimizes slippage.



Xenon™ SG-14



SG-14I/O



SG-14B



SG-14M



SG14G/GAF



SG14A



SG14C/CAF

Ultra lightweight makes these ultra popular worldwide

- Soft rubber nose bridge to ensure superior comfort
- Ultra-lightweight, 22 grams
- Flexible temples and colourful rubber temple insert.



TTS™ SG-15



SG-15C



SG-15M



SG-15A



SG15G/GAF



SG15I/O

Our most economically priced safety glass.

- Perfect for day labourers, tour groups or students
- Tight wrap around one-piece lens offers full eye protection
- Weighs 23 grams



Avion™ SG-18



SG-18G



SG18CAF



SG18C



SG18C-BLK



SG18I/O



SG18GAFBLK



SG18A



SG18I/OLEO



SG18CLEO



SG18BRLEO



SG18ALEO

Our "Flagship" unitary lens spectacle with premium comfort and performance

- Wraparound uni-lens design offers full panoramic view and superior ballistic protection
- Soft, Flexible nosebridge minimises slippage and provides all day comfort
- SuperCoat Anti-fog washable coating available in the clear and grey lenses and provides anti-scratch and anti-static protection too
- Soft rubber temple tips keeps eyewear comfortable and secure



Avion Slim Fit™ SG-18Slim



SG-18CSlimPink



SG18I/OMG



SG18CMG



SG18GMG

Slimmer design available to fit and protect more facial profiles

- Ideal for slender or narrower facial profiles, frame 10mm slimmer than the standard Avion



Trix™ SG-17



SG-17G



SG17I/O

Fashionable frameless design with ballistic protection at an economical price.

- Ballistic Protection provides higher level of protection for the users
- Unitary lens wraps around the head for great looks
- 23 grams



XTS™ SG-24



Sleek and sporty sunglass look with superior protection and great fit.

- Ballistic impact protection and sporty look
- Available in Polarized Polycarbonate lenses for superior glare protection
- Soft, flexible rubber nose bridge for comfort and to prevent slippage



BrowSpecs™ SG-31



Protects workers eye from falling debris and dripping sweat

- Soft foam brow guard fills gap between brow & lens to protect eyes from falling debris
- Flame Retardant EVA closed cell foam, long lasting resists body oil and sweat
- Wide frame with wraparound flexible temples
- Soft rubber nose bridge with flexible "fingers" for comfort and to minimise slipping
- Wraparound lens for extra wide unobstructed field of vision
- RX lens insert (extra accessory) for workers requiring vision correction



Sphere-X Ultimate™ SG-51



Contemporary wraparound ballistic protection for harsh industrial environments

- Unique frame with ventilation slots and SuperCoat lens to minimises fogging
- Adjustable 4-length drop temples gently "hook" behind the ears to reduce slipping
- Copper / BlueBlocker sun lens reduces glare and blue light. Increase contrast and sharpens focus in outdoor environments
- Soft, self-fitting rubber nose bridge conforms to wide range of nose bridge sizes to enhance comfort and secure fit.



Reflect-Specs™ SG-53



High visibility yellow safety spec ideal for night construction, utility workers, mining or airport workers.

- Economically priced
- Ultra-lightweight 24 grams
- High visibility yellow rubber tipped temples improves visibility, reduces slipping and enhances comfort
- 10 Sharp wrapped polycarbonate lenses for uninterrupted field of vision



Premium Protective Eyewear

Denali™ SG-56



Full feature Protection, Easy change Replacement lenses, Save 47%

- Pantoscopic angle adjustment temples allows for a comfortable and customizable fit
- Top vented rubber brow guard for added impact protection and ventilation
- Adjustable 3-length drop temples with rubber overlay for slip resistance and comfort
- Easy to wear soft rubber nose bridge with soft flex fingers to reduce slippage
- Replaceable lenses available to save money
- Kits available



Milo



Extremely Comfortable, Secure and Ultra-Light eyewear

- Super light, weighs only 18 grams, compliant Class 1 optics
- ErgoFit contour "drop" temples for amazing comfort even with hearing protectors
- Contemporary rectangular semi-frame style
- Ample universal nose bridge for better fit and comfort



RimFire™ SG-61



Premium Style Tactical Sunglass frames with great fit and ballistic performance

- Dual lens tactical Sunglass style to drive worker compliance
- Soft padded temples for a secure fit
- Proprietary FlexGrip nasal pads for comfort and non-slip fit



Helium 20 SG-62



Increased protective eyewear designed to fit broader facial profiles

- Weighs only 20 grams
- Ergo fit temples for amazingly comfortable, secure, non slip fit
- Extended lens coverage for great protection and style
- Distortion-free wraparound polycarbonate lens. Class 1 optics
- 50% Copper/Blue Blocker lens for indoor and outdoor work application



Sonoma™ SG-350



Sophisticated sunglass with style and comfort

- High-end sunglass styling
- Soft flexible nose pads and rubber temple tips for all day comfort
- Superior glare protection with polarized option available in this style
- Glossy gunmetal and Metallic Brown frame options



Elite™ SG-200



High style design with wrap-around safety and incredible comfort

- Soft, large padded rubber saddle nose bridge
- Semi-frame design fits a broader range of faces for greater comfort and safety
- Comfortable rubber insert temples to reduce slipping



Atom™ SG-401



Sleek, comfortable and affordable

- Soft rubber nose bridge and flexible temples
- 10 base curve lens is also scratch resistant





Impact Ballistic Rated Sporty Safety Sunglasses

RSG-100

Glossy Black Frame
with Sky Blue Mirror Lens



RSG-101

Glossy Pearl White Frame
with Sky Orange Mirror Lens



RSG-200

Glossy Black Frame
with Sky Red Mirror Lens



RSG-201

Glossy Copper Frame
with Sky Orange Mirror Lens



Glossy Black Frame
with Silver Mirror Lens
Angle adjustable temples
and Brow pad for
added protection

RSG-300



Glossy Black Frame
with Blue Blocker Lens
Angle adjustable temples and
Brow pad for added
protection

RSG-301



RSG-400

Glossy Black Frame
with Copper Blue Blocker
HC/PC Lens,
Soft black temple



RSG-401

Glossy Black Frame
with Silver Mirror Lens
Soft Green Temples



RSG-402

Matte Black Frame
with Grey Polarized Lens
Soft Black temples



RSG-500

Black CoreFlex Temples
Mirror HC/PC Lens



Goggles

Galeras Clear



Clear
104g
Adjustable



Polycarbonate goggles. Indirect ventilation. Flexible PVC and nylon frame. Wide screen with non-reflecting effect. Adapted to wear with glasses and disposable respiratory half-masks. Wide elastic strap.

- Tilting elastic to fit better
- Marking (EN-166)
 - 1 = the best optical class
 - B = medium energy impact resistance
 - T = impact resistance at extreme temperature
 - 3 = liquid projections resistance
 - 4 = large dust particle resistance



Film Goggle for Galeras



Clear
56g



Box of 10 sets of protective film to protect screens of goggles. Each set is made of 3 layers of films.

Visionaire™ GG-30



Clear
Grey



Premium quality, high performance safety goggles for splash, dust and mist with improved long lasting SuperCoat Anti-fog.

- Frame has four large indirect ventilation slots
- SuperCoat Anti-fog: washable anti-fog coating, anti-scratch, and anti-static protection
- Dual Lens is great for cold weather applications, chemical splash and mist protection.
- Comfortable Fit - extra wide and comfortable elastic fabric strap for all day wear.



Over-the-Glass Protective Eyewear

We recognize that many customers have a need for over-the-glass protective eyewear, either for their employees who wear prescription glasses every day or plant and/or workplace visitors who must be protected.

Hekla



Over Glasses Polycarbonate lenses

- Single lens polycarbonate over glasses.
- Side Shields
- Integrated polycarbonate nosepiece
- Flexible polycarbonate arms
- Suitable for all types of prescription glasses



OVR-Spec III™ SG-57



SG-57G



SG-57C

Ultra-Lightweight and economical for plant tours and worksite visitors

- Weights only 32 grams
- Fits over most medium sized prescription eyewear
- Adjustable length drop temples that "hook" behind the ears prevents slipping
- Frame design maintains a space between the prescription and safety lens





OVR-Spec™ II SG-37

SG-37C



SG-37G



SG-37A

Great Protection with extended top, bottom and side shields

- Ballistic rated safety glass with built-in side windows
- Sleeker design, more contemporary styling, fits over most medium-sized prescription frames up to 145mm wide.
- Maintains a space between the RX and safety lens to avoid rubbing / scratching
- Self adjusting nose bridge and rubber temple tips makes for great comfort



RXP-100™



Clear 2.0 mm polycarbonate
Plano lens with protective side shields

Pantoscopic angle
adjustable temples

Prescription Ready Safety Frame can be fitted with prescription safety lenses

- Clear lens carrier accepts prescription safety lenses and provides wraparound protection
- Self adjusting nose bridge and rubber temple tips
- Pantoscopic lens angle adjustment allows a customized fit
- CoreFlex Technology Nosepiece allows wearer to bend and shape the nosebridge for a comfortable customized fit



Bifocal Magnifying Protective Eyewear

ELVEX® recognised years ago that workers over age 40 often require additional help with close vision tasks while wearing safety glasses. That is why we were the first to develop bifocal safety glasses, and offer an expansive line for workers who need them or workers who perform delicate close-up tasks that require magnification.

Determine the reading power you need!

Determine smallest text that can be read with some difficulty from a distance of 356mm from the bridge of your nose.	Power needed
If you have difficulty reading this line, you need....	3.0
If you have difficulty reading this line, you need....	2.5
If you have difficulty reading this line, you need....	2.0
If you have difficulty reading this line, you need....	1.5
If you have difficulty reading this line, you need....	1.0



Bifocal Magnifying Protective Eyewear

RX-450™



Superior bifocal protection in a 10 base wraparound lens.

- Lightweight, 24 grams
- Soft, self-fitting rubber nose bridge, minimizes slippage



RX-350™



RX-350C



RX-350BR

Glossy metallic brown Sophisticated safety glass with style and comfort

- High-end sunglass styling
- Soft flexible nose pads and rubber temple tips for all day comfort
- Superior glare protection with polarized option available in this style



RX-401™



RX-401C



RX-401G

Sleek and comfortable design safety spec

- One-piece unitary lens design
- Straight rubber tipped temples
- Comfortable rubber nose bridge



RX-GG40™



RX-GG-40G

Goggle-like safety glass available in bifocals

- High velocity impact resistant molded lens with SuperCoat
- Soft and flexible EVA closed cell foam and angle adjustable temples
- Pantoscopic lens angle adjustments
- Available in 1.5, 2.0 and 2.5 diopter strength



RX-300™



RX-300C

Contemporary wrap-around design offers close fit and comfortable protection

- Stylish, close fitting, wrap-around design for better performance and protection
- Super-soft, flexible rubber nose pads and rubber temple inserts
- Available in 1.0, 1.5, 2.0, 2.5 and 3.0 diopter strength



Rx-200™



RX-200G

Stylish and lightweight frame design

- Wrap around design for better protection
- Soft rubber nosebridge and temple tips
- Available in 1.0, 1.5, 2.0, 2.5 and 3.0 diopter strength



Add face and hearing protection to any hard hat with ELVEX® QuickSnap™ System in just four easy steps!



Step 1. Locate your hard hat brand in the Product Selection Chart.

- Step 2. Decide if you would like to add
- 1a) face shield protection only.
 - 1b) hearing protection only or both face & hearing protection.
 - 2a) Select slot adaptor blade based on hard hat choice from the chart. Continue to step 3 and 4.
 - 2b) Choose an ELVEX® Cap Mount Ear Muff, attach to safety cap choice using Bracket Arms with Quicksnap™ Slot Adaptor Blades from the chart.

Step 3. In the Visor Bracket column, select the correct ELVEX® Visor Bracket for your hard hat.

Step 4. Choose an ELVEX® Face Shield or Visor. All face shields attach to ELVEX® Visor Brackets with Slot Adaptors and allows them to flip up and stay up until needed.

Product Selection Chart for Step 2a and 3 - Face Protection only

Hard Hat Brand	2a. Slot Adaptor Blade		Visor Brackets	
Product Number	SA-29	SA-93	VB-10	VB-30
Bullard	X	X	X	
ERB		X	X	
Fibre Metal requires QS-29*	X	X	X	X
Jackson	X	X	X	
MSA V-Guard HDPE	X	X	X	
MSA V-Guard Advance	X	X		X
North A29	X	X		X
North A59/A69/A79	X	X	X	
Willson Alpha/Beta		X	X	
3M	X	X	X	

* QS-29 Quick Slot creates a slot on slotless caps

NOTE: Shaded X selections are the best fit. Others will also fit.

Slot Adaptor Blade & Visor Brackets

ELVEX® Visor Brackets (VB-10 and VB-30) are designed to permit mounting of our full face shield line to most major brands of safety caps and allows simultaneous use of cap mount ear muffs for hearing protection. Each model is designed to accommodate safety helmets with different beak lengths and angles. Our new VB-60 Visor Bracket is designed for non-conductive applications and has an overhead center position feature that balances and distributes the weight of the shield evenly. Attaches to most safety caps and slot-less safety caps.

VB-50



Aluminium Visor Bracket that directly attaches to most Safety Caps for High Temperature Applications. (Not for use with cap muffs)



VB-10



Visor Bracket Mounts on Safety Caps, use with Elvex® Slot Adaptors or Elvex® Cap Mount Ear Muffs. Accepts Face shield or Visors. Now with wide brim.



SA-93



Slot Adapter set for Slotted Safety Caps*. For use with VB-10 Visor Bracket.



VB-60



Dielectric Visor Bracket that directly attaches to most Safety Caps for Non-Conductive Applications (Not for use with cap muffs) Ideal for slot-less safety caps.



ELVEX® Face Shields: World Class Quality and Durability

ELVEX® offers a variety of face shield shapes and sizes, specialty coatings and absorbers to suit your specific work environment. Featuring a universal hole pattern, shields are designed to fit all ELVEX® headgear and visor brackets as well as most competitive headgear.

Electric Arc Protection

ELVEX® ArcFit 14™ Face Shield

FS-20CPARC10



The ArcFit 14™ is an all-new ARC face shield with an ASTM F2178 arc rating of 14 cal/cm² for use in NFPA 70E PPE Category 1 & 2 protection levels.

Arc Shield, Single layer, AF/PC. rated 14 cal/cm², Chin Guard

- New improved chin guard provides extended protection under the chin
- When used with Elvex® VB-60 Dielectric cap-attached visor bracket it tilts up and out of sight in a balanced overhead position when not in use
- Light green shield tint with 55% Visible light transmission
- Anti-Scratch & Anti-Fog coated on both sides for longer service life and clear vision
- Industry-leading thickness of 1.98mm for optimal thermal and impact protection



Hazard/Risk Categories (HRC) 1 and 2. The minimum Arc Rating, or ATPV (Arc Thermal Performance Value) is shown in the table below.

NFPA 70E-2012 Hazard/Risk Categories with Head and Face Protection for category 1 and 2

Hazard/Risk Category	Arc Rated Head & Face Protection Required	Minimum ATPV in cal/cm²
1	ARC Shield, hard hat, balaclava, safety glasses, hearing protection	4
2	ARC Shield with Chin Protection, hard hat, balaclava, safety glasses, hearing protection	8



ELVEX® Face Shields: World Class Quality and Durability

Economy Face Shield

FS-15P



Our most economical flat option with a 1mm thick shield is perfect for use with a broad spectrum of industry headgear.

- Clear Shield, 203mm x 394mm x 1mm
- Flat Polycarbonate (PC - a high quality material with similar performance characteristics to Lexan®)
- HardCoating (HC - provide improved chemical and abrasive resistance)
- Anti-Fog Coating

* Headgear or attachments Sold Separately



Molded Polycarbonate Face Shields

High Performance polycarbonate face shields in a variety of sizes and application types.

- Molded Polycarbonate (PC - a high quality material with similar performance characteristics to Lexan)
- HardCoating (HC - provide improved chemical and abrasive resistance)
- Anti-Fog Coating

FS-12PC



Clear Shield
203mm x 305mm x 1.98mm
Molded Aspherical PC

FS-15PC



Clear Shield
203mm x 394mm x 1.98mm
Molded Aspherical PC

FS-16PC



Clear Shield
203mm x 406mm x 1.98mm
Molded Aspherical PC

FS-15PC-LG



Green Shield
203mm x 394mm x 1.98mm
Molded Aspherical PC



Premium Molded Lexan® Face Shields

Lexan® (trademark of SABIC IP), is a superior quality, optical grade, highly impact resistant and heat tolerant material (up to 129°C) with limited scratch resistance.

Lexan® offers UV absorption characteristics 99% between 180-380 nm.

Our premium Lexan® face shields offer optimal performance in a variety of sizes and application types

FS-18L



Clear Shield
254mm x 470mm x 1.98mm
Molded Cylinder Lexan® PC

FS-18LCP



Clear Shield
254mm x 470mm x 1.98mm
Molded Cylinder Lexan® PC with chin protector

FS-18LG



Green Shield
254mm x 470mm x 1.98mm
Molded Cylinder Lexan® PC



Molded Specialty Face Shields

Gold Coated Molded Face Shield FS-18-GL



Made from green Lexan Polycarbonate, coated with a Reflective Gold coating for heat resistance and a top layer hard coating for Scratch resistance

- 254mm x 470mm x 1.98mm, Molded Cylinder Lexan AF/PC
- Heat Resistance approximately 982 °C



Green Welding Shade 5 FS-15WS5



Dark green, molded polycarbonate face shield has infra red absorbers for welding.

- 203mm x 394mm x 1.98mm, Molded Cylinder HC/PC



UltiMate™ Headgear System

When you need quality Head Gear to hold Face Shields, Visors and Mesh Screens, ELVEX® has the solution. UltiMate™ HG-25 and HG-35 are the perfect platform for metal and process industries, power generation, manufacturing, forestry and other industrial uses.

HG-25 UltiMate



Ratchet Headgear with Fabric Sweatband

- Blue High Density Polyethylene Browguard
- Melting point of 120°



HG-35 UltiMate



Ratchet Headgear with Oversized Heat Tolerant Brow Guard

- Black 66% Nylon, 15% Fibre Browguard
- Melting point of 265°



Mesh Screens

Elvex® Mesh Screens provide great protection from flying particles and debris with maximum ventilation.

Nylon Mesh Screen
NV-70



EN1731



Nylon Mesh Visor 184mm x 330mm
Does not meet ANSI requirements

Steel mesh screens
SV-70



EN1731




Steel Mesh Forestry Screen for VB-10, 184mm X 330mm

Offers impact resistance and is intended to deflect flying objects. Meets ANSI Z87.1 standard.

Note: ANSI Z87.1 standard requires separate eye protection, suitable for the situation and application



Smart solutions. Incredible value.



Smart fold-out muffs rest on your shoulders — ready to put on when re-entering a high-noise area.

This ELVEX® exclusive, worker-friendly feature allows Ear Muffs to sit comfortably on your shoulders when not in use. Workers are more productive because they can keep them handy for intermittent use. Smart fold-out models include: ValueMuff™ and MaxiMuff™

Ear muffs specifically designed to fit under safety caps.

These low-profile cap mount muffs have an exclusive “cut-out” design, or indentation at the top, so they fit perfectly under Safety Caps. Rugged, durable construction. Add them to virtually any cap in seconds!



Unique low profile “cut-out” to nest under rim of caps

Soft, washable, reusable plugs that offer high level of comfort and performance, yet low life cycle cost.

Patented Quattro™ Ear plugs feature firm handles for quick, easy insertion/removal and improved hygienic handling. Four comfort-curved flanges with ultrasoft polymers put more material in contact with ear canal for custom fit and 27 NRR performance. Made in USA. U.S. Military national stock numbers assigned (NSN).

Hearing Protection Basics

Can you hear me now?

Continuous exposure to high noise levels without proper protection will cause your workers irreversible hearing loss. Understanding and communicating the critical nature of these risks is the key to an effective workplace hearing safety program. Here are some facts to help you get started.

OSHA says 90 dB per day, max!

OSHA permissible noise exposure is established at 90dB for an 8-hour work day. However, many industrial companies limit noise exposure based on the following guidelines:

NOISE LEVEL EXPOSURE		COMMON PAINFUL AND HAZARDOUS NOISE	
Noise Level	Duration	PAINFUL Noise Level	Example
85dB -	8 hours	160 dB -	Explosions from blasting
88dB -	4 hours	140 dB -	Jet engine take off
91dB -	2 hours	130 dB -	Jack hammer
94dB -	1 hour	120 dB -	Fire Engine siren
97dB -	30 minutes		
100dB -	15 minutes		
		HAZARDOUS Noise Levels Example	
121dB -	only 7 seconds	110dB -	Table saw, rock drill
		100 dB -	Pneumatic drill, chain saw
		90 dB -	Machine shop tools, grinder

Important Selection Considerations

- When selecting ear muffs, NIOSH recommends derating ear muff NRR ratings by 25%
- When selecting ear plugs, NIOSH recommends derating muff plug ratings by 50 to 75%
- When doubling up, using ear plugs and muffs, the National Hearing Conservation Association states that 5 NRR is added to the muff rating.

Dielectric Muffs with Smart Fold Out Feature

ValueMuff™ HB-25



Lightweight and economical with virtually indestructible headband

- Exclusive ELVEX® “smart fold-out” design
- Rugged, Fully Dielectric construction
- Multi-position use
- Soft, pliable SuperSeal™ Ear Cushions are long lasting and
- resist body oil and sweat
- Self-aligning suspension

25 NRR (ANSI) and 28 SNR (CE)

Protection Level: 99—109 dB

ValueMuff, Dielectric, Multi-Position, 222g, Blue/Black SNR 28, NRR 25



EN-352-1

SNR 28 dB

H30 M25 L17

MaxiMuff™ HB-35



High-performance, rugged and worker-friendly

- Exclusive ELVEX® “smart fold-out” design
- Cushioned, virtually indestructible headband
- Rugged, Fully Dielectric construction
- Multi-position use
- Self-aligning suspension
- Soft, pliable SuperSeal™ Ear Cushions are long lasting and resist
- body oil and sweat

28 NRR (ANSI) and 30 SNR (CE)

Protection Level: 101—111 dB

MaxiMuff, Dielectric, Multi-Position, 278g, Black/Red SNR 30, NRR 28



EN-352-1

SNR 28 dB

H32 M18 L18

SonicSlim™ HB-10



Ultra-thin, ultra-light, foldable.

- Excellent in confined spaces
- Padded headband
- Folds to less than 127mm wide
- Lightweight, 230grams
- Soft, Ear Cushions are long lasting and resist body oil and sweat
- Available in Camo, Pink Camo and Black

21 NRR (ANSI)

Protection Level: 96—106 dB

26NRR when used with earplugs



Flat-Liner™ HB-640Y



Ultra-thin, ultra-light, foldable.

- Hi-Viz for increased visibility
- 20% Lower headband pressure
- Lightweight, 232 grams
- Extra wide ear cushions and soft padded head cushion
- Low force, fork-type stainless steel headband

27 NRR (ANSI) and 32 SNR (CE)

Protection Level: 99—109 dB



EN-352-1

SNR 32 dB

H33 M30 L21

QuickSnap™ Ear Muffs HM-20/HM-80



A solution to combining Head, Face and Hearing protection

- Unique low profile "cut-out" to nest under rim of hardhats
- 25 - 28 NRR rating available. SNR 29 - 31
- Universal blade fits most slotted safety caps
- Dielectric construction
- Integrates with variety of face shields, visors and screens

HM-20 Available in Grey and Hi-Viz (NRR 25, SNR 29)
 HM-80 Available in Grey (NRR28)

Protection Level : 99 - 111dB



Level Dependent Impulse™ Filter Muffs COM-655



Electronically amplifies weak sounds / voices, suppresses impulse noise exceeding 82dB

- Allows close range communication in continuous or impulse noise environments like:
- Stamping factories and shooting ranges
- Affordable high-quality adjustable electronics
- 3.5mm Audio Jack for listen-only capability
- Auto-off switch after 4 hours
- Comfortable padded Headband with low pressure and soft Ear Cushions
- Low force, fork-type stainless steel headband allows lowest and most consistent pressure on the wearer's head at all temperatures
- Lightweight design

Level Dependent, Impulse Filter, Input Jack, AAA Batteries, 364g, Grey, 82dB limiter, NRR 25

25 NRR (ANSI)

Protection Level: 99—109 dB



SPA 3



Blue-Black
26g



Ear defenders with polystyrene (PS) and synthetic foam cups.
 ABS headband, adjustable in height. Low pressure pads.



SUZUKA 2



Fluorescent
yellow /
Black
254g



Ear defenders for safety helmets. Adjustable in height.
 High flexibility ABS arms and cups.
 Cups padded with synthetic foam.



YAS MARINA



Grey-Orange

312g



Foldable ear defenders with ABS cups. Pads filled with synthetic foam. Double plastic headband (POM), adjustable in height, with foam reinforcement for a better comfort.

- Double headband for more flexibility
- Tool to carry ear defenders on belt
- Bag included



Quattro™ Ear Plugs

Available in 4 different Colours!!



Reusable plugs use patented design to deliver superior fit and comfort, easy insertion/removal and hygienic handling

- 4 Colours Available: Blue, Orange, Green, Magenta for colour coding
- Contoured 4-Flange, Ultra-soft polymer design
- Built-in firm handle allows user to direct the angle of insertion
- Washable, reuse for weeks with no loss of comfort or effectiveness
- Universal size, self-contours to fit virtually any shape of ear canal
- Advanced non-allergenic polymer material
- Also available with plastic case and key-chain (EP-412)

27NRR (ANZI) and 34 SNR (CE)



TriSonic™ Reusable Ear Plugs



Soft, flexible 3-flange earplugs is comfortable for all day wear with easy insertion and removal.

- Built-in firm handle for easier insertion
- Contoured 3 Flange design
- Non-Allergenic TPR material is non-irritating, resistant to ear wax and body oils
- Universal size

25 NRR (ANSI) and 30 SNR (CE)



MegaBullet Disposable Corded Foam Ear Plugs



Orange Polyurethane Foam with plastic cord

- 100 Pairs per box, Each pair separately packaged
- Alternative to EP-153

32 NRR (ANSI) 38 SNR dB (CE)



ConnicoPlus200 Disposable Foam Ear Plugs



Orange Polyurethane Foam with plastic cord

- 200 Pairs per box, Each pair separately packaged
- Ergonomic shaped for optimal placement in ear canal

32 NRR (ANSI) / 35 SNR dB (CE)



ELVEX Safety Glass Stands

Counter Stand



RSGD-12



SGD-24

Lense Cleaner & Anti-fog Gel Spray

Compact pocket size bottles, includes a micro-fibre cloth and a pouch.
Lab Tested and safe to use on all materials.
Not harmful to eyes or skin and non flammable.

*Ultimate
Anti-Fog Gel
Lens Cleaning
Spray*



Liquid Sanitizer

Liquid Sanitizer



Contains:
Ethyl Alcohol 77.8%
N-Propylalcohol 4%
Glycerol 0.06%
Chelating Agent 0.23%
Distilled water 17.91%

Available in: 100 ml , 200ml,
1 liter, 5 liter, 20 liter



Accessories

Purchase these items that will increase the longevity and help protect your safety eyewear.

Safety Glass Cords

Safety glass cords help keep your glasses securely at hand while working.



SGC-20



SGC-30



SGC-10-HIVIZ

Storage Cases & Bags

Storage bags help you protect your safety products and keep them at hand when they are needed.



SGB-100



SGB-5



SGB-10



SGB-20



SGB-30

ATOLL Belt



100% Polyester, 120cm Belt

Zima Gel Knee Pads



Pair of Gel Knee Pads, with outside anti-slip shell. Elastic velcro band to maintain the knee. Adjustable strips in elastic velcro.



Ha200 Tool Holder



Tool Holder, extended length 1m, maximum working load 4kg

Welcome to ELVEX, DeltaPlus Partner South Africa

DeltaPlus Group and Elvex Corporation leading manufacturers of personal protective equipment have completely merged, creating a global manufacturing and distribution network. By combining 80 years of experience and offering innovative problem-solving safety solutions allows us to provide a broader range of products globally.

Elvex®SA has been the sole agent in the whole of Africa for over 18 years. Our mission is to offer our customers the finest quality safety products with the best service support available in the industry. We treat our customers as long term partners and strive to deliver every order with extraordinary speed, quality and accuracy.

We pride ourselves in providing reliable customer service with a personal touch. When you call Elvex®SA you can be sure your call is answered by a knowledgeable and courteous safety professional. With input from our valued customers, DeltaPlus and Elvex product development delivers a continuous flow of new and innovative problem-solving Personal Protective Equipment (PPE). We focus on our solutions in safety eyewear, face and hearing protection and protective clothing.

A respected leader, Elvex SA serves a variety of industries including: mining, oil & gas, construction, power generation, chemical, pharmaceutical, aerospace and manufacturing.

DeltaPlus's mission is to protect the man at work. To achieve this the DeltaPlus team has mobilized its know-how, its imagination, adaptability and pioneering spirit for over 40 years.

DeltaPlus offers PPE Solutions that provide the best fit for the workplace, from the most technical to the most standard requirements. DeltaPlus organisation enables it to develop its ranges by optimising its industrial strategy between its eight production sites and its partner's factories.

DeltaPlus ensures the quality and manufacturing control of its products in the its partner's factories.

We hope this catalogue will make your job easier in selecting the products best suited to your needs.

Advanced Technology, Innovation 100% Customer Satisfaction Guarantee

ELVEX® offers the most dynamic and user-focused line of Eye Protection for all your workers:

All our safety glasses have been tested to the ANSI Z87.1-2003 Standard and our Ballistic V⁰ Rated safety glasses have also been tested to the US Military Standard MIL-PRF-31013

ANSI High Velocity vs V₀ Ballistic Test

Standard	Impact Speed and distance	Calibre / Size
ANSI Z87.1-2003 High Velocity	45 meters / second @ 5 meter	6.4mm steel ball 
Mil-PRF-31013 V ₀ Ballistic Test	195 meters / second @ 1 meter	3.8mm steel slug 



Superior Lens Technology Features:

Our polycarbonate lenses provide a number of features that are added during molding or in the coating process:

- **Impact resistance:** All ELVEX® safety glasses meet the high velocity impact requirements of ANSI Z87.1-2010 (+). Where noted, some of our lenses exceed the ANSI standard by four times where you see the Ballistic V₀ icon.
- **ELVEX® SuperCoat™ Anti-Fog Protection:** SuperCoat™ anti-fog coating provides long lasting, washable, anti-fog, anti-scratch and anti-static protection.
- **A scratch resistant hard coating:** We add scratch resistant hard coating to all ELVEX® safety glasses.
- **UV protection:** Our polycarbonate lenses provide UV protection (99.9%) between 180 and 380nm.
- **Indoor/Outdoor lens coating:** We've added additional UV absorbers and a light mirror coating to reduce glare and Visible Light Transmission, making our Indoor/Outdoor lenses ideal when moving from bright outdoor to indoor environments.
- **High UV and Blue Light:** We add these protective characteristics from special absorbers during the lens molding process to improve performance.
- **Weld Shades 1.4, 2, 3, & 5 lenses:** Our Weld Shade lenses have absorbers for the undesirable wavelengths and intensity of UV, Visible and IR light experienced when soldering, brazing, cutting or welding.

Lens Performance and Tint Specifications

To better help you select the lens and tint that best fits your work conditions or application use, please see the chart below, which outlines the approximate performance characteristics of our numerous lens tint options, as well as application and performance benefits:

Lens Colour	UV Light Protection 180-380nm	High UV Protection 380-400nm	Blue Light Protection 400-480nm	Blue Light Protection 400-700nm	Infra Red Protection 780-1100nm	Visible Light Transmission (VLT)	Application/Benefit
Amber	99.9%	99.9%	85%	74%	12%	86%	Blocks blue light for applications where increased visual contrast is needed. Inspection/Quality Control, haze and fog.
Blue Flash Mirror	99.9%	98%	84%	83%	42%	23%	Great general purpose sun lens that reduces sun glare and intense sunlight for outdoor applications.
Brown	99.9%	98%	90%	88%	57%	23%	Great general purpose sun lens with 'blue blocking' properties to reduce outdoor haze and increase contrast.
Clear	99.9%	89%	6%	4%	8%	90%	General purpose impact protection for indoor and outdoor use.
Cobalt Blue	99.9%	99.9%	97%	97%	60%	0.2%	For furnace, foundry and high heat applications where reduction of intense red and orange glow is desired to view heated materials.
Copper Blue Blocker	100%	100%	96%	96%	55%	16%	Excellent for intense outdoor sun glare reduction with 'blue blocking' properties to reduce outdoor haze and increase contrast.
Gold Mirror	99.9%	99%	91%	90%	61%	14%	Excellent for intense outdoor sun glare reduction with 'blue blocking' properties to reduce outdoor haze and increase contrast.
Grey	99.9%	98%	76%	74%	45%	23%	General purpose sun lens that reduces sun glare and intense sunlight for outdoor applications.
Grey Polarized	99.9%	99.9%	89%	88%	12%	11%	Excellent for intense outdoor sun glare reduction around highly reflective surfaces. Outdoor water & snow activities.
Ice Blue	99.9%	86%	15%	13%	10%	66%	Reduces eyestrain and fatigue from high levels of yellow and sodium vapor lighting inside many plants.
Indoor / Outdoor	100%	100%	62%	55%	28%	50%	Provides 50% glare reduction for workers moving between indoor/outdoor lighting conditions.
Light Brown	99.9%	97%	72%	69%	38%	48%	Modest sun glare reduction with some 'blue blocking' properties to reduce outdoor haze and increase contrast.
Silver Mirror	99.9%	96%	77%	75%	43%	23%	Great general purpose sun lens that reduces sun glare and intense sunlight for outdoor applications.
Weld Shade 1.4	100%	98.7%	89.7%	81%	89%	65%	Excellent Welder's helper and torch soldering.
Weld Shade 2	100%	99.9%	98.7%	76%	93%	36%	Torch soldering and indirect exposure to light welding — welder's helper.
Weld Shade 3	100%	99.9%	99.6%	97.9%	94%	11%	Torch brazing and light gas cutting.
Weld Shade 5	100%	100%	99.9%	99.7%	98%	1.6%	Torch brazing and light gas welding and cutting.

 Meets traffic signal colour recognition requirements of ANSI Z80.3-1996

Key to Symbols

These icons will help you understand the performance characteristics of ELVEX® safety glasses throughout the catalogue:

						
ANSI Z87.1-2010 (+) All ELVEX safety glasses meet the ANSI Z87.1 standard.	Ballistic V₀ rated Safety glasses that have been tested to the US Military standard MIL-PRF-31013 requirement of 640 feet per second.	CE EN166 The CE Mark on a product or machine identifies it as complying with all the of safety requirements established by the European Union.	Bifocal Denotes lenses that offer bifocal vision in numerous diopter strengths.	SuperCoat™ Protection Our unique SuperCoat™ protection provides industry-leading washable anti-fog, anti-scratch, anti-static and UV protection to safety lenses.	Anti Fog Coating Our standard level of anti-fog protection to ensure improved performance in all conditions.	UV Protection Where noted, our safety glasses meet or exceed UV Standard 801.

Performance and Specifications

To better help you select the product that best fits your work conditions, please see the symbols below, which outlines the approximate performance characteristics of our product options as well as application and performance benefits:

RISKS



ANTISTATIC



HEAT



SHOCK



CUTTING /
PERFORATION



COLD WEATHER



BIOLOGICAL
CHEMICAL



WEARING



UV / IR



HIGH VIS

JOB



AGRICULTURE/
GREEN AREAS

Farmers / Woodcutters / Gardeners ...



CONSTRUCTION/CIVIL
ENGINEERING

Structural work / Construction



SECOND WORK/CRAFTSMAN

Electricians / Plumbers / Heating Specialists / Painters...



HEAVY INDUSTRY

Metal Construction / Petrochemical...



LIGHT INDUSTRY

Automotive / Aerospace / Industrial Subcontracting....



SERVICES / LOGISTICS

Logistics / Transportation / Airport / Distribution



HYGIENE ENVIRONMENT

Food Industry / Pharmacy / Hospitals / Restaurants /
Communities...



OIL / GAS

Petrochemical Industry / Refinery / Off Shore / Exploration
Pipelines



MINING

Mines (exploration, extraction...) Stone-pit



WIND ENERGY

HAYALON®

TITAN JIM SHOCKEY
SIGNATURE SERIES

- * Rugged Military-grade polymer handle. * AUS-8 Cryo hardened straight back blade.
- * Liner-Lock Construction. * Removable pocket clip. * Piranta Safety Lock, Fits all Piranta style blades.




Set Includes:

- * 6 additional stainless steel blades.
- * Jim Shockey Signature Series holster included
- * Available in Black, Black & Red, Orange & black.

HAYALON®

EVOLVE



This **Multi-Tool** Includes:

- 6 additional 60A Blades.
- 2 Evolve Utility Saw blades.
- Locking bit driver fits standard 1/4" bits.
- Phillips/Flathead combo bit and storage for 2 additional bits.
- Pliers, wire strippers, wire cutters.
- Folding gut hook.
- Carabineer spring clip.
- Nylon zipper holster.

HAYALON®

FORGE

- * Rubberized handle.
- * More advanced tread.
- * Larger finger guard.



Include 6 additional 60A blades and a nylon holster

HAYALON®

EXTRAS

Blade Holder



Blade Remover



Evolve Utility Saw Blades



Baracuta Range

- * Rubber Grip Inserts.
- * Ambidextrous Thumb Studs.
- * Open Back for easy cleaning.
- * Liner-Lock Construction.
- * Nylon Holster with removable holster clip.



Baracuta Z

Rugged Black Zytel Handle.
Includes 5 Additional Stainless Steel Blades.

Baracuta Blaze

Micro-Honed Japanese Stainless Steel Blade.
Lightweight Zytel Handle in Bright Orange.
Includes 5 Additional Stainless Steel Blades.

Piranta Range

- * Ambidextrous Thumb Studs.
- * Open Back for easy cleaning.
- * Liner-Lock Construction.
- * Nylon Holster with removable holster clip.

Piranta Original



Includes 12 Additional Stainless Steel Blades.
Bead-Blasted.
Stainless Steel handle.




Piranta Z

Super Strong Zytel Handle.
Includes 12 Additional Stainless Steel Blades.



Piranta Torch Red

Rugged Alloy Handle.
Includes 12 Additional Stainless Steel Blades.



Piranta Camo



Piranta Pink



Piranta Edge

Includes 12 Additional Stainless Steel Blades.
Rugged Stain Resistant ABS Plastic Handle.

Replacement Blades



Packet of 10 Blades

HAYALON® HYDRA

- * 7 Styles of replaceable blades.
- * Open Back for easy cleaning.
- * Liner-Lock Construction.
- * Piranta safety lock.
- * Fits all Havalon Blades.



Set Includes:

- * 3 additional Baracuta blades.
- * 12 additional Piranta blades.
- * Zipper Carrying case.



BALLISTIC



RATED



SA JAGTERS
HUNTERS

APPROVED

Shooting Sports



Elvex Global Reach

For more than 35 years ELVEX® has been serving the PPE needs of companies and individuals worldwide. Over those years we have built a strong global distribution footprint to make sure that wherever PPE needs exist, we can deliver quality products when and where you need them.

Why Elvex®

Easy to Work With - Customers repeatedly tell us we are “easy to work with” — a comment we like to hear, because it speaks to the way we like to do business.

Your call is answered personally - During business hours you will be greeted by a member of our customer service team, not an automated phone system. After a while, we may even recognize your voice!

No red tape here - If you have a special request or an order that’s a bit out-of-the-ordinary, don’t worry. You’ll get a quick response, often by just “holding” while we walk down the hall and get your answer on the spot.



DELTAPLUS

- | | |
|---------------------------------|-------------------------|
| *Safety Glasses | *Hand Protection |
| *Bifocal Safety Glasses | *Disposable Wear |
| *Hearing Protection | *Technical Wear |
| *Face Protection | *Work Wear |
| *Electric Arc Protection | *Outdoor Wear |
| *Head Protection | *Havalon Knives |