

Compte Rendu


Exercice 1 :

Code :

Partie 1 :


```
ex6.php X
tp2 > ex6.php
1  <!DOCTYPE html>
2  <html lang="fr">
3  <head>
4      <meta charset="UTF-8">
5      <title>Connexion</title>
6      <link rel="stylesheet" href="index.css">
7  </head>
8  <body>
9
10     <?php
11         $message = "";
12         $utilisateurs = [
13             ['login' => 'user1', 'password' => 'pass1'],
14             ['login' => 'user2', 'password' => 'pass2'],
15             ['login' => 'admin', 'password' => 'admin123']
16         ];
17
18         if ($_SERVER["REQUEST_METHOD"] == "POST") {
19             $login = $_POST['login'];
20             $password = $_POST['password'];
21             $authentifie = false;
22
23             foreach ($utilisateurs as $u) {
24                 if ($u['login'] == $login && $u['password'] == $password) {
25                     $authentifie = true;
26                     break;
27                 }
28             }
29
30             if ($authentifie) {
31                 header("Location: ex7.php?user=$login");
32                 exit;
33             } else {
34                 $message = "<p class='error'>Login ou mot de passe incorrect</p>";
35             }
36         }
37     ?>
38
39     <div class="container">
40         <h2>Connexion</h2>
41         <?php echo $message; ?>
42         <form method="POST" action="">
43             <label>Login :</label>
44             <input type="text" name="login" required>
45
46             <label>Mot de passe :</label>
47             <input type="password" name="password" required>
48
49             <button type="submit">Se connecter</button>
50         </form>
51     </div>
52
53 </body>
54 </html>
55
```

Partie 2 :




```
tp2 > ex7.php
1  <!DOCTYPE html>
2  <html lang="fr">
3  <head>
4    <meta charset="UTF-8">
5    <title>Bienvenue</title>
6    <link rel="stylesheet" href="css/style.css">
7  </head>
8  <body>
9
10   <div class="container">
11     <h2 class="success">
12       Bienvenue <?php echo htmlspecialchars($_GET['user']); ?>
13     </h2>
14     <a href="ex6.php" class="logout">Se déconnecter</a>
15   </div>
16
17 </body>
18 </html>
19
```

Résultat :



The image shows a web browser window with a single tab titled 'Connexion'. The address bar displays 'localhost/les%20exercices/tp2/ex6.php'. The browser's taskbar at the bottom shows icons for a grid, a globe, a MySQL shutdown notification, and a folder labeled 'Tous les favoris'.

The main content area features a white login form with a light gray shadow. The form is titled 'Connexion' in bold black text. Below the title, there are two labels: 'Login :' and 'Mot de passe :'. Each label is followed by a white input field with a thin gray border. At the bottom of the form is a blue button with the text 'Se connecter' in white.

**Exercice 2 :****Code :**

Login.php :

```

tp2 > login.php
1  <?php
2  $error = '';
3  if (isset($_POST['submit'])) {
4      $login = trim($_POST['login'] ?? '');
5      $password = trim($_POST['password'] ?? '');
6
7      if (!file_exists('users.txt')) {
8          $error = '<p class="text-red-600 mt-4">Aucun utilisateur enregistré.</p>';
9      } else {
10         $lines = file('users.txt', FILE_IGNORE_NEW_LINES | FILE_SKIP_EMPTY_LINES);
11         $found = false;
12         foreach ($lines as $line) {
13             $parts = explode(':', trim($line), 2);
14             if (count($parts) === 2 && $parts[0] === $login && $parts[1] === $password) {
15                 $found = true;
16                 break;
17             }
18         }
19
20         if ($found) {
21             header("Location: welcome.php?user=" . urlencode($login));
22             exit();
23         } else {
24             $error = '<p class="text-red-600 mt-4">Login ou mot de passe incorrect !</p>';
25         }
26     }
27 }
28 ?>
29 <!doctype html>
30 <html lang="fr">
31 <head>
32     <meta charset="utf-8">
33     <meta name="viewport" content="width=device-width,initial-scale=1">
34     <title>Connexion</title>
35     <script src="https://cdn.tailwindcss.com"></script>
36 </head>
37 <body class="bg-slate-100 min-h-screen flex items-center justify-center">
38     <div class="bg-white rounded-2xl shadow-lg w-full max-w-md p-8">
39         <h1 class="text-3xl font-bold text-center text-blue-500 mb-6">Connexion</h1>
40
41         <form method="post" action="" autocomplete="off" class="space-y-4">
42             <div>
43                 <label class="block text-center font-medium mb-2">Login :</label>
44                 <input name="login" type="text" required autocomplete="off"
45                     class="w-full px-4 py-3 rounded-lg border border-slate-200 bg-slate-50 focus:outline-none focus:ring-2 focus:ring-blue-200">
46             </div>
47
48             <div>
49                 <label class="block text-center font-medium mb-2">Mot de passe :</label>
50                 <input name="password" type="password" required autocomplete="current-password"
51                     class="w-full px-4 py-3 rounded-lg border border-slate-200 bg-slate-50 focus:outline-none focus:ring-2 focus:ring-blue-200">
52             </div>
53
54             <div class="flex justify-center gap-4 mt-2">
55                 <button type="submit" name="submit" class="px-6 py-2 rounded-lg bg-blue-500 text-white hover:bg-blue-600">Se connecter</button>
56                 <a href="register.php" class="px-6 py-2 rounded-lg bg-green-500 text-white hover:bg-green-600 flex items-center">S'inscrire</a>
57             </div>
58         </form>
59
60         <div class="text-center">
61             <?php echo $error; ?>
62         </div>
63     </div>
64 </body>
65 </html>

```

Register.php :

```

tp2 > register.php
1  <?php
2  $message = '';
3  if (isset($_POST['submit'])) {
4      $login = trim($_POST['login'] ?? '');
5      $password = trim($_POST['password'] ?? '');
6
7      if ($login === '' || $password === '') {
8          $message = '<p class="text-red-600 mt-4">Veuillez remplir tous les champs.</p>';
9      } else {
10         if (!file_exists('users.txt')) {
11             file_put_contents('users.txt', '');
12         }
13         $lines = file('users.txt', FILE_IGNORE_NEW_LINES | FILE_SKIP_EMPTY_LINES);
14         $exists = false;
15         foreach ($lines as $line) {
16             $parts = explode(':', trim($line), 2);
17             if (count($parts) >= 1 && $parts[0] === $login) {
18                 $exists = true;
19                 break;
20             }
21         }
22
23         if ($exists) {
24             $message = '<p class="text-red-600 mt-4">Ce login existe déjà !</p>';
25         } else {
26             file_put_contents('users.txt', $login . ':' . $password . PHP_EOL, FILE_APPEND | LOCK_EX);
27             $message = '<p class="text-green-600 mt-4">Inscription réussie ! <a class="text-blue-600 underline" href="login.php">Se connecter</a></p>';
28         }
29     }
30 }
31 >
32 <!doctype html>
33 <html lang="fr">
34 <head>
35     <meta charset="utf-8">
36     <meta name="viewport" content="width=device-width,initial-scale=1">
37     <title>Inscription</title>
38     <script src="https://cdn.tailwindcss.com"></script>
39 </head>
40 <body class="bg-slate-100 min-h-screen flex items-center justify-center">
41     <div class="bg-white rounded-2xl shadow-lg w-full max-w-md p-8">
42         <h1 class="text-3xl font-bold text-center text-blue-500 mb-6">Inscription</h1>
43
44         <form method="post" action="" autocomplete="off" class="space-y-4">
45             <div>
46                 <label class="block text-center font-medium mb-2">Login :</label>
47                 <input name="login" type="text" required autocomplete="off" autocorrect="off"
48                     class="w-full px-4 py-3 rounded-lg border border-slate-200 bg-slate-50 focus:outline-none focus:ring-2 focus:ring-blue-200">
49             </div>
50
51             <div>
52                 <label class="block text-center font-medium mb-2">Mot de passe :</label>
53                 <input name="password" type="password" required autocomplete="new-password"
54                     class="w-full px-4 py-3 rounded-lg border border-slate-200 bg-slate-50 focus:outline-none focus:ring-2 focus:ring-blue-200">
55             </div>
56
57             <div class="flex justify-center gap-4 mt-2">
58                 <button type="submit" name="submit" class="px-6 py-2 rounded-lg bg-green-500 text-white hover:bg-green-600">S'inscrire</button>
59                 <a href="login.php" class="px-6 py-2 rounded-lg bg-blue-500 text-white hover:bg-blue-600 flex items-center">Se connecter</a>
60             </div>
61         </form>
62
63         <div class="text-center">
64             <?php echo $message; ?>
65         </div>
66     </div>
67 </body>
68 </html>
69

```


Welcome.php :

```
tp2 > welcome.php
1  <?php
2  $user = isset($_GET['user']) ? htmlspecialchars($_GET['user']) : 'Utilisateur';
3  ?>
4  <!doctype html>
5  <html lang="fr">
6  <head>
7    <meta charset="utf-8">
8    <meta name="viewport" content="width=device-width,initial-scale=1">
9    <title>Bienvenue</title>
10   <script src="https://cdn.tailwindcss.com"></script>
11 </head>
12 <body class="bg-green-50 min-h-screen flex items-center justify-center">
13   <div class="bg-white rounded-2xl shadow-lg w-full max-w-md p-8 text-center">
14     <h1 class="text-3xl font-bold text-green-600 mb-4">Bienvenue !</h1>
15     <p class="text-lg text-slate-700">Vous êtes connecté avec succès, <?php echo $user; ?>.</p>
16     <div class="mt-6">
17       <a href="login.php" class="px-6 py-2 rounded-lg bg-blue-500 text-white hover:bg-blue-600">Se déconnecter</a>
18     </div>
19   </div>
20 </body>
21 </html>
22
```

Users.txt :

```
tp2 > users.txt
1  mostapha:1234
2  user1:pass1
3  |
```


Résultat :



The screenshot shows a web browser window with a single tab titled 'Inscription'. The address bar displays the URL 'localhost/les%20exercices/tp2/register.php'. The browser's taskbar at the bottom shows a 'MySQL shutdown ...' notification and a 'Tous les favoris' (All favorites) folder icon.

The main content of the page is a registration form with the following elements:

- Inscription**: The title of the form, displayed in a large blue font.
- Login :**: A label for the first input field.
-
- Mot de passe :**: A label for the second input field.
-
- S'inscrire**: A green button for registration.
- Se connecter**: A blue button for login.



The screenshot shows a web browser window with a single tab titled 'Connexion'. The address bar displays 'localhost/les%20exercices/tp2/login.php'. The page content features a light blue background with a central white rounded rectangle containing the login form. The form has a title 'Connexion' in blue, followed by a 'Login :' label and a text input field containing 'mostapha'. Below this is a 'Mot de passe :' label and a password input field with four dots. At the bottom of the form are two buttons: 'Se connecter' (blue) and 'S'inscrire' (green).

Connexion


Login :

mostapha

Mot de passe :

....

Se connecter S'inscrire

**Exercice 3 :****Code :**

```

1  <?php
2  $jsonFile = 'products.json';
3
4  if (is_dir('uploads')) {
5      mkdir('uploads', 0777, true);
6  }
7
8  $products = [];
9  if (file_exists($jsonFile)) {
10     $products = json_decode(file_get_contents($jsonFile), true);
11 }
12
13 if ($_SERVER['REQUEST_METHOD'] === 'POST') {
14     $title = $_POST['title'] ?? '';
15     $description = $_POST['description'] ?? '';
16     $price = $_POST['price'] ?? '';
17     $imagePath = '';
18
19     if (!empty($_FILES['image']['name'])) {
20         $fileName = basename($_FILES['image']['name']);
21         $targetPath = 'uploads/' . time() . '/' . $fileName;
22         if (move_uploaded_file($_FILES['image']['tmp_name'], $targetPath)) {
23             $imagePath = $targetPath;
24         }
25     }
26
27     $newProduct = [
28         'title' => $title,
29         'description' => $description,
30         'price' => $price,
31         'image' => $imagePath
32     ];
33
34     $products[] = $newProduct;
35
36     file_put_contents($jsonFile, json_encode($products, JSON_PRETTY_PRINT));
37
38     echo "<div class='bg-green-100 text-green-800 p-2 mb-4 rounded'>Produit ajouté avec succès.</div>";
39 }
40
41 <!DOCTYPE html>
42 <html lang="fr">
43 <head>
44     <meta charset="UTF-8">
45     <title>Gestion des produits</title>
46     <script src="https://cdn.tailwindcss.com"></script>
47 </head>
48 <body class="bg-gray-100 p-8">
49
50     <h1 class="text-2xl font-bold mb-4">Ajouter un produit</h1>
51
52     <form action="" method="POST" enctype="multipart/form-data" class="bg-white p-6 rounded shadow-md mb-8">
53         <label class="block mb-2 font-semibold">Titre :</label>
54         <input type="text" name="title" class="border w-full p-2 rounded mb-4" required>
55
56         <label class="block mb-2 font-semibold">Description :</label>
57         <textarea name="description" class="border w-full p-2 rounded mb-4" required></textarea>
58
59         <label class="block mb-2 font-semibold">Prix :</label>
60         <input type="number" name="price" class="border w-full p-2 rounded mb-4" required>
61
62         <label class="block mb-2 font-semibold">Image du produit :</label>
63         <input type="file" name="image" accept="image/*" class="mb-4">
64
65         <button type="submit" class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700">
66             Ajouter
67         </button>
68     </form>
69
70     <h2 class="text-xl font-bold mb-4">Liste des produits</h2>
71
72     <div class="grid grid-cols-1 sm:grid-cols-2 md:grid-cols-3 gap-4">
73         <?php foreach ($products as $p): ?>
74             <div class="bg-white shadow rounded p-4">
75                 <?php if (!empty($p['image'])): ?>
76                      <?php htmlspecialchars($p['image']) ?> alt="?"> <?php htmlspecialchars($p['title']) ?> class="w-full h-48 object-cover rounded mb-2">
77                 <?php endif: ?>
78                 <h3 class="font-semibold text-lg"><?php htmlspecialchars($p['title']) ?></h3>
79                 <p class="text-gray-600 text-sm mb-2"><?php htmlspecialchars($p['description']) ?></p>
80                 <p class="text-green-600 font-bold"><?php htmlspecialchars($p['price']) ?> </p>
81             </div>
82         <?php endforeach: ?>
83     </div>
84
85 </body>
86 </html>

```

Products.json :

```
tp2 > {} products.json > ...  
1  [  
2    {  
3      "title": "doiuy",  
4      "description": "eiuy",  
5      "price": "23",  
6      "image": "uploads/1759775086_anomation.png"  
7    }  
8  ]
```

Résultat :

