Victoria equipment classes

HTML正文抽取PDF阅读版

来源ID：SRC-186

原始URL：https://www.energysafe.vic.gov.au/industry-guidance/electrical/appliances-equipment-and-manufacurers/equipment-classes

来源快照核查：2026-11-03；转换日期：2026-11-03

本文件由官方HTML正文提取生成，非官方原始PDF。正文按阅读顺序重排，原网页版面、图片、交互及链接附件不构成本转换件内容。发布日期、生效日期和法律版本须见结构化来源与规则；无法确认的日期保留未知。原始HTML另存，可据URL回到官方核验。

Overview

An Amendment to AS/NZS 4417.2:2020 was published on the 12 February 2026. This amendment introduced changes that take effect at different times.

Changes taking effect from date of publication on 12 February 2026

Minor changes to the definition for Double capped light emitting semiconductor

Minor changes to include requirements for Heat Pump water heaters incorporating a heating element.

Changes taking effect from 12 February 2027, 12 months from date of publication

Changes to the definition for Arc Welding machine, Water Heater

Introduction of the following new equipment classes Cord Extension set

Heat pump water heater

Changes taking effect from 12 February 2028, 24 months from date of publication

Introduction of the following new equipment classes

Electrical Vehicle Supply Equipment (EVSE)

Battery Energy Storage System (BESS)

Portable Power Station

This is a list of the different classes of electrical equipment specified in AS/NZS 4417.2 (Appendix B).

Open all

Air conditioner incorporating non-flammable or low flammable refrigerant

An electrical appliance that—

is for household use; and

incorporates motor compressors; and

is an electrical appliance designed to provide delivery of conditioned air to an enclosed space, room or zone; and

includes a refrigeration system for cooling, heating or dehumidifying the air, including hydronic room fan coil type systems; and

is portable, transportable or fixed; and

uses a refrigerant having a flammability classification of Class 1 or Class 2L in accordance with ISO 817. For refrigerant blends that have more than one flammability classification, the most unfavourable classification is taken.

NOTE: For example if a refrigerant blend has a flammability classification of Class A2/Class A2L then the blend is considered to be a flammable refrigerant and the appliance is as described in B.2.1.

Class specification:

AS/NZS 60335.2.40

Equipment class:

Medium risk (Level 2)

Air conditioner incorporating flammable refrigerant

An electrical appliance that—

is for household use; and

incorporates motor compressors; and

is an electrical appliance designed to provide delivery of conditioned air to an enclosed space, room or zone; and

includes a refrigeration system for cooling, heating or dehumidifying the air, including hydronic room fan coil type systems; and

is portable, transportable or fixed; and

uses refrigerant having a flammability classification of Class 2 or Class 3 in accordance with ISO 817. For refrigerant blends that have more than one flammability classification, the most unfavourable classification is taken.

Class specification:

AS/NZS 60335.2.40

Equipment class:

High risk (Level 3)

Appliance connector

An electrical device that-

is for attachment to a flexible cord; and

makes a detachable connection between the conductors of the cord and the pins or contacts of any low voltage appliance or equipment of a type intended or generally used for household applications;

but does not include-

a connector within the scope of AS/NZS 3123; or

a plug or socket-outlet within the scope of AS/NZS 3131.

Class specification:

Appliance coupler—AS/NZS 60320.1 Sewing machine appliance coupler—AS/NZS 60320.2.1 Interconnection appliance coupler—AS/NZS 60320.2.2

Equipment class:

High risk (Level 3)

Arc welding machine

(Current definition to be withdrawn after 12/02/2027)

An electrical appliance that-

is for use in the electric arc welding process;

is for connection to single phase low-voltage supply;

is fitted with a flexible cord and plug rated at not more than 16 A;

can easily be moved from one place to another while it is connected to supply; and

has, for GMAW (gas metal arc welding), GTAW (gas tungsten arc welding), and FCAW (flux cored arc welding) machines, a 100% output rating not exceeding 65 A. The 100% rating is calculated from the square root of the marked duty cycle expressed in decimal form multiplied by the marked output current associated with the duty cycle in amperes;

but does not include-

an arc welding machine promoted exclusively to industry.

Class specification:

AS 60974.6 for Australia/IEC 60974-6 for New Zealand

Equipment class:

High risk (Level 3)

(New definition to take effect from 12/02/2027)

An electrical device that –

is for use in the electric arc welding process or as a plasma cutting system;

is for connection to single phase low voltage supply;

and is transformer type or inverter type Class specification: Inverter type: IEC 60974-1 Other: AS 60974.1 or IEC 60974-6 For all types – Resistance to heat and fire requirements of AS/NZS 60335.1:2020, clause 30.2, for attended appliance.

– Supply cord and plug or cord set is required and shall be rated suitable for continuous operation current. Equipment class: High risk (Level 3)

Bayonet lampholder

An electrical device that-

accommodates a lamp with a bayonet cap of 15 mm or 22 mm nominal diameter;

but does not include-

a lampholder that by design is restricted to specific appliancesby forming part of a structural moulding of the appliance. This exclusion does not apply to lampholders that can be used in luminaires; or

a lampholder that is for incorporation in industrial equipment only.

Class specification:

AS/NZS 3117 or AS/NZS 61184

Equipment class:

High risk (Level 3)

Beauty care lamp

An electrical appliance that-

is a household type;

produces optical radiation for personal, cosmetic or nail hardening purposes; and

is portable.

Class specification:

AS/NZS 60335.2.27 (or appliances for skin exposure to optical radiation)

AS/NZS 60335.2.113 (or cosmetic and beauty care appliances incorporating lasers and intense light sources)

AS/NZS 60335.2.23 plus exempt group limits from AS/NZS 62471 (for nail hardeners)

Equipment class:

High risk (Level 3)

Blanket

An electrical appliance that-

is for application of heat to a bed;

is flexible;

has a fabric enclosure; and

has a projected surface area exceeding 0.6m2;

and includes –

any associated power supply or controller.

Class specification:

AS/NZS 60335.2.17

Equipment class:

High risk (Level 3)

Bread toaster

An electrical appliance that-

is a household type; and

is for toasting bread or similar foods.

Class specification:

AS/NZS 60335.2.9

Equipment class:

High risk (Level 3)

Building wiring cabled

A single or multicore electric cable insulated with polymeric materials that —

has one to five conductors of stranded or solid cores of copper conductors;

has an insulated and laid up flat or circular configuration;

is sheathed or unsheathed;

has active phase conductors with a nominal cross-sectional area 0.5 mm^2 to 16 mm^2;

has an insulation designation of V-75, V-90, V-90HT or X-90; and

is intended for use in electrical installations at working voltages up to: –

(i) 450/750V; or

(ii) 0.6/1 (1.2) kV

but does not include—

armoured, metallic screened and metal sheathed cables;

halogen free cables;

cables with a Fire Rating;

Supply Flexible Cords (see 2.64);

control cables where the insulation of the conductors are not individually coloured;

cables with a conductor flexibility of Class 5 or greater according to AS/NZS 1125;

NOTE 1 Cables that have a conductor flexibility of Class 5 according to AS/NZS 1125 are commonly known as Flexible Cables.

cables not captured by the scope of AS/NZS 5000.1 or AS/NZS 5000.2.

NOTE 2 The scopes of AS/NZS 5000.1 and AS/NZS 5000.2 do not apply to polymeric insulated cables for special installations and service conditions or for which there are separate Standards.

Class specification:

For working voltages up to 0.6/1 (1.2) kV—AS/NZS 5000.1 For working voltages up to 450/750 V—AS/NZS 5000.2

Equipment class:

High risk (Level 3)

Clothes dryer

An electrical appliance that –

is a household type; and

is for drying textile material;

but does not include-

a heated towel rail; or

a gas appliance having electrical connections.

Class specification:

Rotary type—AS/NZS 60335.2.11 Cabinet type—AS/NZS 60335.2.43

Equipment class:

High risk (Level 3)

Control or conditioning device

An electrical device that-

is a household type;

is for controlling or conditioning the electrical input to electrical apparatus via outlet facility(s) of the condition or control device;

is portable;

NOTE: For this definition portable includes devices with facilities for permanent installation if manifestly complete and useable without being fixed in position (e.g. has connection via appliance inlet or supply cord and plug and does not rely on being built in or being installed to prevent access to live parts). This also includes devices connected to supply by pins for engagement with a socket-outlet

is self-contained, including devices that receive inputs from external sensors; and

connects to supply by means of a flexible cord and plug, appliance inlet or pins for engagement with a socket-outlet.

Class specification:

AS/NZS 3105

Equipment class:

High risk (Level 3)

Cooking appliance-portable type

An electrical appliance that-

is a household type;

is for cooking or warming food by electrical energy; and

is portable.

Class specification:

Griller, roaster or oven (including breadmaker) – AS/NZS 60335.2.9 Warming plate and similar – AS/NZS 60335.2.12 Frying pan, deep fryer or wok – AS/NZS 60335.2.13 Outdoor barbecue – AS/NZS 60335.2.78

Equipment class:

High risk (Level 3)

Cord extension socket

An electrical device that-

is for attachment to a flexible cord;

has a maximum rating of 20 A at low voltage; and

has contacts whereby a detachable connection may be made with the corresponding pins of a plug or an inlet;

but does not include-

a connector or appliance connector designated in AS/NZS 3123; or

a socket-outlet designated in AS/NZS 3131.

Class specification:

AS/NZS 3120

Equipment class:

High risk (Level 3)

Cord-line switch

An electrical device that-

is for attachment in a flexible cord;

manually opens and closes an electrical circuit; and

has a rating not exceeding 16 A at low voltage;

but does not include-

bell push and pendant switches.

Class specification:

AS/NZS 3127

Equipment class:

High risk (Level 3)

DC Isolator

An electrical device that—

is an air-break d.c. rated isolator; and

is for connection to the wiring of a household photovoltaic (PV) electrical installation, other household renewable energy installation, or household energy storage installation;

and includes

any dedicated individual enclosure where the dc isolator is classified as enclosed outdoor.

NOTE 1 A ‘dedicated individual enclosure’ includes a single dc isolator in an enclosure or multiple dc isolators in a common enclosure, but does not include the enclosure where the dc isolator is to be installed integral within a power conditioning equipment (PCE) enclosure or is to be installed in an enclosure that complies with a relevant standard for assemblies for use in photovoltaic networks.

Class specification:

AS/NZS 60947.3

Equipment class:

High risk (Level 3)

Decorative lighting outfit

An electrical appliance that-

is for decorative, display or illumination purposes;

is portable;

consists of- electric light sources or lampholders interconnected by flexible cord of less than 2.5 mm2 cross-sectional area; or

electric light sources within a flexible enclosure;

may be integral with a frame or similar support;

and includes-

any integral power supply or control device.

Class specification:

Lighting chains—AS/NZS 60598.2.20

Rope lights—AS/NZS 60598.2.21

Equipment class:

High risk (Level 3)

Dishwashing machine

An electrical appliance that-

is a household type; and

is for washing of eating and cooking utensils.

Class specification:

AS/NZS 60335.2.5

Equipment class:

High risk (Level 3)

Double capped light emitting semiconductor lamp

An electrical appliance that—

is a tubular light emitting semiconductor light source;

is a double capped lamp; and

has integral, built-in or independent control gear; but does not include—

a self-ballasted light emitting semiconductor light source that is not within the scope of AS/NZS 50598.2.1 Appendix A

Class specification:

AS/NZS 60598.2.1 Appendix A

Equipment class:

High risk (Level 3)

Edison screw lampholder

An electrical device that-

accommodates a lamp with an Edison screw cap of 14 mm or 27 mm nominal outside diameter;

but does not include-

a lampholder that by design is restricted to specific appliances by forming part of a structural moulding of the appliance. This exclusion does not apply to lampholders that can be used in luminaires; or

a lampholder that is for incorporation in industrial equipment only.

Class specification:

AS/NZS 3140 or AS/NZS 60238

Equipment class:

High risk (Level 3)

Electric hot water bottle

An electrical appliance that-

is for for application of heat to parts of the human body;

is flexible;

contains liquid that is heated by internal electrical parts; and

has a projected area not exceeding 0.6 m2.

Class specification:

AS/NZS 60335.2.81

Equipment class:

High risk (Level 3)

Evaporative cooler

An electrical appliance that-

is a device that cools air through evaporation of water;

incorporates a fan for moving air; and

is fixed with one or more vents.

Class specification:

AS/NZS 60335.2.98

Equipment class:

High risk (Level 3)

Fan

An electrical appliance that-

is a household type;

has a primary function of moving air in its vicinity for comfort or extraction purposes; and

is self-contained;

and includes –

any associated ancillary equipment.

Class specification:

AS/NZS 60335.2.80

Equipment class:

High risk (Level 3)

Fence energizer

An electrical appliance that regulates and controls the supply of electrical energy to an electrical fence.

Class specification:

AS/NZS 60335.2.76

Equipment class:

High risk (Level 3)

Floor polisher/scrubber

An electrical appliance that-

is a household type; and

is used to polish or scrub floors.

Class specification:

AS/NZS 60335.2.10

Equipment class:

Medium risk (Level 2)

Fluorescent lamp ballast

An electrical device that-

is for controlling the magnitude of current flowing through the discharge path of a fluorescent lamp;

is of the independent or built-in type intended for use with luminaires (portable or fixed); or

is of the integral type, rated at 60 W or less, such that it forms a non-replaceable part of a fluorescent lamp/ballast combination; or

is of the adaptor type such that it allows the insertion of a fluorescent lamp into the ballast by the user;

but does not include-

a ballast that is incorporated in luminaires certified for compliance with the requirements for electrical equipment with increased safety type protection (Ex e) for use in hazardous locations.

Class specification:

Integral (self-ballasted lamp) magnetic and electronic types—AS/NZS 60968 Other magnetic type—AS/NZS 61347.2.8 Other electronic type—AS/NZS 61347.2.3

Equipment class:

High risk (Level 3)

Fluorescent lamp starter

An electrical device that-

is for starting preheat type fluorescent lamps;

is a glow-start type; and

has an enclosure of insulating material.

Class specification:

AS/NZS 60155 (Section 1)

Equipment class:

High risk (Level 3)

Glue gun

An electrical device that-

is a household type;

is handheld;

is for melting and applying sticks of solid adhesive;

but does not include-

a glue gun promoted exclusively to industry.

Class specification:

AS/NZS 60335.2.45

Equipment class:

High risk (Level 3)

Hair care appliance

An electrical appliance that-

is a household type or a commercial hand-held type; and

is for drying, styling or the caring of human hair.

Class specification:

AS/NZS 60335.2.23

Equipment class:

High risk (Level 3)

Heating pad - flexible

An electrical appliance that-

is for application of heat to parts of the human body;

is in the form of a flexible pad;

has a projected area not exceeding 0.6 m2;

but does not include-

an electric hot water bottle.

Class specification:

AS/NZS 60335.2.81 – foot warmer and foot mat

AS/NZS 60335.2.17 – other

Equipment class:

High risk (Level 2)

Hedge clipper

An electrical appliance that-

is for trimming hedges;

has one or more linear reciprocating cutter blades; and

is hand-held.

Class specifications:

AS/NZS 60745.2.15

Equipment class:

High risk (Level 3)

Immersion heater

An electrical appliance that-

is a household type;

is for heating liquid in that it may be immersed; and

is self-contained;

and includes-

aquarium type immersion heaters.

Class specification:

Aquarium type—AS/NZS 60335.2.55 Portable (other than aquarium) type—AS/NZS 60335.2.74 Fixed type—AS/NZS 60335.2.73

Equipment class:

High risk (Level 3)

Insect electrocutor

An electrical appliance that-

is a household type; and

kills insects by the application of electrical energy.

Class specification:

AS/NZS 60335.2.59

Equipment class:

High risk (Level 3)

Inspection handlamp

An electrical appliance that-

is for inspection purposes using illumination;

holds an incandescent or discharge lamp; and

is hand held;

but does not include-

handlamps with a magnification facility.

Class specification:

AS/NZS 60598.2.8

Equipment class:

High risk (Level 3)

Iron

An electrical appliance that-

is a household type;

is for smoothing or pressing fabric by the application of heat or steam; and

is hand held except for any separate steam generator;

and includes-

any associated equipment.

Class specification:

Fabric steamer-60335.2.85 Other-AS/NZS 60335.2.3

Equipment class:

High risk (Level 3)

Kitchen machine

An electrical appliance that-

is a household type; and

is for the preparation of food by mechanical means; or

is for opening cans; or

is for sharpening of knives.

Class specification:

AS/NZS 60335.2.14

Equipment class:

High risk (Level 3)

Lampholder adaptor

An electrical appliance that-

is for insertion into a lampholder; and

may incorporate electronic circuits to control the output; and

may incorporate electronic circuits for other functions; and

has outlet facilities for connection to a flexible cord or has an integral flexible cord; and/or

has one or more lampholders.

Class specification:

AS/NZS 3119

Equipment class:

High risk (Level 3)

Lawn care appliance

An electrical appliance that-

is a household type; and

is for cutting grass or lawn.

Class specification:

Mower—AS/NZS 60335.2.77 Trimmer—AS/NZS 60335.2.91 Grass shears—AS/NZS 60335.2.94 Robotic lawn mower—AS/NZS 60335.2.107

Equipment class:

High risk (Level 3)

Light emitting semiconductor lamp (Self-ballasted)

Is an appliance that—

incorporates a light emitting semiconductor light source; and

has any additional elements necessary for stable operation of the light source incorporated within the lamp body and permanently connected to the light source; and

has a rated voltage greater than 50 V and up to and including 250 V; and

is intended for connection to supply via means of lamp cap for insertion into a lampholder;

but does not include—

a double capped light emitting semiconductor lamp.

Class specification:

AS/NZS IEC 62560

Equipment class:

High risk (Level 3)

Liquid heating appliance

An electrical appliance that-

is a household type;

is portable;

has a capacity not exceeding 10L; and

heats liquid for- humidifying room air; or

use in, or as, a hot beverage; or

cooking.

Class specification:

Humidifier—AS/NZS 60335.2.98 Other—AS/NZS 60335.2.15

Equipment class:

High risk (Level 3)

Luminaire-portable type

An electrical appliance that-

is a household type;

provides illumination or for decorative purposes, produces light;

is fitted with a supply flexible cord, an appliance inlet socket or a power supply unit with integral pins for insertion into a socket-outlet;

is for standing on a table or floor, or is fitted with a clamp or similar for attachment to vertical or horizontal surfaces;

is for use with electric light sources; and

is constructed to represent a model, person or animal and, by its design and materials used, is likely to be treated by a child as a toy; or

has metal parts that are required to be earthed or double insulated from live parts (excluding live parts of an all insulated lampholder);

But does not include-

a simple luminaire – portable type.

Class specification:

Child appealing type (refer to Item (f))—AS/NZS 60598.2.10

Type fitted with a built-in transformer or convertor—AS/NZS 60598.2.6

Other—AS/NZS 60598.2.4

Equipment class:

High risk (Level 3)

Massage appliance

An electrical appliance that-

is a household type;

is for massaging the human body;

is portable; and

is self-contained.

Class specification:

or AS/NZS 60335.2.32

Equipment class:

High risk (Level 3)

Microwave oven

An electrical appliance that-

is a household type; and

applies heat to food, liquid or other substances in a chamber by means of high-frequency electromagnetic radiation.

Class specification:

AS/NZS 60335.2.25

Equipment class:

High risk (Level 3)

Miniature overcurrent circuit breaker

An electrical device that-

is an enclosed air-break switch;

opens a low voltage circuit automatically under predetermined conditions of over-current;

has a nominal rating not exceeding 125 A; and has- a current breaking capacity not exceeding 10 kA; and

a projected panel mounting area not exceeding 4000 mm2 per pole;

and includes—

miniature overcurrent circuit breakers as defined that are mounted in equipment;

but does not include-

miniature overcurrent circuit breakers as defined but that are intended and marked as being only for use in industrial applications; and

miniature overcurrent circuit breakers, for mounting in equipment, that are within the scope of IEC 60934.

Class specification:

AS 3111, AS/NZS 60898.1 or AS/NZS 60898.2 (or AS/NZS 60947.2 for circuit breakers outside the scope of AS/NZS 60898.2)

Equipment class:

High risk (Level 3)

Nightlight - mains socket-outlet mounted

An electrical appliance that-

is a household type;

incorporates integral pins for insertion into a socket outlet;

is intended to provide a source of low-level illuminance in areas not normally illuminated at night;

but does not include-

other appliances with indicator lamps.

Class specification:

AS/NZS 60598.2.12

Equipment class:

High risk (Level 3)

Outlet device

An electrical device that-

is a household type;

as its primary function, extends supply from a socket-outlet;

is portable;

incorporates facilities for the insertion of a plug or plugs; and

has a rating not exceeding 20 A;

but does not include-

a cord extension set.

Class specification:

Integral pin type (including travel adaptor)—AS/NZS 3122 Other—AS/NZS 3105

Equipment class:

High risk (Level 3)

Over blanket / Duvet / Wrap

An electrical appliance that—

is for application of heat to a person by placing or draping over the person;

is flexible;

does not contain any heated liquid;

has a fabric enclosure; and

has a projected surface area exceeding 0.6 m2;

but does not include-

any associated power supply or controller.

Class specification:

AS/NZS 60335.2.17

Equipment class:

High risk (Level 3)

Plug

An electrical device that-

makes a detachable connection between the contacts of a socket-outlet and the conductors of a flexible cord;

has two, three or four pins for insertion into a socket-outlet; and

has a rating not exceeding 20 A;

but does not include-

a plug that is within the scope of AS/NZS 3123 and is intended for industrial use; or

a plug that is within the scope of AS/NZS 3131.

Class specification:

AS/NZS 3112

Equipment class:

High risk (Level 3)

Power line communication device

An electrical device that-

is a discrete device with pins for insertion into a socket outlet; and

is for the purpose of sending or receiving communication over the installation wiring.

Class specification:

AS/NZS 60950.1 or AS/NZS 62368.1

Equipment class:

Medium risk (Level 2)

Power supply or charger

An electrical device that-

provides an output not exceeding 50V a.c. or 120V ripple free d.c; and

is a type to provide supply to separate luminaries; or

is a household type for either charging batteries or to provide supply to separate equipment;

but does not include-

Information Technology and Audio Visual equipment that can use the output to also transmit data that is not associated with a power supply or charger function.

Class specification:

Safety isolating power supply for general use—AS/NZS 61558.2.16 for switch mode types and AS/NZS 61558.2.6 for others Power supply for appliances—AS/NZS 60335.1 and the relevant Part 2 of that series Power supply for toys—AS/NZS 61558.2.7 taking into account AS/NZS 61558.2.16 for switch mode types Power supply for bells or chimes—AS/NZS 61558.2.8 – AS/NZS 61558.2.8 taking into account AS/NZS 61558.2.16 for switch mode types Power supply for hand lamps—AS/NZS 61558.2.9 taking into account AS/NZS 61558.2.16 for switch mode types Power supply (electronic or ferromagnetic types) for use with specific electronic (IT, audio, video) equipment—AS/NZS 60065 or AS/NZS 60950.1 or AS/NZS 62368.1 (these standards cannot be used as substitutes for other power supplies listed in the class specification)

Power supply for lighting purposes –

Electronic types: Light emitting semiconductor driver — AS/NZS 61347.2.13

Other—AS/NZS 61347.2.2

Ferromagnetic type: AS/NZS 61558.2.6

Battery charger – AS/NZS 60335.2.29

Equipment class:

High risk (Level 3)

Projector

An electrical appliance that-

is a household type; and

is for projecting an image from a photographic slide or moving film.

Class specification:

AS/NZS 3350.2.56 (withdrawal date 23 June 2013) or AS/NZS 60335.2.56

Equipment class:

Medium risk (Level 2)

Range

An electrical appliance that-

is a household type;

is for cooking food using heat produced by electrical energy; and

is stationary.

Class specification:

Fixed outdoor barbecue—AS/NZS 60335.2.78

AS/NZS 60335.2.6

Equipment class:

High risk (Level 3)

Range hood

An electrical appliance that-

is a household type;

collects and/or filters air; and

is for installation above, or adjacent to, a cooking appliance.

Class specification:

AS/NZS 60335.2.31

Equipment class:

High risk (Level 3)

Razor/hair clipper

An electrical appliance that-

is a household type; and

shaves, cuts or trims human hair.

Class specification:

AS/NZS 60335.2.8

Equipment class:

High risk (Level 3)

Recessed Luminaire - light emitting semiconductor type

An electrical device that-

incorporates a light emitting semiconductor light source; and

has any additional elements necessary for stable operation of the light source incorporated within or permanently connected to the device; and

has a rated voltage greater than 50 V and up to and including 250 V; and

is designed to be recessed into a ceiling, wall or floor.

but does not include –

a double capped light emitting semiconductor lamp;

a light emitting semiconductor lamp (self-ballasted);

an electrical device that is intended to produce light for illumination purposes in commercial or industrial applications;

ground recessed luminaires (IEC 60598-2-13);

recessed air handling luminaires (AS/NZS 60598.2.19)

recessed liquid cooled luminaires;

emergency lighting fixtures (AS/NZS 60598.2.22);

fans with integral luminaires (AS/NZS 60335.2.80).

Class specification:

AS/NZS 60598.2.2

Equipment class:

Medium risk (Level 2)

Refrigerating appliance

An electrical appliance that-

is a household type; and

cools and stores food.

Class specification:

AS/NZS 60335.2.24

Equipment class:

High risk (Level 3)

Residual current device

An electrical device that-

isolates or initiates a tripping signal to isolate a low voltage supply to protected circuits, socket-outlets or equipment in the event of a current flow to earth that exceeds a predetermined level;

may be fixed or portable;

has a rated residual current not exceeding 300 mA for devices intended for connection to fixed wiring or 30 mA for other devices; and

has a rated load current not exceeding 125 A for devices intended for connection to fixed wiring or 20 A for other devices;

but does not include-

a device intended to be used with a particular circuit breaker other than a miniature overcurrent circuit-breaker; or

a device intended to protect an electricity supply authority distribution system; or

a device covered by AS 2081 and intended for mines use.

Class specification:

Without integral overcurrent protection-AS/NZS 3190 or AS/NZS 61008.1 With integral overcurrent protection-AS/NZS 3190 and AS 3111 or AS/NZS 61009.1

Equipment class:

High risk (Level 3)

Room heater

An electrical appliance that-

is a household type; and

is for heating, by electrical energy, for comfort purposes;

and includes-

an appliance that accommodates one or more heat lamps;

but does not include-

an airconditioning appliance;

a heating system that is intended to heat the atmosphere of a room primarily by raising the temperature of any floor, wall, or ceiling area; or

an under-carpet heating system.

Class specification:

Thermal storage type—AS/NZS 60335.2.61 Other—AS/NZS 60335.2.30

Equipment class:

High risk (Level 3)

Sewing machine

An electrical appliance that-

is a household type; and

is for stitching fabric or other material.

Class specification:

AS/NZS 60335.2.28

Equipment class:

Medium risk (Level 2)

Simple portable luminaire

A portable luminaire, in which the supply flexible cord (including any associated cord line switch) is terminated to a single lampholder that is mounted on a non-flexible, non-articulated stem in which the cord may be enclosed, that—

only includes one or more of the following components that comply with the relevant Standards: Edison screw lampholder to accommodate screw cap of 14 mm or 27 mm nominal outside diameter or bayonet cap lampholder that accommodates a lamp with a bayonet cap of 15 mm or 22 mm nominal diameter, a cord line switch, supply flexible cord and plug; and

is for use with light sources that have bases for insertion into E27, E14, B15 or B22 lampholders; and

is of the ordinary type for indoor use only;

but does not include—

a transformer;

a dimmer or touch controls or other electronic devices or portable luminaires of type covered in AS/NZS 60598.2.8 and 60598.2.10.

Class specification:

AS/NZS 60598.2.4 or AS/NZS 60598.2.4 Annex ZA

Equipment class:

Medium risk (Level 2)

Socket-outlet

An electrical device that-

is for fixing at a point at that fixed wiring terminates;

provides a detachable connection with the pins of a plug;

has two, three, or four contacts; and

has a rating not exceeding 20 A;

but does not include-

an outlet within the scope of AS/NZS 3123 or AS/NZS 3131.

Class specification:

AS/NZS 3112

Equipment class:

High risk (Level 3)

Socket-outlet with supply flexible cord

An electrical device that—

is for connection to the supply by a supply flexible cord;

incorporates facilities for the insertion of one or more plugs

is designed to be permanently fixed:

(i) in a bench, desk, table or the like; or (ii) on a bench, desk, table or the like; or (iii) on the floor, ceiling or wall.

has a rating not exceeding 20 A;

but does not include—

an outlet within the scope of AS/NZS 3123 or AS/NZS 3131;

socket-outlets that are part of another electrical appliance; or

an outlet device (see B.2.45).

Class specification:

AS/NZS 3112 NOTE: Clause 3.9.2 in AS/NZS 3112 requires these devices to comply with the relevant clauses of AS/NZS 3105.

Equipment class:

High risk (Level 3)

Soldering iron

An electrical appliance that-

is for the application or removal of solder; and

is hand held;

and includes-

any integral or associated power supply or controller;

but does not include-

a soldering iron promoted exclusively to industry.

Class specification:

AS/NZS 60335.2.45

Equipment class:

High risk (Level 3)

Submersible pump

An electrical appliance that –

is for pumping liquids (including a mixture of water and small solids) having a temperature not exceeding 90 °C;

has any electrical part, or enclosure around any electrical part, completely or partially immersed in the liquid being pumped during normal use; and

is portable or fixed in position;

and includes –

any pumps for garden ponds, aquarium pumps, sludge pumps, submersible pumps, table fountain pumps, deep well pump or vertical wet pit pumps where any of these pumps meet (a), (b) and (c);

but does not include –

any shower boost pumps, or any vertical wet pit pumps that do not meet (a), (b) and (c); or

swimming pool or spa equipment.

Class specification:

AS/NZS 60335.2.41

Equipment class:

High risk (Level 3)

Supply flexible cord

An electrical cord that-

is unscreened and flexible;

is designed for use at low voltage;

consists of two or three elastomer or PVC insulated cores of multistrand construction;

has a cross-sectional area of each conductor not exceeding 2.5 mm2; and ;

has for other than tinsel cords, individual wire strandings not exceeding-; 0.21 mm for conductor sizes up to 1 mm2; or

0.26 mm for conductor sizes exceeding 1 mm2;

NOTE: This includes interconnection cords

but does not include-

a flexible cord directly connected to equipment or approved non-rewirable accessories that is marked in accordance with the CENELEC HAR marking scheme for flexible cords;

wiring contained entirely within the enclosure of equipment.

Class specification:

All types—AS/NZS 3191 PVC insulated flexible cord—AS/NZS 60227.5 Rubber insulated flexible cord—AS/NZS 60245.4

Equipment class:

High risk (Level 3)

Swimming pool or spa equipment

An electrical appliance or device that-

is a transportable spa pool or transportable spa bath; or

is for circulating air or water in a conventional bath; or

is for use in the operation or cleaning of a swimming pool, non-transportable spa-pool or non-transportable spa-bath.

but does not include-

an appliance or device exclusively promoted for commercial use; or

a heat pump.

Class specification:

Pump—AS/NZS 60335.2.41 Spa pool, spa-bath or an appliance intended to circulate air or water in a conventional bath—AS/NZS 60335.2.60 UV radiation water treatment appliances—AS/NZS 60335.2.109 Other—AS/NZS 3136

Equipment class:

High risk (Level 3)

Television receiver – CRT type

An electrical appliance that-

is for household use;

is for the display of public or subscription television broadcasts; and

incorporates a single cathode ray picture tube.

Class specification:

AS/NZS 60065 or AS/NZS 62368.1

Equipment class:

Medium risk (Level 2)

Television receiver – non CRT type

An electrical appliance that-

is a device with an integral screen;

is for the display of public or subscription television broadcasts or streaming services;

but does not include—

Television receiver – CRT type; or

Video and image display device.

Class specification:

AS/NZS 60065 or AS/NZS 62368.1

Equipment class:

Medium risk (Level 2)

Tool-portable type

An electrical motor-operated appliance that-

is intended to do mechanical work is with or without provisions for mounting on a support;

is intended or designed to be held or supported by hand during operation;

but does not include-

lawn and garden machinery;

a tool, portable type, promoted exclusively to industry;

a transportable tool;

a heat gun.

NOTE Mechanical work involves operations such as machining, drilling, cutting, sawing, impacting, fixing and surface preparation.

Class specification:

AS/NZS 60745.1 plus the appropriate AS/NZS 60745 series Part 2 (until superseded by the relevant AS/NZS 62841 series Part 2, as stated in the relevant AS/NZS 62841 series part 2);

or

AS/NZS 62841.1 plus the appropriate AS/NZS 62841 series Part 2 (able to be applied as soon as published); or

Where there is not an AS/NZS 60745 series Part 2 or an AS/NZS 62841 series part 2 – AS/NZS 3160.

Equipment class:

High risk (Level 3)

Vacuum cleaner

An electrical appliance that-

is a household type;

is portable; and

removes dust, dirt or moisture and the like from floor coverings by suction; or

removes garden refuse from lawns or paths and the like by suction.

Class specification:

Hand held garden type—AS/NZS 60335.2.100 Other—AS/NZS 60335.2.2

Equipment class:

High risk (Level 3)

Wall switch

An electrical device that-

is a household type;

is an air-break or electronic switch;

is for connection to the wiring of an electrical installation;

is primarily for mounting on a vertical surface;

is intended to turn a load ON or OFF; and

has a rating not exceeding 20 A;

but does not include—

automatic operation by means of motion sensors such as Passive Infrared sensors, Microwave sensors, Ultrasonic sensors or the like.

Class specification:

AS/NZS 3133, or

for electronic switches—AS/NZS 60669.2.1 – plus AS/NZS 3133 M rating if applicable

Equipment class:

High risk (Level 3)

Washing machine

An electrical device that-

is a household type; and

is used for washing clothes and other textile materials.

Class specification:

AS/NZS 60335.2.7

Equipment class:

High risk (Level 3)

Water bed heater

An electrical device that-

is for installation under a water bed envelope; and

heats water contained in that envelope;

and includes –

any associated control device.

Class specification:

AS/NZS 60335.2.66

Equipment class:

Medium risk (Level 2)

Water heater

(Current definition to be withdrawn after 12/02/2027)

An electrical appliance that-

is for heating and storage of water for bathing, washing, or similar purposes;

incorporates a heating element;

is unvented; and

has a storage capacity not less than 4.5 L nor more than 680 L; or

is for heating water;

is of the instantaneous type; and

incorporates live parts in contact with water. Class specification: Pressure storage—AS/NZS 60335.2.21 Instantaneous – AS/NZS 60335.2.35 Heat Pump water heater incorporation a heating element – AS/NZS 60335.2.40 and AS/NZS 60335.2.21 Equipment class: High risk (Level 3)

(New definition to take effect from 12/02/2027)

An electrical device that—

is for heating and storage of water for bathing, washing, or similar purposes;

incorporates a heating element;

is unvented; and

has a storage capacity not less than 4.5 L nor more than 680 L; or

is for heating water;

is of the instantaneous type; and

incorporates live parts in contact with water. but does not include—

Heat pump water heater that does not incorporate a heating element

Class specification:

Pressure storage—AS/NZS 60335.2.21 Instantaneous – AS/NZS 60335.2.35 Heat Pump water heater incorporation a heating element– AS/NZS 60335.2.40 and AS/NZS 60335.2.21

Equipment class:

High risk (Level 3)

Electric Vehicle Supply Equipment (EVSE)

(New definition to take effect from 12/02/2028)

An electrical device that—

is portable or fixed in position;

provides ac or dc supply to charge an electric vehicle; or can provide bi-directional energy transfer; and

includes any in-cable control and protection devices (ICCPD); vehicle adaptor; or vehicle charging cable assembly; but does not include—

devices permanently connected to the electric vehicle

Class specification:

D.C. Electric Vehicle Charger (non-bi-directional): – IEC 61851-1,and – resistance to heat and fire requirements of AS/NZS 60335.1:2020 clause 30.2 for unattended appliances Note 1: This is the same as IEC 60335-1 Ed 6 clause 30.2. D.C. Electric Vehicle Charger (bi-directional): – IEC 61851-1, and Note 2: this standard is still applied for requirements of the EVSE charging devices even though it does not cover bidirectional charging, as AS/NZS 4777.2 requirements address bi-directional issues – AS/NZS 4777.2 with following exceptions: - IEC 62477-1 is applied for electric vehicle bidirectional charging (along with other requirements within AS/NZS 4777.2, and instructions to install in accordance with AS/NZS 4777.1) (IEC 62477-1 is applied in lieu of use of IEC 62109 that is stated in AS/NZS 4777.2:2020 clause 2.2). Note 3: While IEC 62477-1 may state it does not apply to electrical equipment for electric vehicles it is still applied, the additional use of other AS/NZS 4777.2 requirements enables the use of IEC 62477-1 in this instance. and – resistance to heat and fire requirements of AS/NZS 60335.1:2020 clause 30.2 for unattended appliances Note 4: This is the same as IEC 60335-1 Ed 6 clause 30.2. A.C. Electric Vehicle Charger (non-bi-directional): – IEC 61851-1, and – resistance to heat and fire requirements of AS/NZS 60335.1:2020 clause 30.2 for unattended appliances Note 5: This is the same as IEC 60335-1 Ed 6 clause 30.2. A.C. Electric Vehicle Charger (bi-directional): – IEC 61851-1 Note 6: This standard is still applied for requirements of the EVSE charging devices even though it does not cover bi-directional charging, as AS/NZS 4777.2 requirements address bi-directional issues and – AS/NZS 4777.2 with following exceptions: IEC 62477-1 is

applied for electric vehicle bidirectional charging (along with other requirements within AS/NZS 4777.2, andinstructions to install in accordance with AS/NZS 4777.1) (IEC 62477-1 is applied in lieu of use of IEC 62109 thatis stated in AS/NZS 4777.2:2020 clause 2.2) Note 7: While IEC 62477-1 may state it does not apply to electricalequipment for electric vehicles it is still applied, the additional use of other AS/NZS 4777.2 requirements enablesthe use of IEC 62477-1 in this instance. and – resistance to heat and fire requirements of AS/NZS 60335.1:2020clause 30.2 for unattended appliances Note 8: This is the same as IEC 60335-1 Ed 6 clause 30.2. Cable Assemblyfor Electric Vehicle Charging: – IEC 61851-1; and – resistance to heat and fire requirements of AS/NZS60335.1:2020 clause 30.2 for unattended appliances Note 9: This is the same as IEC 60335-1 Ed 6 clause 30.2.In-cable control and protection device: IEC 62752 Vehicle Adaptor: – IEC 61851-1 and – resistance to heat andfire requirements of AS/NZS 60335.1:2020 clause 30.2 for unattended appliances Note 10: This is the same asIEC 60335-1 Ed 6 clause 30.2

Equipment class:

High risk (Level 3)

Battery Energy Storage System (BESS) equipment

(New definition to take effect from 12/02/2028)

An electrical device that—

has internal battery system with one or more cells, modules or batteries;

provides either AC or DC output;

is fixed in position;

has facilities for connection to an electrical installation;

may include isolation and protection devices;

may incorporate power conditioning equipment; and

in addition to facilities for connection to an electrical installation, may have output for supply to other equipment.

Class specification:

Lithium battery type: SA TS 5398:2025, Electrical energy storage equipment - Safety requirements Other: AS/NZS 4777.2, AS/NZS 62477.1, IEC 62109-1 and IEC 62019-2 For all types: Resistance to heat and fire requirements of AS/NZS 60335.1:2020 clause 30.2 for unattended appliances Note 2: This is the same as IEC 60335-1 Ed 6 clause 30.2

Equipment class:

High risk (Level 3)

Cord Extension Set

(New definition to take effect from 12/02/2027)

An electrical device that—

as its primary function, extends supply from a socket outlet;

is portable; and

is an assembly of only: i. one plug or socket outlet adaptor; ii. one sheathed flexible cord; and iii. one cord extension socket; but does not include—

a control or conditioning device; or

an outlet device

Class specification:

AS/NZS 3199

Equipment class:

Medium risk (Level 2)

Heat pump water heater

(New definition to take effect from 12/02/2027)

An electrical device that—

is for heating and storage of water for bathing, washing, or similar purposes;

incorporates a motor compressor and refrigerant system;

is unvented;

has a storage capacity not less than 4.5 L nor more than 680 L; and

is a component part of a heat pump hot water heater of 1) to 4) above. but does not include –

heat pump water heaters that incorporate a heating element.

swimming pool/spa heat pumps.

Class specification:

AS/NZS 60335.2.40 and AS/NZS 60335.2.21

Equipment class:

Medium risk (Level 2)

Portable Power Station

(New definition to take effect from 12/02/2028)

An electrical device that—

has internal fixed or replaceable battery system with one or more cells, modules or batteries; or has facilities for placing batteries internal to the appliance;

provides AC output;

is portable or transportable;

has output for supply to other equipment and/or has facilities for connection to supply an electrical installation;

may include isolation and protection devices; and

may incorporate power conditioning equipment;

Class specification:

AS/NZS 4763 (currently under amendment to include these devices)

Equipment class:

High risk (Level 3)

Date: 03/11/2026 9:41

Controlled document

The currency and accuracy of this document cannot be guaranteed once printed or saved to a storage device. If in doubt, please check the ESV website for the current version.

Industry guidance

Reviewed 1 April 2026