# DevOrSysAdminScripts

# Laurent Lyaudet https://lyaudet.eu/laurent/ laurent.lyaudet@gmail.com

May 16, 2024

#### Abstract

Some "small" useful scripts for enhancing development or system-administrators tasks

Current version: 2024-05-16 Current number of commits: 81

Current git SHA1: 63cbccdab6a0927938266e20fbf6931a415c7b95 Code lines: 3393 total lines, 3011 not empty lines, 382 empty lines.

#### 1 Files tree

```
- build_and_checks_dependencies
  — build_and_checks.sh.tpl
    - build_md_from_printable_md.sh
   - check_shell_scripts_beginnings.sh
    - check_URLs.sh
    - common_build_and_checks.sh
    - common_build_and_checks.sh.tpl
    - comparisons.sh
    - create_PDF.sh
    - generate_from_template.sh
    - get_common_text_glob_patterns.sh
    grammar_and_spell_check.sh
    - licenses_templates
       build_licenses_templates.sh
        - license_file_header_GPLv3+.c.tpl
       — license file header GPLv3+.py.tpl
       — license_file_header_GPLv3+.sh.tpl
        - license_file_header_GPLv3+.tex.tpl
        - license_file_header_GPLv3+.tpl
        - license_file_header_LGPLv3+.c
```

```
— license_file_header_LGPLv3+.c.tpl
         — license_file_header_LGPLv3+.py
          - license_file_header_LGPLv3+.py.tpl
         — license_file_header_LGPLv3+.sh
         - license_file_header_LGPLv3+.sh.tpl
         — license_file_header_LGPLv3+.tex
          - license_file_header_LGPLv3+.tex.tpl
        license_file_header_LGPLv3+.tpl
     - lines counts.sh
     — lines_filters.sh
      - overwrite_if_not_equal.sh
     python_black_complement.sh
     python_isort_complement.sh
      - too long code lines.sh
    update_common_build_and_checks.sh
 — build_and_checks.sh
 — COPYING
  - COPYING.LESSER

    DevOrSysAdminScripts.html

    DevOrSysAdminScripts.pdf

 - git_checks.sh
 — latex
   DevOrSysAdminScripts.tex
DevOrSysAdminScripts.tex.tpl
 — LiensUtiles.txt
 pre-commit
  - README.md
  - README.md.tpl
  repository_data.txt
 - wget_sha512.sh
4 directories, 47 files
[ 12K May 16 20:01] ./
 — [4.0K May 16 20:01] build_and_checks_dependencies/
     — [1.4K May 16 03:01] build_and_checks.sh.tpl*
     — [1.7K May 16 13:46] build_md_from_printable_md.sh*
     — [1.2K May 16 19:53] check_shell_scripts_beginnings.sh
     - [1.9K May 16 15:23] check_URLs.sh
     — [7.5K May 16 20:01] common_build_and_checks.sh*
     - [5.1K May 16 14:03] common_build_and_checks.sh.tpl
    — [2.9K May 16 15:28] comparisons.sh
      - [6.6K May 16 15:26] create_PDF.sh*
     — [1.5K May 16 15:33] generate_from_template.sh
      - [1.7K May 16 02:42] get_common_text_glob_patterns.sh
    - [1.5K May 16 20:01] grammar_and_spell_check.sh
```

```
[4.0K May 16 20:01] licenses_templates/
        - [5.1K May 16 19:58] build_licenses_templates.sh*
          [ 713 May 16 14:58] license_file_header_GPLv3+.c.tpl
         [715 May 16 14:58] license_file_header_GPLv3+.py.tpl
            747 May 16 14:58] license_file_header_GPLv3+.sh.tpl
         [ 747 May 16 14:58] license_file_header_GPLv3+.tex.tpl
         [ 707 May 14 23:23] license_file_header_GPLv3+.tpl
            782 May 16 14:58] license_file_header_LGPLv3+.c
         [ 734 May 16 14:58] license_file_header_LGPLv3+.c.tpl
         [ 784 May 16 14:58] license_file_header_LGPLv3+.py
         [ 736 May 16 14:58] license_file_header_LGPLv3+.py.tpl
         - [ 816 May 16 14:58] license_file_header_LGPLv3+.sh
        - [ 768 May 16 14:58] license_file_header_LGPLv3+.sh.tpl
        - [ 816 May 16 14:58] license file header LGPLv3+.tex
         [ 768 May 16 14:58] license_file_header_LGPLv3+.tex.tpl
       — [ 728 May 14 23:24] license_file_header_LGPLv3+.tpl
     - [1.7K May 16 15:15] lines_counts.sh
     - [5.4K May 16 15:17] lines_filters.sh
     - [1.1K May 16 15:32] overwrite_if_not_equal.sh
     - [1.3K May 16 02:43] python_black_complement.sh
    - [1.5K May 16 15:27] python_isort_complement.sh
     [1.2K May 16 15:32] too_long_code_lines.sh
      [2.4K May 16 13:58] update_common_build_and_checks.sh*
 - [1.6K May 16 20:01]
                     build_and_checks.sh*
- [ 34K May 6 00:49]
                      COPYING
 - [7.5K May 6 00:49]
                     COPYING.LESSER
 - [ 15K May 14 18:40] DevOrSysAdminScripts.html
- [144K May 16 19:57]
                     DevOrSysAdminScripts.pdf
                      git_checks.sh
- [2.5K May 16 15:31]
- [4.0K May 16 20:01]
                      latex/
    — [ 13K May 16 20:01] DevOrSysAdminScripts.tex
   — [ 13K May 16 19:42] DevOrSysAdminScripts.tex.tpl
- [ 424 May 6 00:49] LiensUtiles.txt
 - [1.1K May 16 02:44] pre-commit
 - [1.6K May 16 14:58]
                     README.md
- [1.6K May 15 18:00] README.md.tpl
 - [ 629 May 16 18:41] repository_data.txt
— [1.2K May 16 15:27] wget_sha512.sh
```

4 directories, 47 files

# 2 Listing of files

The following source code is covered by LGPLv3+. The text of the license is available at: https://www.gnu.org/licenses/. The git repository of this source code

#### 2.1 build\_and\_checks\_dependencies/build\_and\_checks.sh.tpl

```
#!/usr/bin/env bash
2 # This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
  # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  source ./wget_sha512.sh
25
27 mkdir -p build_and_checks_dependencies/licenses_templates
  subdir="build and checks dependencies"
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  script="$URL_beginning/common_build_and_checks.sh"
  @sha512_common_build_and_checks.sh@
  wget_sha512 "./$subdir/common_build_and_checks.sh" "$script"\
     "$correct_sha512"
  chmod +x "./$subdir/common_build_and_checks.sh"
40 CWd="."
41 if [[ -n "$1" ]];
42 then
```

```
cwd="$1"

fi

// fi

// build_and_checks_dependencies/common_build_and_checks.sh "$cwd"
```

#### 2.2 build\_and\_checks\_dependencies/build\_md\_from\_printable\_md.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
   # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
22
   # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  subdir="build and checks dependencies"
  source "./$subdir/overwrite_if_not_equal.sh"
  sed_expression='s/([[a-zA-Z0-9:-]*]: [^\n\]*)\\n/\1/Mg'
29 sed_expression+=';s/(<http[^\n\\]*)\\\n/\1/Mg'</pre>
  sed_expression+='; s/(- < http[^\n\\]*)\\n/\1/Mg'
  pushd .
33 if [[ -n "$1" ]];
  then
     cd "$1"
  fi
38 if [[ -n "$2" ]];
39 then
```

```
file_name="$2"
else
  file name="README"
if [[ -f "${file_name}.md.tpl" ]];
  sed -Ez "$sed_expression" "${file_name}.md.tpl"\
    > "${file name} temp1.md"
  sed -Ez "$sed_expression" "${file_name}_temp1.md"\
    > "${file_name}_temp2.md"
  sed -Ez "$sed_expression" "${file_name}_temp2.md"\
    > "${file_name}_temp3.md"
  sed -Ez "$sed expression" "${file name} temp3.md"\
    > "${file name} temp4.md"
  overwrite_if_not_equal "${file_name}.md" "${file_name}_temp4.md"
  rm "${file_name}_temp1.md" "${file_name}_temp2.md"\
    "${file_name}_temp3.md"
else
  echo "No file ${file_name}.md.tpl"
fi
popd
```

# 2.3 build\_and\_checks\_dependencies/check\_shell\_scripts\_beginnings.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
19 # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
```

```
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  check_one_shell_script_beginning() {
25
     LFBFL_file_name=$ (basename "$1")
     if [[ "$LFBFL_file_name" = license_file_header_.*\.sh ]];
     t.hen
       return 0
     fi
     diff <(head -n 1 "$1") <(echo '#!/usr/bin/env bash')</pre>
33
   check_shell_scripts_beginnings() {
     shopt -s globstar
     for check_shell_scripts_beginnings_var_i in **/*.sh; do
37
       check_one_shell_script_beginning\
          "$check_shell_scripts_beginnings_var_i"
     done
  }
41
```

#### 2.4 build\_and\_checks\_dependencies/check\_URLs.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
   # you can redistribute it and/or modify it under the terms
   # of the GNU Lesser General Public License
   # as published by the Free Software Foundation,
   # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
```

```
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
24
  subdir="build and checks dependencies"
   source "./$subdir/get_common_text_glob_patterns.sh"
2.7
  check_URLs() {
     get_common_text_files_glob_patterns
     declare -A LFBFL substitutions
31
     LFBFL substitutions=(\
       ["http://www.gnu.org/licenses/"]="https://www.gnu.org/licenses/"\
33
35
     for LFBFL pattern in "${common file patterns[@]}"; do
       [ "$1" != "-v" ] || echo "Iterating on pattern: $LFBFL_pattern"
       find . -type f -name "$LFBFL pattern" -printf '%P\n'\
         | xargs grep -H 'http:'\
         | grep -v "^[^:]*check_URLs.sh:"
       for LFBFL_file_name in $LFBFL_pattern; do
         [ -f "$LFBFL_file_name" ] || continue
42
         LFBFL_base_file_name=$(basename "$LFBFL_file_name")
         [ "$LFBFL_base_file_name" != "check_URLs.sh" ] || continue
         [ "$1" != "-v" ] || echo "Handling the file: $LFBFL_file_name"
         for LFBFL_substitution in "${!LFBFL_substitutions[@]}"; do
          LFBFL_substitution2=\
   ${LFBFL substitutions[$LFBFL substitution]}
           if grep -q "$LFBFL substitution" "$LFBFL file name"; then
             sed -i "s|$LFBFL substitution|$LFBFL substitution2|q"\
50
               "$LFBFL file name"
           fi
         done
       done
     done
  }
```

#### 2.5 build\_and\_checks\_dependencies/common\_build\_and\_checks.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
```

```
# DevOrSysAdminScripts is distributed in the hope
12 # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
22
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  source ./wget sha512.sh
 personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  subdir="build_and_checks_dependencies"
  script="$URL_beginning/build_md_from_printable_md.sh"
34 correct_sha512='5231a90246a58da4bb27440edd3281c02b05e29cd9b1bfe340a25'
 correct sha512+='7eefcf7df82f70ed3ce95a112bc03710839b2dfde066317c938f'
  correct sha512+='302bc599f8d293d45910b8a'
  wget_sha512 "./$subdir/build_md_from_printable_md.sh" "$script"\
    "$correct sha512"
  chmod +x "./$subdir/build_md_from_printable_md.sh"
  script="$URL_beginning/check_shell_scripts_beginnings.sh"
 correct sha512='d94931d4b20b7987aed4dd02663ad5feba3389c8fdea2fdbfb91d'
  correct_sha512+='0b71eed4ef80c8d4a8eef5c147837183b2c9ed6d577cda3ad67f'
  correct_sha512+='6d6485a015eac56fa0daa3b'
  wget_sha512 "./$subdir/check_shell_scripts_beginnings.sh" "$script"\
    "$correct_sha512"
 script="$URL_beginning/check_URLs.sh"
49 correct_sha512='d83cac890cc02fabaed5612ff59dd581e4e42e4f9de5710ad80bb'
 correct sha512+='41db46f9e2ec6f5bddb6006e209e81d45432a908717d10188ebc'
  correct_sha512+='a623b1493e4098dd78cd80b'
  wget_sha512 "./$subdir/check_URLs.sh" "$script" "$correct_sha512"
script="$URL_beginning/comparisons.sh"
  correct sha512='df5bfe91de1fb948601776c2205f313fca6fabc1703ec94c36d77'
```

```
correct sha512+='4c623f1d694de26eff0e6b950000ff84c12f2747c9403b7981b2'
  correct_sha512+='92aa2bd06a9e74fa0beb798'
  wget sha512 "./$subdir/comparisons.sh" "$script" "$correct sha512"
  script="$URL beginning/create PDF.sh"
 correct_sha512='dea932f06ab14e3ee2d1c2142fe76e901bf1d42c80629b7e41e7a'
correct sha512+='6ebd8bdf4a12bfd023ad7bb7732ff0f9243f198c0fe529dd139f'
  correct_sha512+='ea38ed235c0c7267bc25c54'
  wget sha512 "./$subdir/create PDF.sh" "$script" "$correct sha512"
  chmod +x "./$subdir/create PDF.sh"
  script="$URL_beginning/generate_from_template.sh"
  correct sha512='5a7732f2f93ce4020cbaea76dfd94cdaf313dd2f472d5ab0d9361'
  correct sha512+='7b3e6bf1bdea2a4475989689cbf1f50e8dac50c49b0ea7c385d7'
  correct sha512+='00999336dd0bd03483fba64'
  wget sha512 "./$subdir/generate from template.sh" "$script"\
    "$correct sha512"
72
  script="$URL_beginning/get_common_text_glob_patterns.sh"
  correct_sha512='cd341e8fd1074d53f6ea88b332fc4375f06af0e4c0b56e1ddb39c'
  correct sha512+='8ab988ea5f0c21ec4088fe1946ae44f3ea7ba394f558c03a446f'
  correct sha512+='0971482a4a7a8d6fe041153'
  wget_sha512 "./$subdir/get_common_text_glob_patterns.sh" "$script"\
     "$correct sha512"
  URL beginning2="$URL beginning/licenses templates"
  subdir2="$subdir/licenses templates"
  script="$URL beginning2/build licenses templates.sh"
  correct sha512='6cc01a243d5561a8be48af1867eda7ce05b28470abe72e0f20cf9'
  correct sha512+='06db230aed50a886b632cb722a1b7c20e97fd31e70686da2db88'
  correct sha512+='f467fdf5479199f15ed0df8'
  wget sha512 "./$subdir2/build licenses templates.sh" "$script"\
    "$correct sha512"
  chmod +x "./$subdir2/build_licenses_templates.sh"
  script="$URL_beginning2/license_file_header_GPLv3+.tpl"
  correct_sha512='2bdef9a729a5a9ca5ed87ef8a518877c5ee6b31b4533608660316'
  correct_sha512+='a4e595fb31465a4847f4d53a2f7264118bd4eab7c1d1892e00bc'
  correct sha512+='1861455ed02898f194db067'
  wget_sha512 "./$subdir2/license_file_header_GPLv3+.tpl" "$script"\
    "$correct_sha512"
  script="$URL beginning2/license file header LGPLv3+.tpl"
 correct sha512='265fd0d086b48ab798f35a072335a4976e4eda8c256febba6c77c'
 correct sha512+='98ca86cdd844c6ac150c3445c80debbb3fc2574b5fceeeaf79ec'
  correct sha512+='734a759bdef5fe798067c62'
```

```
wget_sha512 "./$subdir2/license_file_header_LGPLv3+.tpl" "$script"\
102
     "$correct sha512"
103
104
   script="$URL_beginning/lines_counts.sh"
   correct sha512='4aa984d1a3709d3ed6ad5a4accc5e1d9cee2f174730ef232dbcd6'
   correct_sha512+='1d3661191e1904a0072fdb818c96e4aff5e58d5d7b0b024a874f'
   correct sha512+='17acb35d98bbde10fb6dacd'
108
   wget_sha512 "./$subdir/lines_counts.sh" "$script" "$correct_sha512"
110
   script="$URL beginning/lines filters.sh"
   correct sha512='692bea2719639e37d761ac5330633f31cfe4252cf3c114e51b5e2'
112
   correct sha512+='0f57fa3ff6385e9a792ad6e701f0e33be45db30a38470507a995'
   correct sha512+='eda016e2755b9f05dba0d08'
   wget sha512 "./$subdir/lines filters.sh" "$script" "$correct sha512"
115
116
   script="$URL beginning/overwrite if not equal.sh"
   correct sha512='afabf6f384e61920dbc575afb1519173ac2654b6180b9a28c5ffc'
   correct sha512+='173a05c6e6d4011d7bc8912da15caee923c9033d8355967920e4'
119
   correct sha512+='d05e2cd575c3cf065fc8e40'
   wget_sha512 "./$subdir/overwrite_if_not_equal.sh" "$script"\
121
     "$correct sha512"
123
   script="$URL_beginning/python_black_complement.sh"
   correct sha512='7152e9d01cc3c72371695635cd6866b2e13ce25f4842afb8e4e87'
   correct_sha512+='b6447b26abafbdbc850f69946913b5b2c423b265c9066a2b4655'
   correct sha512+='6dea19c04a5416588423a74'
127
   wget sha512 "./$subdir/python black complement.sh" "$script"\
     "$correct sha512"
129
   script="$URL_beginning/python_isort_complement.sh"
131
   correct sha512='770e5ed16e4b5f6d61577794033161d361bc2eacea6d08a5c7b9a'
   correct sha512+='1577666cf655d1c947108adb9151d87f937471d30716a6d50d76'
   correct sha512+='f84bbcf1f1620fb9ede4575'
134
   wget_sha512 "./$subdir/python_isort_complement.sh" "$script"\
135
     "$correct sha512"
136
   script="$URL_beginning/too_long_code_lines.sh"
138
   correct sha512='a8716971f22a14160701b6e801c4f66220e2e1dd174f24e43775e'
   correct sha512+='e743aeaa4ee66dadae185e134c3554f8c37d8ee457d051336ed3'
   correct_sha512+='430b734bcf80e8d5704064b'
   wget_sha512 "./$subdir/too_long_code_lines.sh" "$script"\
142
     "$correct_sha512"
144
  shopt -s globstar
   source "./$subdir/check shell scripts beginnings.sh"
   source "./$subdir/check URLs.sh"
```

```
source "./$subdir/comparisons.sh"
   source "./$subdir/generate_from_template.sh"
   source "./$subdir/get_common_text_glob_patterns.sh"
   source "./$subdir/lines_counts.sh"
   source "./$subdir/lines_filters.sh"
   source "./$subdir/overwrite_if_not_equal.sh"
   source "./$subdir/python_black_complement.sh"
   source "./$subdir/python_isort_complement.sh"
   source "./$subdir/too_long_code_lines.sh"
   cwd="."
158
   if [[ -n "$1" ]];
   then
     cwd="$1"
161
   fi
162
163
   echo "Building license headers"
   ./$subdir2/build_licenses_templates.sh "$cwd"
165
   echo "Building README.md"
   ./$subdir/build_md_from_printable_md.sh "$cwd"
169
   pushd .
   cd "$cwd"
   echo "Running isort"
173
   isort .
   python_isort_complement
   echo "Running black"
177
   black .
   python_black_complement
180
   find . -name "pyproject.toml" | relevant_find\
     | while read -r file_name;
182
   do
183
     if grep -q "Typing :: Typed" "$file_name"; then
184
       echo "Running mypy"
       mypy $(dirname "$file_name")
186
     fi
   done
188
   echo "Analyzing too long lines"
   too_long_code_lines | relevant_grep | not_license_grep
192
   echo "Analyzing shell scripts beginnings"
```

```
check_shell_scripts_beginnings | relevant_grep

echo "Analyzing URLs"

check_URLs | relevant_grep

echo "Creating the PDF file of the listing of the source code"

./build_and_checks_dependencies/create_PDF.sh

popd
```

#### 2.6 build\_and\_checks\_dependencies/common\_build\_and\_checks.sh.tpl

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
   # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  source ./wget_sha512.sh
   personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  subdir="build_and_checks_dependencies"
31
script="$URL beginning/build md from printable md.sh"
34 @sha512_build_md_from_printable_md.sh@
```

```
wget_sha512 "./$subdir/build_md_from_printable_md.sh" "$script"\
   "$correct_sha512"
chmod +x "./$subdir/build md from printable md.sh"
script="$URL_beginning/check_shell_scripts_beginnings.sh"
@sha512_check_shell_scripts_beginnings.sh@
wget_sha512 "./$subdir/check_shell_scripts_beginnings.sh" "$script"\
   "$correct_sha512"
script="$URL beginning/check URLs.sh"
@sha512 check URLs.sh@
wget_sha512 "./$subdir/check_URLs.sh" "$script" "$correct_sha512"
script="$URL beginning/comparisons.sh"
@sha512 comparisons.sh@
wget sha512 "./$subdir/comparisons.sh" "$script" "$correct sha512"
script="$URL_beginning/create_PDF.sh"
@sha512_create_PDF.sh@
wget_sha512 "./$subdir/create_PDF.sh" "$script" "$correct_sha512"
chmod +x "./$subdir/create_PDF.sh"
script="$URL_beginning/generate_from_template.sh"
@sha512_generate_from_template.sh@
wget_sha512 "./$subdir/generate_from_template.sh" "$script"\
   "$correct sha512"
script="$URL_beginning/get_common_text_glob_patterns.sh"
@sha512_get_common_text_glob_patterns.sh@
wget_sha512 "./$subdir/get_common_text_glob_patterns.sh" "$script"\
   "$correct sha512"
URL beginning2="$URL beginning/licenses templates"
subdir2="$subdir/licenses_templates"
script="$URL_beginning2/build_licenses_templates.sh"
@sha512_build_licenses_templates.sh@
wget_sha512 "./$subdir2/build_licenses_templates.sh" "$script"\
   "$correct_sha512"
chmod +x "./$subdir2/build licenses templates.sh"
script="$URL_beginning2/license_file_header_GPLv3+.tpl"
@sha512_license_file_header_GPLv3+.tpl@
wget sha512 "./$subdir2/license file header GPLv3+.tpl" "$script"\
   "$correct sha512"
script="$URL_beginning2/license_file_header_LGPLv3+.tpl"
```

```
@sha512_license_file_header_LGPLv3+.tpl@
   wget_sha512 "./$subdir2/license_file_header_LGPLv3+.tpl" "$script"\
     "$correct sha512"
  script="$URL_beginning/lines_counts.sh"
  @sha512_lines_counts.sh@
   wget_sha512 "./$subdir/lines_counts.sh" "$script" "$correct_sha512"
   script="$URL beginning/lines filters.sh"
  @sha512_lines_filters.sh@
   wget sha512 "./$subdir/lines filters.sh" "$script" "$correct sha512"
  script="$URL_beginning/overwrite_if_not_equal.sh"
  @sha512 overwrite if not equal.sh@
   wget sha512 "./$subdir/overwrite if not equal.sh" "$script"\
     "$correct sha512"
   script="$URL_beginning/python_black_complement.sh"
   @sha512_python_black_complement.sh@
   wget_sha512 "./$subdir/python_black_complement.sh" "$script"\
100
     "$correct sha512"
102
   script="$URL_beginning/python_isort_complement.sh"
   @sha512_python_isort_complement.sh@
   wget_sha512 "./$subdir/python_isort_complement.sh" "$script"\
     "$correct sha512"
106
  script="$URL beginning/too long code lines.sh"
108
   @sha512_too_long_code_lines.sh@
   wget_sha512 "./$subdir/too_long_code_lines.sh" "$script"\
110
     "$correct_sha512"
111
112
  shopt -s globstar
113
  source "./$subdir/check_shell_scripts_beginnings.sh"
   source "./$subdir/check_URLs.sh"
  source "./$subdir/comparisons.sh"
  source "./$subdir/generate_from_template.sh"
117
   source "./$subdir/get_common_text_glob_patterns.sh"
   source "./$subdir/lines counts.sh"
  source "./$subdir/lines_filters.sh"
  source "./$subdir/overwrite_if_not_equal.sh"
  source "./$subdir/python_black_complement.sh"
source "./$subdir/python isort complement.sh"
  source "./$subdir/too long code lines.sh"
125
  cwd="."
```

```
if [[ -n "$1" ]];
   then
     cwd="$1"
129
   fi
131
   echo "Building license headers"
   ./$subdir2/build_licenses_templates.sh "$cwd"
133
   echo "Building README.md"
135
   ./$subdir/build_md_from_printable_md.sh "$cwd"
137
   pushd .
   cd "$cwd"
139
140
   echo "Running isort"
141
   isort .
   python_isort_complement
144
   echo "Running black"
   black .
   python_black_complement
148
   find . -name "pyproject.toml" | relevant_find\
     | while read -r file_name;
150
   do
151
     if grep -q "Typing :: Typed" "$file_name"; then
152
       echo "Running mypy"
       mypy $(dirname "$file_name")
154
     fi
   done
156
157
   echo "Analyzing too long lines"
   too_long_code_lines | relevant_grep | not_license_grep
159
   echo "Analyzing shell scripts beginnings"
161
   check_shell_scripts_beginnings | relevant_grep
163
   echo "Analyzing URLs"
   check_URLs | relevant_grep
165
   echo "Creating the PDF file of the listing of the source code"
   ./build_and_checks_dependencies/create_PDF.sh
169
  popd
```

# 2.7 build\_and\_checks\_dependencies/comparisons.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
equal(){
  # Returns 1 if all the arguments strings are equal.
  # Renvoie 1 dans $? si toutes les chaînes en arguments sont égales.
  # J'ai rerepensé au 3-way-merge
  # et à mon article sur le principe de première différence
   # appliqué à la largeur modulaire, de clique ou de rang avec
   # l'idée d'un principe de première différence ternaire.
  equal_var_all_args="'$*'"
  equal_var_current="$equal_var_all_args"
  for equal_var_arg in $0; do
    if [[ "$equal_var_current" == "$equal_var_all_args" ]]; then
       equal_var_current="$equal_var_arg"
      continue
    fi
    if [[ "$equal_var_current" != "$equal_var_arg" ]]; then
       return 0
  done
  return 1
```

```
45
  max(){
     # Returns the maximum string among the arguments.
     # Renvoie la chaîne la plus grande parmi celles proposées.
     # $1=$sort command with the flags you want to be applied.
     # $ max sort a b c
     # C
     if [["$\#" == 0]]; then
       return 1
     fi
    printf "%s\n" "${@:2}" | eval "$1 -r" | head -1
57
  min(){
     # Returns the minimum string among the arguments.
     # Renvoie la chaîne la plus petite parmi celles proposées.
     # $1=$sort command with the flags you want to be applied.
     # $ min sort a b c
     # a
    if [[ "$#" == 0 ]]; then
      return 1
     fi
     printf "%s\n" "${@:2}" | eval "$1" | head -1
   }
68
  is substring() {
    # $1=$string
    # $2=$substring
72
     is_substring_var_1=$(\
       echo "$1" | sed -e 's/\\\&/g' -e "s/'\\\&/g"\
74
     is_substring_var_2=$(\
       echo "$2" | sed -e 's/\\\^{q'} -e "s/'\\\^{q'}
     is_substring_var_3="\$a = '$is_substring_var_1';"
     is_substring_var_3+=" \$b = preg_quote('$is_substring_var_2');"
     is_substring_var_3+=" \c '/'.addcslashes(\$b, '/').'/';"
     is_substring_var_3+=" die(preg_match(\$c, \$a));"
     php -r "$is_substring_var_3"
83
  }
85
  is_subfile(){
    # $1=$file name
     # $2=$sub file name
     is_subfile_var_1="\$a = file_get_contents('$1');"
     is_subfile_var_1+=" \$b = preg_quote(file_get_contents('$2'));"
```

```
is_subfile_var_1+=" \$c = '/'.addcslashes(\$b, '/').'/';"
is_subfile_var_1+=" die(preg_match(\$c, \$a));"
php -r "$is_subfile_var_1"
}
```

#### 2.8 build\_and\_checks\_dependencies/create\_PDF.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
 # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
 # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  current path=$(pwd)
  main_directory=$(basename "$current_path")
  subdir="build_and_checks_dependencies"
  source "./$subdir/lines_counts.sh"
  source "./$subdir/lines_filters.sh"
  cp "./latex/$main_directory.tex.tpl"\
     "./latex/$main_directory.tex"
  # We need a variant of the template with long lines.
  cp "./latex/$main_directory.tex.tpl"\
     "./latex/$main_directory.tex.tpl2"
  sed -i -Ez "s/%\n//Mg" "./latex/$main_directory.tex.tpl2"
39 current_date=$(date -I"date")
```

```
sed -i "s|@current_date@|$current_date|q"\
     "./latex/$main_directory.tex"
42
  current_git_SHA1=$(git rev-parse HEAD)
  sed -i "s|@current_git_SHA1@|$current_git_SHA1|g"\
     "./latex/$main_directory.tex"
  number_of_commits=$(git shortlog | space_starting_lines | wc -1)
   sed -i "s|@number of commits@|$number of commits|g"\
     "./latex/$main_directory.tex"
  number_of_lines="$(code_lines_count_all) total lines,"
  number_of_lines+=" $(code_lines_count_not_empty) not empty lines,"
  number of lines+=" $(code lines count empty) empty lines."
  sed -i "s|@number of lines@|$number of lines|g"\
     "./latex/$main directory.tex"
  tree -a --gitignore\
    -I "$main_directory.aux"\
     -I "$main directory.log"\
    -I "$main_directory.out"\
    -I "$main_directory.tex.tpl2"\
     -I current_tree.txt\
    -I current_tree_light.txt\
    -I "node_modules/"\
    -I " pycache /"\
     -I ".mypy_cache/"\
     -I ".git/"\
     > current_tree_light.txt
  tree -a -DFh --gitignore\
    -I "$main_directory.aux"\
71
     -I "$main directory.log"\
    -I "$main_directory.out"\
     -I "$main_directory.tex.tpl2"\
    -I current_tree.txt\
    -I current_tree_light.txt\
    -I "node_modules/"\
     -I "__pycache__/"\
    -I ".mypy_cache/"\
    -I ".git/"\
     > current_tree.txt
  shopt -s dotglob
   find . -type f -printf '%P\n' | relevant_find | sort\
     | while read -r file_name;
```

```
do
     git check-ignore -q "$file_name" && continue
     base file name=$(basename "$file name")
     [ "$base_file_name" != "current_tree_light.txt" ] || continue
      [ "$base_file_name" != "current_tree.txt" ] || continue
      [ "$base_file_name" != "COPYING" ] || continue
      [ "$base_file_name" != "COPYING.LESSER" ] || continue
       "$base_file_name" != "$main_directory.pdf" ] || continue
     [ "$base_file_name" != "$main_directory.tex" ] || continue
      [ "$base_file_name" != "$main_directory.tex.tpl2" ] || continue
     if [[ "$base file name" == *.md ]]; then
       if [ -f "$file_name.tpl" ]; then
          # in_place_grep -v "$base_file_name$" current_tree.txt
          # in place grep -v "$base file name$" current tree light.txt
          continue
100
       fi
101
     fi
102
     cleaned_path1=$(sed -e 's/_/\\_/g' <(echo "$file_name"))</pre>
103
     cleaned_path2 = \$ (sed -e 's/\//:/g' -e 's/\.//g' < (echo "\$file_name"))
104
     if grep -q " $file_name\$" "./latex/$main_directory.tex.tpl2"; then
105
       echo ""
       # sed -i -Ez\
107
            "s/file_name\n/\
            file_name/./\./g}\\proof{file_name/./\./g}\] \n/Mg"
109
            "current_tree_light.txt"
110
     else
111
       echo "The file $file name is not listed"\
             " in ./latex/$main directory.tex.tpl"
113
       echo "TODO:\subsection{"
114
       echo "TODO: $cleaned_path1"
115
       echo "TODO:}"
116
       echo "TODO:\label{"
117
       echo "TODO: $cleaned path2"
118
       echo "TODO: }"
119
       echo "TODO:"
120
       echo "TODO:\VerbatimInput[numbers=left,xleftmargin=-5mm]{"
121
       echo "TODO: $file_name"
122
       echo "TODO:}"
       echo "TODO:"
124
       echo "TODO:"
     fi
126
   done
   shopt -u dotglob
   shopt -s globstar
130
   split_last_line() {
```

```
# $1=$new_lines
132
     # $2=$prefix
133
     split last line result="$1"
134
     if echo "$1" | sed -e 's/\\n/\n/g' | grep -q '.\\{71\}$'; then
       LFBFL_start=$(\
136
          echo "$1" | sed -e 's/\n/\n/g' | head --lines=-1\
          | sed -z 's/\n/\n/g'
138
139
        # echo "start: $LFBFL start"
140
       LFBFL_last_line=$(\
          echo "$1" | sed -e 's/\n/\n/q' | tail --lines=1\
142
        # echo "last_line: $LFBFL_last_line"
144
        split last line result=""
145
       if [[ -n "$LFBFL_start" ]]; then
          split last line result="$LFBFL start\n"
147
       fi
148
        split_last_line_result+="${LFBFL_last_line:0:69}\n"
149
        split_last_line_result+="$2${LFBFL_last_line:69}"
     fi
151
   }
152
153
   # We verify if some lines are beyond 70 characters
   # in current_tree_light.txt et current_tree.txt.
   trees=("current_tree_light.txt" "current_tree.txt")
   for some_tree in "${trees[@]}"; do
157
     grep '.\{71\}' "$some_tree" | while read -r some_line; do
        # echo "some line: $some line"
159
       prefix=$(\
160
          echo "$some line"\
161
            | sed -E -e 's/(.*)-[^-]+$/\1/g' -e 's/[^ ]+$//g'
162
163
       prefix+=" "
164
       # echo "prefix: $prefix"
165
       file_name=$(\
166
          echo "$some_line"\
167
            | sed -E 's|.* (([a-zA-Z0-9\._/-]+).)$|\1|q'\
168
        # echo "file name: $file name"
170
       line_start=$(\
          echo "$some_line"\
172
            \mid sed -E "s/(.*)[]*$file_name/\1/g"\
173
            | sed -e 's/ *$//q'
174
        # echo "line start: $line start"
176
        some_line=$(\
```

```
echo "$some_line"\
178
            | sed -E -e 's/[/\\[/g' -e 's/\]/\\]/g' \
180
       new_lines="$prefix$file_name"
       split_last_line "$new_lines" "$prefix"
182
       new_lines=$split_last_line_result
       split_last_line "$new_lines" "$prefix"
184
       new_lines=$split_last_line_result
       split last line "$new lines" "$prefix"
186
       new_lines=$split_last_line_result
       split last line "$new lines" "$prefix"
188
       new_lines=$split_last_line_result
       sed -i -e "s/$some_line/$line_start\n$new_lines/g" "$some_tree"
190
191
   done
192
193
   sed -i -e '/@current_tree_light@/{r current_tree_light.txt' -e 'd}'\
     "./latex/$main_directory.tex"
195
   sed -i -e '/@current_tree@/{r current_tree.txt' -e 'd}'\
     "./latex/$main_directory.tex"
197
   pdflatex "./latex/$main_directory.tex" > /dev/null
199
   pdflatex "./latex/$main_directory.tex" > /dev/null
   pdflatex "./latex/$main_directory.tex" > /dev/null
   files to delete=(\
203
     "$main directory.aux"\
     "$main directory.log"
205
     "$main_directory.out"\
     "current tree.txt"
207
     "current_tree_light.txt"
     "./latex/$main_directory.tex.tpl2"
209
210
   # Comment the following line if you need to debug.
   for file_name in "${files_to_delete[@]}"; do
     rm -f "$file_name"
   done
214
```

#### 2.9 build\_and\_checks\_dependencies/generate\_from\_template.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
```

```
# as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
23
  generate_from_template_with_block_comments() {
    # $1=base_file_name
    # $2=target_file_name
    # $3=enter_block_comment
     # $4=exit_block_comment
     LFBFL_temp=".generate_from_template_with_block_comments.temp"
     echo "$3" > "$2$LFBFL_temp"
     cat "$1" >> "$2$LFBFL temp"
     echo "$4" >> "$2$LFBFL_temp"
     overwrite_if_not_equal "$2" "$2$LFBFL_temp"
  }
   generate from template with line comments() {
    # $1=base file name
     # $2=target file name
     # $3=line_comment_prefix
     # $4=optional_post_processing
     LFBFL_temp=".generate_from_template_with_line_comments.temp"
     sed -e "s/^/$3/q" "$1" > "$2$LFBFL_temp"
     if [[ -n "$4" ]]; then
       eval "$4"
     fi
     overwrite_if_not_equal "$2" "$2$LFBFL_temp"
```

# 2.10 build\_and\_checks\_dependencies/get\_common\_text\_glob\_patterns.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  get_common_text_paths_glob_patterns() {
   export common_patterns=(\
      '**/*.C'\
      '**/*.css'\
      '**/*.h'\
       '**/*.htm'\
      '**/*.html'\
       '**/*.js'\
      '**/*.json'\
33
       '**/*.md'\
      '**/*.php'\
       '**/*.py'\
       '**/*.sh'\
       '**/*.sql'\
      '**/*.tex'\
      '**/*.toml'\
       '**/*.tpl'\
41
       '**/*.ts'\
       '**/*.txt'\
       '**/*.yml'\
```

```
'**/COPYING'\
       '**/COPYING.LESSER'\
       '**/pre-commit'\
       '**/.gitignore'\
       '**/py.typed'\
   }
51
53
  get_common_text_files_glob_patterns() {
     export common_file_patterns=(\
55
      '*.c'\
       '*.css'\
57
       '*.h'\
       '*.htm'\
       '*.html'\
       '∗.js'\
       '*.json'\
       '*.md'\
       '*.php'\
64
       '*.py'\
       '*.sh'\
       '*.sql'\
       '*.tex'\
       '*.toml'\
       '*.tpl'\
       '*.ts'\
       '*.txt'\
72
       '*.yml'\
       'COPYING' \
       'COPYING.LESSER' \
       'pre-commit'\
       '.gitignore'\
       'py.typed'\
79
  }
```

# 2.11 build\_and\_checks\_dependencies/licenses\_templates/build\_licenses\_templates.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
```

```
# either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  subdir="build_and_checks_dependencies"
26 source "./$subdir/comparisons.sh"
27 source "./$subdir/generate_from_template.sh"
28 source "./$subdir/lines_filters.sh"
  source "./$subdir/overwrite_if_not_equal.sh"
  license_subdir="./$subdir/licenses_templates/"
 license_prefix="$license_subdir""license_file_header_"
33 licenses=(\
    "GPLv3+"\
    "LGPLv3+"
35
  )
  # Various language definitions for text file formats
  block comment languages=(\
    " C " \
    "py"\
42
43
44 block_comment_enters=(\
    '/*'\
     / " " " / \
46
  )
48 block_comment_exits=(\
    ' */'\
    / " " " / \
50
  equal "${#block_comment_languages[@]}"\
         "${#block_comment_enters[@]}"\
```

```
"${#block_comment_exits[@]}"
  if [[ \$? == 0 ]]; then
     echo '/!\"Problème de définition des tableaux de langages 1"'/!\"
  line_comment_languages=(\
     "sh"\
     "tex"\
61
62
  line_comment_prefixes=(\
    ' # '\
    / 응 / \
  equal "${#line comment languages[0]}"\
         "${#line_comment_prefixes[@]}"
  if [[ \$? == 0 ]]; then
     echo '/!\'"Problème de définition des tableaux de langages 2"'/!\"
  # We generate the license header templates adapted to various text
  # files formats.
  # Kamoulox do endfor, Jacques Beauregard XD
  # (C'est toujours mieux que l'inverse :) !)
  # for do endfor -> for do done (Fort Doux Donne).
  for license in "${licenses[@]}"; do
    license_prefix2="$license_prefix$license"
     for ((i=0; i<${#block_comment_languages[@]}; i++)); do</pre>
       extension=${block_comment_languages[i]}
       license file name="$license prefix2.$extension"
       enter_string=${block_comment_enters[i]}
       exit string=${block comment exits[i]}
       generate_from_template_with_block_comments\
         "$license_prefix2.tpl"\
         "$license_file_name.tpl"\
         "$enter_string" "$exit_string"
     done
    LFBFL_temp2=".generate_from_template_with_line_comments.temp"
92
     for ((i=0; i<${#line_comment_languages[@]}; i++)); do</pre>
       extension=${line_comment_languages[i]}
       license_file_name="$license_prefix2.$extension"
       prefix string=${line comment prefixes[i]}
       generate_from_template_with_line_comments\
         "$license_prefix2.tpl"\
```

```
"$license_file_name.tpl"
100
         "$prefix_string"\
101
         "sed -i -E -e 's/\s*$//g' '$license_file_name.tpl$LFBFL temp2'"
102
     done
   done
104
   file_name=repository_data.txt
   grep variable "$file name" repository name
108
   grep_variable "$file_name" license
   grep_variable "$file_name" author_full_name
   license_prefix2="$license_prefix$license"
   # First year according to current state of git repository.
   first_year="$(git log | grep 'Date:' | cut -f 8 -d ' ' | tail -1)"
   # Last year according to current state of git repository.
   last_year="$(git log | grep 'Date:' | cut -f 8 -d ' ' | head -1)"
   copyright_string="$first_year-$last_year $author_full_name"
   for ((i=0; i<${#block_comment_languages[@]}; i++)); do</pre>
117
     extension=${block_comment_languages[i]}
     license_file_name="$license_prefix2.$extension"
119
     sed -e "s/@repository_name@/$repository_name/g"\
       -e "s/@copyright_string@/$copyright_string/g"\
121
       "$license_file_name.tpl" > "$license_file_name.temp"
     overwrite_if_not_equal "$license_file_name"\
123
       "$license_file_name.temp"
124
     head --lines=-1 "$license file name" | tail --lines=-1
125
       > "$license file name.temp"
     find . -type f -name "*.extension" -printf '%P\n' | relevant_find\
127
       | while read -r file_name;
128
     do
129
       if is_subfile "$file_name" "$license_file_name.temp"
130
131
         echo "File $file name has no/wrong license header?"
132
       fi
133
     done
134
     rm "$license_file_name.temp"
135
136
   for ((i=0; i<${#line_comment_languages[@]}; i++)); do</pre>
     extension=${line_comment_languages[i]}
138
     license_file_name="$license_prefix2.$extension"
     sed -e "s/@repository_name@/$repository_name/g"\
140
       -e "s/@copyright_string@/$copyright_string/g"\
       "$license_file_name.tpl" > "$license_file_name.temp"
142
     overwrite if not equal "$license file name"\
       "$license file name.temp"
144
     find . -type f -name "*.$extension" -printf '%P\n' | relevant_find\
```

#### 2.12 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_GPLv3+.c.tpl

```
/*
This file is part of @repository_name@ library.
@repository_name@ is free software:
you can redistribute it and/or modify it under the terms
of the GNU General Public License
as published by the Free Software Foundation,
either version 3 of the License,
or (at your option) any later version.
@repository_name@ is distributed in the hope
that it will be useful,
but WITHOUT ANY WARRANTY;
without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU General Public License for more details.
You should have received a copy of
the GNU General Public License
along with @repository_name@.
If not, see <https://www.gnu.org/licenses/>.
@Copyright @copyright_string@
*/
```

# 2.13 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_GPLv3+.py.tpl

```
This file is part of @repository_name@ library.

This file is part of @repository_name@ library.

Prepository_name@ is free software:

you can redistribute it and/or modify it under the terms of the GNU General Public License

as published by the Free Software Foundation,

either version 3 of the License,
```

```
or (at your option) any later version.

@repository_name@ is distributed in the hope
that it will be useful,
but WITHOUT ANY WARRANTY;

without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU General Public License for more details.

You should have received a copy of
the GNU General Public License
along with @repository_name@.
If not, see <https://www.gnu.org/licenses/>.

©Copyright @copyright_string@
```

# 2.14 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_GPLv3+.sh.tpl

```
# This file is part of @repository_name@ library.
# @repository_name@ is free software:
 # you can redistribute it and/or modify it under the terms
  # of the GNU General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # @repository_name@ is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 # See the GNU General Public License for more details.
  # You should have received a copy of
 # the GNU General Public License
  # along with @repository_name@.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
 # @Copyright @copyright_string@
```

# 2.15 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_GPLv3+.tex.tpl

```
% This file is part of @repository_name@ library.
```

```
% @repository_name@ is free software:
% you can redistribute it and/or modify it under the terms
% of the GNU General Public License
% as published by the Free Software Foundation,
% either version 3 of the License,
% or (at your option) any later version.
% @repository_name@ is distributed in the hope
% that it will be useful,
% but WITHOUT ANY WARRANTY;
% without even the implied warranty of
% MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
% See the GNU General Public License for more details.
% You should have received a copy of
% the GNU General Public License
% along with @repository_name@.
% If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
% @Copyright @copyright_string@
```

#### 2.16 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_GPLv3+.tpl

```
This file is part of @repository_name@ library.
  @repository_name@ is free software:
4 you can redistribute it and/or modify it under the terms
  of the GNU General Public License
as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  @repository_name@ is distributed in the hope
that it will be useful,
  but WITHOUT ANY WARRANTY;
  without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU General Public License for more details.
 You should have received a copy of
18 the GNU General Public License
19 along with @repository_name@.
  If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
©Copyright @copyright_string@
```

# 2.17 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.c

```
/*
  This file is part of DevOrSysAdminScripts library.
  DevOrSysAdminScripts is free software:
  you can redistribute it and/or modify it under the terms
  of the GNU Lesser General Public License
  as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  DevOrSysAdminScripts is distributed in the hope
  that it will be useful,
13 but WITHOUT ANY WARRANTY;
  without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU Lesser General Public License for more details.
  You should have received a copy of
19 the GNU Lesser General Public License
20 along with DevOrSysAdminScripts.
  If not, see <https://www.gnu.org/licenses/>.
23 ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
24 */
```

# 2.18 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.c.tpl

```
This file is part of @repository_name@ library.

@repository_name@ is free software:
you can redistribute it and/or modify it under the terms
of the GNU Lesser General Public License
as published by the Free Software Foundation,
either version 3 of the License,
or (at your option) any later version.

@repository_name@ is distributed in the hope
that it will be useful,
but WITHOUT ANY WARRANTY;
without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU Lesser General Public License for more details.
```

```
You should have received a copy of
the GNU Lesser General Public License
along with @repository_name@.
If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.

©Copyright @copyright_string@

*/
```

#### 2.19 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.py

```
This file is part of DevOrSysAdminScripts library.
  DevOrSysAdminScripts is free software:
  you can redistribute it and/or modify it under the terms
  of the GNU Lesser General Public License
  as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  DevOrSysAdminScripts is distributed in the hope
  that it will be useful,
  but WITHOUT ANY WARRANTY;
  without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU Lesser General Public License for more details.
  You should have received a copy of
  the GNU Lesser General Public License
  along with DevOrSysAdminScripts.
  If not, see <https://www.gnu.org/licenses/>.
  ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  11 11 11
24
```

# 2.20 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.py.tpl

```
This file is part of @repository_name@ library.

This file is part of @repository_name@ library.

Prepository_name@ is free software:

you can redistribute it and/or modify it under the terms

the GNU Lesser General Public License

as published by the Free Software Foundation,

either version 3 of the License,

or (at your option) any later version.
```

```
@repository_name@ is distributed in the hope
that it will be useful,
but WITHOUT ANY WARRANTY;
without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU Lesser General Public License for more details.

You should have received a copy of
the GNU Lesser General Public License
along with @repository_name@.
If not, see <https://www.gnu.org/licenses/>.

©Copyright @copyright_string@
"""
```

#### 2.21 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.sh

```
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
```

# 2.22 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.sh.tpl

```
# This file is part of @repository_name@ library.
# # @repository_name@ is free software:
```

```
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# @repository_name@ is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with @repository_name@.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
# @Copyright @copyright_string@
```

# 2.23 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.tex

```
% This file is part of DevOrSysAdminScripts library.
 % DevOrSysAdminScripts is free software:
4 % you can redistribute it and/or modify it under the terms
 % of the GNU Lesser General Public License
  % as published by the Free Software Foundation,
 % either version 3 of the License,
 % or (at your option) any later version.
 % DevOrSysAdminScripts is distributed in the hope
 % that it will be useful,
 % but WITHOUT ANY WARRANTY;
  % without even the implied warranty of
 % MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 % See the GNU Lesser General Public License for more details.
  % You should have received a copy of
 % the GNU Lesser General Public License
 % along with DevOrSysAdminScripts.
 % If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
 % ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
```

# 2.24 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.tex.tpl

```
% This file is part of @repository_name@ library.
% @repository_name@ is free software:
% you can redistribute it and/or modify it under the terms
% of the GNU Lesser General Public License
% as published by the Free Software Foundation,
% either version 3 of the License,
% or (at your option) any later version.
% @repository_name@ is distributed in the hope
% that it will be useful,
% but WITHOUT ANY WARRANTY;
% without even the implied warranty of
% MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
% See the GNU Lesser General Public License for more details.
% You should have received a copy of
% the GNU Lesser General Public License
% along with @repository_name@.
% If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
% @Copyright @copyright_string@
```

# 2.25 build\_and\_checks\_dependencies/licenses\_templates/license\_file\_header\_LGPLv3+.tpl

```
This file is part of @repository_name@ library.
 @repository_name@ is free software:
4 you can redistribute it and/or modify it under the terms
 of the GNU Lesser General Public License
  as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  @repository_name@ is distributed in the hope
 that it will be useful,
  but WITHOUT ANY WARRANTY;
  without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU Lesser General Public License for more details.
17 You should have received a copy of
18 the GNU Lesser General Public License
  along with @repository_name@.
```

```
20  If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
21
22  @Copyright @copyright_string@
```

## 2.26 build\_and\_checks\_dependencies/lines\_counts.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
23
  subdir="build_and_checks_dependencies"
  source "./$subdir/get common text glob patterns.sh"
  source "./$subdir/lines filters.sh"
  all_code_lines(){
   get_common_text_files_glob_patterns
    for LFBFL_pattern in "${common_file_patterns[@]}"; do
       [ "$1" != "-v" ] || echo "Iterating on pattern: $LFBFL_pattern"
       find . -type f -name "$LFBFL_pattern" -printf '%P\n'\
         | xargs grep -H -v 'a(?!a)a'
     done
  all_self_code_lines(){
    all code lines | relevant grep\
       | not_license_grep | not_main_tex_grep
```

```
}
  all self empty code lines() {
     all_self_code_lines | empty_lines_after_file_name
45
   all_self_not_empty_code_lines() {
     all_self_code_lines | not_empty_lines_after_file_name
49
  code_lines_count_all() {
     all_self_code_lines | wc -l
  }
53
  code_lines_count_empty() {
     all_self_empty_code_lines | wc -l
57
  code_lines_count_not_empty() {
     all_self_not_empty_code_lines | wc -l
  }
```

# 2.27 build\_and\_checks\_dependencies/lines\_filters.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <https://www.gnu.org/licenses/>.
```

```
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  # The goal of ths file is to have some common line filters
  # for bash processing and pipes.
  # As is the case for other .sh files in this repository,
  # it can be copied somewhere in your home directory
  # and sourced in your .bashrc.
  current path=$(pwd)
  main_directory=$(basename "$current_path")
  ll_wc() {
    # current options to wc:
35
    # -c --bytes
    # -m --chars
    # -l --lines
     # --files0-from # Incompatible with cat,
                     # another thing intentional by ?
                     # I don't see the meaning of "files0".
     # -L --max-line-length
42
     \# -w --words
     # --help
     # --version
     # New option by Laurent Lyaudet (and probably other before):
     # -n --no-filenames display only number(s)
     # I think I did that the first time many years ago (Teliae ?).
     ll_wc_var_args=""
     ll_wc_var_number_only=0
     for ll_wc_var_arg in $0; do
       if [[ $ll_wc_var_arg == "-n" ]]; then
52
         ll wc var number only=1
53
       elif [[ $ll_wc_var_arg == "--no-filenames" ]]; then
         ll_wc_var_number_only=1
55
       else
         if [[ $ll_wc_var_number_only == 0 ]]; then
57
          ll_wc_var_args+=" ""$ll_wc_var_arg"
          continue
         fi
         if [[ "$11_wc_var_arg" == "-*" ]]; then
           ll_wc_var_args+=" ""$ll_wc_var_arg"
         fi
       fi
     done
     # echo "$11_wc_var_args"
     # echo "$11_wc_var_number_only"
     if [[ $ll_wc_var_number_only -gt 0 ]]; then
```

```
# Too simple code, only the base use case is handled now.
       # Convenient but incomplete.
       # With more time,
       # the simpler would be to submit a patch to GNU coreutils,
       # unless blockade from assholes.
       # Otherwise, it may be more simply handled in PHP or Python
       # (argparse, etc.).
       # You'll need to start by improving cat first,
       # with --files0-from handling.
       # echo "hack cat '${!#}' | wc $args"
       cat "${!#}" | wc "${ll wc var args[@]}"
     else
       # echo "normal"
       wc "${ll wc var args[@]}"
     fi
84
   # I submitted a patch for wc:).
   # echo "https://domain/list-path/2024-05/msg00013.html" | \
       sed -e 's|domain|lists.gnu.org|' \
           -e 's|list-path|archive/html/bug-coreutils|'
   # I found another way to have a long URL fit on 70 characters.
   # If it is merged, the following would be better:
   # If --no-filenames option available,
  # we redefine ll_wc command as an alias.
  wc help text=$(wc --help)
   if [[ "$wc_help_text" == *" --no-filenames "* ]]; then
     alias ll_wc='wc'
   fi
   in_place_grep(){
     LFBFL_temp=".in_place_grep.temp"
100
     grep $@ > "${!#}""$LFBFL temp"
101
     LFBFL_lines_before=$(ll_wc -l -n "${!#}")
102
     LFBFL_lines_after=$(ll_wc -l -n "${!#}""$LFBFL_temp")
103
     # echo "$LFBFL_lines_before"
     # echo "$LFBFL_lines_after"
105
     if [[ "$LFBFL_lines_before" == "$LFBFL_lines_after" ]]; then
       rm "${!#}""$LFBFL_temp"
107
       return
109
     mv "${!#}""$LFBFL_temp" "${!#}"
111
   grep_variable() {
113
     # $1=$file
```

```
# $2=$variable_name
115
      LFBFL_regexp="(?<=^$2=).*$"
      # echo $LFBFL regexp
117
     LFBFL_variable_value="$(grep -oP "$LFBFL_regexp" "$1")"
      # echo $LFBFL_variable_value
119
      declare -g "$2"="$LFBFL_variable_value"
120
    }
121
122
   empty_lines(){
123
      grep '^$'
125
126
   not_empty_lines(){
127
     grep -v '^$'
128
    }
129
130
   space_starting_lines(){
      grep '^[]'
132
133
134
   not_space_starting_lines() {
      grep '^[^ ]'
136
137
138
   empty_lines_after_file_name() {
139
     grep '^[^:]\+:$'
140
141
142
   not_empty_lines_after_file_name() {
143
      grep -v '^[^:]\+:$'
144
145
146
   space_starting_lines_after_file_name() {
147
     grep '^[^:]\+: '
148
149
   not_space_starting_lines_after_file_name() {
151
      grep '^[^:]\+:[^ ]'
153
154
   not_JS_dependencies_find() {
155
      grep -vE "(^|/)node_modules/" | grep -vE "(^|/)package-lock\.json$"
   }
157
   not_JS_dependencies_grep() {
159
      grep -v "^[^:]*node_modules/" | grep -v "^[^:]*package-lock\.json:"
160
```

```
161
   not_dependencies_find(){
     not_JS_dependencies_find
164
165
166
   not_dependencies_grep(){
167
      not_JS_dependencies_grep
168
169
   not_python_cache_find() {
171
      grep -vE "(^|/) __pycache__/" | grep -vE "(^|/) \.mypy_cache/"
172
173
174
   not_python_cache_grep() {
      grep -v "^[^:]*__pycache__/" | grep -v "^[^:]*\.mypy_cache/"
176
177
178
   not_cache_find() {
     not_python_cache_find
180
182
   not_cache_grep() {
183
     not_python_cache_grep
184
185
186
   not_git_find() {
187
     grep -vE "(^|/)\.git/"
188
189
   not_git_grep() {
191
      grep -v "^[^:]*\.git/"
192
193
194
   not_archive_find() {
195
      grep -vE "(\.gz|\.rar|\.tar|\.tgz|\.whl)$"
197
   not_archive_grep() {
199
      grep -vE "^[^:]*(\.gz|\.rar|\.tar|\.tgz|\.whl):"
201
   not license find() {
203
      grep -vE "(^|/)COPYING$" | grep -vE "(^|/)COPYING\.LESSER$"
   }
205
206
```

```
not_license_grep() {
     grep -v "^[^:]*COPYING:" | grep -v "^[^:]*COPYING\.LESSER:"
209
   not_main_tex_find() {
211
     grep -vE "(^|/)$main_directory\.tex$"
   }
213
   not_main_tex_grep() {
215
    grep -v "^[^:]*$main_directory\.tex:"
217
   relevant_find(){
     not dependencies find | not cache find | not git find
220
     | not archive find
222
223
   relevant_grep(){
224
     not_dependencies_grep | not_cache_grep | not_git_grep\
      | not_archive_grep
226
  }
227
```

# 2.28 build\_and\_checks\_dependencies/overwrite\_if\_not\_equal.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
   # you can redistribute it and/or modify it under the terms
   # of the GNU Lesser General Public License
   # as published by the Free Software Foundation,
   # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
```

```
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  overwrite if not equal() {
25
    # $1=$target_file_name
    # $2=$temp_file_name
    if [[ ! -f "$1" ]]; then
      mv "$2" "$1"
       return
     fi
     diff -q "$1" "$2"
     overwrite_if_not_equal_var_is_equal=$?
     if [[ $overwrite_if_not_equal_var_is_equal == 0 ]]; then
      rm "$2"
     else
      mv "$2" "$1"
     fi
  }
```

### 2.29 build\_and\_checks\_dependencies/python\_black\_complement.sh

```
#!/usr/bin/env bash
<sup>2</sup> # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
 # but WITHOUT ANY WARRANTY;
# without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
23
  # It was rejected to enhance black with this currently.
  # And moreover, at some point, I saw the reverse rule
```

```
# in black or pylint to add an empty line...
# This regexp may give false positives,
# but that's not the end of the world.
check_no_empty_line_after_python_function_docstring() {
    echo "Checking empty lines after Python function docstrings"
    pcregrep -M $'def [^"]*"""([^"]|"(?!""))*"""\n\n(?!\s*def)'\
    -- **/*.py
}

python_black_complement() {
    check_no_empty_line_after_python_function_docstring
}
```

# 2.30 build\_and\_checks\_dependencies/python\_isort\_complement.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
subdir="build_and_checks_dependencies"
source "./$subdir/lines_filters.sh"
source "./$subdir/overwrite_if_not_equal.sh"
check_collections_abc_place() {
   echo "Checking import of collections abc is at the right place"
   LFBFL_temp=".check_collections_abc_place.temp"
```

### 2.31 build\_and\_checks\_dependencies/too\_long\_code\_lines.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
# ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
subdir="build_and_checks_dependencies"
source "./$subdir/get_common_text_glob_patterns.sh"
too_long_code_lines(){
  get_common_text_files_glob_patterns
   for LFBFL_pattern in "${common_file_patterns[@]}"; do
```

```
[ "$1" != "-v" ] || echo "Iterating on pattern: $LFBFL_pattern" find . -type f -name "$LFBFL_pattern" -printf '%P\n'\
| xargs grep -H '.\{71\}'
done
```

## 2.32 build\_and\_checks\_dependencies/update\_common\_build\_and\_checks.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
   cp ./common_build_and_checks.sh.tpl ./common_build_and_checks.sh
  file_names=(\
     "build_md_from_printable_md.sh"\
28
     "check_shell_scripts_beginnings.sh"\
     "check_URLs.sh"\
     "comparisons.sh"
31
     "create_PDF.sh"\
32
     "generate_from_template.sh"\
     "get_common_text_glob_patterns.sh"\
     "licenses_templates/build_licenses_templates.sh"
     "licenses_templates/license_file_header_GPLv3+.tpl"
     "licenses_templates/license_file_header_LGPLv3+.tpl"
     "lines_counts.sh"\
```

```
"lines_filters.sh"\
    "overwrite_if_not_equal.sh"\
    "python black complement.sh"
    "python_isort_complement.sh"\
    "too_long_code_lines.sh"\
  )
  for file_name in "${file_names[@]}"; do
    file_sha512=$(sha512sum "./$file_name" | cut -f1 -d' ')
    file_sha512_1="correct_sha512='${file_sha512:0:53}'"
    file_sha512_2="correct_sha512\+='${file_sha512:53:52}'"
    file_sha512_3="correct_sha512\+='${file_sha512:105}'"
    file\_sha512\_all="$file\_sha512\_1\n"
    file sha512 all+="$file sha512 2\n"
    file_sha512_all+="$file_sha512_3"
    base file name=$(basename "$file name")
    sed -i "s|@sha512_$base_file_name@|$file_sha512_all|g"\
         ./common_build_and_checks.sh
  done
  cp ./build_and_checks.sh.tpl ../build_and_checks.sh
  file_sha512=$(sha512sum common_build_and_checks.sh | cut -f1 -d' ')
 file_sha512_1="correct_sha512='${file_sha512:0:53}'"
63 file_sha512_2="correct_sha512\+='${file_sha512:53:52}'"
64 file sha512 3="correct sha512\+='${file sha512:105}'"
 file_sha512_all="$file_sha512_1\n"
  file sha512 all+="$file sha512 2n"
 file_sha512_all+="$file_sha512_3"
  sed -i "s|@sha512_common_build_and_checks.sh@|$file_sha512_all|g"\
       ../build_and_checks.sh
```

#### 2.33 build\_and\_checks.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.

# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
```

```
# but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
   # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  source ./wget_sha512.sh
25
27 mkdir -p build_and_checks_dependencies/licenses_templates
   subdir="build and checks dependencies"
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
script="$URL_beginning/common_build_and_checks.sh"
  correct_sha512='17b46fa6188aa30b8540f04cefabea2bd3f317655778bf8069999'
  correct_sha512+='d0ae8ffa864ef3dab294cd54d11b7bad7476cf8bd8155831df77'
  correct_sha512+='ba797cad7f0475223595a4f'
  wget sha512 "./$subdir/common build and checks.sh" "$script"\
    "$correct sha512"
  chmod +x "./$subdir/common_build_and_checks.sh"
  cwd="."
  if [[ -n "$1" ]];
  then
    cwd="$1"
  fi
  ./build_and_checks_dependencies/common_build_and_checks.sh "$cwd"
     2.34 git_checks.sh
```

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
```

```
# either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
24
  check_files() {
    check_files_var_send_summary_1="ATTENTION : models modifiés"
    check_files_var_send_body_1="Vérifiez si besoin de migrations"
    check_files_var_send_body_2=\
  "Pensez aussi aux contraintes d'unicités"
    check_files_var_send_body_2+=" dès la création du modèle"
    check_files_var_send_summary_2="ATTENTION : serializers modifiés"
    check_files_var_send_body_3=\
   "Les nouveaux preloadings sont interdits -> #Prefetch()"
    if git diff --cached --name-only | grep models;
35
       notify-send "$check_files_var_send_summary_1"\
         "$check_files_var_send_body_1"
       notify-send "$check_files_var_send_summary_1"\
         "$check_files_var_send_body_2"
     fi
    if git diff --cached --name-only | grep serializer;
       notify-send "$check_files_var_send_summary_2"\
         "$check_files_var_send_body_3"
    fi
     return 0
   }
48
  check_no_abusive_trailing_comma() {
    LFBFL send summary 1="ATTENTION"
    LFBFL_send_body_1="Il semblerait que vous affectiez un tuple"
52
    LFBFL_send_body_1+=" au lieu d'une autre valeur dans une variable."
```

```
if git diff --cached -r | grep ' = .*, \s*$';
      notify-send "$LFBFL_send_summary_1" "$LFBFL_send_body_1"
      return 1
    fi
    return 0
  }
62
  check_black_code_formatting() {
    # attention ça ne marche que sur les fichiers "stagés" avec git add
    LFBFL_files_string=$(\
      git diff --cached --name-only | grep '\.py'\
    echo "$LFBFL_files_string"
    mapfile -t LFBFL some files <<< "$LFBFL files string"
    LFBFL_error=0
    for LFBFL_file in ${LFBFL_some_files[@]}; do
      echo "Black will check formatting on file $LFBFL_file"
      if ! black --check --diff "$LFBFL_file";
      t.hen
        LFBFL_error=1
      fi
    done
    if [ $LFBFL_error -eq '1' ];
      return 1
    fi
    return 0
 }
```

## 2.35 build\_and\_checks\_dependencies/grammar\_and\_spell\_check.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.

# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
```

```
# without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
   # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  subdir="build_and_checks_dependencies"
  source "./$subdir/get_common_text_glob_patterns.sh"
  source "./$subdir/lines filters.sh"
  grammar and spell check() {
     get_common_text_files_glob_patterns
     grep_variable "$1" grammar_or_spell_checker_command
31
     LFBFL_command=$(\
       echo "$grammar_or_spell_checker_command"\
33
       \mid sed -Ez -e "s/\n//Mg"\
     for LFBFL_pattern in "${common_file_patterns[@]}"; do
       [ "$2" != "-v" ] || echo "Iterating on pattern: $LFBFL_pattern"
       find . -type f -name "$LFBFL_pattern" -printf '%P\n'\
          | while read -r file_name;
         LFBFL_eval_string="$LFBFL_command $file_name"
         eval "$LFBFL_eval_string"
       done
     done
  }
```

# 2.36 latex/DevOrSysAdminScripts.tex.tpl

```
This file is part of DevOrSysAdminScripts library.

BevOrSysAdminScripts is free software:

you can redistribute it and/or modify it under the terms

for the GNU Lesser General Public License

as published by the Free Software Foundation,

either version 3 of the License,

or (at your option) any later version.

DevOrSysAdminScripts is distributed in the hope

that it will be useful,
```

```
% but WITHOUT ANY WARRANTY;
  % without even the implied warranty of
  % MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  % See the GNU Lesser General Public License for more details.
  % You should have received a copy of
  % the GNU Lesser General Public License
   % along with DevOrSysAdminScripts.
   % If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   % @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
   \documentclass{article}
24
  \usepackage[utf8]{inputenc}
   \usepackage{subfigure}
  \usepackage{amsmath}
  \usepackage{amssymb}
  \usepackage{amsthm}
  \usepackage[pdftex]{hyperref}
  \usepackage{tikz}
  \usepackage{caption}
  \usepackage[round] {natbib}
  \usepackage{fancyhdr}
  \usepackage{amsfonts}
  \usepackage{times}
  \usepackage{ifpdf}
  \usepackage{latexsym}
  \usepackage{graphicx}
  \usepackage{enumerate}
   \usepackage{pmboxdraw}
  \usepackage{fancyvrb}
   % *** les environnements ***
  %\theoremstyle{break}
  \newtheorem{definition}{Definition}[section]
  \newtheorem{proposition} [definition] {Proposition}
   \newtheorem{theorem} [definition] {Theorem}
   \newtheorem{lemma} [definition] {Lemma}
  \newtheorem{corollary} [definition] {Corollary}
   \newtheorem{remark} [definition] {Remark}
   \newtheorem{openproblem}[definition]{Open problem}
   \begin{document}
  \author{
```

```
Laurent Lyaudet \\
     \url{https://lyaudet.eu/laurent/}\\
     laurent.lyaudet@gmail.com
   \title{DevOrSysAdminScripts}
   \maketitle
   \begin{abstract}
  Some ''small'' useful scripts
  for enhancing development or system-administrators tasks
   \end{abstract}
  Current version: @current_date@
   Current number of commits: @number_of_commits@
   Current git SHA1: @current_git_SHA1@
   Code lines: @number_of_lines@
   \section{Files tree}
  \label{section:tree}
  \begin{verbatim}
82 @current_tree_light@
  \end{verbatim}
  \begin{verbatim}
  @current_tree@
  \end{verbatim}
  \section{Listing of files}
  \label{section:listing}
   The following source code is covered by LGPLv3+.
  The text of the license is available at:
  \url{https://www.gnu.org/licenses/}.
   The git repository of this source code is also available at:
   \url{https://github.com/LLyaudet/DevOrSysAdminScripts/}.
   \subsection{
     build\ and\ checks\ dependencies/build\ and\ checks.sh.tpl
100
   \label{
102
     build_and_checks_dependencies:build_and_checksshtpl
```

```
}
104
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
106
     build_and_checks_dependencies/build_and_checks.sh.tpl
108
109
110
   \subsection{
     build\ and\ checks\ dependencies/build\ md\ from\ printable\ md.sh
112
113
   \label{
114
     build_and_checks_dependencies:build_md_from_printable_mdsh
116
117
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/build md from printable md.sh
119
120
121
122
   \subsection{
123
     build\_and\_checks\_dependencies/%
   check\_shell\_scripts\_beginnings.sh
125
   }
   \label{
127
     build_and_checks_dependencies:check_shell_scripts_beginningssh
128
129
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
131
     build_and_checks_dependencies/check_shell_scripts_beginnings.sh
132
   }
133
134
135
   \subsection{
136
     build\_and\_checks\_dependencies/check\_URLs.sh
137
138
   \label{
     build_and_checks_dependencies:check_URLssh
140
   }
142
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/check_URLs.sh
144
146
   \subsection{
148
     build\_and\_checks\_dependencies/common\_build\_and\_checks.sh
```

```
150
   \label{
     build and checks dependencies: common build and checkssh
152
154
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/common_build_and_checks.sh
156
157
158
   \subsection{
160
     build\_and\_checks\_dependencies/common\_build\_and\_checks.sh.tpl
162
   \label{
163
     build_and_checks_dependencies:common_build_and_checksshtpl
165
166
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
167
     build_and_checks_dependencies/common_build_and_checks.sh.tpl
169
170
171
   \subsection{
     build\_and\_checks\_dependencies/comparisons.sh
173
   \label{
175
     build_and_checks_dependencies:comparisonssh
177
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
179
     build_and_checks_dependencies/comparisons.sh
180
181
182
   \subsection{
184
     build\_and\_checks\_dependencies/create\_PDF.sh
185
186
   \label{
     build_and_checks_dependencies:create_PDFsh
188
190
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/create PDF.sh
192
   }
194
```

```
\subsection{
     build\_and\_checks\_dependencies/generate\_from\_template.sh
198
   \label{
     build_and_checks_dependencies:generate_from_templatesh
200
201
202
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/generate from template.sh
204
206
   \subsection{
     build\ and\ checks\ dependencies/get\ common\ text\ glob\ patterns%
209
   .sh
210
211
   \label{
     build_and_checks_dependencies:get_common_text_glob_patternssh
213
214
215
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/get_common_text_glob_patterns.sh
217
219
220
   \subsection{
221
     build\_and\_checks\_dependencies/licenses\_templates/%
  build\ licenses\ templates.sh
223
   \label{
225
     build_and_checks_dependencies:licenses_templates:%
   build_licenses_templatessh
227
228
229
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
230
     build_and_checks_dependencies/licenses_templates/%
   build_licenses_templates.sh
232
   }
233
234
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\ file\ header\ GPLv3+.c.tpl
238
   \label{
240
     build_and_checks_dependencies:licenses_templates:%
```

```
license_file_header_GPLv3+ctpl
243
244
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
246
   license_file_header_GPLv3+.c.tpl
248
250
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
252
   license\_file\_header\_GPLv3+.py.tpl
254
   \label{
255
     build_and_checks_dependencies:licenses_templates:%
   license file header GPLv3+pytpl
   }
258
259
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
261
   license_file_header_GPLv3+.py.tpl
   }
263
265
   \subsection{
     build\ and\ checks\ dependencies/licenses\ templates/%
   license\_file\_header\_GPLv3+.sh.tpl
269
   \label{
     build_and_checks_dependencies:licenses_templates:%
271
   license_file_header_GPLv3+shtpl
   }
273
274
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_GPLv3+.sh.tpl
278
280
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
282
   license\_file\_header\_GPLv3+.tex.tpl
284
   \label{
     build and checks dependencies: licenses templates: %
286
   license_file_header_GPLv3+textpl
```

```
}
288
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
290
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_GPLv3+.tex.tpl
292
294
   \subsection{
296
     build\ and\ checks\ dependencies/licenses\ templates/%
   license\ file\ header\ GPLv3+.tpl
298
   \label{
300
     build and checks dependencies: licenses templates: %
301
   license file header GPLv3+tpl
302
303
304
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
305
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_GPLv3+.tpl
307
   }
309
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\ file\ header\ LGPLv3+.c
313
   \label{
315
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+c
317
   }
318
319
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
320
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_LGPLv3+.c
322
   }
323
324
   \subsection{
326
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_LGPLv3+.c.tpl
328
   \label{
330
    build and checks dependencies: licenses templates: %
  license file header LGPLv3+ctpl
   }
```

```
334
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
   license_file_header_LGPLv3+.c.tpl
338
340
   \subsection{
     build\ and\ checks\ dependencies/licenses\ templates/%
342
   license\_file\_header\_LGPLv3+.py
344
   \label{
     build_and_checks_dependencies:licenses_templates:%
   license file header LGPLv3+py
   }
348
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
351
   license_file_header_LGPLv3+.py
353
354
355
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_LGPLv3+.py.tpl
359
   \label{
     build and checks dependencies: licenses templates: %
361
   license_file_header_LGPLv3+pytpl
   }
363
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
   license_file_header_LGPLv3+.py.tpl
368
369
370
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
372
   license\_file\_header\_LGPLv3+.sh
   }
374
   \label{
     build and checks dependencies: licenses templates: %
   license_file_header_LGPLv3+sh
   }
378
```

```
\VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
   license file header LGPLv3+.sh
384
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\ file\ header\ LGPLv3+.sh.tpl
388
   \label{
390
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+shtpl
392
393
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_LGPLv3+.sh.tpl
399
   \subsection{
401
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_LGPLv3+.tex
403
   }
   \label{
405
     build_and_checks_dependencies:licenses_templates:%
   license file header LGPLv3+tex
407
   }
408
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
411
   license file header LGPLv3+.tex
412
413
414
415
   \subsection{
416
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_LGPLv3+.tex.tpl
418
   }
   \label{
420
     build_and_checks_dependencies:licenses_templates:%
   license file header LGPLv3+textpl
422
424
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
```

```
build_and_checks_dependencies/licenses_templates/%
   license_file_header_LGPLv3+.tex.tpl
428
430
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
432
   license\_file\_header\_LGPLv3+.tpl
   }
434
   \label{
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+tpl
438
439
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
441
   license_file_header_LGPLv3+.tpl
443
444
445
   \subsection{
     build\_and\_checks\_dependencies/lines\_counts.sh
447
   \label{
449
     build_and_checks_dependencies:lines_countssh
451
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
453
     build_and_checks_dependencies/lines_counts.sh
454
   }
455
457
   \subsection{
458
     build\_and\_checks\_dependencies/lines\_filters.sh
459
460
   \label{
     build_and_checks_dependencies:lines_filterssh
462
   }
464
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/lines_filters.sh
466
468
   \subsection{
470
     build\_and\_checks\_dependencies/overwrite\_if\_not\_equal.sh
```

```
472
   \label{
     build and checks dependencies: overwrite if not equalsh
474
476
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/overwrite_if_not_equal.sh
478
479
480
   \subsection{
482
     build\_and\_checks\_dependencies/python\_black\_complement.sh
484
   \label{
485
     build and checks dependencies:python black complementsh
487
488
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
489
     build_and_checks_dependencies/python_black_complement.sh
491
492
493
   \subsection{
     build\_and\_checks\_dependencies/python\_isort\_complement.sh
495
   \label{
497
     build_and_checks_dependencies:python_isort_complementsh
499
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
501
     build and checks dependencies/python isort complement.sh
502
503
504
505
   \subsection{
506
     build\_and\_checks\_dependencies/too\_long\_code\_lines.sh
507
508
   \label{
     build_and_checks_dependencies:too_long_code_linessh
510
512
   \VerbatimInput[numbers=left,xleftmargin=-5mm] {
     build and checks dependencies/too long code lines.sh
514
516
```

```
\subsection{
     build\_and\_checks\_dependencies/update\_common\_build\_and\_checks%
520
   \label{
522
     build_and_checks_dependencies:update_common_build_and_checkssh
524
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
526
     build_and_checks_dependencies/update_common_build_and_checks.sh
528
530
531
   \subsection{
     build\_and\_checks.sh
532
533
   \label{
     build_and_checkssh
535
537
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks.sh
539
541
   \subsection{
543
     git\_checks.sh
545
   \label{
     git_checkssh
547
548
549
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
550
     git_checks.sh
551
552
553
554
   \subsection{
     build\_and\_checks\_dependencies/grammar\_and\_spell\_check.sh
556
   \label{
558
     build_and_checks_dependencies:grammar_and_spell_checksh
560
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
562
     build_and_checks_dependencies/grammar_and_spell_check.sh
```

```
564
566
   \subsection{
     latex/DevOrSysAdminScripts.tex.tpl
568
   \label{
570
     latex:DevOrSysAdminScriptstextpl
572
573
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
574
     latex/DevOrSysAdminScripts.tex.tpl
576
577
   \subsection{
579
     LiensUtiles.txt
581
   \label{
     LiensUtilestxt
583
584
585
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     LiensUtiles.txt
587
589
   \subsection{
591
     pre-commit
592
593
   \label{
     pre-commit
595
596
597
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     pre-commit
600
602
   \subsection{
     README.md.tpl
604
   \label{
     READMEmdtpl
   }
608
```

```
\VerbatimInput[numbers=left,xleftmargin=-5mm]{
      README.md.tpl
612
613
614
   \subsection{
      repository\_data.txt
616
    \label{
618
      repository_datatxt
620
621
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
622
      repository data.txt
623
   }
624
625
626
    \subsection{
627
      wget\_sha512.sh
629
   \label{
      wget_sha512sh
631
633
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
      wget sha512.sh
635
637
   Merci Dieu ! Merci P\'ere ! Merci Seigneur ! Merci Saint Esprit !
639
   \end{document}
```

### 2.37 LiensUtiles.txt

```
https://support.google.com/a/answer/9476255?hl=fr#zippy=%2C%C3%A9tape\
-configurez-le-service-de-migration-de-donn%C3%A9es
https://stackoverflow.com/a/78413334/5796086
https://stackoverflow.com/questions/21612980/\
why-is-usr-bin-env-bash-superior-to-bin-bash/78413334
https://web.archive.org/web/20240501105801/https://stackoverflow.com\
/questions/21612980/why-is-usr-bin-env-bash-superior-to-bin-bash/\
878413334#78413334
```

### 2.38 pre-commit

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
5 # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  . ../git_checks.sh
27 git_hook_error=0
28 if ! check_files
  then
    git_hook_error=1
32 if ! check_no_abusive_trailing_comma
   then
     git_hook_error=1
  if ! check_black_code_formatting
37 then
   git_hook_error=1
  fi
  if [ $qit_hook_error -eq '1' ];
  then
  exit 1
43 fi
44 exit 0
```

# 2.39 README.md.tpl

```
# DevOrSysAdminScripts
  [![CodeFactor-badge]][CodeFactor-package-page]
 [![CodeClimateMaintainability-badge]][CodeClimateM13y-package-page]
  [![Codacy-badge]][Codacy-package-page]
  ![GitHub-top-language-badge]
  ![GitHub-license-badge]
  ![GitHub-code-size-in-bytes-badge]
                 **Some "small" useful scripts**
  |:----:
  | **for enhancing development or system-administrators tasks** |
13
  Currently, the biggest part of this repository is in
  a suite of shell scripts about build and checks that
  I use in some of my other repositories.
  [CodeFactor-badge]: https://www.codefactor.io/repository/github/\
  llyaudet/DevOrSysAdminScripts/badge
  [CodeFactor-package-page]: https://www.codefactor.io/repository/\
  github/llyaudet/DevOrSysAdminScripts
  [CodeClimateMaintainability-badge]: https://api.codeclimate.com/v1/\
  badges/b619ce83a81cc4a55e18/maintainability
  [CodeClimateM13y-package-page]: https://codeclimate.com/\
  github/LLyaudet/DevOrSysAdminScripts/maintainability
  [Codacy-badge]: https://app.codacy.com/project/badge/Grade/\
  3dd6ef85e8db4460991d1ebc404b68dd
  [Codacy-package-page]: https://app.codacy.com/qh/LLyaudet/\
  DevOrSysAdminScripts/dashboard?utm_source=gh&utm_medium=referral
  &utm_content=&utm_campaign=Badge_grade
  [GitHub-top-language-badge]: https://img.shields.io/github/\
  languages/top/llyaudet/DevOrSysAdminScripts
  [GitHub-license-badge]: https://img.shields.io/github/license/
  llyaudet/DevOrSysAdminScripts
 [GitHub-code-size-in-bytes-badge]: https://img.shields.io/github/
  languages/code-size/llyaudet/DevOrSysAdminScripts
```

# 2.40 repository\_data.txt

```
repository_name=DevOrSysAdminScripts
repository_web_url=https://github.com/LLyaudet/DevOrSysAdminScripts/
repository_git_url=git@github.com:LLyaudet/DevOrSysAdminScripts.git
abstract=Some \small" useful scripts
abstract=for enhancing development or system-administrators tasks
license=LGPLv3+
author_email=Laurent.Lyaudet@gmail.com
author_full_name=Laurent Frédéric Bernard François Lyaudet
author_last_name=Lyaudet
author_name=Laurent Lyaudet
uthor_website=https://lyaudet.eu/laurent/
acknowledgments=Merci Dieu !
acknowledgments=Merci Père ! Merci Seigneur ! Merci Saint Esprit !
grammar_or_spell_checker_command=more
```

## 2.41 wget\_sha512.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
wget_sha512(){
  # $1 file name
  # $2 download_URL
```

```
# $3 correct_sha512
if [[ ! -f "$1" ]];
then

wget -O "$1" "$2"

fi

wget_sha512_var_present_sha512=$(sha512sum "$1" | cut -f1 -d' ')

if [[ "$wget_sha512_var_present_sha512" != "$3" ]];

then

echo "$1 does not have correct sha512"

echo "wanted $3"

echo "found $wget_sha512_var_present_sha512"

exit

fi

## $3 correct_sha512

## $4 correct_sha512

## $5 correct_sha
```

Merci Dieu! Merci Père! Merci Seigneur! Merci Saint Esprit!