DevOrSysAdminScripts

Laurent Lyaudet https://lyaudet.eu/laurent/ laurent.lyaudet@gmail.com

May 6, 2024

Abstract

Some "small" useful scripts for enhancing developpment or system-administrators tasks

Current version: 2024-05-06 Current number of commits: 52

Current git SHA1: 9b46792e60f6aca2d1ba7be5847e356ad4c0f69f Code lines: 1797 total lines, 1543 not empty lines, 254 empty lines.

1 Files tree

build_and_checks_dependencies build_and_checks.sh.tpl - build_md_from_printable_md.sh check_shell_scripts_beginning.sh - check_URLs.sh common_build_and_checks.sh common_build_and_checks.sh.tpl - create_PDF.sh - get_common_text_glob_patterns.sh - lines_counts.sh - lines_filters.sh python_black_complement.sh python_isort_complement.sh - too_long_code_lines.sh update_common_build_and_checks.sh - build and checks.sh - COPYING COPYING.LESSER git_checks.sh - latex

```
DevOrSysAdminScripts.tex.tpl
  - LiensUtiles.txt
  - pre-commit
  - README.md
  - README.md.tpl
  - wget_sha512.sh
3 directories, 24 files
[4.0K May 6 02:18] ./
 — [4.0K May 6 02:16] build_and_checks_dependencies/
     — [1.4K May 6 00:49] build_and_checks.sh.tpl*
     - [1.5K May 6 01:00] build_md_from_printable_md.sh*
     — [1.0K May 6 00:49] check_shell_scripts_beginning.sh
     — [1.8K May 6 01:40] check_URLs.sh
      - [5.3K May 6 02:16] common_build_and_checks.sh*
      - [3.8K May 6 02:02] common_build_and_checks.sh.tpl
     — [6.6K May 6 01:40] create_PDF.sh*
     — [1.6K May 6 01:40] get_common_text_glob_patterns.sh
      - [1.6K May 6 02:15] lines_counts.sh
     - [2.8K May 6 02:16] lines_filters.sh
     - [1.3K May 6 00:49] python_black_complement.sh
    -- [1.2K May 6 01:40] python_isort_complement.sh
      - [1.1K May 6 01:40] too_long_code_lines.sh
    [2.1K May 6 00:49] update_common_build_and_checks.sh*
  - [1.5K May 6 02:16] build_and_checks.sh*
  - [ 34K May 6 00:49] COPYING
  - [7.5K May 6 00:49] COPYING.LESSER
 - [2.2K May 6 00:49] git_checks.sh
 - [4.0K May 6 02:18] latex/
   [6.9K May 6 00:49] DevOrSysAdminScripts.tex.tpl
 - [ 424 May 6 00:49] LiensUtiles.txt
 — [1.0K May 6 00:49] pre-commit
  - [1.6K May 6 02:18] README.md
  - [1.6K May 6 01:40] README.md.tpl
 - [1.1K May 6 00:49] wget_sha512.sh
```

2 Listing of files

3 directories, 24 files

The following source code is covered by LGPLv3+. The text of the license is available at: https://www.gnu.org/licenses/. The git repository of this source code is also available at: https://github.com/LLyaudet/DevOrSysAdminScripts/.

2.1 build_and_checks_dependencies/build_and_checks.sh.tpl

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
  # ©Copyright 2023-2024 Laurent Lyaudet
  source ./wget_sha512.sh
  mkdir -p build_and_checks_dependencies
  subdir="build_and_checks_dependencies"
 personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build and checks dependencies"
  URL_beginning="$personal_github$dependencies"
  script="$URL_beginning/common_build_and_checks.sh"
  @sha512_common_build_and_checks.sh@
  wget_sha512 "./$subdir/common_build_and_checks.sh" "$script"\
    "$correct sha512"
  chmod +x "./$subdir/common_build_and_checks.sh"
  cwd="."
  if [[ -n "$1" ]];
42 then
    cwd="$1"
  fi
```

2.2 build_and_checks_dependencies/build_md_from_printable_md.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
# @Copyright 2023-2024 Laurent Lyaudet
sed_expression='s/([[a-zA-z0-9:-]*]: [^n\]*)\\n/\1/Mg'
sed_expression+=';s/(<http[^\n\\]*)\\n/\1/Mg'</pre>
sed_expression+='; s/(- < http[^\n\\]*)\\n/\1/Mg'
pushd .
if [[ -n "$1" ]];
then
 cd "$1"
fi
if [[ -n "$2" ]];
 filename="$2"
  filename="README"
fi
```

```
if [[ -f "${filename}.md.tpl" ]];
  then
    sed -Ez "$sed_expression" "${filename}.md.tpl"\
      > "${filename}_temp1.md"
    sed -Ez "$sed_expression" "${filename}_temp1.md"\
     > "${filename}_temp2.md"
    sed -Ez "$sed_expression" "${filename}_temp2.md"\
      > "${filename}_temp3.md"
    sed -Ez "$sed_expression" "${filename}_temp3.md"\
      > "${filename}.md"
    rm "${filename}_temp1.md" "${filename}_temp2.md"\
      "${filename}_temp3.md"
 else
    echo "No file ${filename}.md.tpl"
  fi
58 popd
```

2.3 build_and_checks_dependencies/check_shell_scripts_beginning.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # ©Copyright 2023-2024 Laurent Lyaudet
23
  check one shell script beginning() {
     diff <(head -n 1 "$1") <(echo '#!/usr/bin/env bash')</pre>
```

```
27  }
28
29
30  check_shell_scripts_beginning() {
31    shopt -s globstar
32    for i in **/*.sh; do
33        check_one_shell_script_beginning "$i"
34    done
35  }
```

2.4 build_and_checks_dependencies/check_URLs.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # ©Copyright 2023-2024 Laurent Lyaudet
24
  subdir="build_and_checks_dependencies"
   source "./$subdir/get_common_text_glob_patterns.sh"
  check_URLs() {
     get_common_text_files_glob_patterns
     declare -A substitutions
     substitutions=(\
       ["http://www.qnu.org/licenses/"]="https://www.qnu.org/licenses/"
```

```
35
     for pattern in "${common_file_patterns[@]}"; do
       [ "$1" != "-v" ] || echo "Iterating on pattern: $pattern"
       find . -type f -name "$pattern" -printf '%P\n'\
         | xargs grep -H 'http:'\
        | grep -v "^[^:]*check_URLs.sh:"
      for filename in $pattern; do
        [ -f "$filename" ] || continue
        base filename=$(basename "$filename")
        [ "$base_filename" != "check_URLs.sh" ] || continue
        [ "$1" != "-v" ] || echo "Handling the file: $filename"
        for substitution in "${!substitutions[@]}"; do
           substitution2=${substitutions[$substitution]}
           if grep -g "$substitution" "$filename"; then
             sed -i "s|$substitution|$substitution2|q" "$filename"
        done
      done
    done
```

2.5 build_and_checks_dependencies/common_build_and_checks.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
# @Copyright 2023-2024 Laurent Lyaudet
```

```
24
  source ./wget_sha512.sh
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
   subdir="build_and_checks_dependencies"
32
  script="$URL beginning/build md from printable md.sh"
  correct sha512='aecf84a848a66e22367968b80cf250784d0c85b6bd9bad2fcf75b'
  correct sha512+='98aa77a250c8a74f81ae9c61687d47e29c8712614a4fe44027a9'
  correct_sha512+='32224a7d04c2388084cbe25'
  wget sha512 "./$subdir/build md from printable md.sh" "$script"\
     "$correct sha512"
  chmod +x "./$subdir/build md from printable md.sh"
  script="$URL_beginning/check_shell_scripts_beginning.sh"
  correct_sha512='faf7fe1c59b177d0f74afee6e8fb94e14bf7041b74a36afc41d6d'
  correct_sha512+='e71b6325af1d42f5c816024d311751d6e40c197c52ac97188c9c'
  correct sha512+='e75ea4937b966d2b0ff4ac7'
  wget sha512 "./$subdir/check shell scripts beginning.sh" "$script"
     "$correct_sha512"
47
  script="$URL_beginning/check_URLs.sh"
  correct sha512='aa052d684b542929e9bc1a7c0768ea424cebbb5df3db01f103afd'
  correct sha512+='620abd35f2f2ad2ff5f7ff18644d84ad8051a00cc8c3205d5951'
  correct sha512+='d3aec6d8c14a0183c49b0b9'
  wget_sha512 "./$subdir/check_URLs.sh" "$script" "$correct_sha512"
  script="$URL_beginning/create_PDF.sh"
  correct sha512='89c777a74b531f9cc6228761da65e83d931b7981d0dc599c982a2'
  correct sha512+='c59bd5fc85c356639b5ca43df06482ef64bc21a12bc214c5e58a'
  correct sha512+='09c52db7fcd0b33b90ff93d'
  wget_sha512 "./$subdir/create_PDF.sh" "$script" "$correct_sha512"
  chmod +x "./$subdir/create_PDF.sh"
  script="$URL_beginning/get_common_text_glob_patterns.sh"
  correct sha512='5971e48d543a93c5c14129ea05c31795911a3f17931c883a04518'
  correct_sha512+='ac610b65900d6d578626125a2f1d9c1d3cc20d9792e49bff0d8f'
  correct sha512+='6da0c4f59c140b29e539c80'
  wget_sha512 "./$subdir/get_common_text_glob_patterns.sh" "$script"\
     "$correct sha512"
  script="$URL beginning/lines counts.sh"
  correct sha512='85549707a7152d578caca30f84f2f6b6e6f57d8f26df2ab83e834'
```

```
correct_sha512+='e62d7f57019fc24f3363ef031b880c65c255d9dabe976dc7a416'
   correct_sha512+='cccde75d1b73af652bd51ca'
   wget sha512 "./$subdir/lines counts.sh" "$script" "$correct sha512"
  script="$URL beginning/lines filters.sh"
  correct_sha512='b102cc7b29b7bc590c8090f13d1a3397f893a13bd0c4d894ce0fa'
  correct sha512+='b4c44be6b2c01c01c6e1787288ccf7fed75027192dc057bebfdd'
   correct_sha512+='ac0ae13c76196f492c88ad8'
   wget sha512 "./$subdir/lines filters.sh" "$script" "$correct sha512"
  script="$URL_beginning/python_black_complement.sh"
   correct sha512='909ab2453a3448b45e92c60df216d86578528d5151bc8c5efb50b'
  correct sha512+='c8c4007d4c34adc7b2d583f3f5d9629cf37f163c813aebc3dec2'
   correct sha512+='ce6370fcf1bdbea5820ab13'
   wget sha512 "./$subdir/python black complement.sh" "$script"\
     "$correct sha512"
   script="$URL_beginning/python_isort_complement.sh"
  correct sha512='b3bf56acdc42371ed60762d48ba8412acf3f7a250b277683696d2'
   correct_sha512+='6ac55c21b42d1070aabbbfa200883f7c69e2b0e3ef516862e4ad'
   correct sha512+='25401b7a12da96169758e90'
   wget sha512 "./$subdir/python isort complement.sh" "$script"\
     "$correct_sha512"
  script="$URL_beginning/too_long_code_lines.sh"
  correct sha512='4d4728b3fc530281680dfa836fe396e5ad3ea0df15e3c0ce4809b'
   correct sha512+='98c8e009de5862de42deb63128117516a0d9e0687e0e7bd6a7d8'
   correct_sha512+='5daabeda07320b49e443b46'
   wget sha512 "./$subdir/too long code lines.sh" "$script"\
     "$correct sha512"
100
   shopt -s globstar
   source "./$subdir/check shell scripts beginning.sh"
102
  source "./$subdir/check URLs.sh"
   source "./$subdir/get_common_text_glob_patterns.sh"
  source "./$subdir/lines_counts.sh"
  source "./$subdir/lines_filters.sh"
106
   source "./$subdir/python_black_complement.sh"
   source "./$subdir/python isort complement.sh"
   source "./$subdir/too_long_code_lines.sh"
110
  cwd="."
  if [[ -n "$1" ]];
113 then
   cwd="$1"
114
  fi
115
```

```
116
   echo "Building README.md"
   ./build_and_checks_dependencies/build_md_from_printable_md.sh "$cwd"
   pushd .
120
   cd "$cwd"
   echo "Running isort"
   isort .
  python_isort_complement
   echo "Running black"
128 black .
  python black complement
   find . -name "pyproject.toml" | relevant_find\
     | while read -r filename;
133
     if grep -q "Typing :: Typed" "$filename"; then
134
       echo "Running mypy"
135
       mypy $(dirname "$filename")
     fi
137
   done
139
   echo "Analyzing too long lines"
   too_long_code_lines | relevant_grep | not_license_grep
   echo "Analyzing shell scripts beginning"
143
   check_shell_scripts_beginning | relevant_grep
   echo "Analyzing URLs"
   check_URLs | relevant_grep
148
   echo "Creating the PDF file of the listing of the source code"
   ./build_and_checks_dependencies/create_PDF.sh
152 popd
```

2.6 build_and_checks_dependencies/common_build_and_checks.sh.tpl

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
```

```
# as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
 # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Lyaudet
  source ./wget_sha512.sh
 personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  subdir="build_and_checks_dependencies"
  script="$URL_beginning/build_md_from_printable_md.sh"
  @sha512_build_md_from_printable_md.sh@
  wget_sha512 "./$subdir/build_md_from_printable_md.sh" "$script"\
     "$correct sha512"
  chmod +x "./$subdir/build_md_from_printable_md.sh"
  script="$URL beginning/check shell scripts beginning.sh"
  @sha512_check_shell_scripts_beginning.sh@
  wget_sha512 "./$subdir/check_shell_scripts_beginning.sh" "$script"\
    "$correct_sha512"
  script="$URL_beginning/check_URLs.sh"
  @sha512_check_URLs.sh@
 wget_sha512 "./$subdir/check_URLs.sh" "$script" "$correct_sha512"
  script="$URL_beginning/create_PDF.sh"
49 @sha512 create PDF.sh@
 wget sha512 "./$subdir/create PDF.sh" "$script" "$correct sha512"
  chmod +x "./$subdir/create PDF.sh"
```

```
script="$URL_beginning/get_common_text_glob_patterns.sh"
64 @sha512_get_common_text_glob_patterns.sh@
  wget_sha512 "./$subdir/get_common_text_glob_patterns.sh" "$script"\
    "$correct_sha512"
  script="$URL_beginning/lines_counts.sh"
  @sha512_lines_counts.sh@
  wget_sha512 "./$subdir/lines_counts.sh" "$script" "$correct_sha512"
  script="$URL beginning/lines filters.sh"
  @sha512 lines filters.sh@
  wget_sha512 "./$subdir/lines_filters.sh" "$script" "$correct_sha512"
  script="$URL beginning/python black complement.sh"
  @sha512_python_black_complement.sh@
  wget sha512 "./$subdir/python black complement.sh" "$script"\
     "$correct sha512"
  script="$URL_beginning/python_isort_complement.sh"
  @sha512_python_isort_complement.sh@
  wget_sha512 "./$subdir/python_isort_complement.sh" "$script"\
    "$correct sha512"
74
  script="$URL_beginning/too_long_code_lines.sh"
  @sha512_too_long_code_lines.sh@
  wget sha512 "./$subdir/too long code lines.sh" "$script"\
    "$correct sha512"
  shopt -s globstar
82 source "./$subdir/check_shell_scripts_beginning.sh"
  source "./$subdir/check_URLs.sh"
source "./$subdir/get common text glob patterns.sh"
source "./$subdir/lines counts.sh"
  source "./$subdir/lines_filters.sh"
  source "./$subdir/python_black_complement.sh"
ss source "./$subdir/python_isort_complement.sh"
  source "./$subdir/too_long_code_lines.sh"
  cwd="."
  if [[ -n "$1" ]];
93 then
   cwd="$1"
  fi
97 echo "Building README.md"
  ./build_and_checks_dependencies/build_md_from_printable_md.sh "$cwd"
```

```
pushd .
   cd "$cwd"
   echo "Running isort"
103
   isort .
   python_isort_complement
105
   echo "Running black"
   black .
   python_black_complement
109
  find . -name "pyproject.toml" | relevant_find\
   | while read -r filename;
   do
113
     if grep -q "Typing :: Typed" "$filename"; then
       echo "Running mypy"
       mypy $(dirname "$filename")
116
     fi
117
   done
118
   echo "Analyzing too long lines"
120
   too_long_code_lines | relevant_grep | not_license_grep
122
   echo "Analyzing shell scripts beginning"
   check_shell_scripts_beginning | relevant_grep
124
   echo "Analyzing URLs"
   check_URLs | relevant_grep
   echo "Creating the PDF file of the listing of the source code"
   ./build_and_checks_dependencies/create_PDF.sh
131
  popd
132
```

2.7 build_and_checks_dependencies/create_PDF.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
```

```
# DevOrSysAdminScripts is distributed in the hope
 # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Lyaudet
  current path=$(pwd)
  main_directory=$(basename "$current_path")
  subdir="build_and_checks_dependencies"
  source "./$subdir/lines_counts.sh"
  source "./$subdir/lines_filters.sh"
  cp "./latex/$main_directory.tex.tpl"\
      "./latex/$main_directory.tex"
33
  # We need a variant of the template with long lines.
  cp "./latex/$main directory.tex.tpl"\
      "./latex/$main_directory.tex.tpl2"
  sed -i -Ez "s/%\n//Mg" "./latex/$main_directory.tex.tpl2"
  current_date=$(date -I"date")
  sed -i "s|@current_date@|$current_date|g"\
    "./latex/$main directory.tex"
  current_git_SHA1=$(git rev-parse HEAD)
  sed -i "s|@current_git_SHA1@|$current_git_SHA1|g"\
     "./latex/$main_directory.tex"
  number_of_commits=$(git shortlog | space_starting_lines | wc -l)
   sed -i "s|@number_of_commits@|$number_of_commits|g"\
     "./latex/$main_directory.tex"
  number_of_lines="$(code_lines_count_all) total lines,"
  number of lines+=" $(code lines count not empty) not empty lines,"
  number of lines+=" $(code lines count empty) empty lines."
  sed -i "s|@number of lines@|$number of lines|g"\
    "./latex/$main_directory.tex"
```

```
56
   tree -a --gitignore\
     -I "$main directory.aux"\
     -I "$main_directory.log"\
     -I "$main_directory.out"\
     -I "$main_directory.pdf"\
     -I "$main_directory.tex"\
     -I "$main_directory.tex.tpl2"\
     -I current tree.txt\
     -I current_tree_light.txt\
     -I "node_modules/"\
     -I "package-lock.json"\
     -I "__pycache__/"\
     -I ".mypy cache/"\
     -I ".git/"\
     > current_tree_light.txt
71
72
   tree -a -DFh --gitignore\
     -I "$main_directory.aux"\
     -I "$main directory.log"\
     -I "$main_directory.out"\
     -I "$main_directory.pdf"\
     -I "$main_directory.tex"\
     -I "$main_directory.tex.tpl2"\
     -I current_tree.txt\
     -I current tree light.txt\
     -I "node_modules/"\
     -I "package-lock.json"\
     -I "__pycache__/"\
     -I ".mypy_cache/"\
     -I ".git/"\
     > current_tree.txt
   shopt -s dotglob
   find . -type f -printf '%P\n' | relevant_find | sort\
     | while read -r filename;
92
     [ -f "$filename" ] || continue
     git check-ignore -q "$filename" && continue
94
     base_filename=$(basename "$filename")
     [ "$base_filename" != "current_tree_light.txt" ] || continue
     [ "$base_filename" != "current_tree.txt" ] || continue
     [ "$base_filename" != "COPYING" ] || continue
     [ "$base filename" != "COPYING.LESSER" ] || continue
     [ "$base_filename" != "$main_directory.pdf" ] || continue
100
     [ "$base_filename" != "$main_directory.tex" ] || continue
```

```
[ "$base_filename" != "$main_directory.tex.tpl2" ] || continue
102
     if [[ "$base_filename" == *.md ]]; then
       if [ -f "$filename.tpl" ]; then
104
         # in_place_grep -v "$base_filename$" current_tree.txt
         # in_place_grep -v "$base_filename$" current_tree_light.txt
106
         continue
       fi
108
     fi
     cleaned_path1=\$(sed -e 's/_/\\_/g' <(echo "\$filename"))
110
     cleaned_path2=\$(sed -e 's/\//:/g' -e 's/\.//g' <(echo "\$filename"))
     if grep -q " $filename\$" "./latex/$main_directory.tex.tpl2"; then
112
       echo ""
113
       # sed -i -Ez\
114
           "s/$filename\n/\
115
            filename/./\./g}\\
116
            "current tree light.txt"
117
     else
118
       echo "The file $filename is not listed"\
119
             " in ./latex/$main_directory.tex.tpl"
       echo "TODO:\subsection{"
121
       echo "TODO: $cleaned_path1"
122
       echo "TODO: }"
123
       echo "TODO:\label{"
       echo "TODO: $cleaned_path2"
125
       echo "TODO:}"
126
       echo "TODO:"
127
       echo "TODO:\VerbatimInput[numbers=left,xleftmargin=-5mm]{"
       echo "TODO: $filename"
129
       echo "TODO:}"
130
       echo "TODO:"
131
       echo "TODO:"
132
     fi
133
   done
134
   shopt -u dotglob
135
   shopt -s globstar
136
   split_last_line() {
138
     # $1=$new_lines
     # $2=$prefix
140
     split_last_line_result="$1"
     if echo "$1" | sed -e 's/\\n/\\n/g' | grep -q '.\\{71\}\$'; then
142
       start=\$(echo "\$1" | sed -e 's/\n/\n/g' | head --lines=-1)
       # echo "start: $start"
144
       last_line=\$(echo "$1" | sed -e 's/\\n/\n/g' | tail --lines=1)
       # echo "last line: $last line"
146
       split_last_line_result=""
```

```
if [[ -n "$start" ]]; then
148
          split_last_line_result="$start\n"
149
150
       split_last_line_result+="${last_line:0:69}\n"
       split_last_line_result+="$2${last_line:69}"
152
     fi
153
   }
154
155
   # We verify if some lines are beyond 70 caracters
156
   # in current_tree_light.txt et current_tree.txt.
   trees=("current_tree_light.txt" "current_tree.txt")
158
   for some_tree in "${trees[@]}"; do
     grep '.\{71\}' "$some_tree" | while read -r some_line; do
160
        # echo "some line: $some line"
161
       prefix=$(\
162
          echo "$some line"\
163
            | sed -E -e 's/(.*)-[^-]+$/\1/g' -e 's/[^ ]+$//g'\
164
165
       prefix+="| "
        # echo "prefix: $prefix"
167
       filename=$(\
          echo "$some line"\
169
            | sed -E 's|.* (([a-zA-Z0-9\.../-]+).)$|\1|g'\
171
        # echo "filename: $filename"
172
       line start=$(\
173
          echo "$some line"\
            | sed -E "s/(.*)[]*$filename/1/g"
175
        # echo "line_start: $line_start"
177
       some_line=$(\
178
          echo "$some line"\
179
            | sed -E -e 's/[/\\[/g' -e 's/\]/\\]/g' \
180
       new_lines="$prefix$filename"
182
       split_last_line "$new_lines" "$prefix"
183
       new_lines=$split_last_line_result
184
       split_last_line "$new_lines" "$prefix"
       new_lines=$split_last_line_result
186
       split_last_line "$new_lines" "$prefix"
       new_lines=$split_last_line_result
188
       split_last_line "$new_lines" "$prefix"
       new lines=$split last line result
190
       sed -i -e "s/$some_line/$line_start\n$new_lines/g" "$some_tree"
     done
192
   done
```

```
sed -i -e '/@current_tree_light@/{r current_tree_light.txt' -e 'd}'\
    "./latex/$main directory.tex"
   sed -i -e '/@current_tree@/{r current_tree.txt' -e 'd}'\
    "./latex/$main_directory.tex"
   pdflatex "./latex/$main_directory.tex" > /dev/null
200
   pdflatex "./latex/$main_directory.tex" > /dev/null
   pdflatex "./latex/$main_directory.tex" > /dev/null
  files to delete=(\
204
     "$main_directory.aux"\
     "$main_directory.log"\
206
     "$main directory.out"
     "current tree.txt"
     "current tree light.txt"
     "./latex/$main_directory.tex.tpl2"
  # Comment the following line if you need to debug.
  for filename in "${files_to_delete[@]}"; do
     rm -f "$filename"
  done
```

2.8 build_and_checks_dependencies/get_common_text_glob_patterns.sh

```
#!/usr/bin/env bash
2 # This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
   # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
19 # the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
```

```
22
   # @Copyright 2023-2024 Laurent Lyaudet
23
24
   get_common_text_paths_glob_patterns() {
     export common_patterns=(\
26
       '**/*.c'\
       '**/*.css'\
28
       '**/*.h'\
       '**/*.htm'\
30
       '**/*.html'\
       '**/*.js'\
       '**/*.json'\
       '**/*.md'\
       '**/*.php'\
       '**/*.py'\
       '**/*.sh'\
37
       '**/*.sql'\
       '**/*.tex'\
       '**/*.toml'\
       '**/*.tpl'\
41
       '**/*.ts'\
       '**/*.txt'\
43
       '**/*.yml'\
       '**/COPYING'\
45
       '**/COPYING.LESSER'\
       '**/pre-commit'\
47
   }
49
51
   get_common_text_files_glob_patterns() {
52
     export common_file_patterns=(\
53
       '*.c'\
54
       '*.css'\
55
       '*.h'\
56
       ' * .htm' \
       '*.html'\
       ′∗.js′\
       '*.json'\
60
       '*.md'\
       '*.php'\
62
       '*.py'\
       '*.sh'\
64
       '*.sql'\
       '*.tex'\
       '*.toml'\
```

2.9 build_and_checks_dependencies/lines_counts.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
   # ©Copyright 2023-2024 Laurent Lyaudet
24
  subdir="build_and_checks_dependencies"
  source "./$subdir/get_common_text_glob_patterns.sh"
   source "./$subdir/lines_filters.sh"
  all_code_lines(){
     get_common_text_files_glob_patterns
     for pattern in "${common_file_patterns[@]}"; do
31
       [ "$1" != "-v" ] || echo "Iterating on pattern: $pattern"
       find . -type f -name "$pattern" -printf '%P\n'\
         | xargs grep -H -v 'a(?!a)a'
```

```
done
all_self_code_lines(){
 all_code_lines | relevant_grep\
    | not_license_grep | not_main_tex_grep
}
all_self_empty_code_lines(){
  all_self_code_lines | empty_lines_after_filename
all_self_not_empty_code_lines() {
  all self code lines | not empty lines after filename
}
code_lines_count_all() {
 all_self_code_lines | wc -l
code_lines_count_empty() {
  all_self_empty_code_lines | wc -l
code_lines_count_not_empty() {
 all_self_not_empty_code_lines | wc -l
}
```

2.10 build_and_checks_dependencies/lines_filters.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# pou can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.

# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
```

```
# You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
   # ©Copyright 2023-2024 Laurent Lyaudet
  # The goal of ths file is to have some common line filters
  # for bash processing and pipes.
  # As is the case for other .sh files in this repository,
  # it can be copied somewhere in your home directory
  # and sourced in your .bashrc.
  current_path=$(pwd)
   main directory=$(basename "$current path")
33
  in_place_grep() {
    grep $@ > "${!#}"".temp_in_place_grep"
     mv "${!#}"".temp_in_place_grep" "${!#}"
36
37
38
   empty_lines(){
     grep '^$'
40
42
  not_empty_lines() {
   grep -v '^$'
44
  }
   space_starting_lines(){
     grep '^[]'
48
  not_space_starting_lines() {
51
     grep '^[^]'
53
   empty_lines_after_filename() {
   grep '^[^:]\+:$'
  }
57
  not_empty_lines_after_filename() {
     grep -v '^[^:]\+:$'
  }
```

```
space_starting_lines_after_filename() {
     grep '^[^:]\+: '
65
   not_space_starting_lines_after_filename() {
67
     grep '^[^:]\+:[^ ]'
   }
69
   not JS dependencies find() {
71
     grep -vE "(^|/)node_modules/" | grep -vE "(^|/)package-lock\.json$"
   }
73
74
   not_JS_dependencies_grep() {
75
     grep -v "^[^:]*node_modules/" | grep -v "^[^:]*package-lock\.json:"
   }
77
78
   not_dependencies_find(){
     not_JS_dependencies_find
80
82
   not_dependencies_grep() {
     not_JS_dependencies_grep
   not_python_cache_find() {
     grep -vE "(^|/)__pycache__/" | grep -vE "(^|/)\.mypy_cache/"
88
90
   not_python_cache_grep() {
     grep -v "^[^:]*__pycache__/" | grep -v "^[^:]*\.mypy_cache/"
92
93
   not cache find() {
     not_python_cache_find
97
   not_cache_grep() {
     not_python_cache_grep
101
102
   not_git_find(){
103
     grep -vE "(^|/)\.git/"
105
   not_git_grep() {
107
     grep -v "^[^:]*\.git/"
108
```

```
}
109
   not archive find() {
     grep -vE "(\.gz|\.rar|\.tar|\.tgz|\.whl)$"
113
114
   not_archive_grep() {
115
     grep -vE "^[^:]*(\.gz|\.rar|\.tar|\.tgz|\.whl):"
116
117
   not_license_find() {
119
     grep -vE "(^|/)COPYING$" | grep -vE "(^|/)COPYING\.LESSER$"
120
121
122
   not_license_grep() {
     grep -v "^[^:]*COPYING:" | grep -v "^[^:]*COPYING\.LESSER:"
124
   }
125
126
   not_main_tex_find() {
     grep -vE "(^|/)$main_directory\.tex$"
128
130
   not_main_tex_grep() {
     grep -v "^[^:]*$main_directory\.tex:"
132
133
134
   relevant find() {
     not_dependencies_find | not_cache_find | not_git_find\
136
      | not_archive_find
138
139
   relevant_grep(){
     not_dependencies_grep | not_cache_grep | not_git_grep\
      | not_archive_grep
142
143
```

2.11 build_and_checks_dependencies/python_black_complement.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
```

```
# or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Lyaudet
  # It was rejected to enhance black with this currently.
  # And moreover, at some point, I saw the reverse rule
  # in black or pylint to add an empty line...
  # This regexp may give false positives,
  # but that's not the end of the world.
  check_no_empty_line_after_python_function_docstring() {
    echo "Checking empty lines after Python function docstrings"
    pcregrep -M $'def [^"]*"""([^"]|"(?!""))*"""\n\n(?!\s*def)'\
       -- **/*.py
  }
34
  python_black_complement() {
     check_no_empty_line_after_python_function_docstring
  }
38
```

2.12 build_and_checks_dependencies/python_isort_complement.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.

# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
```

```
# without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Lyaudet
  subdir="build_and_checks_dependencies"
  source "./$subdir/lines_filters.sh"
  check_collections_abc_place() {
    echo "Checking import of _collections_abc is at the right place"
    find . -name "*.py" | relevant_find | while read -r filename; do
       [ -f "$filename" ] || continue
       sed -i -Ez 's/\n(\nfrom _collections_abc[^\n]*)/\1\n/Mg'\
         "$filename"
    done
  }
35
  python_isort_complement() {
     check_collections_abc_place
```

2.13 build_and_checks_dependencies/too_long_code_lines.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# ""
```

2.14 build_and_checks_dependencies/update_common_build_and_checks.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
# @Copyright 2023-2024 Laurent Lyaudet
cp ./common_build_and_checks.sh.tpl ./common_build_and_checks.sh
```

```
file_names=(\
     "build md from printable md.sh"
     "check_shell_scripts_beginning.sh"\
     "check URLs.sh"
     "create_PDF.sh"\
     "lines counts.sh"\
     "lines_filters.sh"\
     "get_common_text_glob_patterns.sh"\
     "python_black_complement.sh"\
     "python_isort_complement.sh"\
     "too_long_code_lines.sh"\
  )
38
  for file_name in "${file_names[@]}"; do
     file sha512=\$(sha512sum "./\$file name" | cut -f1 -d'')
     file_sha512_1="correct_sha512='${file_sha512:0:53}'"
42
     file_sha512_2="correct_sha512\+='${file_sha512:53:52}'"
     file_sha512_3="correct_sha512\+='${file_sha512:105}'"
     file_sha512_all="$file_sha512_1\n"
     file\_sha512\_all+="$file\_sha512\_2\n"
     file_sha512_all+="$file_sha512_3"
     sed -i "s|@sha512_$file_name@|$file_sha512_all|g"\
         ./common_build_and_checks.sh
  done
  cp ./build_and_checks.sh.tpl ../build_and_checks.sh
54 file_sha512=$(sha512sum common_build_and_checks.sh | cut -f1 -d' ')
55 file_sha512_1="correct_sha512='${file_sha512:0:53}'"
  file_sha512_2="correct_sha512\+='${file_sha512:53:52}'"
57 file_sha512_3="correct_sha512\+='${file_sha512:105}'"
file sha512 all="file sha512 1\n"
59 file_sha512_all+="$file_sha512_2\n"
  file_sha512_all+="$file_sha512_3"
  sed -i "s|@sha512_common_build_and_checks.sh@|$file_sha512_all|g"\
       ../build_and_checks.sh
```

2.15 build_and_checks.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
```

```
# as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # ©Copyright 2023-2024 Laurent Lyaudet
  source ./wget_sha512.sh
  mkdir -p build_and_checks_dependencies
  subdir="build_and_checks_dependencies"
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  script="$URL_beginning/common_build_and_checks.sh"
  correct_sha512='12a7616ac105f2498861535ad5a9da991c858611159b8f3bd00dd'
  correct sha512+='70c20419d09728700a5d45573def6ce9221fa237a330979b15ae'
   correct_sha512+='681c8670a80226b1f4130cb'
  wget_sha512 "./$subdir/common_build_and_checks.sh" "$script"\
     "$correct sha512"
  chmod +x "./$subdir/common_build_and_checks.sh"
 cwd="."
43 if [[ -n "$1" ]];
  t.hen
    cwd="$1"
  fi
   ./build_and_checks_dependencies/common_build_and_checks.sh "$cwd"
```

2.16 git_checks.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
_{5} # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
 # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
  # @Copyright 2023-2024 Laurent Lyaudet
  check_files() {
     send_summary_1="ATTENTION : models modifiés"
     send_body_1="Vérifiez si besoin de migrations"
     send_body_2="Pensez aussi aux contraintes d'unicités"
     send_body_2+=" dès la création du modèle"
     send_summary_2="ATTENTION : serializers modifiés"
     send body 3="Les nouveaux preloadings sont interdits -> #Prefetch()"
     if git diff --cached --name-only | grep models;
     then
       notify-send "$send_summary_1" "$send_body_1"
       notify-send "$send_summary_1" "$send_body_2"
     fi
     if git diff --cached --name-only | grep serializer;
       notify-send "$send_summary_2" "$send_body_3"
     fi
     return 0
43
```

```
check_no_abusive_trailing_comma(){
     send_summary_1="ATTENTION"
     send_body_1="Il semblerait que vous affectiez un tuple"
    send_body_1+=" au lieu d'une autre valeur dans une variable."
    if git diff --cached -r | grep ' = .*, \s*$';
      notify-send "$send_summary_1" "$send_body_1"
      return 1
    return 0
55
  check black code formatting() {
     # attention ça ne marche que sur les fichiers "stagés" avec git add
     files_string=$(git diff --cached --name-only | grep '\.py')
    echo "$files_string"
    mapfile -t some_files <<< "$files_string"</pre>
    my_error=0
    for file in ${some_files[@]};
       echo "Black will check formatting on file $file"
      if ! black --check --diff "$file";
       then
        my_error=1
       fi
    done
    if [ $my_error -eq '1' ];
    then
      return 1
    fi
    return 0
```

2.17 latex/DevOrSysAdminScripts.tex.tpl

```
1 %!/usr/bin/env bash
2 % This file is part of DevOrSysAdminScripts library.
3 %
4 % DevOrSysAdminScripts is free software:
5 % you can redistribute it and/or modify it under the terms
6 % of the GNU Lesser General Public License
7 % as published by the Free Software Foundation,
8 % either version 3 of the License,
9 % or (at your option) any later version.
```

```
% DevOrSysAdminScripts is distributed in the hope
  % that it will be useful,
  % but WITHOUT ANY WARRANTY;
  % without even the implied warranty of
  % MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  % See the GNU Lesser General Public License for more details.
  % You should have received a copy of
  % the GNU Lesser General Public License
  % along with DevOrSysAdminScripts.
  % If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
   % @Copyright 2023-2024 Laurent Lyaudet
23
24
   \documentclass{article}
  \usepackage[utf8]{inputenc}
  \usepackage{subfigure}
  \usepackage{amsmath}
  \usepackage{amssymb}
  \usepackage{amsthm}
  \usepackage[pdftex]{hyperref}
   \usepackage{tikz}
  \usepackage{caption}
  \usepackage[round] {natbib}
  \usepackage{fancyhdr}
  \usepackage{amsfonts}
  \usepackage{times}
  \usepackage{ifpdf}
  \usepackage{latexsym}
   \usepackage{graphicx}
  \usepackage{enumerate}
  \usepackage{pmboxdraw}
   \usepackage{fancyvrb}
  % *** les environnements ***
  %\theoremstyle{break}
   \newtheorem{definition} {Definition} [section]
   \newtheorem{proposition} [definition] {Proposition}
  \newtheorem{theorem} [definition] {Theorem}
   \newtheorem{lemma} [definition] {Lemma}
   \newtheorem{corollary} [definition] {Corollary}
   \newtheorem{remark} [definition] {Remark}
  \newtheorem{openproblem}[definition]{Open problem}
   \begin{document}
```

```
57
  \author{
    Laurent Lyaudet \\
    \url{https://lyaudet.eu/laurent/}\\
    laurent.lyaudet@gmail.com
  \title{DevOrSysAdminScripts}
  \maketitle
  \begin{abstract}
  Some ''small'' useful scripts
  for enhancing developpment or system-administrators tasks
  \end{abstract}
  Current version: @current_date@
  Current number of commits: @number_of_commits@
  Current git SHA1: @current_git_SHA1@
  Code lines: @number_of_lines@
  \section{Files tree}
  \label{section:tree}
  \begin{verbatim}
  @current_tree_light@
  \end{verbatim}
  \begin{verbatim}
  @current_tree@
  \end{verbatim}
  \section{Listing of files}
  \label{section:listing}
  The following source code is covered by LGPLv3+.
  The text of the license is available at:
  \url{https://www.gnu.org/licenses/}.
  The git repository of this source code is also available at:
  \url{https://github.com/LLyaudet/DevOrSysAdminScripts/}.
  \subsection{
    build\_and\_checks\_dependencies/build\_and\_checks.sh.tpl
```

```
\label{
     build_and_checks_dependencies:build_and_checksshtpl
104
105
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
107
     build_and_checks_dependencies/build_and_checks.sh.tpl
   }
109
111
   \subsection{
     build\_and\_checks\_dependencies/build\_md\_from\_printable\_md.sh
113
114
   \label{
115
     build and checks dependencies: build md from printable mdsh
116
   }
117
118
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/build_md_from_printable_md.sh
120
121
122
123
   \subsection{
124
     build\_and\_checks\_dependencies/check\_shell\_scripts\_beginning.sh
   }
126
   \label{
     build and checks dependencies: check shell scripts beginningsh
128
130
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/check_shell_scripts_beginning.sh
132
133
134
135
   \subsection{
     build\_and\_checks\_dependencies/check\_URLs.sh
137
   }
   \label{
139
     build_and_checks_dependencies:check_URLssh
141
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/check_URLs.sh
   }
145
147
   \subsection{
```

```
build\_and\_checks\_dependencies/common\_build\_and\_checks.sh
149
   }
150
   \label{
151
     build_and_checks_dependencies:common_build_and_checkssh
153
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
155
     build_and_checks_dependencies/common_build_and_checks.sh
157
159
   \subsection{
     build\_and\_checks\_dependencies/common\_build\_and\_checks.sh.tpl
161
162
   \label{
     build and checks dependencies: common build and checks shtpl
164
   }
165
166
   \VerbatimInput[numbers=left,xleftmargin=-5mm] {
     build_and_checks_dependencies/common_build_and_checks.sh.tpl
168
   }
170
   \subsection{
172
     build\_and\_checks\_dependencies/create\_PDF.sh
173
174
   \label{
     build and checks dependencies: create PDFsh
176
   }
177
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
179
     build and checks dependencies/create PDF.sh
180
181
182
183
   \subsection{
     build\_and\_checks\_dependencies/get\_common\_text\_glob\_patterns%
185
   .sh
   }
187
   \label{
     build_and_checks_dependencies:get_common_text_glob_patternssh
189
191
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/get_common_text_glob_patterns.sh
193
```

```
195
   \subsection{
     build\_and\_checks\_dependencies/lines\_counts.sh
199
   \label{
     build_and_checks_dependencies:lines_countssh
201
202
203
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/lines_counts.sh
205
206
207
208
   \subsection{
209
     build\ and\ checks\ dependencies/lines\ filters.sh
210
211
   \label{
212
     build_and_checks_dependencies:lines_filterssh
214
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
216
     build_and_checks_dependencies/lines_filters.sh
218
219
220
   \subsection{
     build\ and\ checks\ dependencies/python\ black\ complement.sh
222
   \label{
224
     build and checks dependencies: python black complementsh
226
227
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/python_black_complement.sh
229
   }
230
231
   \subsection{
233
     build\_and\_checks\_dependencies/python\_isort\_complement.sh
235
   \label{
     build and checks dependencies: python isort complementsh
237
239
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
```

```
build_and_checks_dependencies/python_isort_complement.sh
241
242
243
   \subsection{
245
     build\_and\_checks\_dependencies/too\_long\_code\_lines.sh
247
   \label{
     build and checks dependencies: too long code linessh
249
251
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/too_long_code_lines.sh
253
254
255
256
   \subsection{
     build\_and\_checks\_dependencies/update\_common\_build\_and\_checks%
258
   .sh
260
   \label{
     build_and_checks_dependencies:update_common_build_and_checkssh
262
264
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
265
     build and checks dependencies/update common build and checks.sh
266
268
269
   \subsection{
270
     build\ and\ checks.sh
271
272
   \label{
273
     build_and_checkssh
274
275
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
277
     build_and_checks.sh
279
281
   \subsection{
     git\ checks.sh
283
   \label{
285
     git_checkssh
```

```
}
287
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     git_checks.sh
291
293
   \subsection{
     latex/DevOrSysAdminScripts.tex.tpl
295
   \label{
297
     latex:DevOrSysAdminScriptstextpl
299
300
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     latex/DevOrSysAdminScripts.tex.tpl
302
303
304
   \subsection{
    LiensUtiles.txt
   }
308
   \label{
    LiensUtilestxt
311
312
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     LiensUtiles.txt
314
315
   }
316
   \subsection{
    pre-commit
319
320
   \label{
321
     pre-commit
323
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
325
     pre-commit
327
328
329
   \subsection{
     README.md.tpl
331
```

```
\label{
     READMEmdtpl
335
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
337
     README.md.tpl
   }
339
341
   \subsection{
     wget\_sha512.sh
343
   \label{
345
     wget sha512sh
   }
347
348
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     wget_sha512.sh
350
352
   Merci Dieu ! Merci P\'ere ! Merci Seigneur ! Merci Saint Esprit !
354
   \end{document}
```

2.18 LiensUtiles.txt

```
https://support.google.com/a/answer/9476255?hl=fr#zippy=%2C%C3%A9tape\
configurez-le-service-de-migration-de-donn%C3%A9es
https://stackoverflow.com/a/78413334/5796086
https://stackoverflow.com/questions/21612980/\
why-is-usr-bin-env-bash-superior-to-bin-bash/78413334
https://web.archive.org/web/20240501105801/https://stackoverflow.com\
questions/21612980/why-is-usr-bin-env-bash-superior-to-bin-bash/\
8 78413334#78413334
```

2.19 pre-commit

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
```

```
# or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # ©Copyright 2023-2024 Laurent Lyaudet
  . ../git_checks.sh
 git_hook_error=0
  if ! check_files
 t.hen
    git_hook_error=1
  fi
  if ! check_no_abusive_trailing_comma
  then
    git_hook_error=1
  fi
  if ! check_black_code_formatting
  then
    git_hook_error=1
  fi
  if [ $git_hook_error -eq '1' ];
  then
    exit 1
  fi
44 exit 0
```

2.20 README.md.tpl

```
# DevOrSysAdminScripts

[![CodeFactor-badge]][CodeFactor-package-page]

[![CodeClimateMaintainability-badge]][CodeClimateM13y-package-page]

[![Codacy-badge]][Codacy-package-page]

![GitHub-top-language-badge]

![GitHub-license-badge]
```

```
![GitHub-code-size-in-bytes-badge]
                 **Some "small" useful scripts**
10
  |:----:|
  | **for enhancing developpment or system-administrators tasks** |
  Currently, the biggest part of this repository is in
  a suite of shell scripts about build and checks that
  I use in some of my other repositories.
  [CodeFactor-badge]: https://www.codefactor.io/repository/github/\
  llyaudet/DevOrSysAdminScripts/badge
  [CodeFactor-package-page]: https://www.codefactor.io/repository/
  github/llyaudet/DevOrSysAdminScripts
  [CodeClimateMaintainability-badge]: https://api.codeclimate.com/v1/\
  badges/b619ce83a81cc4a55e18/maintainability
  [CodeClimateM13y-package-page]: https://codeclimate.com/\
  github/LLyaudet/DevOrSysAdminScripts/maintainability
  [Codacy-badge]: https://app.codacy.com/project/badge/Grade/\
  3dd6ef85e8db4460991d1ebc404b68dd
  [Codacy-package-page]: https://app.codacy.com/gh/LLyaudet/\
  DevOrSysAdminScripts/dashboard?utm source=gh&utm medium=referral
  &utm content=&utm campaign=Badge grade
  [GitHub-top-language-badge]: https://img.shields.io/github/\
  languages/top/llyaudet/DevOrSysAdminScripts
 [GitHub-license-badge]: https://img.shields.io/github/license/
 llyaudet/DevOrSysAdminScripts
 [GitHub-code-size-in-bytes-badge]: https://img.shields.io/github/\
  languages/code-size/llyaudet/DevOrSysAdminScripts
    2.21
         wget_sha512.sh
  #!/usr/bin/env bash
2 # This file is part of DevOrSysAdminScripts library.
```

you can redistribute it and/or modify it under the terms

DevOrSysAdminScripts is free software:

of the GNU Lesser General Public License

```
# as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
 # DevOrSysAdminScripts is distributed in the hope
 # that it will be useful,
 # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # @Copyright 2023-2024 Laurent Lyaudet
 wget_sha512(){
    # $1 filename
    # $2 download_URL
    # $3 correct_sha512
    if [[ ! -f "$1" ]];
    then
      wget -0 "$1" "$2"
    present_sha512=$(sha512sum "$1" | cut -f1 -d' ')
    if [[ "$present_sha512" != "$3" ]];
    then
      echo "$1 does not have correct sha512"
      echo "wanted $3"
      echo "found $present_sha512"
      exit
    fi
```

Merci Dieu! Merci Père! Merci Seigneur! Merci Saint Esprit!