DevOrSysAdminScripts

Laurent Lyaudet https://lyaudet.eu/laurent/ laurent.lyaudet@gmail.com

May 16, 2024

Abstract

Some "small" useful scripts for enhancing development or system-administrators tasks

Current version: 2024-05-16 Current number of commits: 83

Current git SHA1: a931881c4c4678ea6eab7c9dde4bb54bc872ad9b Code lines: 4132 total lines, 3655 not empty lines, 477 empty lines.

1 Files tree

```
- build_and_checks_dependencies
  — build_and_checks.sh.tpl
    - build_md_from_printable_md.sh
   - check_shell_scripts_beginnings.sh
    - check_URLs.sh
    - common_build_and_checks.sh
    - common_build_and_checks.sh.tpl
    - comparisons.sh
    - create_PDF.sh
    - generate_from_template.sh
    - get_common_text_glob_patterns.sh
    grammar_and_spell_check.sh
    - licenses_templates
       build_licenses_templates.sh
        - license_file_header_GPLv3+.c.tpl
       — license file header GPLv3+.py.tpl
       — license_file_header_GPLv3+.sh.tpl
        - license_file_header_GPLv3+.tex.tpl
        - license_file_header_GPLv3+.tpl
       - license_file_header_LGPLv3+.c
```

```
— license_file_header_LGPLv3+.c.tpl
         — license_file_header_LGPLv3+.py
          - license_file_header_LGPLv3+.py.tpl
         — license_file_header_LGPLv3+.sh
         - license_file_header_LGPLv3+.sh.tpl
         — license_file_header_LGPLv3+.tex
          - license_file_header_LGPLv3+.tex.tpl
        license_file_header_LGPLv3+.tpl
     - lines counts.sh
     — lines_filters.sh
      - listings
       update_or_check_file_name_listing.sh
      - overwrite_if_not_equal.sh
     — python_black_complement.sh
      - python_isort_complement.sh
      - too_long_code_lines.sh
    update_common_build_and_checks.sh
  - build_and_checks.sh
  - COPYING
  - COPYING.LESSER

    DevOrSysAdminScripts.html

  DevOrSysAdminScripts.pdf
  - git_checks.sh
  — html
   ☐ DevOrSysAdminScripts.html.tpl
     — DevOrSysAdminScripts.tex
    DevOrSysAdminScripts.tex.tpl
  - LiensUtiles.txt
  - listings
   └─ listing.tex.tpl.tpl
  pre-commit
 - README.md
  - README.md.tpl
  repository_data.txt
  - wget_sha512.sh
7 directories, 50 files
[ 12K May 16 20:43] ./
 — [4.0K May 16 20:43] build_and_checks_dependencies/
     — [1.4K May 16 03:01] build_and_checks.sh.tpl*
      - [1.7K May 16 13:46] build_md_from_printable_md.sh*
     - [1.2K May 16 19:53] check_shell_scripts_beginnings.sh
     - [1.9K May 16 15:23] check_URLs.sh
     — [7.8K May 16 20:43] common_build_and_checks.sh*
```

```
— [5.3K May 16 20:12] common_build_and_checks.sh.tpl
    - [2.9K May 16 15:28] comparisons.sh
    - [6.6K May 16 20:42] create_PDF.sh*
    - [1.5K May 16 15:33] generate_from_template.sh
    - [1.7K May 16 02:42] get_common_text_glob_patterns.sh
   - [1.5K May 16 20:01] grammar_and_spell_check.sh
    - [4.0K May 16 20:43] licenses_templates/
       — [5.1K May 16 19:58] build_licenses_templates.sh*
       — [ 713 May 16 14:58] license_file_header_GPLv3+.c.tpl
        - [ 715 May 16 14:58] license_file_header_GPLv3+.py.tpl
        - [ 747 May 16 14:58] license_file_header_GPLv3+.sh.tpl
        - [ 747 May 16 14:58] license_file_header_GPLv3+.tex.tpl
        - [ 707 May 14 23:23] license_file_header_GPLv3+.tpl
        - [ 782 May 16 14:58] license file header LGPLv3+.c
        - [ 734 May 16 14:58] license_file_header_LGPLv3+.c.tpl
        - [ 784 May 16 14:58] license_file_header_LGPLv3+.py
       — [ 736 May 16 14:58] license_file_header_LGPLv3+.py.tpl
        - [ 816 May 16 14:58] license_file_header_LGPLv3+.sh
        - [ 768 May 16 14:58] license_file_header_LGPLv3+.sh.tpl
       — [ 816 May 16 14:58] license_file_header_LGPLv3+.tex
        - [ 768 May 16 14:58] license_file_header_LGPLv3+.tex.tpl
      [ 728 May 14 23:24] license_file_header_LGPLv3+.tpl
   - [1.7K May 16 15:15] lines_counts.sh
    - [5.4K May 16 20:41] lines_filters.sh
    - [4.0K May 16 20:43] listings/
     [2.5K May 16 20:43] update_or_check_file_name_listing.sh
    - [1.1K May 16 15:32] overwrite_if_not_equal.sh
    - [1.3K May 16 02:43] python_black_complement.sh
   — [1.5K May 16 15:27] python_isort_complement.sh
    - [1.2K May 16 15:32] too_long_code_lines.sh
  [2.4K May 16 20:12] update_common_build_and_checks.sh*
- [1.6K May 16 20:43] build_and_checks.sh*
- [ 34K May 6 00:49] COPYING
- [7.5K May 6 00:49] COPYING.LESSER
- [ 15K May 14 18:40] DevOrSysAdminScripts.html
- [144K May 16 20:43] DevOrSysAdminScripts.pdf
- [2.5K May 16 15:31] git_checks.sh
- [4.0K May 14 19:47] html/
 [9.7K May 14 19:47] DevOrSysAdminScripts.html.tpl
- [4.0K May 16 20:43] latex/
   - [ 13K May 16 20:43] DevOrSysAdminScripts.tex
   — [ 13K May 16 19:42] DevOrSysAdminScripts.tex.tpl
- [ 424 May 6 00:49] LiensUtiles.txt
- [4.0K May 14 22:51] listings/
└─ [6.9K May 14 22:49] listing.tex.tpl.tpl
- [1.1K May 16 02:44] pre-commit
```

```
[1.6K May 16 14:58] README.md
[1.6K May 15 18:00] README.md.tpl
[629 May 16 18:41] repository_data.txt
[1.2K May 16 15:27] wget_sha512.sh

7 directories, 50 files
```

2 Listing of files

The following source code is covered by LGPLv3+. The text of the license is available at: https://www.gnu.org/licenses/. The git repository of this source code is also available at: https://github.com/LLyaudet/DevOrSysAdminScripts/.

2.1 build_and_checks_dependencies/build_and_checks.sh.tpl

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
23
   source ./wget_sha512.sh
27 mkdir -p build_and_checks_dependencies/licenses_templates
  subdir="build_and_checks_dependencies"
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
```

```
dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
URL_beginning="$personal_github$dependencies"

script="$URL_beginning/common_build_and_checks.sh"

$script="$URL_beginning/common_build_and_checks.sh"

$script="$URL_beginning/common_build_and_checks.sh"

$script="$URL_beginning/common_build_and_checks.sh"

$script="$uRL_beginning/common_build_and_checks.sh"

$script="$uRL_beginning/common_build_and_checks.sh"

$script="$script="\bar{\substack} \text{"$script=\bar{\substack} \text{"$script=\bar{\substack} \text{"$script=\bar{\substack} \text{"$script=\bar{\substack} \text{"$script=\bar{\substack} \text{"$subdir/common_build_and_checks.sh"}

$cwd=\bar{\substack} \text{"$subdir/common_build_and_checks.sh"}

$cwd=\bar{\substack} \text{"$then}

$cwd=\bar{\subs
```

2.2 build_and_checks_dependencies/build_md_from_printable_md.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
subdir="build_and_checks_dependencies"
source "./$subdir/overwrite if not equal.sh"
```

```
sed_expression='s/(\[[a-zA-Z0-9:-]*\]: [^\n\\]*)\\n/\1/Mg'
  sed_expression+=';s/(\langle http[^\n\\]*)\\n/\1/Mg'
  sed_expression +='; s/(- < http[^\n\\]*)\\n/\1/Mg'
  pushd .
32
  if [[ -n "$1" ]];
  then
    cd "$1"
  if [[ -n "$2" ]];
  then
    file_name="$2"
  else
    file_name="README"
  fi
  if [[ -f "${file_name}.md.tpl" ]];
     sed -Ez "$sed_expression" "${file_name}.md.tpl"\
      > "${file_name}_temp1.md"
    sed -Ez "$sed_expression" "${file_name}_temp1.md"\
      > "${file_name}_temp2.md"
    sed -Ez "$sed_expression" "${file_name}_temp2.md"\
     > "${file_name}_temp3.md"
    sed -Ez "$sed_expression" "${file_name}_temp3.md"\
       > "${file_name}_temp4.md"
    overwrite_if_not_equal "${file_name}.md" "${file_name}_temp4.md"
     rm "${file_name}_temp1.md" "${file_name}_temp2.md"\
       "${file_name}_temp3.md"
  else
     echo "No file ${file_name}.md.tpl"
  popd
```

2.3 build_and_checks_dependencies/check_shell_scripts_beginnings.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
```

```
# or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  check_one_shell_script_beginning() {
    LFBFL_file_name=$ (basename "$1")
     if [[ "$LFBFL_file_name" = license_file_header_.*\.sh ]];
    then
      return 0
    fi
     diff <(head -n 1 "$1") <(echo '#!/usr/bin/env bash')</pre>
32
  check_shell_scripts_beginnings() {
    shopt -s globstar
     for check_shell_scripts_beginnings_var_i in **/*.sh; do
       check_one_shell_script_beginning\
         "$check_shell_scripts_beginnings_var_i"
     done
  }
```

2.4 build_and_checks_dependencies/check_URLs.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
```

```
# DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
23
  subdir="build_and_checks_dependencies"
   source "./$subdir/qet common text glob patterns.sh"
  check_URLs() {
    get_common_text_files_glob_patterns
    declare -A LFBFL_substitutions
    LFBFL substitutions=(\
       ["http://www.gnu.org/licenses/"]="https://www.gnu.org/licenses/"\
34
     for LFBFL pattern in "${common file patterns[@]}"; do
       [ "$1" != "-v" ] || echo "Iterating on pattern: $LFBFL_pattern"
      find . -type f -name "$LFBFL_pattern" -printf '%P\n'\
         | xargs grep -H 'http:'\
         | grep -v "^[^:]*check_URLs.sh:"
       for LFBFL_file_name in $LFBFL_pattern; do
         [ -f "$LFBFL_file_name" ] || continue
         LFBFL base file name=$(basename "$LFBFL file name")
         [ "$LFBFL_base_file_name" != "check_URLs.sh" ] || continue
         [ "$1" != "-v" ] || echo "Handling the file: $LFBFL_file_name"
         for LFBFL_substitution in "${!LFBFL_substitutions[@]}"; do
          LFBFL_substitution2=\
   ${LFBFL_substitutions[$LFBFL_substitution]}
           if grep -q "$LFBFL_substitution" "$LFBFL_file_name"; then
49
             "$LFBFL_file_name"
           fi
         done
      done
     done
```

2.5 build_and_checks_dependencies/common_build_and_checks.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  source ./wget_sha512.sh
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL beginning="$personal github$dependencies"
  subdir="build and checks dependencies"
31
  script="$URL_beginning/build_md_from_printable_md.sh"
34 correct_sha512='5231a90246a58da4bb27440edd3281c02b05e29cd9b1bfe340a25'
  correct_sha512+='7eefcf7df82f70ed3ce95a112bc03710839b2dfde066317c938f'
  correct_sha512+='302bc599f8d293d45910b8a'
  wget_sha512 "./$subdir/build_md_from_printable_md.sh" "$script"\
     "$correct_sha512"
  chmod +x "./$subdir/build_md_from_printable_md.sh"
  script="$URL beginning/check shell scripts beginnings.sh"
42 correct sha512='d94931d4b20b7987aed4dd02663ad5feba3389c8fdea2fdbfb91d'
43 correct sha512+='0b71eed4ef80c8d4a8eef5c147837183b2c9ed6d577cda3ad67f'
  correct_sha512+='6d6485a015eac56fa0daa3b'
```

```
wget_sha512 "./$subdir/check_shell_scripts_beginnings.sh" "$script"\
   "$correct_sha512"
script="$URL_beginning/check_URLs.sh"
correct sha512='d83cac890cc02fabaed5612ff59dd581e4e42e4f9de5710ad80bb'
correct_sha512+='41db46f9e2ec6f5bddb6006e209e81d45432a908717d10188ebc'
correct sha512+='a623b1493e4098dd78cd80b'
 wget_sha512 "./$subdir/check_URLs.sh" "$script" "$correct_sha512"
script="$URL beginning/comparisons.sh"
correct sha512='df5bfe91de1fb948601776c2205f313fca6fabc1703ec94c36d77'
correct sha512+='4c623f1d694de26eff0e6b950000ff84c12f2747c9403b7981b2'
correct sha512+='92aa2bd06a9e74fa0beb798'
 wget sha512 "./$subdir/comparisons.sh" "$script" "$correct sha512"
script="$URL beginning/create PDF.sh"
correct_sha512='b29a67e821f1bb678bcb664d9ba26e1f8f9042991fdabef5eda03'
correct sha512+='2e09d6b85045bf9b257b822b1478474ae4b9aff62221b995fc38'
correct_sha512+='8427f3cc68e6674c9cb64df'
wget_sha512 "./$subdir/create_PDF.sh" "$script" "$correct_sha512"
chmod +x "./$subdir/create_PDF.sh"
script="$URL_beginning/generate_from_template.sh"
correct sha512='5a7732f2f93ce4020cbaea76dfd94cdaf313dd2f472d5ab0d9361'
correct_sha512+='7b3e6bf1bdea2a4475989689cbf1f50e8dac50c49b0ea7c385d7'
correct sha512+='00999336dd0bd03483fba64'
 wget sha512 "./$subdir/generate from template.sh" "$script"\
   "$correct sha512"
script="$URL_beginning/get_common_text_glob_patterns.sh"
 correct sha512='cd341e8fd1074d53f6ea88b332fc4375f06af0e4c0b56e1ddb39c'
correct sha512+='8ab988ea5f0c21ec4088fe1946ae44f3ea7ba394f558c03a446f'
correct sha512+='0971482a4a7a8d6fe041153'
wget_sha512 "./$subdir/get_common_text_glob_patterns.sh" "$script"\
   "$correct_sha512"
script="$URL_beginning/grammar_and_spell_check.sh"
correct sha512='69dcb77061f2e560d6268622ae72ef11d412b996520b7321b1f20'
correct sha512+='427fb4eda6d2fb5909938da6c0af4099921190298d372466dea3'
correct_sha512+='b45805f0c271da852578075'
wget_sha512 "./$subdir/grammar_and_spell_check.sh" "$script"\
   "$correct sha512"
URL beginning2="$URL beginning/licenses templates"
subdir2="$subdir/licenses templates"
 script="$URL_beginning2/build_licenses_templates.sh"
```

```
correct sha512='6cc01a243d5561a8be48af1867eda7ce05b28470abe72e0f20cf9'
   correct sha512+='06db230aed50a886b632cb722a1b7c20e97fd31e70686da2db88'
   correct sha512+='f467fdf5479199f15ed0df8'
   wget sha512 "./$subdir2/build_licenses_templates.sh" "$script"\
     "$correct sha512"
   chmod +x "./$subdir2/build_licenses_templates.sh"
   script="$URL_beginning2/license_file_header_GPLv3+.tpl"
   correct sha512='2bdef9a729a5a9ca5ed87ef8a518877c5ee6b31b4533608660316'
   correct_sha512+='a4e595fb31465a4847f4d53a2f7264118bd4eab7c1d1892e00bc'
   correct sha512+='1861455ed02898f194db067'
   wget sha512 "./$subdir2/license file header GPLv3+.tpl" "$script"\
     "$correct sha512"
103
104
   script="$URL beginning2/license file header LGPLv3+.tpl"
105
   correct sha512='265fd0d086b48ab798f35a072335a4976e4eda8c256febba6c77c'
106
   correct sha512+='98ca86cdd844c6ac150c3445c80debbb3fc2574b5fceeeaf79ec'
   correct sha512+='734a759bdef5fe798067c62'
   wget_sha512 "./$subdir2/license_file_header_LGPLv3+.tpl" "$script"\
     "$correct_sha512"
110
   script="$URL beginning/lines counts.sh"
112
   correct sha512='4aa984d1a3709d3ed6ad5a4accc5e1d9cee2f174730ef232dbcd6'
   correct sha512+='1d3661191e1904a0072fdb818c96e4aff5e58d5d7b0b024a874f'
   correct_sha512+='17acb35d98bbde10fb6dacd'
   wget sha512 "./$subdir/lines counts.sh" "$script" "$correct sha512"
116
   script="$URL beginning/lines filters.sh"
118
   correct sha512='23ce3bcd052b758803afff514a44aec843bd367d0aec80662c9c7'
   correct sha512+='b2add1ae3238bf010ee308cd82131fc1939ab1758e611997e845'
   correct sha512+='33bafa6c68d4051c968a4d7'
   wget sha512 "./$subdir/lines filters.sh" "$script" "$correct sha512"
122
123
   script="$URL_beginning/overwrite_if_not_equal.sh"
   correct_sha512='afabf6f384e61920dbc575afb1519173ac2654b6180b9a28c5ffc'
   correct_sha512+='173a05c6e6d4011d7bc8912da15caee923c9033d8355967920e4'
   correct_sha512+='d05e2cd575c3cf065fc8e40'
127
   wget_sha512 "./$subdir/overwrite_if_not_equal.sh" "$script"\
     "$correct sha512"
129
   script="$URL_beginning/python_black_complement.sh"
   correct sha512='7152e9d01cc3c72371695635cd6866b2e13ce25f4842afb8e4e87'
   correct sha512+='b6447b26abafbdbc850f69946913b5b2c423b265c9066a2b4655'
   correct_sha512+='6dea19c04a5416588423a74'
   wget sha512 "./$subdir/python black complement.sh" "$script"\
135
     "$correct sha512"
```

```
137
   script="$URL_beginning/python_isort_complement.sh"
   correct sha512='770e5ed16e4b5f6d61577794033161d361bc2eacea6d08a5c7b9a'
   correct sha512+='1577666cf655d1c947108adb9151d87f937471d30716a6d50d76'
   correct sha512+='f84bbcf1f1620fb9ede4575'
   wget_sha512 "./$subdir/python_isort_complement.sh" "$script"\
     "$correct sha512"
143
   script="$URL beginning/too long code lines.sh"
145
   correct sha512='a8716971f22a14160701b6e801c4f66220e2e1dd174f24e43775e'
   correct sha512+='e743aeaa4ee66dadae185e134c3554f8c37d8ee457d051336ed3'
   correct sha512+='430b734bcf80e8d5704064b'
   wget_sha512 "./$subdir/too_long_code_lines.sh" "$script"\
     "$correct sha512"
150
151
   shopt -s globstar
   source "./$subdir/check_shell_scripts_beginnings.sh"
  source "./$subdir/check_URLs.sh"
  source "./$subdir/comparisons.sh"
   source "./$subdir/generate_from_template.sh"
  source "./$subdir/get_common_text_glob_patterns.sh"
  source "./$subdir/lines counts.sh"
   source "./$subdir/lines_filters.sh"
   source "./$subdir/overwrite_if_not_equal.sh"
   source "./$subdir/python_black_complement.sh"
   source "./$subdir/python isort complement.sh"
   source "./$subdir/too_long_code_lines.sh"
   cwd="."
  if [[ -n "$1" ]];
   then
     cwd="$1"
   fi
169
170
   echo "Building license headers"
171
   ./$subdir2/build_licenses_templates.sh "$cwd"
173
   echo "Building README.md"
   ./$subdir/build_md_from_printable_md.sh "$cwd"
175
   pushd .
177
   cd "$cwd"
179
  echo "Running isort"
  isort .
  python_isort_complement
```

```
echo "Running black"
   black .
   python_black_complement
   find . -name "pyproject.toml" | relevant_find\
     | while read -r file_name;
189
   do
     if grep -q "Typing :: Typed" "$file_name"; then
191
       echo "Running mypy"
       mypy $(dirname "$file_name")
193
     fi
   done
195
196
   echo "Analyzing too long lines"
   too_long_code_lines | relevant_grep | not_license_grep
199
   echo "Analyzing shell scripts beginnings"
200
   check_shell_scripts_beginnings | relevant_grep
202
   echo "Analyzing URLs"
   check_URLs | relevant_grep
204
   echo "Creating the PDF file of the listing of the source code"
   ./build_and_checks_dependencies/create_PDF.sh
208
   popd
```

2.6 build_and_checks_dependencies/common_build_and_checks.sh.tpl

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.

# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
```

```
# You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  source ./wget sha512.sh
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  subdir="build_and_checks_dependencies"
  script="$URL_beginning/build_md_from_printable_md.sh"
  @sha512_build_md_from_printable_md.sh@
  wget_sha512 "./$subdir/build_md_from_printable_md.sh" "$script"\
    "$correct_sha512"
  chmod +x "./$subdir/build_md_from_printable_md.sh"
  script="$URL_beginning/check_shell_scripts_beginnings.sh"
  @sha512_check_shell_scripts_beginnings.sh@
  wget_sha512 "./$subdir/check_shell_scripts_beginnings.sh" "$script"\
     "$correct sha512"
42
 script="$URL beginning/check URLs.sh"
45 @sha512_check_URLs.sh@
  wget_sha512 "./$subdir/check_URLs.sh" "$script" "$correct_sha512"
 script="$URL_beginning/comparisons.sh"
  @sha512 comparisons.sh@
  wget_sha512 "./$subdir/comparisons.sh" "$script" "$correct_sha512"
script="$URL_beginning/create_PDF.sh"
93 @sha512_create_PDF.sh@
s4 wget_sha512 "./$subdir/create_PDF.sh" "$script" "$correct_sha512"
  chmod +x "./$subdir/create PDF.sh"
  script="$URL_beginning/generate_from_template.sh"
  @sha512_generate_from_template.sh@
  wget_sha512 "./$subdir/generate_from_template.sh" "$script"\
     "$correct sha512"
  script="$URL_beginning/get_common_text_glob_patterns.sh"
```

```
@sha512_get_common_text_glob_patterns.sh@
   wget_sha512 "./$subdir/get_common_text_glob_patterns.sh" "$script"\
     "$correct sha512"
  script="$URL_beginning/grammar_and_spell_check.sh"
  @sha512_grammar_and_spell_check.sh@
   wget_sha512 "./$subdir/grammar_and_spell_check.sh" "$script"\
     "$correct_sha512"
71
  URL beginning2="$URL beginning/licenses templates"
  subdir2="$subdir/licenses templates"
  script="$URL_beginning2/build_licenses_templates.sh"
  @sha512_build_licenses_templates.sh@
   wget sha512 "./$subdir2/build licenses templates.sh" "$script"\
     "$correct_sha512"
   chmod +x "./$subdir2/build licenses templates.sh"
   script="$URL_beginning2/license_file_header_GPLv3+.tpl"
  @sha512_license_file_header_GPLv3+.tpl@
   wget_sha512 "./$subdir2/license_file_header_GPLv3+.tpl" "$script"\
     "$correct sha512"
  script="$URL_beginning2/license_file_header_LGPLv3+.tpl"
   @sha512_license_file_header_LGPLv3+.tpl@
   wget_sha512 "./$subdir2/license_file_header_LGPLv3+.tpl" "$script"\
     "$correct sha512"
  script="$URL beginning/lines counts.sh"
  @sha512_lines_counts.sh@
  wget_sha512 "./$subdir/lines_counts.sh" "$script" "$correct_sha512"
  script="$URL beginning/lines filters.sh"
  @sha512 lines filters.sh@
  wget_sha512 "./$subdir/lines_filters.sh" "$script" "$correct_sha512"
  script="$URL_beginning/overwrite_if_not_equal.sh"
   @sha512_overwrite_if_not_equal.sh@
   wget_sha512 "./$subdir/overwrite_if_not_equal.sh" "$script"\
     "$correct sha512"
101
   script="$URL_beginning/python_black_complement.sh"
   @sha512_python_black_complement.sh@
   wget_sha512 "./$subdir/python_black_complement.sh" "$script"\
105
     "$correct sha512"
107
   script="$URL_beginning/python_isort_complement.sh"
```

```
@sha512_python_isort_complement.sh@
   wget_sha512 "./$subdir/python_isort_complement.sh" "$script"\
     "$correct sha512"
111
   script="$URL_beginning/too_long_code_lines.sh"
113
   @sha512_too_long_code_lines.sh@
   wget_sha512 "./$subdir/too_long_code_lines.sh" "$script"\
115
     "$correct_sha512"
117
   shopt -s globstar
  source "./$subdir/check_shell_scripts_beginnings.sh"
119
   source "./$subdir/check_URLs.sh"
source "./$subdir/comparisons.sh"
  source "./$subdir/generate from template.sh"
  source "./$subdir/get_common_text_glob_patterns.sh"
   source "./$subdir/lines counts.sh"
  source "./$subdir/lines_filters.sh"
  source "./$subdir/overwrite_if_not_equal.sh"
  source "./$subdir/python_black_complement.sh"
   source "./$subdir/python_isort_complement.sh"
   source "./$subdir/too_long_code_lines.sh"
130
   cwd="."
   if [[ -n "$1" ]];
   then
     cwd="$1"
134
   fi
136
   echo "Building license headers"
   ./$subdir2/build_licenses_templates.sh "$cwd"
138
   echo "Building README.md"
   ./$subdir/build md from printable md.sh "$cwd"
141
142
   pushd .
143
   cd "$cwd"
145
   echo "Running isort"
   isort .
   python_isort_complement
149
   echo "Running black"
  black .
   python_black_complement
153
   find . -name "pyproject.toml" | relevant_find\
```

```
| while read -r file_name;
155
     if grep -q "Typing :: Typed" "$file_name"; then
157
       echo "Running mypy"
       mypy $(dirname "$file_name")
159
     fi
   done
161
162
   echo "Analyzing too long lines"
163
   too_long_code_lines | relevant_grep | not_license_grep
165
   echo "Analyzing shell scripts beginnings"
   check_shell_scripts_beginnings | relevant_grep
168
   echo "Analyzing URLs"
   check_URLs | relevant_grep
170
171
   echo "Creating the PDF file of the listing of the source code"
172
   ./build_and_checks_dependencies/create_PDF.sh
174
   popd
```

2.7 build_and_checks_dependencies/comparisons.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <https://www.gnu.org/licenses/>.
```

```
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
   equal(){
25
    # Returns 1 if all the arguments strings are equal.
     # Renvoie 1 dans $? si toutes les chaînes en arguments sont égales.
     # J'ai rerepensé au 3-way-merge
     # et à mon article sur le principe de première différence
     # appliqué à la largeur modulaire, de clique ou de rang avec
     # l'idée d'un principe de première différence ternaire.
     equal_var_all_args="'$*'"
     equal_var_current="$equal_var_all_args"
     for equal_var_arg in $0; do
       if [[ "$equal_var_current" == "$equal_var_all_args" ]]; then
35
         equal var current="$equal var arg"
         continue
       if [[ "$equal_var_current" != "$equal_var_arg" ]]; then
       fi
     done
42
     return 1
  }
44
  max(){
     # Returns the maximum string among the arguments.
     # Renvoie la chaîne la plus grande parmi celles proposées.
     # $1=$sort command with the flags you want to be applied.
     # $ max sort a b c
     # C
     if [["$\#" == 0]]; then
       return 1
     printf "%s\n" "${@:2}" | eval "$1 -r" | head -1
  }
56
  min(){
     # Returns the minimum string among the arguments.
     # Renvoie la chaîne la plus petite parmi celles proposées.
     # $1=$sort command with the flags you want to be applied.
     # $ min sort a b c
     # a
     if [["$\#" == 0]]; then
       return 1
     printf "%s\n" "${@:2}" | eval "$1" | head -1
```

```
is_substring() {
  # $1=$string
  # $2=$substring
  is_substring_var_1=$(\
    echo "$1" | sed -e 's/\\\&/g' -e "s/'\\\&/g"\
  is_substring_var_2=$(\
    echo "$2" | sed -e 's/\\\^{q'} -e "s/'\\\^{q'}
  is_substring_var_3="\$a = '$is_substring_var_1';"
  is_substring_var_3+=" \$b = preg_quote('$is_substring_var_2');"
  is_substring_var_3+=" \c = '/'.addcslashes(\b, '/').'/';"
  is substring var 3+=" die(preg match(\$c, \$a));"
  php -r "$is substring var 3"
is_subfile(){
  # $1=$file_name
  # $2=$sub file name
  is_subfile_var_1="\\analoga = file_get_contents('\analoga 1');"
  is_subfile_var_1+=" \$b = preq_quote(file_get_contents('$2'));"
  is_subfile_var_1+=" die(preg_match(\$c, \$a));"
  php -r "$is_subfile_var_1"
}
```

2.8 build_and_checks_dependencies/create_PDF.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.

# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
```

```
# You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSvsAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
22
   # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
   subdir="build_and_checks_dependencies"
   source "./$subdir/lines counts.sh"
  source "./$subdir/lines filters.sh"
   grep_variable repository_data.txt repository_name
   cp "./latex/$repository name.tex.tpl"\
31
      "./latex/$repository name.tex"
32
   # We need a variant of the template with long lines.
  cp "./latex/$repository_name.tex.tpl"\
      "./latex/$repository_name.tex.tpl2"
   sed -i -Ez "s/%\n//Mg" "./latex/$repository_name.tex.tpl2"
  current_date=$(date -I"date")
  sed -i "s|@current date@|$current date|g"\
     "./latex/$repository_name.tex"
41
  current_git_SHA1=$(git rev-parse HEAD)
   sed -i "s|@current git SHA1@|$current git SHA1|g"\
     "./latex/$repository_name.tex"
  number_of_commits=$(git shortlog | space_starting_lines | wc -l)
   sed -i "s|@number_of_commits@|$number_of_commits|g"\
     "./latex/$repository name.tex"
  number of lines="$(code lines count all) total lines,"
  number_of_lines+=" $(code_lines_count_not_empty) not empty lines,"
   number_of_lines+=" $(code_lines_count_empty) empty lines."
   sed -i "s|@number_of_lines@|$number_of_lines|g"\
     "./latex/$repository_name.tex"
54
  tree -a --gitignore\
     -I "$repository_name.aux"\
     -I "$repository_name.log"\
     -I "$repository_name.out"\
     -I "$repository name.tex.tpl2"\
     -I current tree.txt\
     -I current tree light.txt\
     -I "node modules/"
```

```
-I "__pycache__/"\
     -I ".mypy_cache/"\
     -I ".git/"\
     > current_tree_light.txt
   tree -a -DFh --gitignore\
     -I "$repository_name.aux"\
     -I "$repository_name.log"\
     -I "$repository name.out"\
72
     -I "$repository_name.tex.tpl2"\
     -I current tree.txt\
     -I current_tree_light.txt\
     -I "node_modules/"\
     -I " pycache /"\
     -I ".mypy_cache/"\
     -I ".qit/"\
     > current_tree.txt
   shopt -s dotglob
   find . -type f -printf '%P\n' | relevant_find | sort\
     | while read -r file_name;
   do
     git check-ignore -q "$file_name" && continue
     base_file_name=$(basename "$file_name")
     [ "$base_file_name" != "current_tree_light.txt" ] || continue
     [ "$base file name" != "current tree.txt" ] || continue
     [ "$base_file_name" != "COPYING" ] || continue
     [ "$base_file_name" != "COPYING.LESSER" ] || continue
     [ "$base_file_name" != "$repository_name.pdf" ] || continue
     [ "$base_file_name" != "$repository_name.tex" ] || continue
     [ "$base_file_name" != "$repository_name.tex.tpl2" ] || continue
     if [[ "$base file name" == *.md ]]; then
       if [ -f "$file name.tpl" ]; then
         # in_place_grep -v "$base_file_name$" current_tree.txt
         # in_place_grep -v "$base_file_name$" current_tree_light.txt
         continue
       fi
100
     fi
     cleaned_path1=\$ (sed -e 's/_/\\_/g' <(echo "\$file_name"))
102
     cleaned_path2=\$(sed -e 's/\//:/g' -e 's/\.//g' <(echo "\$file_name"))
     if grep -q " $file_name\$" "./latex/$repository_name.tex.tpl2";
104
     then
       echo ""
106
       # sed -i -Ez\
          "s/$file name\n/\
108
           file_name/./\./g}\\proof{file_name/./\./g}}\n/Mg"
```

```
"current_tree_light.txt"
110
     else
111
       echo "The file $file name is not listed"\
112
             " in ./latex/$repository_name.tex.tpl"
       echo "TODO:\subsection{"
114
       echo "TODO: $cleaned_path1"
       echo "TODO:}"
116
       echo "TODO:\label{"
117
       echo "TODO: $cleaned path2"
118
       echo "TODO:}"
       echo "TODO:"
120
       echo "TODO:\VerbatimInput[numbers=left,xleftmargin=-5mm]{"
121
       echo "TODO: $file_name"
122
       echo "TODO:}"
123
       echo "TODO:"
       echo "TODO:"
125
     fi
126
   done
127
   shopt -u dotglob
   shopt -s globstar
129
   split_last_line() {
131
     # $1=$new_lines
     # $2=$prefix
133
     split_last_line_result="$1"
134
     if echo "$1" | sed -e 's/\\n/\n/q' | grep -q '.\\{71\}\$'; then
135
       LFBFL_start=$(\
          echo "$1" | sed -e 's/\n/\n/g' | head --lines=-1\
137
          \mid sed -z 's/\n/\n/g'
139
        # echo "start: $LFBFL_start"
140
       LFBFL_last_line=$(\
141
          echo "$1" | sed -e 's/\n/\n/q' | tail --lines=1\
142
143
        # echo "last_line: $LFBFL_last_line"
144
        split_last_line_result=""
145
       if [[ -n "$LFBFL_start" ]]; then
146
          split_last_line_result="$LFBFL_start\n"
148
        split_last_line_result+="${LFBFL_last_line:0:69}\n"
        split_last_line_result+="$2${LFBFL_last_line:69}"
150
     fi
   }
152
   # We verify if some lines are beyond 70 characters
154
   # in current_tree_light.txt et current_tree.txt.
```

```
trees=("current_tree_light.txt" "current_tree.txt")
   for some_tree in "${trees[@]}"; do
     grep '.\{71\}' "$some tree" | while read -r some line; do
158
       # echo "some_line: $some_line"
       prefix=$(\
160
          echo "$some_line"\
161
            | sed -E -e 's/(.*)-[^-]+$/\sqrt{g'} -e 's/[^ ]+$//g'
162
163
       prefix+=" "
164
       # echo "prefix: $prefix"
       file name=$(\
166
          echo "$some line"\
            | sed -E 's|.* (([a-zA-Z0-9\.\_/-]+).)$|\1|g'\
168
169
       # echo "file name: $file name"
170
       line start=$(\
171
          echo "$some_line"\
172
            | sed -E "s/(.*)[]*file_name/\1/q"
173
            | sed -e 's/ *$//g'
174
175
       # echo "line_start: $line_start"
       some line=$(\
177
          echo "$some_line"\
            | sed -E -e 's/[/\\[/g' -e 's/\]/\\]/g' \
179
       new lines="$prefix$file name"
181
       split_last_line "$new_lines" "$prefix"
       new_lines=$split_last_line_result
183
       split_last_line "$new_lines" "$prefix"
184
       new lines=$split last line result
185
       split_last_line "$new_lines" "$prefix"
186
       new_lines=$split_last_line_result
187
       split last line "$new lines" "$prefix"
188
       new_lines=$split_last_line_result
       sed -i -e "s/$some_line/$line_start\n$new_lines/q" "$some_tree"
190
     done
191
192
   sed -i -e '/@current_tree_light@/{r current_tree_light.txt' -e 'd}'\
194
     "./latex/$repository_name.tex"
   sed -i -e '/@current_tree@/{r current_tree.txt' -e 'd}'\
196
     "./latex/$repository_name.tex"
198
   pdflatex "./latex/$repository_name.tex" > /dev/null
   pdflatex "./latex/$repository name.tex" > /dev/null
   pdflatex "./latex/$repository_name.tex" > /dev/null
```

```
files_to_delete=(\
"$repository_name.aux"\
"$repository_name.log"\
"$repository_name.out"\
"current_tree.txt"
"current_tree_light.txt"
"./latex/$repository_name.tex.tpl2"

10 )

11 # Comment the following line if you need to debug.
12 for file_name in "${files_to_delete[@]}"; do

13 rm -f "$file_name"

14 done
```

2.9 build_and_checks_dependencies/generate_from_template.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
generate_from_template_with_block_comments() {
 # $1=base_file_name
  # $2=target_file_name
  # $3=enter_block_comment
  # $4=exit block comment
  LFBFL_temp=".generate_from_template_with_block_comments.temp"
```

```
echo "$3" > "$2$LFBFL_temp"
    cat "$1" >> "$2$LFBFL_temp"
    echo "$4" >> "$2$LFBFL temp"
    overwrite_if_not_equal "$2" "$2$LFBFL_temp"
35
  generate_from_template_with_line_comments() {
    # $1=base_file_name
    # $2=target file name
    # $3=line_comment_prefix
    # $4=optional_post_processing
    LFBFL_temp=".generate_from_template_with_line_comments.temp"
    sed -e "s/^/$3/g" "$1" > "$2$LFBFL_temp"
    if [[ -n "$4" ]]; then
      eval "$4"
    overwrite_if_not_equal "$2" "$2$LFBFL_temp"
  }
```

2.10 build_and_checks_dependencies/get_common_text_glob_patterns.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <https://www.gnu.org/licenses/>.
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
get_common_text_paths_glob_patterns() {
```

```
export common_patterns=(\
26
       '**/*.c'\
27
       '**/*.css'\
28
       '**/*.h'\
       '**/*.htm'\
30
       '**/*.html'\
       '**/*.js'\
32
       '**/*.json'\
33
       '**/*.md'\
34
       '**/*.php'\
       '**/*.py'\
       '**/*.sh'\
       '**/*.sql'\
38
       '**/*.tex'\
       '**/*.toml'\
       '**/*.tpl'\
41
       '**/*.ts'\
42
       '**/*.txt'\
43
       '**/*.yml'\
44
       '**/COPYING'\
45
       '**/COPYING.LESSER'\
       '**/pre-commit'\
47
       '**/.gitignore'\
       '**/py.typed'\
49
     )
   }
51
52
53
   get_common_text_files_glob_patterns() {
     export common_file_patterns=(\
55
       '*.c'\
56
       '*.css'\
57
       ′*.h′\
58
       ' * . htm' \
       ' * . html' \
60
       '*.js'\
       '*.json'\
62
       ' * .md' \
       '*.php'\
64
       '*.py'\
       '*.sh'\
       '*.sql'\
       '*.tex'\
68
       '*.toml'\
       '*.tpl'\
70
       '*.ts'\
```

2.11 build_and_checks_dependencies/licenses_templates/build_licenses_templates.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
 # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  subdir="build_and_checks_dependencies"
26 source "./$subdir/comparisons.sh"
  source "./$subdir/generate_from_template.sh"
source "./$subdir/lines_filters.sh"
  source "./$subdir/overwrite_if_not_equal.sh"
  license_subdir="./$subdir/licenses_templates/"
12 license_prefix="$license_subdir""license_file_header_"
33 licenses=(\
    "GPLv3+"\
```

```
"LGPLv3+"
35
  )
37
   # Various language definitions for text file formats
  block_comment_languages=(\
     "c"\
     "py"\
42
  )
43
  block_comment_enters=(\
     '/*'\
45
     / " " " / \
47
  block comment exits=(\
     ' * / ' \
     / " " " / \
50
  )
51
  equal "${#block_comment_languages[@]}"\
52
         "${#block_comment_enters[@]}"\
         "${#block_comment_exits[@]}"
54
  if [[ \$? == 0 ]]; then
     echo '/!\"Problème de définition des tableaux de langages 1"'/!\"
   fi
  line_comment_languages=(\
     "sh"\
     "tex"\
62
  line_comment_prefixes=(\
    ′# ′\
     / % / \
65
   equal "${#line comment languages[@]}"\
        "${#line_comment_prefixes[@]}"
  if [[ \$? == 0 ]]; then
69
     echo '/!\'"Problème de définition des tableaux de langages 2"'/!\'
71
73
  # We generate the license header templates adapted to various text
  # files formats.
  # Kamoulox do endfor, Jacques Beauregard XD
  # (C'est toujours mieux que l'inverse :) !)
  # for do endfor -> for do done (Fort Doux Donne).
  for license in "${licenses[@]}"; do
```

```
license_prefix2="$license_prefix$license"
     for ((i=0; i<\$\{\#block\_comment\_languages[@]\}; i++)); do
       extension=${block comment languages[i]}
       license_file_name="$license_prefix2.$extension"
       enter string=${block comment enters[i]}
       exit_string=${block_comment_exits[i]}
       generate_from_template_with_block_comments\
         "$license_prefix2.tpl"\
         "$license file name.tpl"
         "$enter string" "$exit string"
     done
     LFBFL_temp2=".generate_from_template_with_line_comments.temp"
     for ((i=0; i<${#line_comment_languages[@]}; i++)); do</pre>
       extension=${line comment languages[i]}
       license file name="$license prefix2.$extension"
       prefix string=${line comment prefixes[i]}
       generate_from_template_with_line_comments\
         "$license_prefix2.tpl"\
         "$license_file_name.tpl"
100
         "$prefix_string"\
         "sed -i -E -e 's/\s*$//q' '$license_file_name.tpl$LFBFL_temp2'"
102
     done
   done
104
105
106
   file name=repository data.txt
   grep_variable "$file_name" repository_name
108
   grep_variable "$file_name" license
   grep_variable "$file_name" author_full_name
110
   license_prefix2="$license_prefix$license"
   # First year according to current state of git repository.
   first year="$(qit log | grep 'Date:' | cut -f 8 -d ' ' | tail -1)"
  # Last year according to current state of git repository.
   last_year="$(git log | grep 'Date:' | cut -f 8 -d ' ' | head -1)"
   copyright_string="$first_year-$last_year $author_full_name"
   for ((i=0; i<${#block_comment_languages[@]}; i++)); do</pre>
117
     extension=${block_comment_languages[i]}
     license_file_name="$license_prefix2.$extension"
119
     sed -e "s/@repository_name@/$repository_name/g"\
       -e "s/@copyright_string@/$copyright_string/g"\
121
       "$license_file_name.tpl" > "$license_file_name.temp"
122
     overwrite if not equal "$license file name"\
123
       "$license file name.temp"
     head --lines=-1 "$license file name" | tail --lines=-1
125
       > "$license file name.temp"
```

```
find . -type f -name "*.$extension" -printf '%P\n' | relevant_find\
127
       | while read -r file_name;
129
       if is_subfile "$file_name" "$license_file_name.temp"
131
          echo "File $file_name has no/wrong license header?"
       fi
133
     done
     rm "$license file name.temp"
135
   done
   for ((i=0; i<${#line_comment_languages[@]}; i++)); do</pre>
137
     extension=${line_comment_languages[i]}
     license_file_name="$license_prefix2.$extension"
139
     sed -e "s/@repository name@/$repository name/g"\
140
       -e "s/@copyright_string@/$copyright_string/g"\
141
       "$license file name.tpl" > "$license file name.temp"
142
     overwrite_if_not_equal "$license_file_name"\
143
       "$license_file_name.temp"
144
     find . -type f -name "*.$extension" -printf '%P\n' | relevant_find\
       | while read -r file_name;
146
     do
       if is_subfile "$file_name" "$license_file_name"
148
       then
          echo "File $file_name has no/wrong license header?"
       fi
     done
152
   done
```

2.12 build_and_checks_dependencies/licenses_templates/license_file_header_GPLv3+.c.tpl

```
This file is part of @repository_name@ library.

@repository_name@ is free software:
you can redistribute it and/or modify it under the terms
of the GNU General Public License
as published by the Free Software Foundation,
either version 3 of the License,
or (at your option) any later version.

@repository_name@ is distributed in the hope
that it will be useful,
but WITHOUT ANY WARRANTY;
without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU General Public License for more details.
```

```
You should have received a copy of
the GNU General Public License
along with @repository_name@.
If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.

©Copyright @copyright_string@

*/
```

2.13 build_and_checks_dependencies/licenses_templates/license_file_header_GPLv3+.py.tpl

```
11 11 11
  This file is part of @repository_name@ library.
  @repository_name@ is free software:
  you can redistribute it and/or modify it under the terms
  of the GNU General Public License
  as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  @repository_name@ is distributed in the hope
  that it will be useful,
  but WITHOUT ANY WARRANTY;
14 without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU General Public License for more details.
  You should have received a copy of
  the GNU General Public License
  along with @repository_name@.
  If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
  ©Copyright @copyright_string@
  11 11 11
```

2.14 build_and_checks_dependencies/licenses_templates/license_file_header_GPLv3+.sh.tpl

```
# This file is part of @repository_name@ library.
# # @repository_name@ is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
```

```
#
# @repository_name@ is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU General Public License for more details.
# 
# You should have received a copy of
# the GNU General Public License
# along with @repository_name@.
# If not, see <https://www.gnu.org/licenses/>.
# 
# ©Copyright @copyright string@
```

2.15 build_and_checks_dependencies/licenses_templates/license_file_header_GPLv3+.tex.tpl

```
% This file is part of @repository_name@ library.
% @repository_name@ is free software:
% you can redistribute it and/or modify it under the terms
% of the GNU General Public License
% as published by the Free Software Foundation,
% either version 3 of the License,
% or (at your option) any later version.
% @repository_name@ is distributed in the hope
% that it will be useful,
% but WITHOUT ANY WARRANTY;
% without even the implied warranty of
% MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
% See the GNU General Public License for more details.
% You should have received a copy of
% the GNU General Public License
% along with @repository_name@.
% If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
% @Copyright @copyright_string@
```

2.16 build_and_checks_dependencies/licenses_templates/license_file_header_GPLv3+.tpl

```
This file is part of @repository_name@ library.

Prepository_name@ is free software:

you can redistribute it and/or modify it under the terms
```

```
of the GNU General Public License
as published by the Free Software Foundation,
either version 3 of the License,
or (at your option) any later version.

@repository_name@ is distributed in the hope
that it will be useful,
but WITHOUT ANY WARRANTY;
without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU General Public License for more details.

You should have received a copy of
the GNU General Public License
along with @repository_name@.
If not, see <https://www.gnu.org/licenses/>.

©Copyright @copyright_string@
```

2.17 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.c

```
/*
  This file is part of DevOrSysAdminScripts library.
4 DevOrSysAdminScripts is free software:
  you can redistribute it and/or modify it under the terms
  of the GNU Lesser General Public License
  as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  DevOrSysAdminScripts is distributed in the hope
12 that it will be useful,
13 but WITHOUT ANY WARRANTY;
  without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU Lesser General Public License for more details.
  You should have received a copy of
19 the GNU Lesser General Public License
  along with DevOrSysAdminScripts.
  If not, see <https://www.gnu.org/licenses/>.
23 ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
24 */
```

2.18 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.c.tpl

```
/*
  This file is part of @repository_name@ library.
  @repository_name@ is free software:
  you can redistribute it and/or modify it under the terms
  of the GNU Lesser General Public License
  as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  @repository_name@ is distributed in the hope
  that it will be useful,
13 but WITHOUT ANY WARRANTY;
  without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU Lesser General Public License for more details.
  You should have received a copy of
19 the GNU Lesser General Public License
  along with @repository_name@.
  If not, see <https://www.gnu.org/licenses/>.
23 ©Copyright @copyright_string@
24 */
```

2.19 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.pv

```
This file is part of DevOrSysAdminScripts library.

DevOrSysAdminScripts is free software:
you can redistribute it and/or modify it under the terms
of the GNU Lesser General Public License
as published by the Free Software Foundation,
either version 3 of the License,
or (at your option) any later version.

DevOrSysAdminScripts is distributed in the hope
that it will be useful,
but WITHOUT ANY WARRANTY;
without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU Lesser General Public License for more details.
```

```
You should have received a copy of
the GNU Lesser General Public License
along with DevOrSysAdminScripts.
If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>.

©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
```

2.20 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.py.tpl

```
This file is part of @repository_name@ library.
  @repository_name@ is free software:
  you can redistribute it and/or modify it under the terms
  of the GNU Lesser General Public License
  as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  @repository_name@ is distributed in the hope
11
 that it will be useful,
  but WITHOUT ANY WARRANTY;
  without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU Lesser General Public License for more details.
  You should have received a copy of
  the GNU Lesser General Public License
  along with @repository name@.
  If not, see <https://www.gnu.org/licenses/>.
  ©Copyright @copyright_string@
  11 11 11
24
```

2.21 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.sh

```
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# 
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <https://www.gnu.org/licenses/>.
# # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
```

2.22 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.sh.tpl

```
# This file is part of @repository_name@ library.
# @repository_name@ is free software:
  # you can redistribute it and/or modify it under the terms
5 # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # @repository_name@ is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
 # You should have received a copy of
  # the GNU Lesser General Public License
  # along with @repository_name@.
 # If not, see <https://www.gnu.org/licenses/>.
# ©Copyright @copyright_string@
```

2.23 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.tex

```
1 % This file is part of DevOrSysAdminScripts library.
2 %
3 % DevOrSysAdminScripts is free software:
4 % you can redistribute it and/or modify it under the terms
5 % of the GNU Lesser General Public License
```

```
% as published by the Free Software Foundation,
% either version 3 of the License,
% or (at your option) any later version.

% DevOrSysAdminScripts is distributed in the hope
% that it will be useful,
% but WITHOUT ANY WARRANTY;
% without even the implied warranty of
% MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
% See the GNU Lesser General Public License for more details.
%
% You should have received a copy of
% the GNU Lesser General Public License
% along with DevOrSysAdminScripts.
% If not, see <https://www.gnu.org/licenses/>.
%
% ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
```

.24 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.tex.tpl

```
% This file is part of @repository_name@ library.
  % @repository_name@ is free software:
  % you can redistribute it and/or modify it under the terms
  % of the GNU Lesser General Public License
  % as published by the Free Software Foundation,
  % either version 3 of the License,
  % or (at your option) any later version.
  % @repository_name@ is distributed in the hope
  % that it will be useful,
  % but WITHOUT ANY WARRANTY;
  % without even the implied warranty of
  % MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  % See the GNU Lesser General Public License for more details.
  % You should have received a copy of
  % the GNU Lesser General Public License
  % along with @repository_name@.
  % If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
22 % @Copyright @copyright_string@
```

2.25 build_and_checks_dependencies/licenses_templates/license_file_header_LGPLv3+.tpl

```
This file is part of @repository_name@ library.
  @repository_name@ is free software:
4 you can redistribute it and/or modify it under the terms
  of the GNU Lesser General Public License
  as published by the Free Software Foundation,
  either version 3 of the License,
  or (at your option) any later version.
  @repository_name@ is distributed in the hope
  that it will be useful,
12 but WITHOUT ANY WARRANTY;
  without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  See the GNU Lesser General Public License for more details.
  You should have received a copy of
  the GNU Lesser General Public License
19 along with @repository_name@.
  If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
  @Copyright @copyright_string@
```

2.26 build_and_checks_dependencies/lines_counts.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
```

```
# along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
24
  subdir="build_and_checks_dependencies"
  source "./$subdir/get_common_text_glob_patterns.sh"
  source "./$subdir/lines_filters.sh"
  all_code_lines(){
    get_common_text_files_glob_patterns
     for LFBFL_pattern in "${common_file_patterns[@]}"; do
       [ "$1" != "-v" ] || echo "Iterating on pattern: $LFBFL_pattern"
       find . -type f -name "$LFBFL pattern" -printf '%P\n'\
         | xargs grep -H -v 'a(?!a)a'
    done
   }
  all_self_code_lines() {
    all_code_lines | relevant_grep\
       | not_license_grep | not_main_tex_grep
   }
41
  all_self_empty_code_lines(){
    all_self_code_lines | empty_lines_after_file_name
45
  all_self_not_empty_code_lines() {
     all_self_code_lines | not_empty_lines_after_file_name
  }
  code_lines_count_all() {
    all self code lines | wc -l
53
54
  code_lines_count_empty(){
     all_self_empty_code_lines | wc -l
   }
  code_lines_count_not_empty() {
     all_self_not_empty_code_lines | wc -l
```

2.27 build_and_checks_dependencies/lines_filters.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  # The goal of ths file is to have some common line filters
  # for bash processing and pipes.
  # As is the case for other .sh files in this repository,
  # it can be copied somewhere in your home directory
  # and sourced in your .bashrc.
  ll wc() {
    # current options to wc:
    # -c --bytes
33
    # -m --chars
    # -1 --lines
    # -- files 0 - from # Incompatible with cat,
                     # another thing intentional by ?
                     # I don't see the meaning of "files0".
     # -L --max-line-length
    # -w --words
     # --help
    # --version
    # New option by Laurent Lyaudet (and probably other before):
     # -n --no-filenames display only number(s)
```

```
# I think I did that the first time many years ago (Teliae ?).
     ll_wc_var_args=""
     ll_wc_var_number_only=0
     for ll_wc_var_arg in $0; do
      if [[ $11_wc_var_arg == "-n" ]]; then
        ll_wc_var_number_only=1
      elif [[ $ll_wc_var_arg == "--no-filenames" ]]; then
        ll_wc_var_number_only=1
      else
         if [[ $11_wc_var_number_only == 0 ]]; then
          ll_wc_var_args+=" ""$ll_wc_var_arg"
           continue
        fi
         if [[ "$11 wc var arg" == "-*" ]]; then
           ll_wc_var_args+=" ""$ll_wc_var_arg"
       fi
     done
     # echo "$11_wc_var_args"
     # echo "$11_wc_var_number_only"
     if [[ $ll_wc_var_number_only -gt 0 ]]; then
       # Too simple code, only the base use case is handled now.
      # Convenient but incomplete.
      # With more time,
      # the simpler would be to submit a patch to GNU coreutils,
      # unless blockade from assholes.
      # Otherwise, it may be more simply handled in PHP or Python
      # (argparse, etc.).
       # You'll need to start by improving cat first,
       # with --files0-from handling.
       # echo "hack cat '${!#}' | wc $args"
      cat "${!#}" | wc "${ll_wc_var_args[@]}"
    else
      # echo "normal"
      wc "${ll_wc_var_args[@]}"
    fi
81
  # I submitted a patch for wc:).
  # echo "https://domain/list-path/2024-05/msq00013.html" | \
      sed -e 's|domain|lists.gnu.org|' \
           -e 's|list-path|archive/html/bug-coreutils|'
  # I found another way to have a long URL fit on 70 characters.
  # If it is merged, the following would be better:
 # If --no-filenames option available,
  # we redefine ll_wc command as an alias.
```

```
91  wc_help_text=$(wc --help)
   if [[ "$wc_help_text" == *" --no-filenames "* ]]; then
     alias ll wc='wc'
   fi
   in_place_grep() {
     LFBFL_temp=".in_place_grep.temp"
     grep $@ > "${!#}""$LFBFL_temp"
     LFBFL_lines_before=$(ll_wc -l -n "${!#}")
     LFBFL_lines_after=$(ll_wc -l -n "${!#}""$LFBFL_temp")
     # echo "$LFBFL lines before"
     # echo "$LFBFL_lines_after"
     if [[ "$LFBFL_lines_before" == "$LFBFL_lines_after" ]]; then
       rm "${!#}""$LFBFL temp"
104
       return
105
106
     mv "${!#}""$LFBFL_temp" "${!#}"
108
109
   grep_variable(){
110
     # $1=$file
     # $2=$variable_name
112
     LFBFL_regexp="(?<=^$2=).*$"
     # echo $LFBFL_regexp
114
     LFBFL_variable_value="$(grep -oP "$LFBFL_regexp" "$1")"
     # echo $LFBFL variable value
     declare -g "$2"="$LFBFL_variable_value"
118
119
   grep_variable repository_data.txt repository_name
120
121
   empty_lines(){
122
     grep '^$'
123
124
125
   not_empty_lines(){
     grep -v '^$'
127
   }
128
129
   space_starting_lines(){
     grep '^[]'
131
133
   not_space_starting_lines() {
     grep '^[^ ]'
135
```

```
137
   empty_lines_after_file_name() {
     grep '^[^:]\+:$'
139
141
   not_empty_lines_after_file_name(){
     grep -v '^[^:]\+:$'
143
144
145
   space_starting_lines_after_file_name(){
     grep '^[^:]\+: '
147
148
149
   not space starting lines after file name() {
150
     grep '^[^:]\+:[^ ]'
152
153
   not_JS_dependencies_find() {
154
     grep -vE "(^|/)node_modules/" | grep -vE "(^|/)package-lock\.json$"
156
157
   not_JS_dependencies_grep() {
158
     grep -v "^[^:]*node_modules/" | grep -v "^[^:]*package-lock\.json:"
159
160
161
   not dependencies find(){
162
     not_JS_dependencies_find
163
164
165
   not_dependencies_grep(){
     not_JS_dependencies_grep
167
168
169
   not_python_cache_find() {
170
     grep -vE "(^|/)__pycache__/" | grep -vE "(^|/)\.mypy_cache/"
171
   }
172
173
   not_python_cache_grep() {
     grep -v "^[^:]*__pycache__/" | grep -v "^[^:]*\.mypy_cache/"
175
177
   not_cache_find() {
     not python cache find
179
181
   not_cache_grep() {
```

```
not_python_cache_grep
183
185
   not_git_find() {
     grep -vE "(^|/) \.git/"
187
188
   not_git_grep() {
190
      grep -v "^[^:]*\.git/"
191
192
193
   not_archive_find() {
194
      grep -vE "(\.gz|\.rar|\.tar|\.tgz|\.whl)$"
195
196
   not_archive_grep() {
198
      grep -vE "^[^:]*(\.gz|\.rar|\.tar|\.tgz|\.whl):"
200
   not_license_find() {
202
      grep -vE "(^|/)COPYING$" | grep -vE "(^|/)COPYING\.LESSER$"
   }
204
205
   not_license_grep() {
206
      grep -v "^[^:]*COPYING:" | grep -v "^[^:]*COPYING\.LESSER:"
207
208
209
   not_main_tex_find() {
210
      grep -vE "(^|/)$repository_name\.tex$"
211
212
213
   not_main_tex_grep() {
      grep -v "^[^:]*$repository_name\.tex:"
215
216
217
   relevant_find() {
      not_dependencies_find | not_cache_find | not_git_find\
219
      | not_archive_find
221
   relevant_grep(){
     not_dependencies_grep | not_cache_grep | not_git_grep\
      | not_archive_grep
225
```

2.28 build_and_checks_dependencies/overwrite_if_not_equal.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <https://www.gnu.org/licenses/>.
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
overwrite_if_not_equal(){
  # $1=$target_file_name
  # $2=$temp_file_name
  if [[ ! -f "$1" ]]; then
   mv "$2" "$1"
    return
  fi
  diff -q "$1" "$2"
  overwrite_if_not_equal_var_is_equal=$?
  if [[ $overwrite_if_not_equal_var_is_equal == 0 ]]; then
   rm "$2"
  else
    mv "$2" "$1"
  fi
}
```

2.29 build_and_checks_dependencies/python_black_complement.sh

```
#!/usr/bin/env bash
This file is part of DevOrSysAdminScripts library.
```

```
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  # It was rejected to enhance black with this currently.
  # And moreover, at some point, I saw the reverse rule
 # in black or pylint to add an empty line...
28 # This regexp may give false positives,
  # but that's not the end of the world.
  check_no_empty_line_after_python_function_docstring() {
    echo "Checking empty lines after Python function docstrings"
    pcregrep -M $'def [^"]*"""([^"]|"(?!""))*"""\n\n(?!\s*def)'\
       -- **/*.py
  }
34
36 python_black_complement(){
    check_no_empty_line_after_python_function_docstring
  }
38
```

2.30 build_and_checks_dependencies/python_isort_complement.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
```

```
# either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  subdir="build_and_checks_dependencies"
  source "./$subdir/lines_filters.sh"
  source "./$subdir/overwrite_if_not_equal.sh"
  check_collections_abc_place() {
    echo "Checking import of _collections_abc is at the right place"
    LFBFL_temp=".check_collections_abc_place.temp"
    find . -name "*.py" | relevant_find\
       | while read -r LFBFL file name; do
       [ -f "$LFBFL_file_name" ] || continue
       sed -Ez 's/\n(\nfrom _collections_abc[^\n]*)/\1\n/Mg'\
         "$LFBFL_file_name" > "$LFBFL_file_name$LFBFL_temp"
       overwrite_if_not_equal "$LFBFL_file_name"\
         "$LFBFL_file_name$LFBFL_temp"
    done
   }
  python_isort_complement() {
    check_collections_abc_place
  }
44
```

2.31 build_and_checks_dependencies/too_long_code_lines.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
```

```
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
subdir="build_and_checks_dependencies"
source "./$subdir/get_common_text_glob_patterns.sh"
too_long_code_lines(){
  get_common_text_files_glob_patterns
   for LFBFL_pattern in "${common_file_patterns[@]}"; do
     [ "$1" != "-v" ] || echo "Iterating on pattern: $LFBFL_pattern"
     find . -type f -name "$LFBFL pattern" -printf '%P\n'\
       | xargs grep -H '.\{71\}'
  done
}
```

2.32 build_and_checks_dependencies/update_common_build_and_checks.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.

# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
```

```
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  cp ./common_build_and_checks.sh.tpl ./common_build_and_checks.sh
  file_names=(\
     "build md from printable md.sh"
     "check shell scripts beginnings.sh"
     "check URLs.sh"\
     "comparisons.sh"
     "create_PDF.sh"\
     "generate_from_template.sh"\
     "get_common_text_glob_patterns.sh"\
     "grammar_and_spell_check.sh"\
     "licenses_templates/build_licenses_templates.sh"
     "licenses_templates/license_file_header_GPLv3+.tpl"
     "licenses_templates/license_file_header_LGPLv3+.tpl"
     "lines_counts.sh"\
     "lines filters.sh"
     "overwrite if not equal.sh"
     "python_black_complement.sh"\
     "python_isort_complement.sh"\
     "too_long_code_lines.sh"\
  )
45
  for file name in "${file names[@]}"; do
     file_sha512=$(sha512sum "./$file_name" | cut -f1 -d' ')
     file_sha512_1="correct_sha512='${file_sha512:0:53}'"
     file_sha512_2="correct_sha512\+='${file_sha512:53:52}'"
     file_sha512_3="correct_sha512\+='${file_sha512:105}'"
    file_sha512_all="$file_sha512_1\n"
     file\_sha512\_all+="$file\_sha512\_2\n"
    file_sha512_all+="$file_sha512_3"
    base_file_name=$(basename "$file_name")
    sed -i "s|@sha512_$base_file_name@|$file_sha512_all|g"\
         ./common build and checks.sh
  done
  cp ./build_and_checks.sh.tpl ../build_and_checks.sh
```

```
file_sha512=$(sha512sum common_build_and_checks.sh | cut -f1 -d' ')

file_sha512_1="correct_sha512='${file_sha512:0:53}'"

file_sha512_2="correct_sha512\+='${file_sha512:53:52}'"

file_sha512_3="correct_sha512\+='${file_sha512:105}'"

file_sha512_all="$file_sha512_1\n"

file_sha512_all+="$file_sha512_2\n"

file_sha512_all+="$file_sha512_3"

sed -i "s|@sha512_common_build_and_checks.sh@|$file_sha512_all|g"\
../build_and_checks.sh
```

2.33 build_and_checks.sh

```
#!/usr/bin/env bash
<sup>2</sup> # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
23
  source ./wget_sha512.sh
  mkdir -p build_and_checks_dependencies/licenses_templates
  subdir="build_and_checks_dependencies"
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
```

```
script="$URL_beginning/common_build_and_checks.sh"
correct_sha512='40fbdbf01b23482fe8fdf2cbf54c0b6d426955d981603692e3667'
correct_sha512+='280dd966ca9b901c98a3b74ec4487b8565fcc3bd89d6de3f5127'
correct_sha512+='3fb59980bd7be404c563086'

wget_sha512 "./$subdir/common_build_and_checks.sh" "$script"\
"$correct_sha512"
chmod +x "./$subdir/common_build_and_checks.sh"

cwd="."

if [[ -n "$1" ]];
then
    cwd="$1"

fi

//build_and_checks_dependencies/common_build_and_checks.sh "$cwd"
```

2.34 git_checks.sh

```
#!/usr/bin/env bash
2 # This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
5 # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
# either version 3 of the License,
  # or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
12 # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
 # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 # See the GNU Lesser General Public License for more details.
 # You should have received a copy of
 # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
 check_files(){
    check_files_var_send_summary_1="ATTENTION : models modifiés"
    check files var send body 1="Vérifiez si besoin de migrations"
    check_files_var_send_body_2=\
```

```
"Pensez aussi aux contraintes d'unicités"
     check_files_var_send_body_2+=" dès la création du modèle"
     check_files_var_send_summary_2="ATTENTION : serializers modifiés"
    check_files_var_send_body_3=\
   "Les nouveaux preloadings sont interdits -> #Prefetch()"
     if git diff --cached --name-only | grep models;
       notify-send "$check_files_var_send_summary_1"\
         "$check_files_var_send_body_1"
       notify-send "$check_files_var_send_summary_1"\
         "$check_files_var_send_body_2"
     fi
    if git diff --cached --name-only | grep serializer;
41
       notify-send "$check_files_var_send_summary_2"\
         "$check files var send body 3"
     fi
    return 0
48
  check_no_abusive_trailing_comma() {
    LFBFL_send_summary_1="ATTENTION"
    LFBFL_send_body_1="Il semblerait que vous affectiez un tuple"
52
    LFBFL_send_body_1+=" au lieu d'une autre valeur dans une variable."
    if git diff --cached -r | grep ' = .*, \s*$';
       notify-send "$LFBFL_send_summary_1" "$LFBFL_send_body_1"
       return 1
    fi
    return 0
   }
61
  check_black_code_formatting() {
63
     # attention ça ne marche que sur les fichiers "stagés" avec git add
    LFBFL_files_string=$(\
       git diff --cached --name-only | grep '\.py'\
     echo "$LFBFL_files_string"
    mapfile -t LFBFL_some_files <<< "$LFBFL_files_string"</pre>
    LFBFL_error=0
    for LFBFL file in ${LFBFL some files[@]}; do
71
       echo "Black will check formatting on file $LFBFL file"
       if ! black --check --diff "$LFBFL_file";
73
       then
```

2.35 build_and_checks_dependencies/grammar_and_spell_check.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
24
  subdir="build_and_checks_dependencies"
  source "./$subdir/get_common_text_glob_patterns.sh"
   source "./$subdir/lines_filters.sh"
  grammar_and_spell_check() {
     get_common_text_files_glob_patterns
     grep_variable "$1" grammar_or_spell_checker_command
31
    LFBFL_command=$(\
       echo "$grammar or spell checker command"\
       \mid sed -Ez -e "s/\n//Mg"\
```

```
for LFBFL_pattern in "${common_file_patterns[@]}"; do

[ "$2" != "-v" ] || echo "Iterating on pattern: $LFBFL_pattern"

find . -type f -name "$LFBFL_pattern" -printf '%P\n'\

| while read -r file_name;

do

LFBFL_eval_string="$LFBFL_command $file_name"

eval "$LFBFL_eval_string"

done

done

done
```

2.36 latex/DevOrSysAdminScripts.tex.tpl

```
% This file is part of DevOrSysAdminScripts library.
  % DevOrSysAdminScripts is free software:
  % you can redistribute it and/or modify it under the terms
  % of the GNU Lesser General Public License
  % as published by the Free Software Foundation,
  % either version 3 of the License,
  % or (at your option) any later version.
  % DevOrSysAdminScripts is distributed in the hope
  % that it will be useful,
  % but WITHOUT ANY WARRANTY;
  % without even the implied warranty of
  % MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  % See the GNU Lesser General Public License for more details.
  % You should have received a copy of
  % the GNU Lesser General Public License
  % along with DevOrSysAdminScripts.
  % If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  % ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  \documentclass{article}
  \usepackage[utf8]{inputenc}
 \usepackage{subfigure}
28 \usepackage{amsmath}
  \usepackage{amssymb}
  \usepackage{amsthm}
31 \usepackage[pdftex] {hyperref}
32 \usepackage{tikz}
```

```
\usepackage{caption}
  \usepackage[round]{natbib}
  \usepackage{fancyhdr}
  \usepackage{amsfonts}
  \usepackage{times}
  \usepackage{ifpdf}
  \usepackage{latexsym}
  \usepackage{graphicx}
  \usepackage{enumerate}
  \usepackage{pmboxdraw}
  \usepackage{fancyvrb}
  % *** les environnements ***
  %\theoremstyle{break}
  \newtheorem{definition} {Definition} [section]
  \newtheorem{proposition} [definition] {Proposition}
  \newtheorem{theorem} [definition] {Theorem}
  \newtheorem{lemma} [definition] {Lemma}
  \newtheorem{corollary} [definition] {Corollary}
  \newtheorem{remark}[definition]{Remark}
  \newtheorem{openproblem}[definition]{Open problem}
  \begin{document}
  \author{
    Laurent Lyaudet \\
     \url{https://lyaudet.eu/laurent/}\\
     laurent.lyaudet@gmail.com
  \title{DevOrSysAdminScripts}
  \maketitle
  \begin{abstract}
  Some ''small'' useful scripts
  for enhancing development or system-administrators tasks
  \end{abstract}
  Current version: @current_date@
71
  Current number of commits: @number_of_commits@
  Current git SHA1: @current_git_SHA1@
75
  Code lines: @number_of_lines@
  \section{Files tree}
```

```
\label{section:tree}
   \begin{verbatim}
  @current_tree_light@
   \end{verbatim}
   \begin{verbatim}
   @current_tree@
   \end{verbatim}
   \section{Listing of files}
   \label{section:listing}
  The following source code is covered by LGPLv3+.
   The text of the license is available at:
   \url{https://www.gnu.org/licenses/}.
   The git repository of this source code is also available at:
   \url{https://github.com/LLyaudet/DevOrSysAdminScripts/}.
   \subsection{
     build\_and\_checks\_dependencies/build\_and\_checks.sh.tpl
100
   \label{
102
     build_and_checks_dependencies:build_and_checksshtpl
104
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
106
     build_and_checks_dependencies/build_and_checks.sh.tpl
107
   }
108
109
110
   \subsection{
111
     build\_and\_checks\_dependencies/build\_md\_from\_printable\_md.sh
112
113
   \label{
     build_and_checks_dependencies:build_md_from_printable_mdsh
115
   }
116
117
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/build_md_from_printable_md.sh
119
121
   \subsection{
123
     build\_and\_checks\_dependencies/%
```

```
check\_shell\_scripts\_beginnings.sh
125
   }
   \label{
127
     build_and_checks_dependencies:check_shell_scripts_beginningssh
129
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
131
     build_and_checks_dependencies/check_shell_scripts_beginnings.sh
133
135
   \subsection{
     build\_and\_checks\_dependencies/check\_URLs.sh
137
138
   \label{
     build and checks dependencies: check URLssh
140
141
142
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/check URLs.sh
144
   }
146
   \subsection{
     build\_and\_checks\_dependencies/common\_build\_and\_checks.sh
150
   \label{
     build and checks dependencies: common build and checkssh
152
   }
153
154
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
155
     build and checks dependencies/common build and checks.sh
156
157
158
159
   \subsection{
     build\_and\_checks\_dependencies/common\_build\_and\_checks.sh.tpl
161
   }
   \label{
163
     build_and_checks_dependencies:common_build_and_checksshtpl
165
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/common build and checks.sh.tpl
   }
169
```

```
171
   \subsection{
172
      build\_and\_checks\_dependencies/comparisons.sh
173
   \label{
175
      build_and_checks_dependencies:comparisonssh
    }
177
    \VerbatimInput[numbers=left,xleftmargin=-5mm]{
179
      build_and_checks_dependencies/comparisons.sh
181
182
183
    \subsection{
184
      build\_and\_checks\_dependencies/create\_PDF.sh
185
186
    \label{
187
      build_and_checks_dependencies:create_PDFsh
188
190
    \VerbatimInput[numbers=left,xleftmargin=-5mm]{
      build_and_checks_dependencies/create_PDF.sh
192
194
    \subsection{
196
      build\_and\_checks\_dependencies/generate\_from\_template.sh
198
   \label{
      build_and_checks_dependencies:generate_from_templatesh
200
201
202
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
203
      build_and_checks_dependencies/generate_from_template.sh
204
205
206
207
    \subsection{
      build\_and\_checks\_dependencies/get\_common\_text\_glob\_patterns%
209
    .sh
211
   \label{
212
      build and checks dependencies: get common text glob patternssh
213
214
215
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
```

```
build_and_checks_dependencies/get_common_text_glob_patterns.sh
   }
219
   \subsection{
221
     build\_and\_checks\_dependencies/licenses\_templates/%
   build\_licenses\_templates.sh
223
   }
   \label{
225
     build and checks dependencies: licenses templates: %
   build licenses templatessh
227
229
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
230
     build and checks dependencies/licenses templates/%
   build licenses templates.sh
   }
233
234
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_GPLv3+.c.tpl
238
   }
   \label{
240
     build_and_checks_dependencies:licenses_templates:%
   license file header GPLv3+ctpl
242
244
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_GPLv3+.c.tpl
   }
248
249
250
   \subsection{
251
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_GPLv3+.py.tpl
253
  }
254
   \label{
255
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_GPLv3+pytpl
257
259
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
261
   license_file_header_GPLv3+.py.tpl
```

```
263
265
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
267
   license\_file\_header\_GPLv3+.sh.tpl
   }
269
   \label{
     build and checks dependencies: licenses templates: %
271
   license_file_header_GPLv3+shtpl
273
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
275
     build and checks dependencies/licenses templates/%
276
   license_file_header_GPLv3+.sh.tpl
277
278
279
280
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
282
   license\_file\_header\_GPLv3+.tex.tpl
   }
284
   \label{
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_GPLv3+textpl
288
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
290
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_GPLv3+.tex.tpl
292
293
294
295
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_GPLv3+.tpl
299
   \label{
     build_and_checks_dependencies:licenses_templates:%
301
   license_file_header_GPLv3+tpl
303
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
305
     build and checks dependencies/licenses templates/%
   license file header GPLv3+.tpl
307
```

```
309
   \subsection{
311
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_LGPLv3+.c
313
   \label{
315
     build_and_checks_dependencies:licenses_templates:%
   license file header LGPLv3+c
319
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
321
   license file header LGPLv3+.c
322
323
324
325
   \subsection{
326
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_LGPLv3+.c.tpl
328
   \label{
330
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+ctpl
333
334
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
336
   license_file_header_LGPLv3+.c.tpl
338
340
   \subsection{
341
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_LGPLv3+.py
343
344
   \label{
345
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+py
347
349
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
   license_file_header_LGPLv3+.py
   }
353
```

```
355
   \subsection{
     build\ and\ checks\ dependencies/licenses\ templates/%
   license\_file\_header\_LGPLv3+.py.tpl
359
   \label{
     build_and_checks_dependencies:licenses_templates:%
361
   license_file_header_LGPLv3+pytpl
363
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
365
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_LGPLv3+.py.tpl
367
368
369
370
   \subsection{
371
     build\_and\_checks\_dependencies/licenses\_templates/%
372
   license\_file\_header\_LGPLv3+.sh
374
   \label{
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+sh
378
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
380
     build and checks dependencies/licenses templates/%
   license file header LGPLv3+.sh
382
384
   \subsection{
     build\ and\ checks\ dependencies/licenses\ templates/%
   license\_file\_header\_LGPLv3+.sh.tpl
   \label{
     build_and_checks_dependencies:licenses_templates:%
391
   license_file_header_LGPLv3+shtpl
393
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
395
     build_and_checks_dependencies/licenses_templates/%
   license file header LGPLv3+.sh.tpl
397
399
```

```
\subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
402
   license\ file\ header\ LGPLv3+.tex
403
   \label{
405
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+tex
407
   }
409
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
411
   license_file_header_LGPLv3+.tex
   }
413
414
415
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
   license\_file\_header\_LGPLv3+.tex.tpl
418
419
   \label{
420
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+textpl
422
424
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/licenses templates/%
   license_file_header_LGPLv3+.tex.tpl
428
430
   \subsection{
     build\_and\_checks\_dependencies/licenses\_templates/%
432
   license\ file\ header\ LGPLv3+.tpl
433
434
   \label{
435
     build_and_checks_dependencies:licenses_templates:%
   license_file_header_LGPLv3+tpl
437
   }
439
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/licenses_templates/%
   license_file_header_LGPLv3+.tpl
   }
443
444
445
   \subsection{
```

```
build\_and\_checks\_dependencies/lines\_counts.sh
447
   }
448
   \label{
449
     build_and_checks_dependencies:lines_countssh
451
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
453
     build_and_checks_dependencies/lines_counts.sh
455
457
   \subsection{
     build\_and\_checks\_dependencies/lines\_filters.sh
459
460
   \label{
     build and checks dependencies: lines filterssh
462
463
464
   \VerbatimInput[numbers=left,xleftmargin=-5mm] {
     build_and_checks_dependencies/lines_filters.sh
466
   }
468
   \subsection{
     build\_and\_checks\_dependencies/overwrite\_if\_not\_equal.sh
472
   \label{
     build and checks dependencies: overwrite if not equalsh
474
475
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks dependencies/overwrite if not equal.sh
478
479
480
481
   \subsection{
     build\_and\_checks\_dependencies/python\_black\_complement.sh
483
   }
484
   \label{
485
     build_and_checks_dependencies:python_black_complementsh
487
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
489
     build_and_checks_dependencies/python_black_complement.sh
   }
491
```

```
493
   \subsection{
494
     build\_and\_checks\_dependencies/python\_isort\_complement.sh
495
   \label{
497
     build_and_checks_dependencies:python_isort_complementsh
   }
499
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
501
     build_and_checks_dependencies/python_isort_complement.sh
503
504
505
   \subsection{
506
     build\_and\_checks\_dependencies/too\_long\_code\_lines.sh
507
508
   \label{
509
     build_and_checks_dependencies:too_long_code_linessh
510
511
512
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/too_long_code_lines.sh
514
516
517
   \subsection{
518
     build\_and\_checks\_dependencies/update\_common\_build\_and\_checks%
   .sh
520
521
   \label{
522
     build_and_checks_dependencies:update_common_build_and_checkssh
523
524
525
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/update_common_build_and_checks.sh
527
   }
528
529
   \subsection{
531
     build\_and\_checks.sh
533
   \label{
     build and checkssh
535
537
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
```

```
build_and_checks.sh
540
541
   \subsection{
543
    git\_checks.sh
545
   \label{
     git checkssh
547
549
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     git_checks.sh
551
552
553
554
   \subsection{
     build\_and\_checks\_dependencies/grammar\_and\_spell\_check.sh
556
   \label{
558
     build_and_checks_dependencies:grammar_and_spell_checksh
   }
560
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/grammar_and_spell_check.sh
564
566
   \subsection{
     latex/DevOrSysAdminScripts.tex.tpl
568
569
   \label{
     latex:DevOrSysAdminScriptstextpl
571
572
573
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     latex/DevOrSysAdminScripts.tex.tpl
575
577
   \subsection{
     LiensUtiles.txt
581
  \label{
     LiensUtilestxt
583
```

```
585
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
      LiensUtiles.txt
587
589
   \subsection{
591
      pre-commit
593
   \label{
      pre-commit
595
597
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
598
      pre-commit
599
600
601
602
   \subsection{
     README.md.tpl
604
   \label{
606
      READMEmdtpl
608
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
610
      README.md.tpl
612
613
614
   \subsection{
615
      repository\_data.txt
616
617
   \label{
618
      repository_datatxt
619
   }
620
621
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
      repository_data.txt
623
625
   \subsection{
627
      wget\_sha512.sh
   }
629
   \label{
```

```
wget_sha512sh

wget_sha512sh

VerbatimInput[numbers=left,xleftmargin=-5mm]{
    wget_sha512.sh

Merci Dieu ! Merci P\'ere ! Merci Seigneur ! Merci Saint Esprit !

end{document}
```

2.37 LiensUtiles.txt

```
https://support.google.com/a/answer/9476255?hl=fr#zippy=%2C%C3%A9tape\
configurez-le-service-de-migration-de-donn%C3%A9es

https://stackoverflow.com/a/78413334/5796086

https://stackoverflow.com/questions/21612980/\
why-is-usr-bin-env-bash-superior-to-bin-bash/78413334

https://web.archive.org/web/20240501105801/https://stackoverflow.com\
questions/21612980/why-is-usr-bin-env-bash-superior-to-bin-bash/\
8 78413334#78413334
```

2.38 pre-commit

```
#!/usr/bin/env bash
<sup>2</sup> # This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
   # as published by the Free Software Foundation,
   # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
20 # along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
```

```
# @Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  . ../git_checks.sh
26
  git_hook_error=0
  if ! check_files
  then
    git hook error=1
  fi
  if ! check_no_abusive_trailing_comma
  then
   git_hook_error=1
  if ! check_black_code_formatting
  then
    git_hook_error=1
  if [ $git_hook_error -eq '1' ];
  then
  exit 1
43 fi
  exit 0
```

2.39 README.md.tpl

```
[CodeFactor-package-page]: https://www.codefactor.io/repository/\
  github/llyaudet/DevOrSysAdminScripts
  [CodeClimateMaintainability-badge]: https://api.codeclimate.com/v1/\
  badges/b619ce83a81cc4a55e18/maintainability
  [CodeClimateM13y-package-page]: https://codeclimate.com/\
  github/LLyaudet/DevOrSysAdminScripts/maintainability
  [Codacy-badge]: https://app.codacy.com/project/badge/Grade/\
  3dd6ef85e8db4460991d1ebc404b68dd
  [Codacy-package-page]: https://app.codacy.com/gh/LLyaudet/\
 DevOrSysAdminScripts/dashboard?utm source=qh&utm medium=referral
  &utm_content=&utm_campaign=Badge_grade
  [GitHub-top-language-badge]: https://img.shields.io/github/\
  languages/top/llyaudet/DevOrSysAdminScripts
  [GitHub-license-badge]: https://imq.shields.io/github/license/
  llyaudet/DevOrSysAdminScripts
42
  [GitHub-code-size-in-bytes-badge]: https://img.shields.io/github/\
  languages/code-size/llyaudet/DevOrSysAdminScripts
```

2.40 repository_data.txt

```
repository_name=DevOrSysAdminScripts
repository_web_url=https://github.com/LLyaudet/DevOrSysAdminScripts/
repository_git_url=git@github.com:LLyaudet/DevOrSysAdminScripts.git
abstract=Some \small" useful scripts
abstract=for enhancing development or system-administrators tasks
license=LGPLv3+
author_email=Laurent.Lyaudet@gmail.com
author_full_name=Laurent Frédéric Bernard François Lyaudet
author_last_name=Lyaudet
author_name=Laurent Lyaudet
author_name=Laurent Lyaudet
author_website=https://lyaudet.eu/laurent/
acknowledgments=Merci Dieu !
acknowledgments=Merci Père ! Merci Seigneur ! Merci Saint Esprit !
grammar_or_spell_checker_command=more
```

2.41 wget_sha512.sh

```
#!/usr/bin/env bash
This file is part of DevOrSysAdminScripts library.
```

```
# DevOrSysAdminScripts is free software:
5 # you can redistribute it and/or modify it under the terms
 # of the GNU Lesser General Public License
 # as published by the Free Software Foundation,
 # either version 3 of the License,
  # or (at your option) any later version.
 # DevOrSysAdminScripts is distributed in the hope
 # that it will be useful,
 # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
 # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
 # the GNU Lesser General Public License
 # along with DevOrSysAdminScripts.
 # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
  # ©Copyright 2023-2024 Laurent Frédéric Bernard François Lyaudet
  wget_sha512(){
    # $1 file_name
    # $2 download_URL
    # $3 correct sha512
    if [[ ! -f "$1" ]];
    then
      wget -0 "$1" "$2"
    fi
    wget_sha512_var_present_sha512=$(sha512sum "$1" | cut -f1 -d' ')
    if [[ "$wget_sha512_var_present_sha512" != "$3" ]];
      echo "$1 does not have correct sha512"
      echo "wanted $3"
      echo "found $wget_sha512_var_present_sha512"
      exit
    fi
```

Merci Dieu! Merci Père! Merci Seigneur! Merci Saint Esprit!