DevOrSysAdminScripts

Laurent Lyaudet https://lyaudet.eu/laurent/

laurent.lyaudet@gmail.com

May 5, 2024

Abstract

Some "small" useful scripts for enhancing developpment or system-administrators tasks

Current version: 2024-05-05 Current number of commits: 31

Current git SHA1: 740651adbc657a8e59c0d22c0598d0d39e8d8e3a Code lines: 1608 total lines, 1608 not empty lines, 0 empty lines.

1 Files tree

build_and_checks_dependencies --- build_and_checks.sh.tpl - build_readme.sh - check_shell_scripts_beginning.sh - check_URLs.sh common_build_and_checks.sh common_build_and_checks.sh.tpl - create_PDF.sh - get_common_text_glob_patterns.sh - lines_counts.sh - lines_filters.sh python_black_complement.sh - too_long_code_lines.sh update_common_build_and_checks.sh - build_and_checks.sh - COPYING - COPYING.LESSER - git_checks.sh latex ☐ DevOrSysAdminScripts.tex.tpl

```
    LiensUtiles.txt

  - pre-commit
  - README_printable.md
  - wget_sha512.sh
3 directories, 22 files
[4.0K May 5 12:19] ./
  - [4.0K May 5 12:19] build_and_checks_dependencies/
     — [1.4K May 4 02:33] build_and_checks.sh.tpl*
     — [1.4K May 4 02:24] build_readme.sh*
     — [1.0K May 5 10:54] check_shell_scripts_beginning.sh
      - [1.7K May 5 02:38] check_URLs.sh
      - [4.7K May 5 12:19] common_build_and_checks.sh*
     — [3.3K May 5 12:18] common_build_and_checks.sh.tpl
      - [4.6K May 5 12:18] create_PDF.sh*
     - [1.2K May 5 10:05] get_common_text_glob_patterns.sh
     - [1.5K May 5 12:17] lines_counts.sh
      - [2.1K May 5 12:17] lines_filters.sh
      - [1.3K May 4 02:24] python_black_complement.sh
      - [1.1K May 5 01:24] too_long_code_lines.sh
    [2.0K May 5 10:18] update_common_build_and_checks.sh*
  - [1.5K May 5 12:19] build_and_checks.sh*
  - [ 34K May 4 02:24] COPYING
  - [7.5K May 3 21:45] COPYING.LESSER
  - [2.2K May 4 02:24] git_checks.sh
  - [4.0K May 5 12:19] latex/
   [6.6K May 5 10:58] DevOrSysAdminScripts.tex.tpl
  - [ 424 May 3 21:45] LiensUtiles.txt
  - [1.0K May 5 10:20] pre-commit
  - [1.6K May 4 18:50] README_printable.md
 — [1.1K May 4 02:52] wget_sha512.sh
3 directories, 22 files
```

2 Listing of files

The following source code is covered by LGPLv3+. The text of the license is available at: https://www.gnu.org/licenses/. The git repository of this source code is also available at: https://github.com/LLyaudet/DevOrSysAdminScripts/.

2.1 build_and_checks_dependencies/build_and_checks.sh.tpl

```
#!/usr/bin/env bash
This file is part of DevOrSysAdminScripts library.
```

```
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
 # of the GNU Lesser General Public License
 # as published by the Free Software Foundation,
 # either version 3 of the License,
  # or (at your option) any later version.
 # DevOrSysAdminScripts is distributed in the hope
 # that it will be useful,
 # but WITHOUT ANY WARRANTY;
 # without even the implied warranty of
 # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
 # the GNU Lesser General Public License
 # along with DevOrSysAdminScripts.
 # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
  # ©Copyright 2023-2024 Laurent Lyaudet
  source ./wget_sha512.sh
 mkdir -p build_and_checks_dependencies
  subdir="build and checks dependencies"
 personal_github="https://raw.githubusercontent.com/LLyaudet/"
 dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
 script="$URL_beginning/common_build_and_checks.sh"
 @sha512 common build and checks.sh@
 wget_sha512 "./$subdir/common_build_and_checks.sh" "$script"\
    "$correct_sha512"
  chmod +x "./$subdir/common_build_and_checks.sh"
  cwd="."
  if [[ -n "$1" ]];
 t.hen
    cwd="$1"
  fi
  ./build and checks dependencies/common build and checks.sh "$cwd"
```

2.2 build_and_checks_dependencies/build_readme.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
# @Copyright 2023-2024 Laurent Lyaudet
sed_expression='s/(\[[a-zA-Z0-9:-]*\]: [^\n\\]*)\\n/\1/Mg'
sed_expression+='; s/(\langle http[^\n\\]*)\\n/\1/Mg'
sed_expression+='; s/(- < http[^\n\\]*)\\n/\1/Mg'
pushd .
if [[ -n "$1" ]];
then
  cd "$1"
fi
if [[ -f README_printable.md ]];
t.hen
  sed -Ez "$sed_expression" README_printable.md > README_temp1.md
  sed -Ez "$sed_expression" README_temp1.md > README_temp2.md
  sed -Ez "$sed_expression" README_temp2.md > README_temp3.md
  sed -Ez "$sed_expression" README_temp3.md > README.md
  rm README temp1.md README temp2.md README temp3.md
else
  echo "No file README printable.md"
fi
```

```
45
46 popd
```

2.3 build_and_checks_dependencies/check_shell_scripts_beginning.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
   # DevOrSysAdminScripts is free software:
   # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
  # ©Copyright 2023-2024 Laurent Lyaudet
  check_one_shell_script_beginning() {
     diff <(head -n 1 "$1") <(echo '#!/usr/bin/env bash')</pre>
27
  check_shell_scripts_beginning() {
    shopt -s globstar
31
     for i in **/*.sh; do
        check_one_shell_script_beginning "$i"
     done
  }
```

2.4 build_and_checks_dependencies/check_URLs.sh

```
# DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
   # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
   # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # @Copyright 2023-2024 Laurent Lyaudet
23
   subdir="build_and_checks_dependencies"
   source "./$subdir/get_common_text_glob_patterns.sh"
2.7
   check_URLs() {
     get_common_text_glob_patterns
     declare -A substitutions
31
     substitutions=(\
       ["http://www.gnu.org/licenses/"]="https://www.gnu.org/licenses/"\
     for pattern in "${common patterns[@]}"; do
       [ "$1" != "-v" ] || echo "Iterating on pattern: $pattern"
       grep -r -H 'http:' -- $pattern | grep -v "^[^:]*check_URLs.sh"
       for filename in $pattern; do
         [ -f "$filename" ] || continue
         base_filename=$(basename "$filename")
         [ "$base_filename" != "check_URLs.sh" ] || continue
42
         [ "$1" != "-v" ] || echo "Handling the file: $filename"
         for substitution in "${!substitutions[@]}"; do
           substitution2=${substitutions[$substitution]}
           if grep -q "$substitution" "$filename"; then
             sed -i "s|$substitution|$substitution2|q" "$filename"
           fi
         done
```

```
50 done
51 done
52 }
```

2.5 build_and_checks_dependencies/common_build_and_checks.sh

```
#!/usr/bin/env bash
   # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # ©Copyright 2023-2024 Laurent Lyaudet
23
  source ./wget_sha512.sh
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  subdir="build_and_checks_dependencies"
32
  script="$URL_beginning/build_readme.sh"
34 correct_sha512='a60224c89e6dd94360057bba41ba30b83b4b84c11679a779e3f46'
35 correct_sha512+='f4187fe5ae65b970c1cc5e5ce15bd39f0fe8c589abd153d4c57a'
  correct_sha512+='3277c209303d0de9926b234'
  wget_sha512 "./$subdir/build_readme.sh" "$script" "$correct_sha512"
  chmod +x "./$subdir/build_readme.sh"
  script="$URL_beginning/check_shell_scripts_beginning.sh"
```

```
41 correct sha512='faf7fe1c59b177d0f74afee6e8fb94e14bf7041b74a36afc41d6d'
42 correct sha512+='e71b6325af1d42f5c816024d311751d6e40c197c52ac97188c9c'
  correct sha512+='e75ea4937b966d2b0ff4ac7'
  wget_sha512 "./$subdir/check_shell_scripts_beginning.sh" "$script"\
    "$correct sha512"
 script="$URL_beginning/check_URLs.sh"
  correct_sha512='bc790a05ce8e6b9241c3c32a0d6f2efb7c96447cf1fd095301ab4'
  correct sha512+='6ed20f739a071d8a8c0a88bcaf189bdcbc9f3ad05d5b5e888805'
  correct sha512+='ed0bf0333b229f49e62a613'
  wget sha512 "./$subdir/check URLs.sh" "$script" "$correct sha512"
script="$URL beginning/create PDF.sh"
54 correct sha512='3dcbff5ca4b0e0210f1e09414d4e6b087f147e868e9b139f38e59'
 correct sha512+='643b5efa4ed8ace609ec240d223a71a981fb735051cefec189b2'
  correct sha512+='7e9553779828517543006a3'
sn wget_sha512 "./$subdir/create_PDF.sh" "$script" "$correct_sha512"
  chmod +x "./$subdir/create_PDF.sh"
  script="$URL_beginning/get_common_text_glob_patterns.sh"
orrect_sha512='5f675b7ed8713bc87cb032773edcddb1da75e718dc6048720e1c7'
 correct sha512+='fd4bdf9b6f0d0a0d2faf657679e9c88617163602acea6f653de8'
  correct sha512+='6656088ba2226706f0af6f1'
  wget_sha512 "./$subdir/get_common_text_glob_patterns.sh" "$script"\
    "$correct_sha512"
  script="$URL beginning/lines counts.sh"
  correct sha512='208648e8838acccb2edaf3f8f93c2ab38a84658074ab99cbffe89'
  correct sha512+='561dfcffd7fd546c50c0aad3afed305b148d4e483c7ec02c926d'
  correct sha512+='8b2ffdb2ac893b2eabdcab9'
  wget_sha512 "./$subdir/lines_counts.sh" "$script" "$correct_sha512"
72
  script="$URL beginning/lines filters.sh"
 correct sha512='c07935ee244f3a2323985da131ffb6602787dceebd3ded5e0d668'
  correct_sha512+='5be4c0e702ce14592ed1649e3fdbb0dd60412dde655230166906'
  correct_sha512+='47b7226c6bb8a8655d2f7b5'
  wget_sha512 "./$subdir/lines_filters.sh" "$script" "$correct_sha512"
  script="$URL_beginning/python_black_complement.sh"
  correct_sha512='909ab2453a3448b45e92c60df216d86578528d5151bc8c5efb50b'
  correct sha512+='c8c4007d4c34adc7b2d583f3f5d9629cf37f163c813aebc3dec2'
  correct sha512+='ce6370fcf1bdbea5820ab13'
  wget sha512 "./$subdir/python black complement.sh" "$script"\
    "$correct sha512"
  script="$URL_beginning/too_long_code_lines.sh"
```

```
correct_sha512='94e209899adc7a8a165e08590a294fc29b8006900cb7eafc9bf95'
   correct_sha512+='6ac9e2f659c6dccf1a55ffb4af1ce08743bf05ff6dc7e5768868'
   correct sha512+='78eddfe56243972cecf4352'
   wget_sha512 "./$subdir/too_long_code_lines.sh" "$script"\
     "$correct sha512"
  shopt -s globstar
   source "./$subdir/check_shell_scripts_beginning.sh"
   source "./$subdir/check URLs.sh"
  source "./$subdir/get_common_text_glob_patterns.sh"
  source "./$subdir/lines counts.sh"
  source "./$subdir/lines_filters.sh"
  source "./$subdir/python_black_complement.sh"
  source "./$subdir/too long code lines.sh"
   cwd="."
  if [[ -n "$1" ]];
  then
104
     cwd="$1"
   fi
106
   echo "Building README.md"
108
   ./build_and_checks_dependencies/build_readme.sh "$cwd"
110
  pushd .
  cd "$cwd"
112
114 echo "Running isort"
  isort .
   echo "Running black"
  black .
  python black complement
119
120
   echo "Running mypy"
121
122 mypy .
123
   echo "Analyzing too long lines"
   too_long_code_lines | relevant_grep
125
   echo "Analyzing shell scripts beginning"
127
   check_shell_scripts_beginning | relevant_grep
129
   echo "Analyzing URLs"
   check URLs | relevant grep
```

```
echo "Creating the PDF file of the listing of the source code"

./build_and_checks_dependencies/create_PDF.sh

popd
```

2.6 build_and_checks_dependencies/common_build_and_checks.sh.tpl

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
   # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # ©Copyright 2023-2024 Laurent Lyaudet
  source ./wget sha512.sh
25
  personal_github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  subdir="build_and_checks_dependencies"
  script="$URL_beginning/build_readme.sh"
34 @sha512_build_readme.sh@
  wget_sha512 "./$subdir/build_readme.sh" "$script" "$correct_sha512"
  chmod +x "./$subdir/build_readme.sh"
script="$URL beginning/check shell scripts beginning.sh"
  @sha512_check_shell_scripts_beginning.sh@
```

```
wget_sha512 "./$subdir/check_shell_scripts_beginning.sh" "$script"\
     "$correct_sha512"
41
42
  script="$URL_beginning/check_URLs.sh"
  @sha512_check_URLs.sh@
  wget_sha512 "./$subdir/check_URLs.sh" "$script" "$correct_sha512"
  script="$URL_beginning/create_PDF.sh"
  @sha512 create PDF.sh@
49 wget sha512 "./$subdir/create PDF.sh" "$script" "$correct sha512"
  chmod +x "./$subdir/create PDF.sh"
  script="$URL_beginning/get_common_text_glob_patterns.sh"
  @sha512 get common text glob patterns.sh@
  wget sha512 "./$subdir/get common text glob patterns.sh" "$script"\
     "$correct sha512"
55
  script="$URL_beginning/lines_counts.sh"
  @sha512_lines_counts.sh@
  wget_sha512 "./$subdir/lines_counts.sh" "$script" "$correct_sha512"
  script="$URL_beginning/lines_filters.sh"
  @sha512_lines_filters.sh@
  wqet_sha512 "./$subdir/lines_filters.sh" "$script" "$correct_sha512"
  script="$URL_beginning/python_black_complement.sh"
  @sha512_python_black_complement.sh@
  wget_sha512 "./$subdir/python_black_complement.sh" "$script"\
    "$correct sha512"
  script="$URL_beginning/too_long_code_lines.sh"
  @sha512_too_long_code_lines.sh@
  wget sha512 "./$subdir/too long code lines.sh" "$script"\
    "$correct_sha512"
75 shopt -s globstar
50 source "./$subdir/check_shell_scripts_beginning.sh"
  source "./$subdir/check_URLs.sh"
  source "./$subdir/get_common_text_glob_patterns.sh"
79 source "./$subdir/lines_counts.sh"
  source "./$subdir/lines_filters.sh"
  source "./$subdir/python_black_complement.sh"
  source "./$subdir/too long code lines.sh"
84 CWd="."
  if [[ -n "$1" ]];
```

```
then
     cwd="$1"
  echo "Building README.md"
   ./build_and_checks_dependencies/build_readme.sh "$cwd"
   pushd .
   cd "$cwd"
   echo "Running isort"
   isort .
  echo "Running black"
  black .
   python_black_complement
   echo "Running mypy"
  mypy .
105
   echo "Analyzing too long lines"
   too_long_code_lines | relevant_grep
107
   echo "Analyzing shell scripts beginning"
   check_shell_scripts_beginning | relevant_grep
111
   echo "Analyzing URLs"
   check_URLs | relevant_grep
   echo "Creating the PDF file of the listing of the source code"
115
   ./build and checks dependencies/create PDF.sh
117
  popd
118
```

2.7 build_and_checks_dependencies/create_PDF.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
```

```
# DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
   # ©Copyright 2023-2024 Laurent Lyaudet
23
  current_path=$(pwd)
   main directory=$(basename $current path)
  subdir="build_and_checks_dependencies"
  source "./$subdir/lines_counts.sh"
   source "./$subdir/lines_filters.sh"
  cp "./latex/$main_directory.tex.tpl"\
      "./latex/$main_directory.tex"
   # We need a variant of the template with long lines.
   cp "./latex/$main_directory.tex.tpl"\
      "./latex/$main directory.tex.tpl2"
   sed -i -Ez "s/%\n//Mg" "./latex/$main_directory.tex.tp12"
  current_date=$(date -I"date")
   sed -i "s|@current_date@|$current_date|g"\
     "./latex/$main_directory.tex"
  current git SHA1=$(git rev-parse HEAD)
  sed -i "s|@current_git_SHA1@|$current_git_SHA1|g"\
    "./latex/$main_directory.tex"
  number_of_commits=$(git shortlog | space_starting_lines | wc -l)
   sed -i "s|@number_of_commits@|$number_of_commits|g"\
     "./latex/$main_directory.tex"
  number_of_lines="$(code_lines_count_all) total lines,"
  number_of_lines+=" $(code_lines_count_not_empty) not empty lines,"
   number_of_lines+=" $(code_lines_count_empty) empty lines."
   sed -i "s|@number of lines@|$number of lines|g"\
     "./latex/$main directory.tex"
```

```
tree --gitignore\
     -I "$main_directory.aux"\
     -I "$main directory.log"
     -I "$main_directory.out"\
     -I "$main_directory.pdf"\
     -I "$main_directory.tex"\
     -I "$main_directory.tex.tpl2"\
     -I current_tree.txt\
     -I current tree light.txt\
     -I README.md\
     > current_tree_light.txt
   tree -DFh --gitignore\
     -I "$main directory.aux"\
     -I "$main_directory.log"\
     -I "$main directory.out"
     -I "$main_directory.pdf"\
     -I "$main_directory.tex"\
     -I "$main_directory.tex.tpl2"\
     -I current_tree.txt\
     -I current_tree_light.txt\
     -I README.md\
     > current_tree.txt
   shopt -s dotglob
   find * -type f | relevant find | sort | while read filename; do
82
     [ -f "$filename" ] || continue
     git check-ignore -q "$filename" && continue
     base_filename=$(basename "$filename")
     [ "$base_filename" != "current_tree_light.txt" ] || continue
     [ "$base_filename" != "current_tree.txt" ] || continue
     [ "$base_filename" != "COPYING" ] || continue
     [ "$base filename" != "COPYING.LESSER" ] || continue
     [ "$base_filename" != "README.md" ] || continue
     [ "$base_filename" != "$main_directory.pdf" ] || continue
     [ "$base_filename" != "$main_directory.tex" ] || continue
     [ "$base_filename" != "$main_directory.tex.tpl2" ] || continue
     [[ "$base_filename" = ".*\.tar\.qz" ]] && continue
     [[ "$base_filename" = ".*\.whl" ]] && continue
     cleaned_path1=$(sed -e 's/_/\\_/g' <(echo "$filename"))</pre>
     cleaned_path2=\$(sed -e 's)//:/q' -e 's).//q' < (echo "$filename"))
     if grep -q " $filename\$" "./latex/$main_directory.tex.tpl2"; then
       echo ""
       # sed -i -Ez\
          "s/$filename\n/\
101
           filename/./\./g}\\hyperref{{filename/./\./g}}\n/Mg"
```

```
"current_tree_light.txt"
103
     else
104
       echo "The file $filename is not listed"\
105
             " in ./latex/$main_directory.tex.tpl"
       echo "TODO:\subsection{"
107
       echo "TODO: $cleaned_path1"
       echo "TODO:}"
109
       echo "TODO:\label{"
       echo "TODO: $cleaned path2"
111
       echo "TODO:}"
       echo "TODO:"
113
       echo "TODO:\VerbatimInput[numbers=left,xleftmargin=-5mm]{"
114
       echo "TODO: $filename"
115
       echo "TODO:}"
116
       echo "TODO:"
117
       echo "TODO:"
118
     fi
119
   done
120
   shopt -u dotglob
   shopt -s globstar
122
   sed -i -e '/@current_tree_light@/{r current_tree_light.txt' -e 'd}'\
124
     "./latex/$main_directory.tex"
   sed -i -e '/@current_tree@/{r current_tree.txt' -e 'd}'\
     "./latex/$main_directory.tex"
127
128
   pdflatex "./latex/$main_directory.tex" > /dev/null
   pdflatex "./latex/$main_directory.tex" > /dev/null
   pdflatex "./latex/$main_directory.tex" > /dev/null
132
   files_to_delete=(\
133
     "$main_directory.aux"\
134
     "$main directory.log"
135
     "$main_directory.out"\
136
     "current_tree.txt"
137
     "current_tree_light.txt"
     "./latex/$main_directory.tex.tpl2"
139
   # Comment the following line if you need to debug.
   for filename in "${files_to_delete[@]}"; do
     rm -f $filename
143
   done
```

2.8 build_and_checks_dependencies/get_common_text_glob_patterns.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Lyaudet
  get_common_text_glob_patterns() {
   export common_patterns=(\
      '**/*.C'\
      '**/*.css'\
      '**/*.h'\
       ' **/*.htm' \
      '**/*.html'\
       '**/*.js'\
      '**/*.json'\
33
       '**/*.md'\
      '**/*.php'\
       '**/*.py'\
       '**/*.sh'\
       '**/*.sql'\
      '**/*.tex'\
      '**/*.toml'\
       '**/*.tpl'\
41
       '**/*.ts'\
       '**/*.txt'\
       '**/*.yml'\
```

2.9 build_and_checks_dependencies/lines_counts.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # ©Copyright 2023-2024 Laurent Lyaudet
  subdir="build_and_checks_dependencies"
  source "./$subdir/get_common_text_glob_patterns.sh"
  source "./$subdir/lines_filters.sh"
  all_code_lines(){
    get_common_text_glob_patterns
     for pattern in "${common_patterns[@]}"; do
       [ "$1" != "-v" ] || echo "Iterating on pattern: $pattern"
       grep -r -H -v 'a(?!a)a' -- $pattern
     done
34
35
37 all self code lines(){
     all_code_lines | relevant_grep
```

```
}
  all_self_empty_code_lines(){
     all_self_code_lines | empty_lines
43
   all_self_not_empty_code_lines() {
     all_self_code_lines | not_empty_lines
47
  code_lines_count_all() {
     all_self_code_lines | wc -l
51
  code_lines_count_empty() {
     all_self_empty_code_lines | wc -l
54
   }
55
  code_lines_count_not_empty() {
     all_self_not_empty_code_lines | wc -l
  }
```

2.10 build_and_checks_dependencies/lines_filters.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.
# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
# without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
# See the GNU Lesser General Public License for more details.
# You should have received a copy of
# the GNU Lesser General Public License
# along with DevOrSysAdminScripts.
# If not, see <https://www.gnu.org/licenses/>.
```

```
# @Copyright 2023-2024 Laurent Lyaudet
  # The goal of ths file is to have some common line filters
25
  # for bash processing and pipes.
  # As is the case for other .sh files in this repository,
  # it can be copied somewhere in your home directory
  # and sourced in your .bashrc.
   empty_lines(){
31
    grep '^$'
  }
33
34
  not_empty_lines() {
35
     grep -v '^$'
   }
37
38
   space_starting_lines(){
     grep '^[]'
40
41
42
  not_space_starting_lines() {
     grep '^[^ ]'
44
46
   not_JS_dependencies_find() {
     grep -vE "(^|/)node_modules/" | grep -vE "(^|/)package-lock\.json$"
48
50
  not_JS_dependencies_grep() {
     grep -v "^[^:]*node_modules/" | grep -v "^[^:]*package-lock\.json:"
52
53
  not dependencies find() {
     not_JS_dependencies_find
57
   not_dependencies_grep() {
     not_JS_dependencies_grep
61
  not_python_cache_find() {
     grep -vE "(^|/) __pycache__/" | grep -vE "(^|/) \.mypy_cache/"
   }
65
  not_python_cache_grep() {
     grep -v "^[^:]*_pycache__/" | grep -v "^[^:]*\.mypy_cache/"
```

```
}
  not cache find() {
    not_python_cache_find
73
   not_cache_grep() {
   not_python_cache_grep
77
  not_git_find() {
    grep -vE "(^|/)\.git/"
81
   not_git_grep() {
     grep -v "^[^:]*\.git/"
  not_archive_find() {
     grep -vE "(\.gz|\.tar|\.whl)$"
   not_archive_grep() {
     grep -vE "^[^:]*(\.gz|\.tar|\.whl):"
   relevant find(){
     not_dependencies_find | not_cache_find | not_git_find\
     | not_archive_find
   }
   relevant_grep(){
     not_dependencies_grep | not_cache_grep | not_git_grep\
     | not_archive_grep
102
103
```

2.11 build_and_checks_dependencies/python_black_complement.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
```

```
# or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Lyaudet
  # It was rejected to enhance black with this currently.
  # And moreover, at some point, I saw the reverse rule
  # in black or pylint to add an empty line...
  # This regexp may give false positives,
  # but that's not the end of the world.
  check_no_empty_line_after_python_function_docstring() {
    echo "Checking empty lines after Python function docstrings"
    pcregrep -M $'def [^"]*"""([^"]|"(?!""))*"""\n\n(?!\s*def)'\
       -- **/*.py
  }
34
  python_black_complement() {
     check_no_empty_line_after_python_function_docstring
  }
```

2.12 build_and_checks_dependencies/too_long_code_lines.sh

```
#!/usr/bin/env bash
# This file is part of DevOrSysAdminScripts library.

# DevOrSysAdminScripts is free software:
# you can redistribute it and/or modify it under the terms
# of the GNU Lesser General Public License
# as published by the Free Software Foundation,
# either version 3 of the License,
# or (at your option) any later version.

# DevOrSysAdminScripts is distributed in the hope
# that it will be useful,
# but WITHOUT ANY WARRANTY;
```

```
# without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
  # ©Copyright 2023-2024 Laurent Lyaudet
  subdir="build_and_checks_dependencies"
  source "./$subdir/get_common_text_glob_patterns.sh"
  too_long_code_lines(){
     get_common_text_glob_patterns
     for pattern in "${common_patterns[@]}"; do
       [ "1" != "-v" ] || echo "Iterating on pattern: $pattern"
       grep -r -H '.\{71\}' -- $pattern
     done
  }
34
```

2.13 build_and_checks_dependencies/update_common_build_and_checks.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
   # as published by the Free Software Foundation,
   # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
```

```
# @Copyright 2023-2024 Laurent Lyaudet
  cp ./common_build_and_checks.sh.tpl ./common_build_and_checks.sh
25
  file_names=(\
27
     "build_readme.sh" \
     "check_shell_scripts_beginning.sh"\
     "check_URLs.sh"\
     "create PDF.sh"
31
     "lines_counts.sh"\
     "lines_filters.sh"\
     "get_common_text_glob_patterns.sh"\
     "python_black_complement.sh"\
     "too long code lines.sh"\
  )
37
  for file_name in "${file_names[@]}"; do
     file_sha512=$(sha512sum "./$file_name" | cut -f1 -d' ')
     file_sha512_1="correct_sha512='${file_sha512:0:53}'"
     file_sha512_2="correct_sha512\+='${file_sha512:53:52}'"
     file_sha512_3="correct_sha512\+='${file_sha512:105}'"
     file_sha512_all="$file_sha512_1\n"
     file_sha512_all+="$file_sha512_2\n"
     file_sha512_all+="$file_sha512_3"
     sed -i "s|@sha512_$file_name@|$file_sha512_all|g"\
         ./common build and checks.sh
  done
  cp ./build_and_checks.sh.tpl ../build_and_checks.sh
  file_sha512=$(sha512sum common_build_and_checks.sh | cut -f1 -d' ')
54 file_sha512_1="correct_sha512='${file_sha512:0:53}'"
ss file sha512 2="correct sha512\+='${file sha512:53:52}'"
  file_sha512_3="correct_sha512\+='${file_sha512:105}'"
  file\_sha512\_all="$file_sha512_1\n"
58 file_sha512_all+="$file_sha512_2\n"
  file_sha512_all+="$file_sha512_3"
  sed -i "s|@sha512_common_build_and_checks.sh@|$file_sha512_all|g"\
       ../build_and_checks.sh
```

2.14 build_and_checks.sh

```
#!/usr/bin/env bash
this file is part of DevOrSysAdminScripts library.
# This file is part of DevOrSysAdminScripts library.
# # DevOrSysAdminScripts is free software:
```

```
# you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
  # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
   # @Copyright 2023-2024 Laurent Lyaudet
24
  source ./wget_sha512.sh
  mkdir -p build_and_checks_dependencies
   subdir="build_and_checks_dependencies"
  personal github="https://raw.githubusercontent.com/LLyaudet/"
  dependencies="DevOrSysAdminScripts/main/build_and_checks_dependencies"
  URL_beginning="$personal_github$dependencies"
  script="$URL_beginning/common_build_and_checks.sh"
  correct_sha512='eb0b25b317ba151bda4e4ddeb07b982d2ffee0cc8e12ea661416a'
  correct sha512+='29349ed03f1eea44f414c6ddb9eea95ae289ca91f5217c257713'
  correct sha512+='2be1d08a8cb8801d4511577'
  wget_sha512 "./$subdir/common_build_and_checks.sh" "$script"\
    "$correct_sha512"
  chmod +x "./$subdir/common_build_and_checks.sh"
  cwd="."
  if [[ -n "$1" ]];
  t.hen
    cwd="$1"
  fi
   ./build and checks dependencies/common build and checks.sh "$cwd"
```

2.15 git_checks.sh

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
# DevOrSysAdminScripts is free software:
_{5} # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
 # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
  # @Copyright 2023-2024 Laurent Lyaudet
  check_files() {
    send_summary_1="ATTENTION : models modifiés"
     send_body_1="Vérifiez si besoin de migrations"
     send_body_2="Pensez aussi aux contraintes d'unicités"
     send_body_2+=" dès la création du modèle"
     send_summary_2="ATTENTION : serializers modifiés"
     send body 3="Les nouveaux preloadings sont interdits -> #Prefetch()"
    if git diff --cached --name-only | grep models;
     then
       notify-send "$send_summary_1" "$send_body_1"
       notify-send "$send_summary_1" "$send_body_2"
     fi
     if git diff --cached --name-only | grep serializer;
       notify-send "$send_summary_2" "$send_body_3"
     fi
     return 0
43
```

```
check_no_abusive_trailing_comma(){
     send_summary_1="ATTENTION"
     send_body_1="Il semblerait que vous affectiez un tuple"
    send_body_1+=" au lieu d'une autre valeur dans une variable."
    if git diff --cached -r | grep ' = .*, \s*$';
      notify-send "$send_summary_1" "$send_body_1"
      return 1
    return 0
55
  check black code formatting() {
     # attention ça ne marche que sur les fichiers "stagés" avec git add
     files_string=$(git diff --cached --name-only | grep '\.py')
    echo "$files_string"
    mapfile -t some_files <<< "$files_string"</pre>
    my_error=0
    for file in ${some_files[@]};
       echo "Black will check formatting on file $file"
      if ! black --check --diff "$file";
       then
        my_error=1
       fi
    done
    if [ $my_error -eq '1' ];
    then
      return 1
    fi
    return 0
```

2.16 latex/DevOrSysAdminScripts.tex.tpl

```
1 %!/usr/bin/env bash
2 % This file is part of DevOrSysAdminScripts library.
3 %
4 % DevOrSysAdminScripts is free software:
5 % you can redistribute it and/or modify it under the terms
6 % of the GNU Lesser General Public License
7 % as published by the Free Software Foundation,
8 % either version 3 of the License,
9 % or (at your option) any later version.
```

```
% DevOrSysAdminScripts is distributed in the hope
  % that it will be useful,
  % but WITHOUT ANY WARRANTY;
  % without even the implied warranty of
  % MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  % See the GNU Lesser General Public License for more details.
  % You should have received a copy of
  % the GNU Lesser General Public License
  % along with DevOrSysAdminScripts.
  % If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>.
   % @Copyright 2023-2024 Laurent Lyaudet
23
24
   \documentclass{article}
  \usepackage[utf8]{inputenc}
  \usepackage{subfigure}
  \usepackage{amsmath}
  \usepackage{amssymb}
  \usepackage{amsthm}
  \usepackage[pdftex]{hyperref}
   \usepackage{tikz}
  \usepackage{caption}
  \usepackage[round] {natbib}
  \usepackage{fancyhdr}
  \usepackage{amsfonts}
  \usepackage{times}
  \usepackage{ifpdf}
  \usepackage{latexsym}
   \usepackage{graphicx}
  \usepackage{enumerate}
  \usepackage{pmboxdraw}
   \usepackage{fancyvrb}
  % *** les environnements ***
  %\theoremstyle{break}
   \newtheorem{definition} {Definition} [section]
   \newtheorem{proposition} [definition] {Proposition}
  \newtheorem{theorem} [definition] {Theorem}
   \newtheorem{lemma} [definition] {Lemma}
   \newtheorem{corollary} [definition] {Corollary}
   \newtheorem{remark} [definition] {Remark}
  \newtheorem{openproblem}[definition]{Open problem}
   \begin{document}
```

```
57
  \author{
    Laurent Lyaudet \\
    \url{https://lyaudet.eu/laurent/}\\
    laurent.lyaudet@gmail.com
  \title{DevOrSysAdminScripts}
  \maketitle
  \begin{abstract}
  Some ''small'' useful scripts
  for enhancing developpment or system-administrators tasks
  \end{abstract}
  Current version: @current_date@
  Current number of commits: @number_of_commits@
  Current git SHA1: @current_git_SHA1@
  Code lines: @number_of_lines@
  \section{Files tree}
  \label{section:tree}
  \begin{verbatim}
  @current_tree_light@
  \end{verbatim}
  \begin{verbatim}
  @current_tree@
  \end{verbatim}
  \section{Listing of files}
  \label{section:listing}
  The following source code is covered by LGPLv3+.
  The text of the license is available at:
  \url{https://www.gnu.org/licenses/}.
  The git repository of this source code is also available at:
  \url{https://github.com/LLyaudet/DevOrSysAdminScripts/}.
  \subsection{
    build\_and\_checks\_dependencies/build\_and\_checks.sh.tpl
```

```
\label{
     build_and_checks_dependencies:build_and_checksshtpl
104
105
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
107
     build_and_checks_dependencies/build_and_checks.sh.tpl
   }
109
111
   \subsection{
     build\_and\_checks\_dependencies/build\_readme.sh
113
114
   \label{
115
     build and checks dependencies: build readmesh
116
   }
117
118
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/build_readme.sh
120
121
122
123
   \subsection{
124
     build\_and\_checks\_dependencies/check\_shell\_scripts\_beginning.sh
   }
126
   \label{
     build and checks dependencies: check shell scripts beginningsh
128
130
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/check_shell_scripts_beginning.sh
132
133
134
135
   \subsection{
     build\_and\_checks\_dependencies/check\_URLs.sh
137
   }
   \label{
139
     build_and_checks_dependencies:check_URLssh
141
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/check_URLs.sh
   }
145
147
   \subsection{
```

```
build\_and\_checks\_dependencies/common\_build\_and\_checks.sh
149
   }
150
   \label{
151
     build_and_checks_dependencies:common_build_and_checkssh
153
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
155
     build_and_checks_dependencies/common_build_and_checks.sh
157
159
   \subsection{
     build\_and\_checks\_dependencies/common\_build\_and\_checks.sh.tpl
161
162
   \label{
     build and checks dependencies: common build and checks shtpl
164
   }
165
166
   \VerbatimInput[numbers=left,xleftmargin=-5mm] {
     build_and_checks_dependencies/common_build_and_checks.sh.tpl
168
   }
170
   \subsection{
172
     build\_and\_checks\_dependencies/create\_PDF.sh
173
174
   \label{
     build and checks dependencies: create PDFsh
176
   }
177
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
179
     build and checks dependencies/create PDF.sh
180
181
182
183
   \subsection{
     build\_and\_checks\_dependencies/get\_common\_text\_glob\_patterns%
185
   .sh
   }
187
   \label{
     build_and_checks_dependencies:get_common_text_glob_patternssh
189
191
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/get_common_text_glob_patterns.sh
193
```

```
195
   \subsection{
     build\_and\_checks\_dependencies/lines\_counts.sh
199
   \label{
     build_and_checks_dependencies:lines_countssh
201
202
203
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/lines_counts.sh
205
206
207
208
   \subsection{
209
     build\ and\ checks\ dependencies/lines\ filters.sh
210
211
   \label{
212
     build_and_checks_dependencies:lines_filterssh
214
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
216
     build_and_checks_dependencies/lines_filters.sh
218
219
220
   \subsection{
     build\ and\ checks\ dependencies/python\ black\ complement.sh
222
   \label{
224
     build and checks dependencies: python black complementsh
226
227
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build_and_checks_dependencies/python_black_complement.sh
229
   }
230
231
   \subsection{
233
     build\_and\_checks\_dependencies/too\_long\_code\_lines.sh
235
   \label{
     build and checks dependencies: too long code linessh
237
239
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
```

```
build_and_checks_dependencies/too_long_code_lines.sh
241
   }
242
243
   \subsection{
245
     build\_and\_checks\_dependencies/update\_common\_build\_and\_checks%
   .sh
247
   }
   \label{
249
     build_and_checks_dependencies:update_common_build_and_checkssh
251
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
253
     build and checks dependencies/update common build and checks.sh
254
   }
255
256
257
   \subsection{
258
     build\_and\_checks.sh
260
   \label{
     build_and_checkssh
262
264
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
     build and checks.sh
266
268
269
   \subsection{
270
     git\_checks.sh
271
272
   \label{
273
     git_checkssh
274
275
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
277
     git_checks.sh
279
281
   \subsection{
     latex/DevOrSysAdminScripts.tex.tpl
283
   \label{
285
     latex:DevOrSysAdminScriptstextpl
```

```
}
287
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
      latex/DevOrSysAdminScripts.tex.tpl
291
293
   \subsection{
      LiensUtiles.txt
295
   \label{
297
      LiensUtilestxt
298
299
300
   \VerbatimInput[numbers=left,xleftmargin=-5mm] {
301
      LiensUtiles.txt
302
   }
303
304
   \subsection{
306
     pre-commit
   }
308
   \label{
     pre-commit
310
311
312
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
      pre-commit
314
315
   }
316
317
   \subsection{
      README\_printable.md
319
320
   \label{
321
      README_printablemd
322
323
   \VerbatimInput[numbers=left,xleftmargin=-5mm]{
325
      README_printable.md
327
329
   \subsection{
      wget\_sha512.sh
331
```

```
333  \label{
334    wget_sha512sh
335  }
336

337  \VerbatimInput[numbers=left,xleftmargin=-5mm]{
338    wget_sha512.sh
339  }
340

341

342  Merci Dieu ! Merci P\'ere ! Merci Seigneur ! Merci Saint Esprit !
343
344  \end{document}
```

2.17 LiensUtiles.txt

```
https://support.google.com/a/answer/9476255?hl=fr#zippy=%2C%C3%A9tape\
configurez-le-service-de-migration-de-donn%C3%A9es
https://stackoverflow.com/a/78413334/5796086
https://stackoverflow.com/questions/21612980/\
why-is-usr-bin-env-bash-superior-to-bin-bash/78413334
https://web.archive.org/web/20240501105801/https://stackoverflow.com\
questions/21612980/why-is-usr-bin-env-bash-superior-to-bin-bash/\
878413334#78413334
```

2.18 pre-commit

```
#!/usr/bin/env bash
  # This file is part of DevOrSysAdminScripts library.
  # DevOrSysAdminScripts is free software:
  # you can redistribute it and/or modify it under the terms
  # of the GNU Lesser General Public License
  # as published by the Free Software Foundation,
  # either version 3 of the License,
  # or (at your option) any later version.
  # DevOrSysAdminScripts is distributed in the hope
12 # that it will be useful,
  # but WITHOUT ANY WARRANTY;
  # without even the implied warranty of
  # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
  # See the GNU Lesser General Public License for more details.
  # You should have received a copy of
 # the GNU Lesser General Public License
20 # along with DevOrSysAdminScripts.
```

```
# If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.
  # @Copyright 2023-2024 Laurent Lyaudet
23
  . ../git_checks.sh
25
git_hook_error=0
  if ! check_files
   then
     git_hook_error=1
  if ! check_no_abusive_trailing_comma
  then
   git hook error=1
  fi
   if ! check_black_code_formatting
  then
     git_hook_error=1
  fi
  if [ $qit_hook_error -eq '1' ];
41 then
   exit 1
42.
43 fi
  exit 0
```

2.19 README_printable.md

```
llyaudet/DevOrSysAdminScripts/badge
[CodeFactor-package-page]: https://www.codefactor.io/repository/
github/llyaudet/DevOrSysAdminScripts
[CodeClimateMaintainability-badge]: https://api.codeclimate.com/v1/\
badges/b619ce83a81cc4a55e18/maintainability
[CodeClimateM13y-package-page]: https://codeclimate.com/
github/LLyaudet/DevOrSysAdminScripts/maintainability
[Codacy-badge]: https://app.codacy.com/project/badge/Grade/\
3dd6ef85e8db4460991d1ebc404b68dd
[Codacy-package-page]: https://app.codacy.com/gh/LLyaudet/\
DevOrSysAdminScripts/dashboard?utm source=qh&utm medium=referral\
&utm_content=&utm_campaign=Badge_grade
[GitHub-top-language-badge]: https://img.shields.io/github/\
languages/top/llyaudet/DevOrSysAdminScripts
[GitHub-license-badge]: https://img.shields.io/github/license/\
llyaudet/DevOrSysAdminScripts
[GitHub-code-size-in-bytes-badge]: https://img.shields.io/github/\
languages/code-size/llyaudet/DevOrSysAdminScripts
```

2.20 wget_sha512.sh

```
# You should have received a copy of
  # the GNU Lesser General Public License
  # along with DevOrSysAdminScripts.
  # If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/>.</a>
   # ©Copyright 2023-2024 Laurent Lyaudet
   wget_sha512(){
25
    # $1 filename
     # $2 download_URL
    # $3 correct_sha512
     if [[ ! -f "$1" ]];
    then
     wget -0 "$1" "$2"
     fi
     present_sha512=$(sha512sum "$1" | cut -f1 -d' ')
     if [[ "$present_sha512" != "$3" ]];
       echo "$1 does not have correct sha512"
       echo "wanted $3"
       echo "found $present_sha512"
       exit
     fi
  }
```

Merci Dieu! Merci Père! Merci Seigneur! Merci Saint Esprit!