

# GraphTheorySymbol: $\LaTeX$ Commands with Symbols for Graph Theory

Laurent Frédéric Bernard François Lyaudet

Website: <https://lyaudet.eu/laurent/>

Email: [Laurent.Lyaudet@gmail.com](mailto:Laurent.Lyaudet@gmail.com)

v1.7.0 2026/09/21

## Abstract

This documentation is for  $\LaTeX$  package GraphTheorySymbol. It provides symbols used in graph theory. The adjacency and incidence symbols, and the meta-logical operators symbols were created by the author of this package.

# Contents

|          |                                       |           |
|----------|---------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                   | <b>3</b>  |
| <b>2</b> | <b>Usage</b>                          | <b>4</b>  |
| 2.1      | Memo or for the impatient . . . . .   | 4         |
| 2.2      | Detailed usage . . . . .              | 7         |
| 2.2.1    | General macros . . . . .              | 7         |
| 2.2.2    | Standard adjacency macros . . . . .   | 7         |
| 2.2.3    | Standard incidence macros . . . . .   | 11        |
| 2.2.4    | Monochrome adjacency macros . . . . . | 14        |
| 2.2.5    | Monochrome incidence macros . . . . . | 18        |
| 2.2.6    | Meta-logic macros . . . . .           | 22        |
| 2.3      | Good practices . . . . .              | 23        |
| <b>3</b> | <b>Implementation</b>                 | <b>24</b> |
| <b>4</b> | <b>Acknowledgments</b>                | <b>37</b> |
| <b>5</b> | <b>FAQ</b>                            | <b>37</b> |
| <b>6</b> | <b>Support</b>                        | <b>37</b> |
| <b>7</b> | <b>Change History</b>                 | <b>38</b> |

# 1 Introduction

This documentation is for  $\text{\LaTeX}$  package GraphTheorySymbol. It provides symbols used in graph theory. The adjacency and incidence symbols, and the meta-logical operators symbols were created by the author of this package.

This package is licenced under Lesser GNU General Public License version 3 or later (LGPLv3+). It means you are free do anything with it, but if you do improve the code of the symbols that we provide, please do share these improvements in a similar way. There is no restriction on other graph theory symbols/code, even if it would be a good fit for inclusion in this package. There is also no need to share in a similar way what you build with this package. The text of the licenses is available at:

<https://www.gnu.org/licenses/>.

The git repository of this source code is also available at:

<https://github.com/LLyaudet/GraphTheorySymbol/>.

Clone it with this URL:

[git@github.com:LLyaudet/GraphTheorySymbol.git](https://github.com/LLyaudet/GraphTheorySymbol.git).

This package is available on CTAN:

<https://ctan.org/pkg/graph-theory-symbol>.

This is our first  $\text{\LaTeX}$  package. It may be that our macros are quite slow and that a document making extensive use of these macros will be slow to compile. If you know how to produce better  $\text{\LaTeX}$  code, please submit a pull request on GitHub.

## 2 Usage

### 2.1 Memo or for the impatient

Add in your preamble: `\usepackage{graph-theory-symbol}`.

For clarity, below we only show long macro names and short macro names; see Detailed usage section for intermediate length macro names.

| Long name                                              | Short name              | Result  | In context  |
|--------------------------------------------------------|-------------------------|---------|-------------|
| <code>\GTSadjacency/</code>                            | <code>\GTSa/</code>     | $\circ$ | $u \circ v$ |
| <code>\GTSadjacencyRelation/</code>                    | <code>\GTSaR/</code>    | $\circ$ | $u \circ v$ |
| <code>\GTSunadjacency/</code>                          | <code>\GTSu/</code>     | $\circ$ | $u \circ v$ |
| <code>\GTSunadjacencyRelation/</code>                  | <code>\GTSuR/</code>    | $\circ$ | $u \circ v$ |
| <code>\GTSdirectedAdjacencyUp/</code>                  | <code>\GTSdAU/</code>   | $\circ$ | $u \circ v$ |
| <code>\GTSdirectedAdjacencyUpRelation/</code>          | <code>\GTSdAUR/</code>  | $\circ$ | $u \circ v$ |
| <code>\GTSnegatedDirectedAdjacencyUp/</code>           | <code>\GTSnDAU/</code>  | $\circ$ | $u \circ v$ |
| <code>\GTSnegatedDirectedAdjacencyUpRelation/</code>   | <code>\GTSnDAUR/</code> | $\circ$ | $u \circ v$ |
| <code>\GTSdirectedAdjacencyDown/</code>                | <code>\GTSdAD/</code>   | $\circ$ | $u \circ v$ |
| <code>\GTSdirectedAdjacencyDownRelation/</code>        | <code>\GTSdADR/</code>  | $\circ$ | $u \circ v$ |
| <code>\GTSnegatedDirectedAdjacencyDown/</code>         | <code>\GTSnDAD/</code>  | $\circ$ | $u \circ v$ |
| <code>\GTSnegatedDirectedAdjacencyDownRelation/</code> | <code>\GTSnDADR/</code> | $\circ$ | $u \circ v$ |
| <code>\GTSincidence/</code>                            | <code>\GTSi/</code>     | $\circ$ | $v \circ e$ |
| <code>\GTSincidenceRelation/</code>                    | <code>\GTSiR/</code>    | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedIncidence/</code>                     | <code>\GTSnI/</code>    | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedIncidenceRelation/</code>             | <code>\GTSnIR/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSoutIncidence/</code>                         | <code>\GTSOI/</code>    | $\circ$ | $v \circ e$ |
| <code>\GTSoutIncidenceRelation/</code>                 | <code>\GTSOIR/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedOutIncidence/</code>                  | <code>\GTSnOI/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedOutIncidenceRelation/</code>          | <code>\GTSnOIR/</code>  | $\circ$ | $v \circ e$ |
| <code>\GTSinIncidence/</code>                          | <code>\GTSiI/</code>    | $\circ$ | $v \circ e$ |
| <code>\GTSinIncidenceRelation/</code>                  | <code>\GTSiIR/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedInIncidence/</code>                   | <code>\GTSnII/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedInIncidenceRelation/</code>           | <code>\GTSnIIR/</code>  | $\circ$ | $v \circ e$ |

---

| Long name                                                        | Short name               | Result  | In context  |
|------------------------------------------------------------------|--------------------------|---------|-------------|
| <code>\GTSadjacencyMonochrome/</code>                            | <code>\GTSaM/</code>     | $\circ$ | $u \circ v$ |
| <code>\GTSadjacencyMonochromeRelation/</code>                    | <code>\GTSaMR/</code>    | $\circ$ | $u \circ v$ |
| <code>\GTSunadjacencyMonochrome/</code>                          | <code>\GTSuM/</code>     | $\circ$ | $u \circ v$ |
| <code>\GTSunadjacencyMonochromeRelation/</code>                  | <code>\GTSuMR/</code>    | $\circ$ | $u \circ v$ |
| <code>\GTSdirectedAdjacencyUpMonochrome/</code>                  | <code>\GTSdAUM/</code>   | $\circ$ | $u \circ v$ |
| <code>\GTSdirectedAdjacencyUpMonochromeRelation/</code>          | <code>\GTSdAUMR/</code>  | $\circ$ | $u \circ v$ |
| <code>\GTSnegatedDirectedAdjacencyUpMonochrome/</code>           | <code>\GTSnDAUM/</code>  | $\circ$ | $u \circ v$ |
| <code>\GTSnegatedDirectedAdjacencyUpMonochromeRelation/</code>   | <code>\GTSnDAUMR/</code> | $\circ$ | $u \circ v$ |
| <code>\GTSdirectedAdjacencyDownMonochrome/</code>                | <code>\GTSdADM/</code>   | $\circ$ | $u \circ v$ |
| <code>\GTSdirectedAdjacencyDownMonochromeRelation/</code>        | <code>\GTSdADM/</code>   | $\circ$ | $u \circ v$ |
| <code>\GTSnegatedDirectedAdjacencyDownMonochrome/</code>         | <code>\GTSnDADM/</code>  | $\circ$ | $u \circ v$ |
| <code>\GTSnegatedDirectedAdjacencyDownMonochromeRelation/</code> | <code>\GTSnDADM/</code>  | $\circ$ | $u \circ v$ |
| <code>\GTSincidenceMonochrome/</code>                            | <code>\GTSiM/</code>     | $\circ$ | $v \circ e$ |
| <code>\GTSincidenceMonochromeRelation/</code>                    | <code>\GTSiMR/</code>    | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedIncidenceMonochrome/</code>                     | <code>\GTSnIM/</code>    | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedIncidenceMonochromeRelation/</code>             | <code>\GTSnIMR/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSoutIncidenceMonochrome/</code>                         | <code>\GTSOIM/</code>    | $\circ$ | $v \circ e$ |
| <code>\GTSoutIncidenceMonochromeRelation/</code>                 | <code>\GTSOIMR/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedOutIncidenceMonochrome/</code>                  | <code>\GTSnOIM/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedOutIncidenceMonochromeRelation/</code>          | <code>\GTSnOIMR/</code>  | $\circ$ | $v \circ e$ |
| <code>\GTSinIncidenceMonochrome/</code>                          | <code>\GTSiIM/</code>    | $\circ$ | $v \circ e$ |
| <code>\GTSinIncidenceMonochromeRelation/</code>                  | <code>\GTSiIMR/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedInIncidenceMonochrome/</code>                   | <code>\GTSnIIM/</code>   | $\circ$ | $v \circ e$ |
| <code>\GTSnegatedInIncidenceMonochromeRelation/</code>           | <code>\GTSnIIMR/</code>  | $\circ$ | $v \circ e$ |

| <code>\GTSsetMainColor{blue}</code>                    |                         |        |                             |
|--------------------------------------------------------|-------------------------|--------|-----------------------------|
| Long name                                              | Short name              | Result | In context                  |
| <code>\GTSadjacency/</code>                            | <code>\GTSa/</code>     |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSadjacencyRelation/</code>                    | <code>\GTSaR/</code>    |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSunadjacency/</code>                          | <code>\GTSu/</code>     |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSunadjacencyRelation/</code>                  | <code>\GTSuR/</code>    |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSdirectedAdjacencyUp/</code>                  | <code>\GTSdAU/</code>   |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSdirectedAdjacencyUpRelation/</code>          | <code>\GTSdAUR/</code>  |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSnegatedDirectedAdjacencyUp/</code>           | <code>\GTSnDAU/</code>  |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSnegatedDirectedAdjacencyUpRelation/</code>   | <code>\GTSnDAUR/</code> |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSdirectedAdjacencyDown/</code>                | <code>\GTSdAD/</code>   |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSdirectedAdjacencyDownRelation/</code>        | <code>\GTSdADR/</code>  |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSnegatedDirectedAdjacencyDown/</code>         | <code>\GTSnDAD/</code>  |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSnegatedDirectedAdjacencyDownRelation/</code> | <code>\GTSnDADR/</code> |        | $u \overset{\circ}{\sim} v$ |
| <code>\GTSincidence/</code>                            | <code>\GTSi/</code>     |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSincidenceRelation/</code>                    | <code>\GTSiR/</code>    |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSnegatedIncidence/</code>                     | <code>\GTSnI/</code>    |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSnegatedIncidenceRelation/</code>             | <code>\GTSnIR/</code>   |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSoutIncidence/</code>                         | <code>\GTSOI/</code>    |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSoutIncidenceRelation/</code>                 | <code>\GTSOIR/</code>   |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSnegatedOutIncidence/</code>                  | <code>\GTSnOI/</code>   |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSnegatedOutIncidenceRelation/</code>          | <code>\GTSnOIR/</code>  |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSinIncidence/</code>                          | <code>\GTSiI/</code>    |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSinIncidenceRelation/</code>                  | <code>\GTSiIR/</code>   |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSnegatedInIncidence/</code>                   | <code>\GTSnII/</code>   |        | $v \overset{\circ}{\sim} e$ |
| <code>\GTSnegatedInIncidenceRelation/</code>           | <code>\GTSnIIR/</code>  |        | $v \overset{\circ}{\sim} e$ |

| Long name                 | Short name           | Result   | In context                                           |
|---------------------------|----------------------|----------|------------------------------------------------------|
| <code>\GTSmetaNot/</code> | <code>\GTSmN/</code> | $\neg$   | $\neg \overset{\circ}{\sim}$                         |
| <code>\GTSmetaAnd/</code> | <code>\GTSmA/</code> | $\wedge$ | $\overset{\circ}{\sim} \wedge \overset{\circ}{\sim}$ |
| <code>\GTSmetaOr/</code>  | <code>\GTSmO/</code> | $\vee$   | $\overset{\circ}{\sim} \vee \overset{\circ}{\sim}$   |

Meta-logic can be used for compound adjacency types, etc.

Implicit meta-and via concatenation, no space except around whole relations compositions, no parentheses via higher priority to meta-and, brackets when all possible adjacencies are specified between two vertices:

Tournament adjacency:

$\forall u, v, u \overset{\circ}{\sim} \overset{\circ}{\sim} v$ .

Tournament adjacency with maybe some colored edge also, who knows?:

$\forall u, v, u \overset{\circ}{\sim} \overset{\circ}{\sim} v$ .

Directed graph:

$\forall u, v, u \overset{\circ}{\sim} \overset{\circ}{\sim} \overset{\circ}{\sim} \overset{\circ}{\sim} v$ .

Oriented graph:

$\forall u, v, u \overset{\circ}{\sim} \overset{\circ}{\sim} \overset{\circ}{\sim} v$ .

Tournament adjacency:

$\overset{\circ}{\sim} \overset{\circ}{\sim}$  is obtained with `\mathrel{\{\GTSdAD/\GTSnDAU/\GTSmO/\GTSnDAD/\GTSdAU/\}}`.

Tournament adjacency with maybe some colored edge also, who knows?:

$\overset{\circ}{\sim} \overset{\circ}{\sim}$  is obtained with `\mathrel{\{\GTSdAD/\GTSnDAU/\GTSmO/\GTSnDAD/\GTSdAU/\}}`.

Directed graph:

$\overset{\circ}{\sim} \overset{\circ}{\sim} \overset{\circ}{\sim} \overset{\circ}{\sim}$  is obtained with

`\mathrel{\{\GTSdAD/\GTSnDAU/\GTSmO/\GTSnDAD/\GTSdAU/\GTSmO/\GTSdAD/\GTSdAU/\GTSmO/\GTSnDAD/\GTSnDAU/\}}`.

Oriented graph:

$\overset{\circ}{\sim} \overset{\circ}{\sim} \overset{\circ}{\sim}$  is obtained with

`\mathrel{\{\GTSdAD/\GTSnDAU/\GTSmO/\GTSnDAD/\GTSdAU/\GTSmO/\GTSnDAD/\GTSnDAU/\}}`.

Prefix notation:

$\exists u, v, u \overset{\circ}{\sim} \overset{\circ}{\sim} v \Leftrightarrow \exists u, v, u \overset{\circ}{\sim} \overset{\circ}{\sim} v$ .

$\exists v, e, v \overset{\circ}{\sim} \overset{\circ}{\sim} e \Leftrightarrow \exists v, e, v \overset{\circ}{\sim} \overset{\circ}{\sim} e$ .

$\overset{\circ}{\sim} \overset{\circ}{\sim}$  is obtained with

`\mathrel{\{\GTSmO/\GTSxa[mC=red,d]\GTSxa[mC=green,d]\GTSxa[mC=blue,u]\}}`.

$\mathrel{\mathbb{V} \begin{smallmatrix} \textcolor{red}{+} & \textcolor{green}{+} & \textcolor{blue}{+} \end{smallmatrix}}$  is obtained with  
`\mathrel{\{\ \backslashGTSm0/\backslashGTSxi[mC=red,i]\backslashGTSxi[mC=green,i]\backslashGTSxi[mC=blue,o]\}}`.

---

Apart from these symbol macros, versatile macros to call them all are available with options:  
`\GTSxa[]`, `\GTSxadj[]`, or `\GTSxadjacency[]` for adjacency symbols,  
`\GTSxi[]`, `\GTSxinc[]`, or `\GTSxincidence[]` for incidence symbols,  
`\GTSxml[]`, or `\GTSxmetallogic[]` for meta-logic symbols,  
`\GTSx[]{} for all symbols`  
`(\GTSx[]{a} = \GTSxa[], \GTSx[]{i} = \GTSxi[], \GTSx[]{m} = \GTSxml[]).`  
 See Detailed usage section for full syntax of these macros.

## 2.2 Detailed usage

First you need to add in your preamble: `\usepackage{graph-theory-symbol}`.

All symbols macros were designed with ease of use in mind: they are called with a trailing slash, they can be called in text mode or in math mode, a variant with relation spacing for math mode exists with suffix “relation”.

For completeness, we also documented macros with an at sign, but as usual, you should not (have to) use them directly.

### 2.2.1 General macros

**\GTS@newcommand** This macro will enforce that the other macros are called with a trailing slash, avoiding problems with spaces after macro call.

Arguments:

`{\langle commandname \rangle}` The name of the command to create.

`{\langle commandcode \rangle}` The code of the command to create.

**\GTS@newprotectedcommand** This macro will enforce that the other macros are called with a trailing slash, avoiding problems with spaces after macro call.

Arguments:

`{\langle commandname \rangle}` The name of the command to create.

`{\langle commandcode \rangle}` The code of the command to create.

**\GTSsetMainColor** This macro will set the main color used in GraphTheorySymbol. This color has initial value “black”.

Argument:

`{\langle color \rangle}` The color that must be used by GraphTheorySymbol afterward.

**\GTSsetSecondColor** This macro will set the second color used in GraphTheorySymbol. This color has initial value “gray”.

Argument:

`{\langle color \rangle}` The color that must be used by GraphTheorySymbol afterward.

### 2.2.2 Standard adjacency macros

**\GTS@a** This macro will draw any of the adjacency symbols if the correct arguments are given. It is not expected to be used directly. See the macros derived from it and **\GTS@b**: **\GTSxadjacency**, **\GTSxadj**, and **\GTSxa**.

Arguments:

`{\langle mainColor \rangle}` If non-empty, this color will be used as main color.

`{\langle secondColor \rangle}` If non-empty, this color will be used as second color.

`{\langle drawSlash \rangle}` Non-empty implies that a negation will be drawn.

`{\langle drawUpArrow \rangle}` Non-empty implies that an up-arrow will be drawn.

`{\langle drawDownArrow \rangle}` Non-empty implies that a down-arrow will be drawn.

**\GTS@b** This macro builds on top of **\GTS@a** to handle mathematical relation spacing if sixth argument is not empty. It is not expected to be used directly. See the macros derived from it and **\GTS@a**: **\GTSxadjacency**, **\GTSxadj**, and **\GTSxa**.

Arguments:

`{\langle mainColor \rangle}` If non-empty, this color will be used as main color.

`{\langle secondColor \rangle}` If non-empty, this color will be used as second color.

`{\langle drawSlash \rangle}` Non-empty implies that a negation will be drawn.

`{\langle drawUpArrow \rangle}` Non-empty implies that an up-arrow will be drawn.

`{\langle drawDownArrow \rangle}` Non-empty implies that a down-arrow will be drawn.

`{\langle relation \rangle}` Non-empty implies that relation spacing will be added.

**\GTSxadjacency**, **\GTSxadj**, **\GTSxa** Versatile macros for adjacency that can be given options.

Argument:

`[\langle optionsList \rangle]` Sets the following options if not empty:

`mainColor=color1` or `mainC=color1` or `mColor=color1` or `mC=color1`,

`secondColor=color2` or `secondC=color2` or `sColor=color2` or `sC=color2`,

monochrome or mono or mon or m (equivalent to `mC=black,sC=black`),  
 negated or not or n,  
 up or u,  
 down or d,  
 relation or rel or r.

`\GTSadjacency`, `\GTSadj`, `\GTSa` This macro will draw an adjacency symbol. A first drawing didn't include the small dots in the middle of the two circles corresponding to the graph vertices. But it was too similar to “spoon” and `multimap` symbols, and could be confused with a graph with only two vertices and one edge. Hence, these dots were added and they have the nice property to remind of the classical textual notation of adjacency relation as `Adj(.,.)`.

`A.\GTSadjacency/A.`

or `A.\GTSadj/A.`

or `A.\GTSa/A.`

will yield  $A \circ A.$

`u \GTSadjacency/ v`

or `u \GTSadj/ v`

or `u \GTSa/ v`

will yield  $u \circ v.$

`$u \GTSadjacency/ v$`

or `$u \GTSadj/ v$`

or `$u \GTSa/ v$`

will yield  $u \circ v.$

`\GTSadjacencyRelation`, `\GTSadjRel`, `\GTSaR` This macro will draw an adjacency symbol.

`$u\GTSadjacencyRelation/v$`

or `$u\GTSadjRel/v$`

or `$u\GTSaR/v$`

will yield  $u \circ v.$

`\GTSunadjacency`, `\GTSunadj`, `\GTSu` This macro will draw an unadjacency symbol.

`A.\GTSunadjacency/A.`

or `A.\GTSunadj/A.`

or `A.\GTSu/A.`

will yield  $A \not\circ A.$

`u \GTSunadjacency/ v`

or `u \GTSunadj/ v`

or `u \GTSu/ v`

will yield  $u \not\circ v.$

`$u \GTSunadjacency/ v$`

or `$u \GTSunadj/ v$`

or `$u \GTSu/ v$`

will yield  $u \not\circ v.$

`\GTSunadjacencyRelation`, `\GTSunadjRel`, `\GTSuR` This macro will draw an unadjacency symbol.

`$u\GTSunadjacencyRelation/v$`

or  $\$u\backslash\text{GTSunadjRel}/v\$$

or  $\$u\backslash\text{GTSuR}/v\$$

will yield  $u \overset{\curvearrowright}{\sim} v$ .

$\backslash\text{GTSdirectedAdjacencyUp}$ ,  $\backslash\text{GTSdirAdjUp}$ ,  $\backslash\text{GTSdAU}$  This macro will draw a directed adjacency upward symbol. The operand on the left of the symbol should be considered the source of the arc; the operand on the right of the symbol should be considered the target of the arc.

$A.\backslash\text{GTSdirectedAdjacencyUp}/A.$

or  $A.\backslash\text{GTSdirAdjUp}/A.$

or  $A.\backslash\text{GTSdAU}/A.$

will yield  $A.\overset{\curvearrowright}{\sim}A.$

$u \backslash\text{GTSdirectedAdjacencyUp}/ v$

or  $u \backslash\text{GTSdirAdjUp}/ v$

or  $u \backslash\text{GTSdAU}/ v$

will yield  $u \overset{\curvearrowright}{\sim} v$ .

$\$u \backslash\text{GTSdirectedAdjacencyUp}/ v\$$

or  $\$u \backslash\text{GTSdirAdjUp}/ v\$$

or  $\$u \backslash\text{GTSdAU}/ v\$$

will yield  $u \overset{\curvearrowright}{\sim} v$ .

$\backslash\text{GTSdirectedAdjacencyUpRelation}$ ,  $\backslash\text{GTSdirAdjUpRel}$ ,  $\backslash\text{GTSdAUR}$  This macro will draw a directed adjacency upward symbol with relation spacing in math mode.

$\$u\backslash\text{GTSdirectedAdjacencyUpRelation}/v\$$

or  $\$u\backslash\text{GTSdirAdjUpRel}/v\$$

or  $\$u\backslash\text{GTSdAUR}/v\$$

will yield  $u \overset{\curvearrowright}{\sim} v$ .

$\backslash\text{GTSnegatedDirectedAdjacencyUp}$ ,  $\backslash\text{GTSnegDirAdjUp}$ ,  $\backslash\text{GTSnDAU}$  This macro will draw a negated directed adjacency upward symbol.

$A.\backslash\text{GTSnegatedDirectedAdjacencyUp}/A.$

or  $A.\backslash\text{GTSnegDirAdjUp}/A.$

or  $A.\backslash\text{GTSnDAU}/A.$

will yield  $A.\overset{\curvearrowleft}{\sim}A.$

$u \backslash\text{GTSnegatedDirectedAdjacencyUp}/ v$

or  $u \backslash\text{GTSnegDirAdjUp}/ v$

or  $u \backslash\text{GTSnDAU}/ v$

will yield  $u \overset{\curvearrowleft}{\sim} v$ .

$\$u \backslash\text{GTSnegatedDirectedAdjacencyUp}/ v\$$

or  $\$u \backslash\text{GTSnegDirAdjUp}/ v\$$

or  $\$u \backslash\text{GTSnDAU}/ v\$$

will yield  $u \overset{\curvearrowleft}{\sim} v$ .

$\backslash\text{GTSnegatedDirectedAdjacencyUpRelation}$ ,  $\backslash\text{GTSnegDirAdjUpRel}$ ,  $\backslash\text{GTSnDAUR}$  This macro will draw a negated directed adjacency upward symbol with relation spacing in math mode.

$\$u\backslash\text{GTSnegatedDirectedAdjacencyUpRelation}/v\$$

or  $\$u\backslash\text{GTSnegDirAdjUpRel}/v\$$

or  $\$u\backslash\text{GTSnDAUR}/v\$$   
 will yield  $u \overset{\curvearrowright}{\sim} v$ .

**$\backslash\text{GTSdirectedAdjacencyDown}$ ,  $\backslash\text{GTSdirAdjDown}$ ,  $\backslash\text{GTSdAD}$**  This macro will draw a directed adjacency downward symbol. The operand on the left of the symbol should be considered the target of the arc; the operand on the right of the symbol should be considered the source of the arc.

$\text{A}\backslash\text{GTSdirectedAdjacencyDown}/\text{A}$ .

or  $\text{A}\backslash\text{GTSdirAdjDown}/\text{A}$ .

or  $\text{A}\backslash\text{GTSnDAD}/\text{A}$ .

will yield  $\text{A}\overset{\curvearrowright}{\sim}\text{A}$ .

$u \backslash\text{GTSdirectedAdjacencyDown}/ v$

or  $u \backslash\text{GTSdirAdjDown}/ v$

or  $u \backslash\text{GTSnDAD}/ v$

will yield  $u \overset{\curvearrowright}{\sim} v$ .

$\$u \backslash\text{GTSdirectedAdjacencyDown}/ v\$$

or  $\$u \backslash\text{GTSdirAdjDown}/ v\$$

or  $\$u \backslash\text{GTSnDAD}/ v\$$

will yield  $u \overset{\curvearrowright}{\sim} v$ .

**$\backslash\text{GTSdirectedAdjacencyDownRelation}$ ,  $\backslash\text{GTSdirAdjDownRel}$ ,  $\backslash\text{GTSdADR}$**  This macro will draw a directed adjacency downward symbol with relation spacing in math mode.

$\$u\backslash\text{GTSdirectedAdjacencyDownRelation}/v\$$

or  $\$u\backslash\text{GTSdirAdjDownRel}/v\$$

or  $\$u\backslash\text{GTSdADR}/v\$$

will yield  $u \overset{\curvearrowright}{\sim} v$ .

**$\backslash\text{GTSnegatedDirectedAdjacencyDown}$ ,  $\backslash\text{GTSnegDirAdjDown}$ ,  $\backslash\text{GTSnDAD}$**  This macro will draw a negated directed adjacency downward symbol.

$\text{A}\backslash\text{GTSnegatedDirectedAdjacencyDown}/\text{A}$ .

or  $\text{A}\backslash\text{GTSnegDirAdjDown}/\text{A}$ .

or  $\text{A}\backslash\text{GTSnDAD}/\text{A}$ .

will yield  $\text{A}\overset{\curvearrowleft}{\sim}\text{A}$ .

$u \backslash\text{GTSnegatedDirectedAdjacencyDown}/ v$

or  $u \backslash\text{GTSnegDirAdjDown}/ v$

or  $u \backslash\text{GTSnDAD}/ v$

will yield  $u \overset{\curvearrowleft}{\sim} v$ .

$\$u \backslash\text{GTSnegatedDirectedAdjacencyDown}/ v\$$

or  $\$u \backslash\text{GTSnegDirAdjDown}/ v\$$

or  $\$u \backslash\text{GTSnDAD}/ v\$$

will yield  $u \overset{\curvearrowleft}{\sim} v$ .

**$\backslash\text{GTSnegatedDirectedAdjacencyDownRelation}$ ,  $\backslash\text{GTSnegDirAdjDownRel}$ ,  $\backslash\text{GTSnDADR}$**  This macro will draw a negated directed adjacency downward symbol with relation spacing in math mode.

$\$u\backslash\text{GTSnegatedDirectedAdjacencyDownRelation}/v\$$

or  $\$u\backslash\text{GTSnegDirAdjDownRel}/v\$$

or  $\boxed{\$u\backslash\text{GTSnDADR}/v\$}$   
 will yield  $\boxed{u \nparallel v}$ .

### 2.2.3 Standard incidence macros

**\GTS@i** This macro will draw any of the incidence symbols if the correct arguments are given. It is not expected to be used directly. See the macros derived from it and **\GTS@j**: **\GTSxincidence**, **\GTSxinc**, and **\GTSxi**. The operand on the left of the symbol should be considered the vertex to which the edge/the operand on the right of the symbol is incident.

Arguments:

- $\{\langle mainColor \rangle\}$  If non-empty, this color will be used as main color.
- $\{\langle secondColor \rangle\}$  If non-empty, this color will be used as second color.
- $\{\langle drawSlash \rangle\}$  Non-empty implies that a negation will be drawn.
- $\{\langle drawUpArrow \rangle\}$  Non-empty implies that an up-arrow will be drawn.
- $\{\langle drawDownArrow \rangle\}$  Non-empty implies that a down-arrow will be drawn.

**\GTS@j** This macro builds on top of **\GTS@i** to handle mathematical relation spacing if sixth argument is not empty. It is not expected to be used directly. See the macros derived from it and **\GTS@i**: **\GTSxincidence**, **\GTSxinc**, and **\GTSxi**.

Arguments:

- $\{\langle mainColor \rangle\}$  If non-empty, this color will be used as main color.
- $\{\langle secondColor \rangle\}$  If non-empty, this color will be used as second color.
- $\{\langle drawSlash \rangle\}$  Non-empty implies that a negation will be drawn.
- $\{\langle drawUpArrow \rangle\}$  Non-empty implies that an up-arrow will be drawn.
- $\{\langle drawDownArrow \rangle\}$  Non-empty implies that a down-arrow will be drawn.
- $\{\langle relation \rangle\}$  Non-empty implies that relation spacing will be added.

**\GTSxincidence**, **\GTSxinc**, **\GTSxi** Versatile macros for incidence that can be given options.

Argument:

- $[\langle optionsList \rangle]$  Sets the following options if not empty:  
 $mainColor=color1$  or  $mainC=color1$  or  $mColor=color1$  or  $mC=color1$ ,  
 $secondColor=color2$  or  $secondC=color2$  or  $sColor=color2$  or  $sC=color2$ ,  
 $monochrome$  or  $mono$  or  $mon$  or  $m$  (equivalent to  $mC=black, sC=black$ ),  
 $negated$  or  $not$  or  $n$ ,  
 $in$  or  $i$ ,  
 $out$  or  $o$ ,  
 $relation$  or  $rel$  or  $r$ .

**\GTSincidence**, **\GTSinc**, **\GTSi** This macro will draw an incidence symbol. The operand on the left of the symbol should be considered the vertex to which the edge/the operand on the right of the symbol is incident.

$\boxed{A.\backslash\text{GTSincidence}/A.}$   
 or  $\boxed{A.\backslash\text{GTSinc}/A.}$   
 or  $\boxed{A.\backslash\text{GTSi}/A.}$   
 will yield  $\boxed{A.\downarrow A.}$ .

$\boxed{v \backslash\text{GTSincidence}/ e}$   
 or  $\boxed{v \backslash\text{GTSinc}/ e}$   
 or  $\boxed{v \backslash\text{GTSi}/ e}$   
 will yield  $\boxed{v \downarrow e}$ .

$\boxed{\$v \backslash\text{GTSincidence}/ e\$}$   
 or  $\boxed{\$v \backslash\text{GTSinc}/ e\$}$   
 or  $\boxed{\$v \backslash\text{GTSi}/ e\$}$   
 will yield  $\boxed{v \downarrow e}$ .

**\GTSincidenceRelation, \GTSincRel, \GTSiR** This macro will draw an incidence symbol with relation spacing in math mode.

$\$v\backslash\text{GTSincidenceRelation}/e\$$

or  $\$v\backslash\text{GTSincRel}/e\$$

or  $\$v\backslash\text{GTSiR}/e\$$

will yield  $v \downarrow e$ .

**\GTSnegatedIncidence, \GTSnegInc, \GTSnI** This macro will draw a negated incidence symbol.

$A.\backslash\text{GTSnegatedIncidence}/A.$

or  $A.\backslash\text{GTSnegInc}/A.$

or  $A.\backslash\text{GTSnI}/A.$

will yield  $A.\nmid A.$

$v \backslash\text{GTSnegatedIncidence}/ e$

or  $v \backslash\text{GTSnegInc}/ e$

or  $v \backslash\text{GTSnI}/ e$

will yield  $v \nmid e$ .

$\$v \backslash\text{GTSnegatedIncidence}/ e\$$

or  $\$v \backslash\text{GTSnegInc}/ e\$$

or  $\$v \backslash\text{GTSnI}/ e\$$

will yield  $v \nmid e$ .

**\GTSnegatedIncidenceRelation, \GTSnegIncRel, \GTSnIR** This macro will draw a negated incidence symbol with relation spacing in math mode.

$\$v\backslash\text{GTSnegatedIncidenceRelation}/e\$$

or  $\$v\backslash\text{GTSnegIncRel}/e\$$

or  $\$v\backslash\text{GTSnIR}/e\$$

will yield  $v \nmid e$ .

**\GTSoutIncidence, \GTSoutInc, \GTSoI** This macro will draw a directed incidence upward (out(ward) incidence) symbol. The operand on the left of the symbol should be considered the vertex to which the arc/the operand on the right of the symbol is incident.

$A.\backslash\text{GTSoutIncidence}/A.$

or  $A.\backslash\text{GTSoutInc}/A.$

or  $A.\backslash\text{GTSoI}/A.$

will yield  $A.\uparrow A.$

$v \backslash\text{GTSoutIncidence}/ e$

or  $v \backslash\text{GTSoutInc}/ e$

or  $v \backslash\text{GTSoI}/ e$

will yield  $v \uparrow e$ .

$\$v \backslash\text{GTSoutIncidence}/ e\$$

or  $\$v \backslash\text{GTSoutInc}/ e\$$

or  $\$v \backslash\text{GTSoI}/ e\$$

will yield  $v \uparrow e$ .

**\GTSoutIncidenceRelation, \GTSoutIncRel, \GTSoIR** This macro will draw a directed incidence upward (out(ward) incidence) symbol with relation spacing in math mode.

$\$v\backslash\text{GTSoutIncidenceRelation}/e\$$   
or  $\$v\backslash\text{GTSoutIncRel}/e\$$   
or  $\$v\backslash\text{GTSOI}/e\$$   
will yield  $v \dashv e$ .

$\backslash\text{GTSnegatedOutIncidence}$ ,  $\backslash\text{GTSnegOutInc}$ ,  $\backslash\text{GTSnOI}$  This macro will draw a negated directed incidence upward (out(ward) incidence) symbol.

$A.\backslash\text{GTSnegatedOutIncidence}/A.$   
or  $A.\backslash\text{GTSnegOutInc}/A.$   
or  $A.\backslash\text{GTSnOI}/A.$   
will yield  $A.\nmid A.$ .

$v \backslash\text{GTSnegatedOutIncidence}/ e$   
or  $v \backslash\text{GTSnegOutInc}/ e$   
or  $v \backslash\text{GTSnOI}/ e$   
will yield  $v \nmid e$ .

$\$v \backslash\text{GTSnegatedOutIncidence}/ e\$$   
or  $\$v \backslash\text{GTSnegOutInc}/ e\$$   
or  $\$v \backslash\text{GTSnOI}/ e\$$   
will yield  $v \nmid e$ .

$\backslash\text{GTSnegatedOutIncidenceRelation}$ ,  $\backslash\text{GTSnegOutIncRel}$ ,  $\backslash\text{GTSnOIR}$  This macro will draw a negated directed incidence upward (out(ward) incidence) symbol with relation spacing in math mode.

$\$v\backslash\text{GTSnegatedOutIncidenceRelation}/e\$$   
or  $\$v\backslash\text{GTSnegOutIncRel}/e\$$   
or  $\$v\backslash\text{GTSnOIR}/e\$$   
will yield  $v \nmid e$ .

$\backslash\text{GTSinIncidence}$ ,  $\backslash\text{GTSinInc}$ ,  $\backslash\text{GTSiI}$  This macro will draw a directed incidence downward (in(ward) incidence) symbol. The operand on the left of the symbol should be considered the vertex to which the arc/the operand on the right of the symbol is incident.

$A.\backslash\text{GTSinIncidence}/A.$   
or  $A.\backslash\text{GTSinInc}/A.$   
or  $A.\backslash\text{GTSiI}/A.$   
will yield  $A.\vdash A.$ .

$v \backslash\text{GTSinIncidence}/ e$   
or  $v \backslash\text{GTSinInc}/ e$   
or  $v \backslash\text{GTSiI}/ e$   
will yield  $v \vdash e$ .

$\$v \backslash\text{GTSinIncidence}/ e\$$   
or  $\$v \backslash\text{GTSinInc}/ e\$$   
or  $\$v \backslash\text{GTSiI}/ e\$$   
will yield  $v \vdash e$ .

$\backslash\text{GTSinIncidenceRelation}$ ,  $\backslash\text{GTSinIncRel}$ ,  $\backslash\text{GTSiIR}$  This macro will draw a directed incidence downward (in(ward) incidence) symbol with relation spacing in math mode.

$\$v\backslash\text{GTSinIncidenceRelation}/e\$$

or  $\$v\backslash\text{GTSinIncRel}/e\$$

or  $\$v\backslash\text{GTSiIR}/e\$$

will yield  $v \not\hookrightarrow e$ .

$\backslash\text{GTSnegatedInIncidence}$ ,  $\backslash\text{GTSnegInInc}$ ,  $\backslash\text{GTSnII}$  This macro will draw a negated directed incidence downward (in(ward) incidence) symbol.

$A.\backslash\text{GTSnegatedInIncidence}/A.$

or  $A.\backslash\text{GTSnegInInc}/A.$

or  $A.\backslash\text{GTSnII}/A.$

will yield  $A.\not\hookrightarrow A.$

$v \backslash\text{GTSnegatedInIncidence}/ e$

or  $v \backslash\text{GTSnegInInc}/ e$

or  $v \backslash\text{GTSnII}/ e$

will yield  $v \not\hookrightarrow e$ .

$\$v \backslash\text{GTSnegatedInIncidence}/ e\$$

or  $\$v \backslash\text{GTSnegInInc}/ e\$$

or  $\$v \backslash\text{GTSnII}/ e\$$

will yield  $v \not\hookrightarrow e$ .

$\backslash\text{GTSnegatedInIncidenceRelation}$ ,  $\backslash\text{GTSnegInIncRel}$ ,  $\backslash\text{GTSnIIR}$  This macro will draw a negated directed incidence downward (in(ward) incidence) symbol with relation spacing in math mode.

$\$v\backslash\text{GTSnegatedInIncidenceRelation}/e\$$

or  $\$v\backslash\text{GTSnegInIncRel}/e\$$

or  $\$v\backslash\text{GTSnIIR}/e\$$

will yield  $v \not\hookrightarrow e$ .

#### 2.2.4 Monochrome adjacency macros

$\backslash\text{GTSadjacencyMonochrome}$ ,  $\backslash\text{GTSadjMono}$ ,  $\backslash\text{GTSadjMon}$ ,  $\backslash\text{GTSaM}$  This macro will draw a monochrome adjacency symbol.

$A.\backslash\text{GTSadjacencyMonochrome}/A.$

or  $A.\backslash\text{GTSadjMono}/A.$

or  $A.\backslash\text{GTSadjMon}/A.$

or  $A.\backslash\text{GTSaM}/A.$

will yield  $A.\circ A.$

$u \backslash\text{GTSadjacencyMonochrome}/ v$

or  $u \backslash\text{GTSadjMono}/ v$

or  $u \backslash\text{GTSadjMon}/ v$

or  $u \backslash\text{GTSaM}/ v$

will yield  $u \circ v$ .

$\$u \backslash\text{GTSadjacencyMonochrome}/ v\$$

or  $\$u \backslash\text{GTSadjMono}/ v\$$

or  $\$u \backslash\text{GTSadjMon}/ v\$$

or  $\$u \backslash \text{GTSaM}/ v\$$   
 will yield  $u \circ v$ .

**$\backslash \text{GTSadjacencyMonochromeRelation}$ ,  $\backslash \text{GTSadjMonoRel}$ ,  $\backslash \text{GTSadjMonRel}$ ,  $\backslash \text{GTSaMR}$**   
 This macro will draw a monochrome adjacency symbol with relation spacing in math mode.

$\$u \backslash \text{GTSadjacencyMonochromeRelation}/ v\$$   
 or  $\$u \backslash \text{GTSadjMonoRel}/ v\$$   
 or  $\$u \backslash \text{GTSadjMonRel}/ v\$$   
 or  $\$u \backslash \text{GTSaMR}/ v\$$   
 will yield  $u \circ v$ .

**$\backslash \text{GTSunadjacencyMonochrome}$ ,  $\backslash \text{GTSunadjMono}$ ,  $\backslash \text{GTSunadjMon}$ ,  $\backslash \text{GTSuM}$**  This macro  
 will draw a monochrome unadjacency symbol.

$A. \backslash \text{GTSunadjacencyMonochrome}/ A.$   
 or  $A. \backslash \text{GTSunadjMono}/ A.$   
 or  $A. \backslash \text{GTSunadjMon}/ A.$   
 or  $A. \backslash \text{GTSuM}/ A.$   
 will yield  $A. \circ A.$   
 $u \backslash \text{GTSunadjacencyMonochrome}/ v$   
 or  $u \backslash \text{GTSunadjMono}/ v$   
 or  $u \backslash \text{GTSunadjMon}/ v$   
 or  $u \backslash \text{GTSuM}/ v$   
 will yield  $u \circ v$ .  
 $\$u \backslash \text{GTSunadjacencyMonochrome}/ v\$$   
 or  $\$u \backslash \text{GTSunadjMono}/ v\$$   
 or  $\$u \backslash \text{GTSunadjMon}/ v\$$   
 or  $\$u \backslash \text{GTSuM}/ v\$$   
 will yield  $u \circ v$ .

**$\backslash \text{GTSunadjacencyMonochromeRelation}$ ,  $\backslash \text{GTSunadjMonoRel}$ ,  $\backslash \text{GTSunadjMonRel}$ ,  $\backslash \text{GTSuMR}$**  This macro will draw a monochrome unadjacency symbol with relation spacing in math mode.

$\$u \backslash \text{GTSunadjacencyMonochromeRelation}/ v\$$   
 or  $\$u \backslash \text{GTSunadjMonoRel}/ v\$$   
 or  $\$u \backslash \text{GTSunadjMonRel}/ v\$$   
 or  $\$u \backslash \text{GTSuMR}/ v\$$   
 will yield  $u \circ v$ .

**$\backslash \text{GTSdirectedAdjacencyUpMonochrome}$ ,  $\backslash \text{GTSdirAdjUpMono}$ ,  $\backslash \text{GTSdirAdjUpMon}$ ,  $\backslash \text{GTSdAUM}$**  This macro will draw a monochrome directed adjacency upward symbol. The operand on the left of the symbol should be considered the source of the arc; the operand on the right of the symbol should be considered the target of the arc.

$A. \backslash \text{GTSdirectedAdjacencyUpMonochrome}/ A.$   
 or  $A. \backslash \text{GTSdirAdjUpMono}/ A.$   
 or  $A. \backslash \text{GTSdirAdjUpMon}/ A.$   
 or  $A. \backslash \text{GTSdAUM}/ A.$   
 will yield  $A. \circ A.$ .

`u \GTSdirectedAdjacencyUpMonochrome/ v`

or `u \GTSdirAdjUpMono/ v`

or `u \GTSdirAdjUpMon/ v`

or `u \GTSdAUM/ v`

will yield  $u \overset{\circ}{\circ} v$ .

`$u \GTSdirectedAdjacencyUpMonochrome/ v$`

or `$u \GTSdirAdjUpMono/ v$`

or `$u \GTSdirAdjUpMon/ v$`

or `$u \GTSdAUM/ v$`

will yield  $u \overset{\circ}{\circ} v$ .

**`\GTSdirectedAdjacencyUpMonochromeRelation`, `\GTSdirAdjUpMonoRel`, `\GTSdirAdjUpMonRel`, `\GTSdAUMR`** This macro will draw a monochrome directed adjacency upward symbol with relation spacing in math mode.

`$u\GTSdirectedAdjacencyUpMonochromeRelation/v$`

or `$u\GTSdirAdjUpMonoRel/v$`

or `$u\GTSdirAdjUpMonRel/v$`

or `$u\GTSdAUMR/v$`

will yield  $u \overset{\circ}{\circ} v$ .

**`\GTSnegatedDirectedAdjacencyUpMonochrome`, `\GTSnegDirAdjUpMono`, `\GTSnegDirAdjUpMon`, `\GTSnDAUM`** This macro will draw a monochrome negated directed adjacency upward symbol.

`A.\GTSnegatedDirectedAdjacencyUpMonochrome/A.`

or `A.\GTSnegDirAdjUpMono/A.`

or `A.\GTSnegDirAdjUpMon/A.`

or `A.\GTSnDAUM/A.`

will yield  $A \overset{\circ}{\circ} A$ .

`u \GTSnegatedDirectedAdjacencyUpMonochrome/ v`

or `u \GTSnegDirAdjUpMono/ v`

or `u \GTSnegDirAdjUpMon/ v`

or `u \GTSnDAUM/ v`

will yield  $u \overset{\circ}{\circ} v$ .

`$u \GTSnegatedDirectedAdjacencyUpMonochrome/ v$`

or `$u \GTSnegDirAdjUpMono/ v$`

or `$u \GTSnegDirAdjUpMon/ v$`

or `$u \GTSnDAUM/ v$`

will yield  $u \overset{\circ}{\circ} v$ .

**`\GTSnegatedDirectedAdjacencyUpMonochromeRelation`, `\GTSnegDirAdjUpMonoRel`, `\GTSnegDirAdjUpMonRel`, `\GTSnDAUMR`** This macro will draw a monochrome negated directed adjacency upward symbol with relation spacing in math mode.

`$u\GTSnegatedDirectedAdjacencyUpMonochromeRelation/v$`

or `$u\GTSnegDirAdjUpMonoRel/v$`

or `$u\GTSnegDirAdjUpMonRel/v$`

or  $\$u\backslash\text{GTSnDAUMR}/v\$$

will yield  $u \overset{\circ}{\circ} v$ .

**$\backslash\text{GTSdirectedAdjacencyDownMonochrome}$ ,  $\backslash\text{GTSdirAdjDownMono}$ ,  $\backslash\text{GTSdirAdjDownMon}$ ,  $\backslash\text{GTSdADM}$**  This macro will draw a monochrome directed adjacency downward symbol. The operand on the left of the symbol should be considered the target of the arc; the operand on the right of the symbol should be considered the source of the arc.

$A.\backslash\text{GTSdirectedAdjacencyDownMonochrome}/A.$

or  $A.\backslash\text{GTSdirAdjDownMono}/A.$

or  $A.\backslash\text{GTSdirAdjDownMon}/A.$

or  $A.\backslash\text{GTSdADM}/A.$

will yield  $A.\overset{\circ}{\circ}A.$ .

$u \backslash\text{GTSdirectedAdjacencyDownMonochrome}/ v$

or  $u \backslash\text{GTSdirAdjDownMono}/ v$

or  $u \backslash\text{GTSdirAdjDownMon}/ v$

or  $u \backslash\text{GTSdADM}/ v$

will yield  $u \overset{\circ}{\circ} v$ .

$\$u \backslash\text{GTSdirectedAdjacencyDownMonochrome}/ v\$$

or  $\$u \backslash\text{GTSdirAdjDownMono}/ v\$$

or  $\$u \backslash\text{GTSdirAdjDownMon}/ v\$$

or  $\$u \backslash\text{GTSdADM}/ v\$$

will yield  $u \overset{\circ}{\circ} v$ .

**$\backslash\text{GTSdirectedAdjacencyDownMonochromeRelation}$ ,  $\backslash\text{GTSdirAdjDownMonoRel}$ ,  $\backslash\text{GTSdirAdjDownMonRel}$ ,  $\backslash\text{GTSdADMR}$**  This macro will draw a monochrome directed adjacency downward symbol with relation spacing in math mode.

$\$u\backslash\text{GTSdirectedAdjacencyDownMonochromeRelation}/v\$$

or  $\$u\backslash\text{GTSdirAdjDownMonoRel}/v\$$

or  $\$u\backslash\text{GTSdirAdjDownMonRel}/v\$$

or  $\$u\backslash\text{GTSdADMR}/v\$$

will yield  $u \overset{\circ}{\circ} v$ .

**$\backslash\text{GTSnegatedDirectedAdjacencyDownMonochrome}$ ,  $\backslash\text{GTSnegDirAdjDownMono}$ ,  $\backslash\text{GTSnegDirAdjDownMon}$ ,  $\backslash\text{GTSnDADM}$**  This macro will draw a monochrome negated directed adjacency downward symbol.

$A.\backslash\text{GTSnegatedDirectedAdjacencyDownMonochrome}/A.$

or  $A.\backslash\text{GTSnegDirAdjDownMono}/A.$

or  $A.\backslash\text{GTSnegDirAdjDownMon}/A.$

or  $A.\backslash\text{GTSnDADM}/A.$

will yield  $A.\overset{\circ}{\circ}A.$ .

$u \backslash\text{GTSnegatedDirectedAdjacencyDownMonochrome}/ v$

or  $u \backslash\text{GTSnegDirAdjDownMono}/ v$

or  $u \backslash\text{GTSnegDirAdjDownMon}/ v$

or  $u \backslash\text{GTSnDADM}/ v$

will yield  $u \overset{\circ}{\circ} v$ .

`\GTSnegatedDirectedAdjacencyDownMonochrome/ v$`

or `\GTSnegDirAdjDownMono/ v$`

or `\GTSnegDirAdjDownMon/ v$`

or `\GTSnDADM/ v$`

will yield  $u \overset{g}{\downarrow} v$ .

`\GTSnegatedDirectedAdjacencyDownMonochromeRelation, \GTSnegDirAdjDownMonoRel, \GTSnegDirAdjDownMonRel, \GTSnDADMR` This macro will draw a monochrome negated directed adjacency downward symbol with relation spacing in math mode.

`$u\GTSnegatedDirectedAdjacencyDownMonochromeRelation/v$`

or `$u\GTSnegDirAdjDownMonoRel/v$`

or `$u\GTSnegDirAdjDownMonRel/v$`

or `$u\GTSnDADMR/v$`

will yield  $u \overset{g}{\downarrow} v$ .

### 2.2.5 Monochrome incidence macros

`\GTSincidenceMonochrome, \GTSincMono, \GTSincMon, \GTSiM` This macro will draw a monochrome incidence symbol. The operand on the left of the symbol should be considered the vertex to which the edge/the operand on the right of the symbol is incident.

`A.\GTSincidenceMonochrome/A.`

or `A.\GTSincMono/A.`

or `A.\GTSincMon/A.`

or `A.\GTSiM/A.`

will yield  $A \downarrow A$ .

`v \GTSincidenceMonochrome/ e`

or `v \GTSincMono/ e`

or `v \GTSincMon/ e`

or `v \GTSiM/ e`

will yield  $v \downarrow e$ .

`$v \GTSincidenceMonochrome/ e$`

or `$v \GTSincMono/ e$`

or `$v \GTSincMon/ e$`

or `$v \GTSiM/ e$`

will yield  $v \downarrow e$ .

`\GTSincidenceMonochromeRelation, \GTSincMonoRel, \GTSincMonRel, \GTSiMR` This macro will draw a monochrome incidence symbol with relation spacing in math mode.

`$v\GTSincidenceMonochromeRelation/e$`

or `$v\GTSincMonoRel/e$`

or `$v\GTSincMonRel/e$`

or `$v\GTSiMR/e$`

will yield  $v \downarrow e$ .

`\GTSnegatedIncidenceMonochrome, \GTSnegIncMono, \GTSnegIncMon, \GTSnIM` This macro will draw a monochrome negated incidence symbol.

`A.\GTSnegatedIncidenceMonochrome/A.`

or `A.\GTSnegIncMono/A.`

or  $A.\backslash\text{GTSnegIncMon}/A.$

or  $A.\backslash\text{GTSnIM}/A.$

will yield  $A.\not\hookrightarrow A.$

$v \backslash\text{GTSnegatedIncidenceMonochrome}/ e$

or  $v \backslash\text{GTSnegIncMono}/ e$

or  $v \backslash\text{GTSnegIncMon}/ e$

or  $v \backslash\text{GTSnIM}/ e$

will yield  $v \not\hookrightarrow e$

$\$v \backslash\text{GTSnegatedIncidenceMonochrome}/ e\$$

or  $\$v \backslash\text{GTSnegIncMono}/ e\$$

or  $\$v \backslash\text{GTSnegIncMon}/ e\$$

or  $\$v \backslash\text{GTSnIM}/ e\$$

will yield  $v \not\hookrightarrow e$

**$\backslash\text{GTSnegatedIncidenceMonochromeRelation}$ ,  $\backslash\text{GTSnegIncMonoRel}$ ,  $\backslash\text{GTSnegIncMonRel}$ ,  $\backslash\text{GTSnIMR}$**  This macro will draw a monochrome negated incidence symbol with relation spacing in math mode.

$\$v\backslash\text{GTSnegatedIncidenceMonochromeRelation}/e\$$

or  $\$v\backslash\text{GTSnegIncMonoRel}/e\$$

or  $\$v\backslash\text{GTSnegIncMonRel}/e\$$

or  $\$v\backslash\text{GTSnIMR}/e\$$

will yield  $v \not\hookrightarrow e$

**$\backslash\text{GTSoutIncidenceMonochrome}$ ,  $\backslash\text{GTSoutIncMono}$ ,  $\backslash\text{GTSoutIncMon}$ ,  $\backslash\text{GTSoutIM}$**  This macro will draw a monochrome directed incidence upward (out(ward) incidence) symbol. The operand on the left of the symbol should be considered the vertex to which the arc/the operand on the right of the symbol is incident.

$A.\backslash\text{GTSoutIncidenceMonochrome}/A.$

or  $A.\backslash\text{GTSoutIncMono}/A.$

or  $A.\backslash\text{GTSoutIncMon}/A.$

or  $A.\backslash\text{GTSoutIM}/A.$

will yield  $A.\not\uparrow A.$

$v \backslash\text{GTSoutIncidenceMonochrome}/ e$

or  $v \backslash\text{GTSoutIncMono}/ e$

or  $v \backslash\text{GTSoutIncMon}/ e$

or  $v \backslash\text{GTSoutIM}/ e$

will yield  $v \not\uparrow e$

$\$v \backslash\text{GTSoutIncidenceMonochrome}/ e\$$

or  $\$v \backslash\text{GTSoutIncMono}/ e\$$

or  $\$v \backslash\text{GTSoutIncMon}/ e\$$

or  $\$v \backslash\text{GTSoutIM}/ e\$$

will yield  $v \not\uparrow e$

**$\backslash\text{GTSoutIncidenceMonochromeRelation}$ ,  $\backslash\text{GTSoutIncMonoRel}$ ,  $\backslash\text{GTSoutIncMonRel}$ ,  $\backslash\text{GTSoutIMR}$**  This macro will draw a monochrome directed incidence upward (out(ward) incidence) symbol with relation spacing in math mode.

`$v\GTSoutIncidenceMonochromeRelation/e$`  
or `$v\GTSoutIncMonoRel/e$`  
or `$v\GTSoutIncMonRel/e$`  
or `$v\GTSOIMR/e$`  
will yield  $v \dashv e$ .

`\GTSnegatedOutIncidenceMonochrome`, `\GTSnegOutIncMono`, `\GTSnegOutIncMon`, `\GTSnOIM` This macro will draw a monochrome negated directed incidence upward (out(ward) incidence) symbol.

`A.\GTSnegatedOutIncidenceMonochrome/A.`  
or `A.\GTSnegOutIncMono/A.`  
or `A.\GTSnegOutIncMon/A.`  
or `A.\GTSnOIM/A.`  
will yield  $A \dashv A$ .

`v \GTSnegatedOutIncidenceMonochrome/ e`  
or `v \GTSnegOutIncMono/ e`  
or `v \GTSnegOutIncMon/ e`  
or `v \GTSnOIM/ e`  
will yield  $v \dashv e$ .

`$v \GTSnegatedOutIncidenceMonochrome/ e$`  
or `$v \GTSnegOutIncMono/ e$`  
or `$v \GTSnegOutIncMon/ e$`  
or `$v \GTSnOIM/ e$`  
will yield  $v \dashv e$ .

`\GTSnegatedOutIncidenceMonochromeRelation`, `\GTSnegOutIncMonoRel`, `\GTSnegOutIncMonRel`, `\GTSnOIMR` This macro will draw a monochrome negated directed incidence upward (out(ward) incidence) symbol with relation spacing in math mode.

`$v\GTSnegatedOutIncidenceMonochromeRelation/e$`  
or `$v\GTSnegOutIncMonoRel/e$`  
or `$v\GTSnegOutIncMonRel/e$`  
or `$v\GTSnOIMR/e$`  
will yield  $v \dashv e$ .

`\GTSinIncidenceMonochrome`, `\GTSinIncMono`, `\GTSinIncMon`, `\GTSiIM` This macro will draw a monochrome directed incidence downward (in(ward) incidence) symbol. The operand on the left of the symbol should be considered the vertex to which the arc/the operand on the right of the symbol is incident.

`A.\GTSinIncidenceMonochrome/A.`  
or `A.\GTSinIncMono/A.`  
or `A.\GTSinIncMon/A.`  
or `A.\GTSiIM/A.`  
will yield  $A \vdash A$ .

`v \GTSinIncidenceMonochrome/ e`  
or `v \GTSinIncMono/ e`  
or `v \GTSinIncMon/ e`

or  $\boxed{v \setminus \text{GTSiIM} / e}$

will yield  $\boxed{v \nmid e}$ .

$\boxed{\$v \setminus \text{GTSinIncidenceMonochrome} / e\$}$

or  $\boxed{\$v \setminus \text{GTSinIncMono} / e\$}$

or  $\boxed{\$v \setminus \text{GTSinIncMon} / e\$}$

or  $\boxed{\$v \setminus \text{GTSiIM} / e\$}$

will yield  $\boxed{v \nmid e}$ .

**$\setminus \text{GTSinIncidenceMonochromeRelation}$ ,  $\setminus \text{GTSinIncMonoRel}$ ,  $\setminus \text{GTSinIncMonRel}$ ,  $\setminus \text{GTSiIMR}$**  This macro will draw a monochrome directed incidence downward (in(ward) incidence) symbol with relation spacing in math mode.

$\boxed{\$v \setminus \text{GTSinIncidenceMonochromeRelation} / e\$}$

or  $\boxed{\$v \setminus \text{GTSinIncMonoRel} / e\$}$

or  $\boxed{\$v \setminus \text{GTSinIncMonRel} / e\$}$

or  $\boxed{\$v \setminus \text{GTSiIMR} / e\$}$

will yield  $\boxed{v \nmid e}$ .

**$\setminus \text{GTSnegatedInIncidenceMonochrome}$ ,  $\setminus \text{GTSnegInIncMono}$ ,  $\setminus \text{GTSnegInIncMon}$ ,  $\setminus \text{GTSniIM}$**  This macro will draw a monochrome negated directed incidence downward (in(ward) incidence) symbol.

$\boxed{A. \setminus \text{GTSnegatedInIncidenceMonochrome} / A.}$

or  $\boxed{A. \setminus \text{GTSnegInIncMono} / A.}$

or  $\boxed{A. \setminus \text{GTSnegInIncMon} / A.}$

or  $\boxed{A. \setminus \text{GTSniIM} / A.}$

will yield  $\boxed{A. \nmid A.}$ .

$\boxed{v \setminus \text{GTSnegatedInIncidenceMonochrome} / e}$

or  $\boxed{v \setminus \text{GTSnegInIncMono} / e}$

or  $\boxed{v \setminus \text{GTSnegInIncMon} / e}$

or  $\boxed{v \setminus \text{GTSniIM} / e}$

will yield  $\boxed{v \nmid e}$ .

$\boxed{\$v \setminus \text{GTSnegatedInIncidenceMonochrome} / e\$}$

or  $\boxed{\$v \setminus \text{GTSnegInIncMono} / e\$}$

or  $\boxed{\$v \setminus \text{GTSnegInIncMon} / e\$}$

or  $\boxed{\$v \setminus \text{GTSniIM} / e\$}$

will yield  $\boxed{v \nmid e}$ .

**$\setminus \text{GTSnegatedInIncidenceMonochromeRelation}$ ,  $\setminus \text{GTSnegInIncMonoRel}$ ,  $\setminus \text{GTSnegInIncMonRel}$ ,  $\setminus \text{GTSniIMR}$**  This macro will draw a monochrome negated directed incidence downward (in(ward) incidence) symbol with relation spacing in math mode.

$\boxed{\$v \setminus \text{GTSnegatedInIncidenceMonochromeRelation} / e\$}$

or  $\boxed{\$v \setminus \text{GTSnegInIncMonoRel} / e\$}$

or  $\boxed{\$v \setminus \text{GTSnegInIncMonRel} / e\$}$

or  $\boxed{\$v \setminus \text{GTSniIMR} / e\$}$

will yield  $\boxed{v \nmid e}$ .

### 2.2.6 Meta-logic macros

**\GTSMetaNot, \GTSMN** This macro will draw a meta-not or relation-not symbol.

**A.\GTSMetaNot/A.**

or **A.\GTSMN/A.**

will yield  $A.\mathbb{N}A.$

**u \GTSMetaNot/\GTSDAU/ v**

or **u \GTSMN/\GTSDAU/ v**

will yield  $u \mathbb{N} v.$

**\$u \GTSMetaNot/ \GTSDAU/ v\$**

or **\$u \GTSMN/ \GTSDAU/ v\$**

will yield  $u \mathbb{N} v.$

**\GTSMetaAnd, \GTSMa** This macro will draw a meta-and or relations-and symbol. This is your duty to check that all relations have same arity. It should be easy as long as you remain in the realm of graphs/2-structures/binary structures. We didn't use Tarski's notation, since square cup has taken the preemptive meaning of disjoint union. Similarly, doublewedge or other wedge symbols have taken various meanings, whilst we want an unambiguous symbol.

Look at the discussion after all logical symbols for less trivial uses and recommendations.

**A.\GTSMetaAnd/A.**

or **A.\GTSMa/A.**

will yield  $A.\mathbb{A}A.$

**u \GTSDAD/\GTSMetaAnd/\GTSDAU/ v**

or **u \GTSDAD/\GTSMa/\GTSDAU/ v**

will yield  $u \mathbb{A} v.$

**\$u \GTSDAD/ \GTSMetaAnd/ \GTSDAU/ v\$**

or **\$u \GTSDAD/ \GTSMa/ \GTSDAU/ v\$**

will yield  $u \mathbb{A} v.$

**\GTSMetaAndRelation, \GTSMetaAndRel, \GTSMAR** This macro will draw a meta-and symbol with relation spacing in math mode.

**\$u \GTSDAD/\GTSMetaAndRelation/\GTSDAU/ v\$**

or **\$u \GTSDAD/\GTSMetaAndRel/\GTSDAU/ v\$**

or **\$u \GTSDAD/\GTSMAR/\GTSDAU/ v\$**

will yield  $u \mathbb{A} v.$

**\GTSMetaOr, \GTSMo** This macro will draw a meta-or or relations-or symbol. This is your duty to check that all relations have same arity. It should be easy as long as you remain in the realm of graphs/2-structures/binary structures. We didn't use Tarski's notation, since square cup has taken the preemptive meaning of disjoint union. Similarly, doublewedge or other wedge symbols have taken various meanings, whilst we want an unambiguous symbol.

Look at the discussion after all logical symbols for less trivial uses and recommendations.

**A.\GTSMetaOr/A.**

or **A.\GTSMo/A.**

will yield  $A.\mathbb{V}A.$

**u \GTSDAD/\GTSMetaOr/\GTSDAU/ v**

or **u \GTSDAD/\GTSMo/\GTSDAU/ v**

will yield  $u \mathbb{V} v.$

**\$u \GTSDAD/ \GTSMetaOr/ \GTSDAU/ v\$**

or **\$u \GTSDAD/ \GTSMo/ \GTSDAU/ v\$**

will yield  $u \mathbb{V} v.$

**\GTSMetaOrRelation, \GTSMetaOrRel, \GTSMOR** This macro will draw a meta-or symbol with relation spacing in math mode.

**\$u \GTSDAD/\GTSMetaOrRelation/\GTSDAU/ v\$**

or **\$u \GTSDAD/\GTSMetaOrRel/\GTSDAU/ v\$**

or **\$u \GTSDAD/\GTSMOR/\GTSDAU/ v\$**

will yield  $u \mathbb{V} v.$

23

$$\forall u, v, u \overset{\circ}{\underset{\circ}{\text{---}}} \overset{\circ}{\underset{\circ}{\text{---}}}^m \overset{\circ}{\underset{\circ}{\text{---}}} v.$$
[illegible]
$$\forall u, v, u \left[ \begin{array}{c} \textcircled{\circ} \textcircled{\circ} \textcircled{\circ} \textcircled{\circ} \\ \textcircled{\circ} \textcircled{\circ} \textcircled{\circ} \textcircled{\circ} \\ \textcircled{\circ} \textcircled{\circ} \textcircled{\circ} \textcircled{\circ} \\ \textcircled{\circ} \textcircled{\circ} \textcircled{\circ} \textcircled{\circ} \end{array} \right] v.$$
$$\exists u, v, u \left[ \overset{\text{m}}{\underset{\text{V}}{\text{V}}} \begin{array}{ccc} \text{red} & \text{green} & \text{blue} \\ \text{red} & \text{green} & \text{blue} \\ \text{red} & \text{green} & \text{blue} \end{array} \right] v.$$
$$\exists v, e, v \left[ \overset{\text{m}}{\underset{\text{e}}{\underset{\text{e}}{\text{V}}}}} e. \right]$$

```

1 (*package)
2 \RequirePackage{amsmath}
3 \RequirePackage{amssymb}
4 \RequirePackage{graphicx}
5 \RequirePackage{keyval}
6 \RequirePackage{fdsymbol}
7 \RequirePackage{lua-unicode-math}
8 \RequirePackage{xcolor}
9
10 \def\GTS@mainColor{black}
11 \def\GTS@secondColor{gray}
12 \def\GTS@mainColorBackup{black}
13 \def\GTS@secondColorBackup{gray}
14 \def\GTS@drawSlash{}
15 \def\GTS@drawUpArrow{}
16 \def\GTS@drawDownArrow{}
17

```

```

18 \@ifdefinable{\GTS@newcommand}{\def\GTS@newcommand#1#2{%
19   \@ifdefinable{#1}{\def#1/{#2}}
20 }}

```

```

21 \@ifdefinable{\GTS@newprotectedcommand}{\def\GTS@newprotectedcommand#1#2{%
22   \@ifdefinable{#1}{\protected\def#1/{#2}}
23 }}

```

```

24 \newcommand\GTSsetMainColor}[1]{%
25 \edef\GTS@mainColorTemp{#1}%
26 \edef\GTS@mainColorBackup{\GTS@mainColor}%
27 \edef\GTS@mainColor{\GTS@mainColorTemp}%
28 }

```

`{<color>}` The color that must be used by `GraphTheorySymbol` afterward.

```

29 \newcommand{\GTSsetSecondColor}[1]{%
30 \edef\GTS@secondColorTemp{#1}%
31 \edef\GTS@secondColorBackup{\GTS@secondColor}%
32 \edef\GTS@secondColor{\GTS@secondColorTemp}%
33 }

```

**\GTS@a** This macro will draw any adjacency symbol given the correct parameters. Its use is purely technical. See the macros derived from it and **\GTS@b**: **\GTSxadjacency**, **\GTSxadj**, and **\GTSxa**.

Arguments:

**{<mainColor>}** If non-empty, this color will be used as main color.  
**{<secondColor>}** If non-empty, this color will be used as second color.  
**{<drawSlash>}** Non-empty implies that a negation will be drawn.  
**{<drawUpArrow>}** Non-empty implies that an up-arrow will be drawn.  
**{<drawDownArrow>}** Non-empty implies that a down-arrow will be drawn.

```

34 \newcommand{\GTS@a}[5]{%
35 \if#1\empty\else%
36 \GTSsetMainColor{#1}%
37 \fi%
38 \if#2\empty\else%
39 \GTSsetSecondColor{#2}%
40 \fi%
41 \text{\ensuremath{%
42 \raisebox{-0.32ex}{\scalebox{1.5}[1.5]{%
43 %
44 \raisebox{0.7ex}{\scalebox{0.7}[0.7]{%
45 $\mathcolor{\GTS@secondColor}{\circ}$%
46 }}}}%
47 \hspace{-0.39ex}%
48 \raisebox{1.05ex}{\scalebox{0.1}[0.1]{%
49 $\mathcolor{\GTS@secondColor}{\bullet}$%
50 }}}}%
51 \hspace{-0.12ex}%
52 \raisebox{0.11ex}{\scalebox{0.1}[0.73]{%
53 $\mathcolor{\GTS@mainColor}{\smallblacksquare}$%
54 }}}}%
55 \hspace{-0.40ex}%
56 \raisebox{-0.3ex}{\scalebox{0.7}[0.7]{%
57 $\mathcolor{\GTS@secondColor}{\circ}$%
58 }}}}%
59 \hspace{-0.39ex}%
60 \raisebox{0.05ex}{\scalebox{0.1}[0.1]{%
61 $\mathcolor{\GTS@secondColor}{\bullet}$%
62 }}}}%
63 \hspace{0.27ex}%

```

if **\GTS@drawUpArrow** empty else

```

64 \if#4\empty\else%
65 \hspace{-0.65ex}%
66 \raisebox{-0.18ex}{\scalebox{0.5}[0.5]{%
67 \textcolor{\GTS@mainColor}{\textasciicircum}%
68 }}}}%
69 \fi%

```

if **\GTS@drawDownArrow** empty else

```

70 \if#5\empty\else%
71 \hspace{-0.65ex}%
72 \raisebox{1.37ex}{\scalebox{0.5}[-0.5]{%
73 \textcolor{\GTS@mainColor}{\textasciicircum}%
74 }}}}%
75 \fi%

```

if **\GTS@drawSlash** empty else

```

76 \if#3\empty\else%
77 \hspace{-0.65ex}%
78 \raisebox{0.25ex}{\scalebox{0.6}[0.6]{%
79 \textcolor{black}{/}%
80 }}}}

```

```

81 \fi%
82 %
83 }}%
84 }}%
85 \if#1\empty\else%
86 \GTSsetMainColor{\GTS@mainColorBackup}%
87 \fi%
88 \if#2\empty\else%
89 \GTSsetSecondColor{\GTS@secondColorBackup}%
90 \fi%
91 }

```

**\GTS@b** This macro will handle wrapping in mathematical relation spacing if needed. Its use is purely technical. See the macros derived from it and **\GTS@a**: **\GTSxadjacency**, **\GTSxadj**, and **\GTSxa**.

Arguments:

**{<mainColor>}** If non-empty, this color will be used as main color.  
**{<secondColor>}** If non-empty, this color will be used as second color.  
**{<drawSlash>}** Non-empty implies that a negation will be drawn.  
**{<drawUpArrow>}** Non-empty implies that an up-arrow will be drawn.  
**{<drawDownArrow>}** Non-empty implies that a down-arrow will be drawn.  
**{<relation>}** Non-empty implies that relation spacing will be added.

```

92 \newcommand{\GTS@b}[6]{%
93 \if#61%
94 \mathrel{\GTS@a{#1}{#2}{#3}{#4}{#5}}%
95 \else%
96 \GTS@a{#1}{#2}{#3}{#4}{#5}%
97 \fi%
98 }

```

**\GTSxadjacency**, **\GTSxadj**, **\GTSxa** Versatile macros for adjacency that can be given options.

Argument:

**[<optionsList>]** Sets the following options if not empty:

**mainColor=**color1 or **mainC=**color1 or **mColor=**color1 or **mC=**color1,  
**secondColor=**color2 or **secondC=**color2 or **sColor=**color2 or **sC=**color2,  
**monochrome** or **mono** or **mon** or **m** (equivalent to **mC=black**, **sC=black**),  
**negated** or **not** or **n**,  
**up** or **u**,  
**down** or **d**,  
**relation** or **rel** or **r**.

```

99 \define@key{GTSxa}{mainColor}{\def\GTS@@mainColor{#1}}
100 \define@key{GTSxa}{mainC}{\def\GTS@@mainColor{#1}}
101 \define@key{GTSxa}{mColor}{\def\GTS@@mainColor{#1}}
102 \define@key{GTSxa}{mC}{\def\GTS@@mainColor{#1}}
103 \define@key{GTSxa}{secondColor}{\def\GTS@@secondColor{#1}}
104 \define@key{GTSxa}{secondC}{\def\GTS@@secondColor{#1}}
105 \define@key{GTSxa}{sColor}{\def\GTS@@secondColor{#1}}
106 \define@key{GTSxa}{sC}{\def\GTS@@secondColor{#1}}
107 \define@key{GTSxa}{monochrome}[1]%
108 {\def\GTS@@mainColor{black}\def\GTS@@secondColor{black}}
109 \define@key{GTSxa}{mono}[1]%
110 {\def\GTS@@mainColor{black}\def\GTS@@secondColor{black}}
111 \define@key{GTSxa}{mon}[1]%
112 {\def\GTS@@mainColor{black}\def\GTS@@secondColor{black}}
113 \define@key{GTSxa}{m}[1]%
114 {\def\GTS@@mainColor{black}\def\GTS@@secondColor{black}}
115 \define@key{GTSxa}{negated}[1]{\def\GTS@@drawSlash{1}}
116 \define@key{GTSxa}{not}[1]{\def\GTS@@drawSlash{1}}
117 \define@key{GTSxa}{n}[1]{\def\GTS@@drawSlash{1}}
118 \define@key{GTSxa}{up}[1]{\def\GTS@@drawUpArrow{1}}
119 \define@key{GTSxa}{u}[1]{\def\GTS@@drawUpArrow{1}}
120 \define@key{GTSxa}{down}[1]{\def\GTS@@drawDownArrow{1}}
121 \define@key{GTSxa}{d}[1]{\def\GTS@@drawDownArrow{1}}
122 \define@key{GTSxa}{relation}[1]{\def\GTS@@relation{1}}

```

```

123 \define@key{GTSxa}{rel}[1]{\def\GTS@@relation{1}}
124 \define@key{GTSxa}{r}[1]{\def\GTS@@relation{1}}
125
126 \newcommand{\GTSxa}[1] [] {%
127 \def\GTS@@mainColor{}%
128 \def\GTS@@secondColor{}%
129 \def\GTS@@drawSlash{}%
130 \def\GTS@@drawUpArrow{}%
131 \def\GTS@@drawDownArrow{}%
132 \def\GTS@@relation{}%
133 \setkeys{GTSxa}{#1}%
134 \GTS@b{\GTS@@mainColor}{\GTS@@secondColor}{\GTS@@drawSlash}%
135 {\GTS@@drawUpArrow}{\GTS@@drawDownArrow}{\GTS@@relation}%
136 }
137
138 \newcommand{\GTSxadj}[1] [] {\GTSxa[#1]}
139
140 \newcommand{\GTSxadjacency}[1] [] {\GTSxa[#1]}

```

**\GTSadjacency, \GTSadj, \GTSa** This macro will draw an adjacency symbol.

```

141 \GTS@newcommand{\GTSadjacency}{\GTS@a{}{}{}{}}
142 \GTS@newcommand{\GTSadj}{\GTS@a{}{}{}{}}
143 \GTS@newcommand{\GTSa}{\GTS@a{}{}{}{}}

```

**\GTSadjacencyRelation, \GTSadjRel, \GTSaR** This macro will draw an adjacency symbol with relation spacing in math mode.

```

144 \GTS@newcommand{\GTSadjacencyRelation}{\mathrel{\GTSa/}}
145 \GTS@newcommand{\GTSadjRel}{\mathrel{\GTSa/}}
146 \GTS@newcommand{\GTSaR}{\mathrel{\GTSa/}}

```

**\GTSunadjacency, \GTSunadj, \GTSu** This macro will draw an unadjacency symbol.

```

147 \GTS@newcommand{\GTSunadjacency}{\GTS@a{}{}{1}{}{}}
148 \GTS@newcommand{\GTSunadj}{\GTS@a{}{}{1}{}{}}
149 \GTS@newcommand{\GTSu}{\GTS@a{}{}{1}{}{}}

```

**\GTSunadjacencyRelation, \GTSunadjRel, \GTSuR** This macro will draw an unadjacency symbol with relation spacing in math mode.

```

150 \GTS@newcommand{\GTSunadjacencyRelation}{\mathrel{\GTSu/}}
151 \GTS@newcommand{\GTSunadjRel}{\mathrel{\GTSu/}}
152 \GTS@newcommand{\GTSuR}{\mathrel{\GTSu/}}

```

**\GTSdirectedAdjacencyUp, \GTSdirAdjUp, \GTSdAU** This macro will draw a directed adjacency upward symbol. The operand on the left of the symbol should be considered the source of the arc; the operand on the right of the symbol should be considered the target of the arc.

```

153 \GTS@newcommand{\GTSdirectedAdjacencyUp}{\GTS@a{}{}{1}{}{}}
154 \GTS@newcommand{\GTSdirAdjUp}{\GTS@a{}{}{1}{}{}}
155 \GTS@newcommand{\GTSdAU}{\GTS@a{}{}{1}{}{}}

```

**\GTSdirectedAdjacencyUpRelation, \GTSdirAdjUpRel, \GTSdAUR** This macro will draw a directed adjacency upward symbol with relation spacing in math mode.

```

156 \GTS@newcommand{\GTSdirectedAdjacencyUpRelation}{\mathrel{\GTSdAU/}}
157 \GTS@newcommand{\GTSdirAdjUpRel}{\mathrel{\GTSdAU/}}
158 \GTS@newcommand{\GTSdAUR}{\mathrel{\GTSdAU/}}

```

**\GTSnegatedDirectedAdjacencyUp, \GTSnegDirAdjUp, \GTSnDAU** This macro will draw a negated directed adjacency upward symbol.

```

159 \GTS@newcommand{\GTSnegatedDirectedAdjacencyUp}{\GTS@a{}{}{1}{1}{}{}}
160 \GTS@newcommand{\GTSnegDirAdjUp}{\GTS@a{}{}{1}{1}{}{}}
161 \GTS@newcommand{\GTSnDAU}{\GTS@a{}{}{1}{1}{}{}}

```

**\GTSnegatedDirectedAdjacencyUpRelation, \GTSnegDirAdjUpRel, \GTSnDAUR** This macro will draw a negated directed adjacency upward symbol with relation spacing in math mode.

```

162 \GTS@newcommand{\GTSnegatedDirectedAdjacencyUpRelation}{%
163 \mathrel{\GTSnDAU/}}%

```

```

164 }
165 \GTS@newcommand{\GTSnegDirAdjUpRel}{\mathrel{\GTSnDAU/}}
166 \GTS@newcommand{\GTSnDAUR}{\mathrel{\GTSnDAU/}}

```

**\GTSdirectedAdjacencyDown, \GTSdirAdjDown, \GTSdAD** This macro will draw a directed adjacency downward symbol. The operand on the left of the symbol should be considered the target of the arc; the operand on the right of the symbol should be considered the source of the arc.

```

167 \GTS@newcommand{\GTSdirectedAdjacencyDown}{\GTS@a{}{}{}{1}}
168 \GTS@newcommand{\GTSdirAdjDown}{\GTS@a{}{}{}{1}}
169 \GTS@newcommand{\GTSdAD}{\GTS@a{}{}{}{1}}

```

**\GTSdirectedAdjacencyDownRelation, \GTSdirAdjDownRel, \GTSdADR** This macro will draw a directed adjacency downward symbol with relation spacing in math mode.

```

170 \GTS@newcommand{\GTSdirectedAdjacencyDownRelation}{\mathrel{\GTSdAD/}}
171 \GTS@newcommand{\GTSdirAdjDownRel}{\mathrel{\GTSdAD/}}
172 \GTS@newcommand{\GTSdADR}{\mathrel{\GTSdAD/}}

```

**\GTSnegatedDirectedAdjacencyDown, \GTSnegDirAdjDown, \GTSnDAD** This macro will draw a negated directed adjacency downward symbol.

```

173 \GTS@newcommand{\GTSnegatedDirectedAdjacencyDown}{\GTS@a{}{}{1}{1}}
174 \GTS@newcommand{\GTSnegDirAdjDown}{\GTS@a{}{}{1}{1}}
175 \GTS@newcommand{\GTSnDAD}{\GTS@a{}{}{1}{1}}

```

**\GTSnegatedDirectedAdjacencyDownRelation, \GTSnegDirAdjDownRel, \GTSnDADR** This macro will draw a negated directed adjacency downward symbol with relation spacing in math mode.

```

176 \GTS@newcommand{\GTSnegatedDirectedAdjacencyDownRelation}{%
177 \mathrel{\GTSnDAD/}%
178 }
179 \GTS@newcommand{\GTSnegDirAdjDownRel}{\mathrel{\GTSnDAD/}}
180 \GTS@newcommand{\GTSnDADR}{\mathrel{\GTSnDAD/}}

```

**\GTS@i** This macro will draw any incidence symbol given the correct parameters. Its use is purely technical. See the macros derived from it and **\GTS@j**: **\GTSxincidence**, **\GTSxinc**, and **\GTSxi**. The operand on the left of the symbol should be considered the vertex to which the edge/the operand on the right of the symbol is incident.

Arguments:

**{<mainColor>}** If non-empty, this color will be used as main color.  
**{<secondColor>}** If non-empty, this color will be used as second color.  
**{<drawSlash>}** Non-empty implies that a negation will be drawn.  
**{<drawUpArrow>}** Non-empty implies that an up-arrow will be drawn.  
**{<drawDownArrow>}** Non-empty implies that a down-arrow will be drawn.

```

181 \newcommand{\GTS@i}[5]{%
182 \if#1\empty\else%
183 \GTSsetMainColor{#1}%
184 \fi%
185 \if#2\empty\else%
186 \GTSsetSecondColor{#2}%
187 \fi%
188 \text{\ensuremath{%
189 \raisebox{-0.22ex}{\scalebox{2.05}[2.05]{%
190 %
191 \raisebox{-0.3ex}{\scalebox{0.7}[0.7]{%
192 $\mathcolor{\GTS@secondColor}{\circ}$%
193 }}%
194 \hspace{-0.39ex}%
195 \raisebox{0.05ex}{\scalebox{0.1}[0.1]{%
196 $\mathcolor{\GTS@secondColor}{\bullet}$%
197 }}%
198 \hspace{-0.12ex}%
199 \raisebox{0.11ex}{\scalebox{0.1}[0.73]{%
200 $\mathcolor{\GTS@secondColor}{\smallblacksquare}$%
201 }}%
202 \hspace{-0.18ex}%

```

```

203 \raisebox{0.15ex}{\scalebox{0.2}[0.2]{%
204 $\mathcolor{\GTS@mainColor}{\smallblacksquare}$%
205 }}%
206 \hspace{0.2ex}%
if GTS@drawUpArrow empty else
207 \if#4\empty\else%
208 \hspace{-0.65ex}%
209 \raisebox{-0.18ex}{\scalebox{0.5}[0.5]{%
210 \textcolor{\GTS@secondColor}{\textasciicircum}%
211 }}%
212 \fi%
if GTS@drawDownArrow empty else
213 \if#5\empty\else%
214 \hspace{-0.65ex}%
215 \raisebox{1.37ex}{\scalebox{0.5}[-0.5]{%
216 \textcolor{\GTS@secondColor}{\textasciicircum}%
217 }}%
218 \fi%
if GTS@drawSlash empty else
219 \if#3\empty\else%
220 \hspace{-0.65ex}%
221 \raisebox{0.1ex}{\scalebox{0.5}[0.5]{%
222 \textcolor{black}{/}%
223 }}%
224 \fi%
225 %
226 }}%
227 }}%
228 \if#1\empty\else%
229 \GTSsetMainColor{\GTS@mainColorBackup}%
230 \fi%
231 \if#2\empty\else%
232 \GTSsetSecondColor{\GTS@secondColorBackup}%
233 \fi%
234 }

```

**\GTS@j** This macro will handle wrapping in mathematical relation spacing if needed. Its use is purely technical. See the macros derived from it and \GTS@i: \GTSxincidence, \GTSxinc, and \GTSxi.

Arguments:

- {\mainColor} If non-empty, this color will be used as main color.
- {\secondColor} If non-empty, this color will be used as second color.
- {\drawSlash} Non-empty implies that a negation will be drawn.
- {\drawUpArrow} Non-empty implies that an up-arrow will be drawn.
- {\drawDownArrow} Non-empty implies that a down-arrow will be drawn.
- {\relation} Non-empty implies that relation spacing will be added.

```

235 \newcommand{\GTS@j}[6]{%
236 \if#61%
237 \mathrel{\GTS@i{#1}{#2}{#3}{#4}{#5}}%
238 \else%
239 \GTS@i{#1}{#2}{#3}{#4}{#5}%
240 \fi%
241 }

```

**\GTSxincidence, \GTSxinc, \GTSxi** Versatile macros for incidence that can be given options.

Argument:

[{\optionsList}] Sets the following options if not empty:

mainColor=color1 or mainC=color1 or mColor=color1 or mC=color1,  
secondColor=color2 or secondC=color2 or sColor=color2 or sC=color2,  
monochrome or mono or mon or m (equivalent to mC=black,sC=black),  
negated or not or n,  
in or i,  
out or o,  
relation or rel or r.

```

242 \define@key{GTSxi}{mainColor}{\def\GTS@@mainColor{#1}}
243 \define@key{GTSxi}{mainC}{\def\GTS@@mainColor{#1}}
244 \define@key{GTSxi}{mColor}{\def\GTS@@mainColor{#1}}
245 \define@key{GTSxi}{mC}{\def\GTS@@mainColor{#1}}
246 \define@key{GTSxi}{secondColor}{\def\GTS@@secondColor{#1}}
247 \define@key{GTSxi}{secondC}{\def\GTS@@secondColor{#1}}
248 \define@key{GTSxi}{sColor}{\def\GTS@@secondColor{#1}}
249 \define@key{GTSxi}{sC}{\def\GTS@@secondColor{#1}}
250 \define@key{GTSxi}{monochrome}[1]%
251 {\def\GTS@@mainColor{black}\def\GTS@@secondColor{black}}
252 \define@key{GTSxi}{mono}[1]%
253 {\def\GTS@@mainColor{black}\def\GTS@@secondColor{black}}
254 \define@key{GTSxi}{mon}[1]%
255 {\def\GTS@@mainColor{black}\def\GTS@@secondColor{black}}
256 \define@key{GTSxi}{m}[1]%
257 {\def\GTS@@mainColor{black}\def\GTS@@secondColor{black}}
258 \define@key{GTSxi}{negated}[1]{\def\GTS@@drawSlash{1}}
259 \define@key{GTSxi}{not}[1]{\def\GTS@@drawSlash{1}}
260 \define@key{GTSxi}{n}[1]{\def\GTS@@drawSlash{1}}
261 \define@key{GTSxi}{out}[1]{\def\GTS@@drawUpArrow{1}}
262 \define@key{GTSxi}{o}[1]{\def\GTS@@drawUpArrow{1}}
263 \define@key{GTSxi}{in}[1]{\def\GTS@@drawDownArrow{1}}
264 \define@key{GTSxi}{i}[1]{\def\GTS@@drawDownArrow{1}}
265 \define@key{GTSxi}{relation}[1]{\def\GTS@@relation{1}}
266 \define@key{GTSxi}{rel}[1]{\def\GTS@@relation{1}}
267 \define@key{GTSxi}{r}[1]{\def\GTS@@relation{1}}
268
269 \newcommand{\GTSxi}[1][]{%
270 \def\GTS@@mainColor{}%
271 \def\GTS@@secondColor{}%
272 \def\GTS@@drawSlash{}%
273 \def\GTS@@drawUpArrow{}%
274 \def\GTS@@drawDownArrow{}%
275 \def\GTS@@relation{}%
276 \setkeys{GTSxi}{#1}%
277 \GTSj{\GTS@@mainColor}{\GTS@@secondColor}{\GTS@@drawSlash}%
278 {\GTS@@drawUpArrow}{\GTS@@drawDownArrow}{\GTS@@relation}%
279 }
280
281 \newcommand{\GTSxinc}[1][]{\GTSxi[#1]}
282
283 \newcommand{\GTSxincidence}[1][]{\GTSxi[#1]}

```

**\GTSincidence, \GTSinc, \GTSi** This macro will draw an incidence symbol. The operand on the left of the symbol should be considered the vertex to which the edge/the operand on the right of the symbol is incident.

```

284 \GTS@newcommand{\GTSincidence}{\GTSi{}{}{}{}}
285 \GTS@newcommand{\GTSinc}{\GTSi{}{}{}{}}
286 \GTS@newcommand{\GTSi}{\GTSi{}{}{}{}}

```

**\GTSincidenceRelation, \GTSincRel, \GTSiR** This macro will draw an incidence symbol with relation spacing in math mode.

```

287 \GTS@newcommand{\GTSincidenceRelation}{\mathrel{\GTSi/}}
288 \GTS@newcommand{\GTSincRel}{\mathrel{\GTSi/}}
289 \GTS@newcommand{\GTSiR}{\mathrel{\GTSi/}}

```

**\GTSnegatedIncidence, \GTSnegInc, \GTSnI** This macro will draw a negated incidence symbol.

```

290 \GTS@newcommand{\GTSnegatedIncidence}{\GTSi{}{}{1}{}}
291 \GTS@newcommand{\GTSnegInc}{\GTSi{}{}{1}{}}
292 \GTS@newcommand{\GTSnI}{\GTSi{}{}{1}{}}

```

**\GTSnegatedIncidenceRelation, \GTSnegIncRel, \GTSnIR** This macro will draw a negated incidence symbol with relation spacing in math mode.

```

293 \GTS@newcommand{\GTSnegatedIncidenceRelation}{\mathrel{\GTSnI/}}

```

294 \GTS@newcommand{\GTSnegIncRel}{\mathrel{\GTSnI/}}

295 \GTS@newcommand{\GTSnIR}{\mathrel{\GTSnI/}}

**\GTSoutIncidence, \GTSoutInc, \GTSOI** This macro will draw a directed incidence upward (out(ward) incidence) symbol. The operand on the left of the symbol should be considered the vertex to which the arc/the operand on the right of the symbol is incident.

296 \GTS@newcommand{\GTSoutIncidence}{\GTS@i{}{}{}{1}{}}

297 \GTS@newcommand{\GTSoutInc}{\GTS@i{}{}{}{1}{}}

298 \GTS@newcommand{\GTSOI}{\GTS@i{}{}{}{1}{}}

**\GTSoutIncidenceRelation, \GTSoutIncRel, \GTSOIR** This macro will draw a directed incidence upward (out(ward) incidence) symbol with relation spacing in math mode.

299 \GTS@newcommand{\GTSoutIncidenceRelation}{\mathrel{\GTSOI/}}

300 \GTS@newcommand{\GTSoutIncRel}{\mathrel{\GTSOI/}}

301 \GTS@newcommand{\GTSOIR}{\mathrel{\GTSOI/}}

**\GTSnegatedOutIncidence, \GTSnegOutInc, \GTSnOI** This macro will draw a negated directed incidence upward (out(ward) incidence) symbol.

302 \GTS@newcommand{\GTSnegatedOutIncidence}{\GTS@i{}{}{1}{1}{}}

303 \GTS@newcommand{\GTSnegOutInc}{\GTS@i{}{}{1}{1}{}}

304 \GTS@newcommand{\GTSnOI}{\GTS@i{}{}{1}{1}{}}

**\GTSnegatedOutIncidenceRelation, \GTSnegOutIncRel, \GTSnOIR** This macro will draw a negated directed incidence upward (out(ward) incidence) symbol with relation spacing in math mode.

305 \GTS@newcommand{\GTSnegatedOutIncidenceRelation}{\mathrel{\GTSnOI/}}

306 \GTS@newcommand{\GTSnegOutIncRel}{\mathrel{\GTSnOI/}}

307 \GTS@newcommand{\GTSnOIR}{\mathrel{\GTSnOI/}}

**\GTSinIncidence, \GTSinInc, \GTSiI** This macro will draw a directed incidence downward (in(ward) incidence) symbol. The operand on the left of the symbol should be considered the vertex to which the arc/the operand on the right of the symbol is incident.

308 \GTS@newcommand{\GTSinIncidence}{\GTS@i{}{}{}{1}{}}

309 \GTS@newcommand{\GTSinInc}{\GTS@i{}{}{}{1}{}}

310 \GTS@newcommand{\GTSiI}{\GTS@i{}{}{}{1}{}}

**\GTSinIncidenceRelation, \GTSinIncRel, \GTSiIR** This macro will draw a directed incidence downward (in(ward) incidence) symbol with relation spacing in math mode.

311 \GTS@newcommand{\GTSinIncidenceRelation}{\mathrel{\GTSiI/}}

312 \GTS@newcommand{\GTSinIncRel}{\mathrel{\GTSiI/}}

313 \GTS@newcommand{\GTSiIR}{\mathrel{\GTSiI/}}

**\GTSnegatedInIncidence, \GTSnegInInc, \GTSnII** This macro will draw a negated directed incidence downward (in(ward) incidence) symbol.

314 \GTS@newcommand{\GTSnegatedInIncidence}{\GTS@i{}{}{1}{1}{}}

315 \GTS@newcommand{\GTSnegInInc}{\GTS@i{}{}{1}{1}{}}

316 \GTS@newcommand{\GTSnII}{\GTS@i{}{}{1}{1}{}}

**\GTSnegatedInIncidenceRelation, \GTSnegInIncRel, \GTSnIIR** This macro will draw a negated directed incidence downward (in(ward) incidence) symbol with relation spacing in math mode.

317 \GTS@newcommand{\GTSnegatedInIncidenceRelation}{\mathrel{\GTSnII/}}

318 \GTS@newcommand{\GTSnegInIncRel}{\mathrel{\GTSnII/}}

319 \GTS@newcommand{\GTSnIIR}{\mathrel{\GTSnII/}}

**\GTSadjacencyMonochrome, \GTSadjMono, \GTSadjMon, \GTSaM** This macro will draw a monochrome adjacency symbol.

320 \GTS@newcommand{\GTSadjacencyMonochrome}{\GTS@a{black}{black}{}{}{}}

321 \GTS@newcommand{\GTSadjMono}{\GTS@a{black}{black}{}{}{}}

322 \GTS@newcommand{\GTSadjMon}{\GTS@a{black}{black}{}{}{}}

323 \GTS@newcommand{\GTSaM}{\GTS@a{black}{black}{}{}{}}

**\GTSadjacencyMonochromeRelation, \GTSadjMonoRel, \GTSadjMonRel, \GTSaMR** This macro will draw a monochrome adjacency symbol with relation spacing in math mode.

324 \GTS@newcommand{\GTSadjacencyMonochromeRelation}{\mathrel{\GTSaM/}}

325 \GTS@newcommand{\GTSadjMonoRel}{\mathrel{\GTSaM/}}

326 \GTS@newcommand{\GTSadjMonRel}{\mathrel{\GTSaM/}}

327 \GTS@newcommand{\GTSaMR}{\mathrel{\GTSaM/}}

**\GTSunadjacencyMonochrome, \GTSunadjMono, \GTSunadjMon, \GTSuM** This macro will draw a monochrome unadjacency symbol.

```
328 \GTS@newcommand{\GTSunadjacencyMonochrome}{\GTS@a{black}{black}{1}{}}{}
329 \GTS@newcommand{\GTSunadjMono}{\GTS@a{black}{black}{1}{}}{}
330 \GTS@newcommand{\GTSunadjMon}{\GTS@a{black}{black}{1}{}}{}
331 \GTS@newcommand{\GTSuM}{\GTS@a{black}{black}{1}{}}{}
```

**\GTSunadjacencyMonochromeRelation, \GTSunadjMonoRel, \GTSunadjMonRel, \GTSuMR** This macro will draw a monochrome unadjacency symbol with relation spacing in math mode.

```
332 \GTS@newcommand{\GTSunadjacencyMonochromeRelation}{\mathrel{\GTSuM/}}
333 \GTS@newcommand{\GTSunadjMonoRel}{\mathrel{\GTSuM/}}
334 \GTS@newcommand{\GTSunadjMonRel}{\mathrel{\GTSuM/}}
335 \GTS@newcommand{\GTSuMR}{\mathrel{\GTSuM/}}
```

**\GTSdirectedAdjacencyUpMonochrome, \GTSdirAdjUpMono, \GTSdirAdjUpMon, \GTSdAUM** This macro will draw a monochrome directed adjacency upward symbol. The operand on the left of the symbol should be considered the source of the arc; the operand on the right of the symbol should be considered the target of the arc.

```
336 \GTS@newcommand{\GTSdirectedAdjacencyUpMonochrome}{%
337 \GTS@a{black}{black}{1}{}}%
338 }
339 \GTS@newcommand{\GTSdirAdjUpMono}{\GTS@a{black}{black}{1}{}}{}
340 \GTS@newcommand{\GTSdirAdjUpMon}{\GTS@a{black}{black}{1}{}}{}
341 \GTS@newcommand{\GTSdAUM}{\GTS@a{black}{black}{1}{}}{}
```

**\GTSdirectedAdjacencyUpMonochromeRelation, \GTSdirAdjUpMonoRel, \GTSdirAdjUpMonRel, \GTSdAUMR** This macro will draw a monochrome directed adjacency upward symbol with relation spacing in math mode.

```
342 \GTS@newcommand{\GTSdirectedAdjacencyUpMonochromeRelation}{%
343 \mathrel{\GTSdAUM/}}%
344 }
345 \GTS@newcommand{\GTSdirAdjUpMonoRel}{\mathrel{\GTSdAUM/}}
346 \GTS@newcommand{\GTSdirAdjUpMonRel}{\mathrel{\GTSdAUM/}}
347 \GTS@newcommand{\GTSdAUMR}{\mathrel{\GTSdAUM/}}
```

**\GTSnegatedDirectedAdjacencyUpMonochrome, \GTSnegDirAdjUpMono, \GTSnegDirAdjUpMon, \GTSnDAUM** This macro will draw a monochrome negated directed adjacency upward symbol.

```
348 \GTS@newcommand{\GTSnegatedDirectedAdjacencyUpMonochrome}{%
349 \GTS@a{black}{black}{1}{1}}%
350 }
351 \GTS@newcommand{\GTSnegDirAdjUpMono}{\GTS@a{black}{black}{1}{1}}{}
352 \GTS@newcommand{\GTSnegDirAdjUpMon}{\GTS@a{black}{black}{1}{1}}{}
353 \GTS@newcommand{\GTSnDAUM}{\GTS@a{black}{black}{1}{1}}{}
```

**\GTSnegatedDirectedAdjacencyUpMonochromeRelation, \GTSnegDirAdjUpMonoRel, \GTSnegDirAdjUpMonRel, \GTSnDAUMR** This macro will draw a monochrome negated directed adjacency upward symbol with relation spacing in math mode.

```
354 \GTS@newcommand{\GTSnegatedDirectedAdjacencyUpMonochromeRelation}{%
355 \mathrel{\GTSnDAUM/}}%
356 }
357 \GTS@newcommand{\GTSnegDirAdjUpMonoRel}{\mathrel{\GTSnDAUM/}}
358 \GTS@newcommand{\GTSnegDirAdjUpMonRel}{\mathrel{\GTSnDAUM/}}
359 \GTS@newcommand{\GTSnDAUMR}{\mathrel{\GTSnDAUM/}}
```

**\GTSdirectedAdjacencyDownMonochrome, \GTSdirAdjDownMono, \GTSdirAdjDownMon, \GTSdADM** This macro will draw a monochrome directed adjacency downward symbol. The operand on the left of the symbol should be considered the target of the arc; the operand on the right of the symbol should be considered the source of the arc.

```
360 \GTS@newcommand{\GTSdirectedAdjacencyDownMonochrome}{%
361 \GTS@a{black}{black}{1}{}}%
362 }
363 \GTS@newcommand{\GTSdirAdjDownMono}{\GTS@a{black}{black}{1}{}}{}
364 \GTS@newcommand{\GTSdirAdjDownMon}{\GTS@a{black}{black}{1}{}}{}
365 \GTS@newcommand{\GTSdADM}{\GTS@a{black}{black}{1}{}}{}
```

**\GTSdirectedAdjacencyDownMonochromeRelation, \GTSdirAdjDownMonoRel, \GTSdirAdjDownMonRel, \GTSdADMR** This macro will draw a monochrome directed adjacency downward symbol with relation spacing in math mode.

```
366 \GTS@newcommand{\GTSdirectedAdjacencyDownMonochromeRelation}{%
367 \mathrel{\GTSdADM/}}%
368 }
369 \GTS@newcommand{\GTSdirAdjDownMonoRel}{\mathrel{\GTSdADM/}}
370 \GTS@newcommand{\GTSdirAdjDownMonRel}{\mathrel{\GTSdADM/}}
371 \GTS@newcommand{\GTSdADMR}{\mathrel{\GTSdADM/}}
```

**\GTSnegatedDirectedAdjacencyDownMonochrome, \GTSnegDirAdjDownMono, \GTSnegDirAdjDownMon, \GTSnDADM** This macro will draw a monochrome negated directed adjacency downward symbol.

```
372 \GTS@newcommand{\GTSnegatedDirectedAdjacencyDownMonochrome}{%
373 \GTS@a{black}{black}{1}{1}}%
374 }
375 \GTS@newcommand{\GTSnegDirAdjDownMono}{\GTS@a{black}{black}{1}{1}}
376 \GTS@newcommand{\GTSnegDirAdjDownMon}{\GTS@a{black}{black}{1}{1}}
377 \GTS@newcommand{\GTSnDADM}{\GTS@a{black}{black}{1}{1}}
```

**\GTSnegatedDirectedAdjacencyDownMonochromeRelation, \GTSnegDirAdjDownMonoRel, \GTSnegDirAdjDownMonRel, \GTSnDADMR** This macro will draw a monochrome negated directed adjacency downward symbol with relation spacing in math mode.

```
378 \GTS@newcommand{\GTSnegatedDirectedAdjacencyDownMonochromeRelation}{%
379 \mathrel{\GTSnDADM/}}%
380 }
381 \GTS@newcommand{\GTSnegDirAdjDownMonoRel}{\mathrel{\GTSnDADM/}}
382 \GTS@newcommand{\GTSnegDirAdjDownMonRel}{\mathrel{\GTSnDADM/}}
383 \GTS@newcommand{\GTSnDADMR}{\mathrel{\GTSnDADM/}}
```

**\GTSincidenceMonochrome, \GTSincMono, \GTSincMon, \GTSiM** This macro will draw a monochrome incidence symbol. The operand on the left of the symbol should be considered the vertex to which the edge/the operand on the right of the symbol is incident.

```
384 \GTS@newcommand{\GTSincidenceMonochrome}{\GTS@i{black}{black}{}}{}{}
385 \GTS@newcommand{\GTSincMono}{\GTS@i{black}{black}{}}{}{}
386 \GTS@newcommand{\GTSincMon}{\GTS@i{black}{black}{}}{}{}
387 \GTS@newcommand{\GTSiM}{\GTS@i{black}{black}{}}{}{}%
```

**\GTSincidenceMonochromeRelation, \GTSincMonoRel, \GTSincMonRel, \GTSiMR** This macro will draw a monochrome incidence symbol with relation spacing in math mode.

```
388 \GTS@newcommand{\GTSincidenceMonochromeRelation}{\mathrel{\GTSiM/}}
389 \GTS@newcommand{\GTSincMonoRel}{\mathrel{\GTSiM/}}
390 \GTS@newcommand{\GTSincMonRel}{\mathrel{\GTSiM/}}
391 \GTS@newcommand{\GTSiMR}{\mathrel{\GTSiM/}}
```

**\GTSnegatedIncidenceMonochrome, \GTSnegIncMono, \GTSnegIncMon, \GTSnIM** This macro will draw a monochrome negated incidence symbol.

```
392 \GTS@newcommand{\GTSnegatedIncidenceMonochrome}{%
393 \GTS@i{black}{black}{1}{1}}%
394 }
395 \GTS@newcommand{\GTSnegIncMono}{\GTS@i{black}{black}{1}{1}}
396 \GTS@newcommand{\GTSnegIncMon}{\GTS@i{black}{black}{1}{1}}
397 \GTS@newcommand{\GTSnIM}{\GTS@i{black}{black}{1}{1}}
```

**\GTSnegatedIncidenceMonochromeRelation, \GTSnegIncMonoRel, \GTSnegIncMonRel, \GTSnIMR** This macro will draw a monochrome negated incidence symbol with relation spacing in math mode.

```
398 \GTS@newcommand{\GTSnegatedIncidenceMonochromeRelation}{\mathrel{\GTSnIM/}}
399 \GTS@newcommand{\GTSnegIncMonoRel}{\mathrel{\GTSnIM/}}
400 \GTS@newcommand{\GTSnegIncMonRel}{\mathrel{\GTSnIM/}}
401 \GTS@newcommand{\GTSnIMR}{\mathrel{\GTSnIM/}}
```

**\GTSoutIncidenceMonochrome, \GTSoutIncMono, \GTSoutIncMon, \GTSOIM** This macro will draw a monochrome directed incidence upward (out(ward) incidence) symbol. The operand on the left of the symbol should be considered the vertex to which the arc/the operand on the right of the symbol is incident.

```
402 \GTS@newcommand{\GTSoutIncidenceMonochrome}{\GTS@i{black}{black}}{1}{1}}
403 \GTS@newcommand{\GTSoutIncMono}{\GTS@i{black}{black}}{1}{1}}
404 \GTS@newcommand{\GTSoutIncMon}{\GTS@i{black}{black}}{1}{1}}
405 \GTS@newcommand{\GTSOIM}{\GTS@i{black}{black}}{1}{1}}
```

**\GTSoutIncidenceMonochromeRelation, \GTSoutIncMonoRel, \GTSoutIncMonRel, \GTSOIMR** This macro will draw a monochrome directed incidence upward (out(ward) incidence) symbol with relation spacing in math mode.

```
406 \GTS@newcommand{\GTSoutIncidenceMonochromeRelation}{\mathrel{\GTSOIM/}}
407 \GTS@newcommand{\GTSoutIncMonoRel}{\mathrel{\GTSOIM/}}
408 \GTS@newcommand{\GTSoutIncMonRel}{\mathrel{\GTSOIM/}}
409 \GTS@newcommand{\GTSOIMR}{\mathrel{\GTSOIM/}}
```

**\GTSnegatedOutIncidenceMonochrome, \GTSnegOutIncMono, \GTSnegOutIncMon, \GTSnOIM** This macro will draw a monochrome negated directed incidence upward (out(ward) incidence) symbol.

```
410 \GTS@newcommand{\GTSnegatedOutIncidenceMonochrome}{%
411 \GTS@i{black}{black}}{1}{1}}%
412 }
413 \GTS@newcommand{\GTSnegOutIncMono}{\GTS@i{black}{black}}{1}{1}}
414 \GTS@newcommand{\GTSnegOutIncMon}{\GTS@i{black}{black}}{1}{1}}
415 \GTS@newcommand{\GTSnOIM}{\GTS@i{black}{black}}{1}{1}}
```

**\GTSnegatedOutIncidenceMonochromeRelation, \GTSnegOutIncMonoRel, \GTSnegOutIncMonRel, \GTSnOIMR** This macro will draw a monochrome negated directed incidence upward (out(ward) incidence) symbol with relation spacing in math mode.

```
416 \GTS@newcommand{\GTSnegatedOutIncidenceMonochromeRelation}{%
417 \mathrel{\GTSnOIM/}}%
418 }
419 \GTS@newcommand{\GTSnegOutIncMonoRel}{\mathrel{\GTSnOIM/}}
420 \GTS@newcommand{\GTSnegOutIncMonRel}{\mathrel{\GTSnOIM/}}
421 \GTS@newcommand{\GTSnOIMR}{\mathrel{\GTSnOIM/}}
```

**\GTSinIncidenceMonochrome, \GTSinIncMono, \GTSinIncMon, \GTSiIM** This macro will draw a monochrome directed incidence downward (in(ward) incidence) symbol. The operand on the left of the symbol should be considered the vertex to which the arc/the operand on the right of the symbol is incident.

```
422 \GTS@newcommand{\GTSinIncidenceMonochrome}{\GTS@i{black}{black}}{1}{1}}
423 \GTS@newcommand{\GTSinIncMono}{\GTS@i{black}{black}}{1}{1}}
424 \GTS@newcommand{\GTSinIncMon}{\GTS@i{black}{black}}{1}{1}}
425 \GTS@newcommand{\GTSiIM}{\GTS@i{black}{black}}{1}{1}}
```

**\GTSinIncidenceMonochromeRelation, \GTSinIncMonoRel, \GTSinIncMonRel, \GTSiIMR** This macro will draw a monochrome directed incidence downward (in(ward) incidence) symbol with relation spacing in math mode.

```
426 \GTS@newcommand{\GTSinIncidenceMonochromeRelation}{\mathrel{\GTSiIM/}}
427 \GTS@newcommand{\GTSinIncMonoRel}{\mathrel{\GTSiIM/}}
428 \GTS@newcommand{\GTSinIncMonRel}{\mathrel{\GTSiIM/}}
429 \GTS@newcommand{\GTSiIMR}{\mathrel{\GTSiIM/}}
```

**\GTSnegatedInIncidenceMonochrome, \GTSnegInIncMono, \GTSnegInIncMon, \GTSnIIM** This macro will draw a monochrome negated directed incidence downward (in(ward) incidence) symbol.

```
430 \GTS@newcommand{\GTSnegatedInIncidenceMonochrome}{%
431 \GTS@i{black}{black}}{1}{1}}%
432 }
433 \GTS@newcommand{\GTSnegInIncMono}{\GTS@i{black}{black}}{1}{1}}
434 \GTS@newcommand{\GTSnegInIncMon}{\GTS@i{black}{black}}{1}{1}}
435 \GTS@newcommand{\GTSnIIM}{\GTS@i{black}{black}}{1}{1}}
```

**\GTSnegatedInIncidenceMonochromeRelation, \GTSnegInIncMonoRel, \GTSnegInIncMonRel, \GTSnIIMR** This macro will draw a monochrome negated directed incidence downward (in(ward) incidence) symbol with relation spacing in math mode.

```
436 \GTS@newcommand{\GTSnegatedInIncidenceMonochromeRelation}{%
437 \mathrel{\GTSnIIM/}}%
438 }
439 \GTS@newcommand{\GTSnegInIncMonoRel}{\mathrel{\GTSnIIM/}}
440 \GTS@newcommand{\GTSnegInIncMonRel}{\mathrel{\GTSnIIM/}}
441 \GTS@newcommand{\GTSnIIMR}{\mathrel{\GTSnIIM/}}
```

**\GTSmetaNot, \GTSmN** This macro will draw a meta-not or relation-not symbol.

```
442 \GTS@newprotectedcommand{\GTSmN}{%
443 \text{\ensuremath{%
444 \raisebox{-0.44ex}{\scalebox{1}[1]{%
445 \raisebox{0ex}{\scalebox{1}[1]{\not$}}}%
446 \hspace{-1.46ex}%
447 \raisebox{1.2ex}{\scalebox{0.7}[0.7]{m}}}%
448 \hspace{0.2ex}%
449 }}}%
450 }}%
451 }
452 \GTS@newcommand{\GTSmetaNot}{\GTSmN/}
```

**\GTSmetaAnd, \GTSmA** This macro will draw a meta-and or relations-and symbol. This is your duty to check that all relations have same arity. It should be easy as long as you remain in the realm of graphs/2-structures/binary structures. We didn't use Tarski's notation, since square cup has taken the preemptive meaning of disjoint union. Similarly, doublewedge or other wedge symbols have taken various meanings, whilst we want an unambiguous symbol.

```
453 \GTS@newprotectedcommand{\GTSmA}{%
454 \text{\ensuremath{%
455 \raisebox{-0.44ex}{\scalebox{0.95}[0.95]{%
456 \raisebox{0ex}{\scalebox{1}[1]{\wedge$}}}%
457 \hspace{-1.46ex}%
458 \raisebox{1.5ex}{\scalebox{0.7}[0.7]{m}}}%
459 }}}%
460 }}%
461 }
462 \GTS@newcommand{\GTSmetaAnd}{\GTSmA/}
```

**\GTSmetaAndRelation, \GTSmetaAndRel, \GTSmAR** This macro will draw a meta-and symbol with relation spacing in math mode.

```
463 \GTS@newcommand{\GTSmetaAndRelation}{\mathrel{\GTSmA/}}
464 \GTS@newcommand{\GTSmetaAndRel}{\mathrel{\GTSmA/}}
465 \GTS@newcommand{\GTSmAR}{\mathrel{\GTSmA/}}
```

**\GTSmetaOr, \GTSmO** This macro will draw a meta-or or relations-or symbol. This is your duty to check that all relations have same arity. It should be easy as long as you remain in the realm of graphs/2-structures/binary structures ;). We didn't use Tarski's notation, since square cup has taken the preemptive meaning of disjoint union. Similarly, doublevee or other vee symbols have taken various meanings, whilst we want an unambiguous symbol.

```
466 \GTS@newprotectedcommand{\GTSmO}{%
467 \text{\ensuremath{%
468 \raisebox{-0.44ex}{\scalebox{0.95}[0.95]{%
469 \raisebox{0ex}{\scalebox{1}[1]{\vee$}}}%
470 \hspace{-1.46ex}%
471 \raisebox{1.5ex}{\scalebox{0.7}[0.7]{m}}}%
472 }}}%
473 }}%
474 }
475 \GTS@newcommand{\GTSmetaOr}{\GTSmO/}
```

**\GTSmetaOrRelation, \GTSmetaOrRel, \GTSmOR** This macro will draw a meta-or symbol with relation spacing in math mode.

```
476 \GTS@newcommand{\GTSmetaOrRelation}{\mathrel{\GTSmO/}}
```

```

477 \GTS@newcommand{\GTSmetaOrRel}{\mathrel{\GTSmO/}}
478 \GTS@newcommand{\GTSmOR}{\mathrel{\GTSmO/}}

```

**\GTSxmetallogic, \GTSxml** Versatile macros for meta-logic symbols that can be given options.

Argument:

[*\langle optionsList \rangle*] Sets the following options if not empty:

not or n,  
and or a,  
or or o,  
relation or rel or r.

Of course first three options are incompatible, and the fourth is compatible only with the second and third options.

```

479 \define@key{GTSxml}{not}[1]{\def\GTS@@drawMetaNot{1}}
480 \define@key{GTSxml}{n}[1]{\def\GTS@@drawMetaNot{1}}
481 \define@key{GTSxml}{and}[1]{\def\GTS@@drawMetaAnd{1}}
482 \define@key{GTSxml}{a}[1]{\def\GTS@@drawMetaAnd{1}}
483 \define@key{GTSxml}{or}[1]{\def\GTS@@drawMetaOr{1}}
484 \define@key{GTSxml}{o}[1]{\def\GTS@@drawMetaOr{1}}
485 \define@key{GTSxml}{relation}[1]{\def\GTS@@relation{1}}
486 \define@key{GTSxml}{rel}[1]{\def\GTS@@relation{1}}
487 \define@key{GTSxml}{r}[1]{\def\GTS@@relation{1}}
488
489 \newcommand{\GTSxml}[1][{}]{%
490 \def\GTS@@drawMetaNot{}%
491 \def\GTS@@drawMetaAnd{}%
492 \def\GTS@@drawMetaOr{}%
493 \def\GTS@@relation{}%
494 \setkeys{GTSxml}{#1}%
495 \if\GTS@@drawMetaNot1%
496 \GTSmN/%
497 \else\if\GTS@@drawMetaAnd1%
498 \if\GTS@@relation{1}%
499 \GTSmAR/%
500 \else%
501 \GTSmA/%
502 \fi%
503 \else\if\GTS@@drawMetaOr1%
504 \if\GTS@@relation{1}%
505 \GTSmOR/%
506 \else%
507 \GTSmO/%
508 \fi%
509 \else%
510 Wrong call to \textbackslash{GTSxml}%
511 \fi%
512 \fi%
513 \fi%
514 }
515
516 \newcommand{\GTSxmetallogic}[1][{}]{\GTSxml[#1]}

```

**\GTSx** One macro to rule them all. Versatile macro for all symbols that can be given options, and a symbol type mandatory switch.

Argument:

[*\langle optionsList \rangle*] Sets the following options if not empty:

- If *\langle symbolType \rangle* below is a, see \GTSxa:  
mainColor=color1 or mainC=color1 or mColor=color1 or mC=color1,  
secondColor=color2 or secondC=color2 or sColor=color2 or sC=color2,  
monochrome or mono or mon or m (equivalent to mC=black,sC=black),  
negated or not or n,  
up or u,  
down or d,  
relation or rel or r.

- If  $\{\langle symbolType \rangle\}$  below is *i*, see `\GTSxi`:  
`mainColor=color1` or `mainC=color1` or `mColor=color1` or `mC=color1`,  
`secondColor=color2` or `secondC=color2` or `sColor=color2` or `sC=color2`,  
`monochrome` or `mono` or `mon` or `m` (equivalent to `mC=black,sC=black`),  
`negated` or `not` or `n`,  
`in` or `i`,  
`out` or `o`,  
`relation` or `rel` or `r`.
- If  $\{\langle symbolType \rangle\}$  below is *m*, see `\GTSxml`:  
`not` or `n`,  
`and` or `a`,  
`or` or `o`,  
`relation` or `rel` or `r`.

$\{\langle symbolType \rangle\}$  a mandatory switch; it can take value *a* for adjacency, *i* for incidence, *m* for meta-logic.

```

517 \newcommand{\GTSx}[2][]{%
518 \if#2a%
519 \GTSxa[#1]%
520 \else\if#2i%
521 \GTSxi[#1]%
522 \else\if#2m%
523 \GTSxml[#1]%
524 \else%
525 Wrong call to \textbackslash\GTSx%
526 \fi%
527 \fi%
528 \fi%
529 }

530 \endinput
531 \</package>

```

## 4 Acknowledgments

Thank You God! Thank You Father! Thank You Jesus! Thank You Holy-Spirit!

## 5 FAQ

Question: Why `GraphTheorySymbol` instead of `GraphTheorySymbols`? `GraphTheorySymbol` does contain many symbols.

Answer: Because I followed one common usage on CTAN.

Here is the list of all current packages with the word "symbol" in their name:

`actuarialsymbol`, `adfsymbols`, `compact-symbols`, `cookingsymbols`, `FdSymbol`, `jpnedumathsymbols`, `KKsymbols`, `listofsymbols`, `losymbol`, `maths-symbols`, `mdsymbol`, `MnSymbol`, `open-everyday-symbols`, `qsymbols`, `SVRsymbols`, `symbolindex`, `The Comprehensive LaTeX Symbol List`, `tikz-cookingsymbols`, `tikzsymbols`.

7 "symbol" plus `GraphTheorySymbol` 8, 12 "symbols".

"symb" abbreviation, "sym", "sy" and "s" are also quite common;

`oPlotSymbl` did it its own way ;) XD.

Because of the goal of `GraphTheorySymbol`, I was mainly looking at packages like `FdSymbol`, `mdsymbol`, `MnSymbol`, and `The Comprehensive LaTeX Symbol List` before creating my package; hence I followed this apparent majority, instead of listening to my thought that `Symbols` would be better.

After the package was uploaded to CTAN for a version update, this question came again, but CTAN admins were reluctant to change the package name afterward.

Otherwise, it is a matter of hours to modify and upload `GraphTheorySymbols` with version 2.0.0 to CTAN.

## 6 Support

This package is gratis and free. But if you can star it on GitHub, it is a nice encouragement.

## 7 Change History

|                                                                               |   |                                                                                                                                                                                                                                      |   |
|-------------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| v0.1.0 – 2026-08-01                                                           |   | v1.5.1 – 2026-09-13                                                                                                                                                                                                                  |   |
| General: Initial version . . . . .                                            | 1 | General: Use noprint option of doc package to avoid too big left margins, and use paragraph command instead . . . . .                                                                                                                | 1 |
| v1.0.0 – 2026-08-26                                                           |   |                                                                                                                                                                                                                                      |   |
| General: First public release . . . . .                                       | 1 |                                                                                                                                                                                                                                      |   |
| v1.1.0 – 2026-08-29                                                           |   | v1.5.2 – 2026-09-14                                                                                                                                                                                                                  |   |
| General: Added a memo . . . . .                                               | 1 | General: Add A4, USLetter, and Book variants of PDFs. . . . .                                                                                                                                                                        | 1 |
| v1.1.1 – 2026-08-30                                                           |   |                                                                                                                                                                                                                                      |   |
| General: Small corrections and improvements . . . . .                         | 1 | v1.6.0 – 2026-09-18                                                                                                                                                                                                                  |   |
| v1.2.0 – 2026-09-06                                                           |   | General: Add verbatim code for compound adjacency in memo. . . . .                                                                                                                                                                   | 1 |
| General: CTAN URL, new macros for same set of symbols . . . . .               | 1 |                                                                                                                                                                                                                                      |   |
| v1.2.1 – 2026-09-08                                                           |   | v1.6.1 – 2026-09-19                                                                                                                                                                                                                  |   |
| General: Smaller tests output . . . . .                                       | 1 | General: Rename test(.tex, etc.) to graph-theory-symbol-test(.tex, etc.). . . . .                                                                                                                                                    | 1 |
| v1.3.0 – 2026-09-08                                                           |   |                                                                                                                                                                                                                                      |   |
| General: New macros for monochrome symbols . . . . .                          | 1 | v1.7.0 – 2026-09-21                                                                                                                                                                                                                  |   |
| v1.4.0 – 2026-09-12                                                           |   | General: Add FAQ section. Minors spacing and newpage corrections. Put table of contents and Introduction on their own page. Use tcolorbox for more visible examples. Disclaimer for documentation of macros with an at sign. . . . . | 1 |
| General: New macros for symbols for logical operations on relations . . . . . | 1 |                                                                                                                                                                                                                                      |   |
| v1.5.0 – 2026-09-12                                                           |   |                                                                                                                                                                                                                                      |   |
| General: One macro to rule them all . . . . .                                 | 1 |                                                                                                                                                                                                                                      |   |

## Index

### G

|                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>\GTS@@drawDownArrow</code> . . . . .  | 120, 121, 131, 135, 263, 264, 274, 278                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <code>\GTS@@drawMetaAnd</code> . . . . .    | 481, 482, 491, 497                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>\GTS@@drawMetaNot</code> . . . . .    | 479, 480, 490, 495                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>\GTS@@drawMetaOr</code> . . . . .     | 483, 484, 492, 503                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>\GTS@@drawSlash</code> . . . . .      | 115, 116, 117, 129, 134, 258, 259, 260, 272, 277                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <code>\GTS@@drawUpArrow</code> . . . . .    | 118, 119, 130, 135, 261, 262, 273, 278                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <code>\GTS@@mainColor</code> . . . . .      | 99, 100, 101, 102, 108, 110, 112, 114, 127, 134, 242, 243, 244, 245, 251, 253, 255, 257, 270, 277                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <code>\GTS@@relation</code> . . . . .       | 122, 123, 124, 132, 135, 265, 266, 267, 275, 278, 485, 486, 487, 493, 498, 504                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <code>\GTS@@secondColor</code> . . . . .    | 103, 104, 105, 106, 108, 110, 112, 114, 128, 134, 246, 247, 248, 249, 251, 253, 255, 257, 271, 277                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>\GTS@a</code> . . . . .               | 7, 34, 94, 96, 141, 142, 143, 147, 148, 149, 153, 154, 155, 159, 160, 161, 167, 168, 169, 173, 174, 175, 320, 321, 322, 323, 328, 329, 330, 331, 337, 339, 340, 341, 349, 351, 352, 353, 361, 363, 364, 365, 373, 375, 376, 377                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <code>\GTS@b</code> . . . . .               | 7, 92, 134                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <code>\GTS@drawDownArrow</code> . . . . .   | 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>\GTS@drawSlash</code> . . . . .       | 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>\GTS@drawUpArrow</code> . . . . .     | 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>\GTS@i</code> . . . . .               | 11, 181, 237, 239, 284, 285, 286, 290, 291, 292, 296, 297, 298, 302, 303, 304, 308, 309, 310, 314, 315, 316, 384, 385, 386, 387, 393, 395, 396, 397, 402, 403, 404, 405, 411, 413, 414, 415, 422, 423, 424, 425, 431, 433, 434, 435                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <code>\GTS@j</code> . . . . .               | 11, 235, 277                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <code>\GTS@mainColor</code> . . . . .       | 10, 26, 27, 53, 67, 73, 204                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <code>\GTS@mainColorBackup</code> . . . . . | 12, 26, 86, 229                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <code>\GTS@mainColorTemp</code> . . . . .   | 25, 27                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <code>\GTS@newcommand</code> . . . . .      | 7, 18, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 179, 180, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 339, 340, 341, 342, 345, 346, 347, 348, 351, 352, 353, 354, 357, 358, 359, 360, 363, 364, 365, 366, 369, 370, 371, 372, 375, 376, 377, 378, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 413, 414, 415, |

|                                             |                                                                                                                                                 |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             | 416, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 433, 434, 435, 436, 439, 440, 441, 452, 462, 463, 464, 465, 475, 476, 477, 478 |
| \GTS@newprotectedcommand                    | 7, <u>21</u> , 442, 453, 466                                                                                                                    |
| \GTS@secondColor                            | 11, <u>31</u> , <u>32</u> , <u>45</u> , <u>49</u> , <u>57</u> , <u>61</u> , <u>192</u> , <u>196</u> , <u>200</u> , <u>210</u> , <u>216</u>      |
| \GTS@secondColorBackup                      | 13, <u>31</u> , <u>89</u> , <u>232</u>                                                                                                          |
| \GTS@secondColorTemp                        | 30, <u>32</u>                                                                                                                                   |
| \GTSa                                       | 8, <u>141</u> , <u>144</u> , <u>145</u> , <u>146</u>                                                                                            |
| \GTSadj                                     | 8, <u>141</u>                                                                                                                                   |
| \GTSadjacency                               | 8, <u>141</u>                                                                                                                                   |
| \GTSadjacencyMonochrome                     | 14, <u>320</u>                                                                                                                                  |
| \GTSadjacencyMonochromeRelation             | 15, <u>324</u>                                                                                                                                  |
| \GTSadjacencyRelation                       | 8, <u>144</u>                                                                                                                                   |
| \GTSadjMon                                  | 14, <u>320</u>                                                                                                                                  |
| \GTSadjMono                                 | 14, <u>320</u>                                                                                                                                  |
| \GTSadjMonoRel                              | 15, <u>324</u>                                                                                                                                  |
| \GTSadjMonRel                               | 15, <u>324</u>                                                                                                                                  |
| \GTSadjRel                                  | 8, <u>144</u>                                                                                                                                   |
| \GTSaM                                      | 14, <u>320</u> , <u>324</u> , <u>325</u> , <u>326</u> , <u>327</u>                                                                              |
| \GTSaMR                                     | 15, <u>324</u>                                                                                                                                  |
| \GTSaR                                      | 8, <u>144</u>                                                                                                                                   |
| \GTSdAD                                     | 10, <u>167</u> , <u>170</u> , <u>171</u> , <u>172</u>                                                                                           |
| \GTSdADM                                    | 17, <u>360</u> , <u>367</u> , <u>369</u> , <u>370</u> , <u>371</u>                                                                              |
| \GTSdADMR                                   | 17, <u>366</u>                                                                                                                                  |
| \GTSdADR                                    | 10, <u>170</u>                                                                                                                                  |
| \GTSdAU                                     | 9, <u>153</u> , <u>156</u> , <u>157</u> , <u>158</u>                                                                                            |
| \GTSdAUM                                    | 15, <u>336</u> , <u>343</u> , <u>345</u> , <u>346</u> , <u>347</u>                                                                              |
| \GTSdAUMR                                   | 16, <u>342</u>                                                                                                                                  |
| \GTSdAUR                                    | 9, <u>156</u>                                                                                                                                   |
| \GTSdirAdjDown                              | 10, <u>167</u>                                                                                                                                  |
| \GTSdirAdjDownMon                           | 17, <u>360</u>                                                                                                                                  |
| \GTSdirAdjDownMono                          | 17, <u>360</u>                                                                                                                                  |
| \GTSdirAdjDownMonoRel                       | 17, <u>366</u>                                                                                                                                  |
| \GTSdirAdjDownMonRel                        | 17, <u>366</u>                                                                                                                                  |
| \GTSdirAdjDownRel                           | 10, <u>170</u>                                                                                                                                  |
| \GTSdirAdjUp                                | 9, <u>153</u>                                                                                                                                   |
| \GTSdirAdjUpMon                             | 15, <u>336</u>                                                                                                                                  |
| \GTSdirAdjUpMono                            | 15, <u>336</u>                                                                                                                                  |
| \GTSdirAdjUpMonoRel                         | 16, <u>342</u>                                                                                                                                  |
| \GTSdirAdjUpMonRel                          | 16, <u>342</u>                                                                                                                                  |
| \GTSdirAdjUpRel                             | 9, <u>156</u>                                                                                                                                   |
| \GTSdirectedAdjacencyDown                   | 10, <u>167</u>                                                                                                                                  |
| \GTSdirectedAdjacencyDownMonochrome         | 17, <u>360</u>                                                                                                                                  |
| \GTSdirectedAdjacencyDownMonochromeRelation | 17, <u>366</u>                                                                                                                                  |
| \GTSdirectedAdjacencyDownRelation           | 10, <u>170</u>                                                                                                                                  |
| \GTSdirectedAdjacencyUp                     | 9, <u>153</u>                                                                                                                                   |
| \GTSdirectedAdjacencyUpMonochrome           | 15, <u>336</u>                                                                                                                                  |
| \GTSdirectedAdjacencyUpMonochromeRelation   | 16, <u>342</u>                                                                                                                                  |
| \GTSdirectedAdjacencyUpRelation             | 9, <u>156</u>                                                                                                                                   |
| \GTSi                                       | 11, <u>284</u> , <u>287</u> , <u>288</u> , <u>289</u>                                                                                           |
| \GTSiI                                      | 13, <u>308</u> , <u>311</u> , <u>312</u> , <u>313</u>                                                                                           |
| \GTSiIM                                     | 20, <u>422</u> , <u>426</u> , <u>427</u> , <u>428</u> , <u>429</u>                                                                              |
| \GTSiIMR                                    | 21, <u>426</u>                                                                                                                                  |
| \GTSiIR                                     | 13, <u>311</u>                                                                                                                                  |
| \GTSiM                                      | 18, <u>384</u> , <u>388</u> , <u>389</u> , <u>390</u> , <u>391</u>                                                                              |
| \GTSiMR                                     | 18, <u>388</u>                                                                                                                                  |
| \GTSinc                                     | 11, <u>284</u>                                                                                                                                  |
| \GTSincidence                               | 11, <u>284</u>                                                                                                                                  |
| \GTSincidenceMonochrome                     | 18, <u>384</u>                                                                                                                                  |
| \GTSincidenceMonochromeRelation             | 18, <u>388</u>                                                                                                                                  |
| \GTSincidenceRelation                       | 12, <u>287</u>                                                                                                                                  |
| \GTSincMon                                  | 18, <u>384</u>                                                                                                                                  |

|                                                    |                                              |
|----------------------------------------------------|----------------------------------------------|
| \GTSincMono                                        | 18, <a href="#">384</a>                      |
| \GTSincMonoRel                                     | 18, <a href="#">388</a>                      |
| \GTSincMonRel                                      | 18, <a href="#">388</a>                      |
| \GTSincRel                                         | 12, <a href="#">287</a>                      |
| \GTSinInc                                          | 13, <a href="#">308</a>                      |
| \GTSinIncidence                                    | 13, <a href="#">308</a>                      |
| \GTSinIncidenceMonochrome                          | 20, <a href="#">422</a>                      |
| \GTSinIncidenceMonochromeRelation                  | 21, <a href="#">426</a>                      |
| \GTSinIncidenceRelation                            | 13, <a href="#">311</a>                      |
| \GTSinIncMon                                       | 20, <a href="#">422</a>                      |
| \GTSinIncMono                                      | 20, <a href="#">422</a>                      |
| \GTSinIncMonoRel                                   | 21, <a href="#">426</a>                      |
| \GTSinIncMonRel                                    | 21, <a href="#">426</a>                      |
| \GTSinIncRel                                       | 13, <a href="#">311</a>                      |
| \GTSiR                                             | 12, <a href="#">287</a>                      |
| \GTSmA                                             | 22, <a href="#">453</a> , 463, 464, 465, 501 |
| \GTSmAR                                            | 22, <a href="#">463</a> , 499                |
| \GTSmetaAnd                                        | 22, <a href="#">453</a>                      |
| \GTSmetaAndRel                                     | 22, <a href="#">463</a>                      |
| \GTSmetaAndRelation                                | 22, <a href="#">463</a>                      |
| \GTSmetaNot                                        | 22, <a href="#">442</a>                      |
| \GTSmetaOr                                         | 22, <a href="#">466</a>                      |
| \GTSmetaOrRel                                      | 22, <a href="#">476</a>                      |
| \GTSmetaOrRelation                                 | 22, <a href="#">476</a>                      |
| \GTSmN                                             | 22, <a href="#">442</a> , 496                |
| \GTSmO                                             | 22, <a href="#">466</a> , 476, 477, 478, 507 |
| \GTSmOR                                            | 22, <a href="#">476</a> , 505                |
| \GTSnDAD                                           | 10, <a href="#">173</a> , 177, 179, 180      |
| \GTSnDADM                                          | 17, <a href="#">372</a> , 379, 381, 382, 383 |
| \GTSnDADMR                                         | 18, <a href="#">378</a>                      |
| \GTSnDADR                                          | 10, <a href="#">176</a>                      |
| \GTSnDAU                                           | 9, <a href="#">159</a> , 163, 165, 166       |
| \GTSnDAUM                                          | 16, <a href="#">348</a> , 355, 357, 358, 359 |
| \GTSnDAUMR                                         | 16, <a href="#">354</a>                      |
| \GTSnDAUR                                          | 9, <a href="#">162</a>                       |
| \GTSnegatedDirectedAdjacencyDown                   | 10, <a href="#">173</a>                      |
| \GTSnegatedDirectedAdjacencyDownMonochrome         | 17, <a href="#">372</a>                      |
| \GTSnegatedDirectedAdjacencyDownMonochromeRelation | 18, <a href="#">378</a>                      |
| \GTSnegatedDirectedAdjacencyDownRelation           | 10, <a href="#">176</a>                      |
| \GTSnegatedDirectedAdjacencyUp                     | 9, <a href="#">159</a>                       |
| \GTSnegatedDirectedAdjacencyUpMonochrome           | 16, <a href="#">348</a>                      |
| \GTSnegatedDirectedAdjacencyUpMonochromeRelation   | 16, <a href="#">354</a>                      |
| \GTSnegatedDirectedAdjacencyUpRelation             | 9, <a href="#">162</a>                       |
| \GTSnegatedIncidence                               | 12, <a href="#">290</a>                      |
| \GTSnegatedIncidenceMonochrome                     | 18, <a href="#">392</a>                      |
| \GTSnegatedIncidenceMonochromeRelation             | 19, <a href="#">398</a>                      |
| \GTSnegatedIncidenceRelation                       | 12, <a href="#">293</a>                      |
| \GTSnegatedInIncidence                             | 14, <a href="#">314</a>                      |
| \GTSnegatedInIncidenceMonochrome                   | 21, <a href="#">430</a>                      |
| \GTSnegatedInIncidenceMonochromeRelation           | 21, <a href="#">436</a>                      |
| \GTSnegatedInIncidenceRelation                     | 14, <a href="#">317</a>                      |
| \GTSnegatedOutIncidence                            | 13, <a href="#">302</a>                      |
| \GTSnegatedOutIncidenceMonochrome                  | 20, <a href="#">410</a>                      |
| \GTSnegatedOutIncidenceMonochromeRelation          | 20, <a href="#">416</a>                      |
| \GTSnegatedOutIncidenceRelation                    | 13, <a href="#">305</a>                      |
| \GTSnegDirAdjDown                                  | 10, <a href="#">173</a>                      |
| \GTSnegDirAdjDownMon                               | 17, <a href="#">372</a>                      |
| \GTSnegDirAdjDownMono                              | 17, <a href="#">372</a>                      |
| \GTSnegDirAdjDownMonoRel                           | 18, <a href="#">378</a>                      |
| \GTSnegDirAdjDownMonRel                            | 18, <a href="#">378</a>                      |
| \GTSnegDirAdjDownRel                               | 10, <a href="#">176</a>                      |

|                                    |                                     |
|------------------------------------|-------------------------------------|
| \GTSnegDirAdjUp                    | 9, <u>159</u>                       |
| \GTSnegDirAdjUpMon                 | 16, <u>348</u>                      |
| \GTSnegDirAdjUpMono                | 16, <u>348</u>                      |
| \GTSnegDirAdjUpMonoRel             | 16, <u>354</u>                      |
| \GTSnegDirAdjUpMonRel              | 16, <u>354</u>                      |
| \GTSnegDirAdjUpRel                 | 9, <u>162</u>                       |
| \GTSnegInc                         | 12, <u>290</u>                      |
| \GTSnegIncMon                      | 18, <u>392</u>                      |
| \GTSnegIncMono                     | 18, <u>392</u>                      |
| \GTSnegIncMonoRel                  | 19, <u>398</u>                      |
| \GTSnegIncMonRel                   | 19, <u>398</u>                      |
| \GTSnegIncRel                      | 12, <u>293</u>                      |
| \GTSnegInInc                       | 14, <u>314</u>                      |
| \GTSnegInIncMon                    | 21, <u>430</u>                      |
| \GTSnegInIncMono                   | 21, <u>430</u>                      |
| \GTSnegInIncMonoRel                | 21, <u>436</u>                      |
| \GTSnegInIncMonRel                 | 21, <u>436</u>                      |
| \GTSnegInIncRel                    | 14, <u>317</u>                      |
| \GTSnegOutInc                      | 13, <u>302</u>                      |
| \GTSnegOutIncMon                   | 20, <u>410</u>                      |
| \GTSnegOutIncMono                  | 20, <u>410</u>                      |
| \GTSnegOutIncMonoRel               | 20, <u>416</u>                      |
| \GTSnegOutIncMonRel                | 20, <u>416</u>                      |
| \GTSnegOutIncRel                   | 13, <u>305</u>                      |
| \GTSnI                             | 12, <u>290</u> , 293, 294, 295      |
| \GTSnII                            | 14, <u>314</u> , 317, 318, 319      |
| \GTSnIIM                           | 21, <u>430</u> , 437, 439, 440, 441 |
| \GTSnIIMR                          | 21, <u>436</u>                      |
| \GTSnIIR                           | 14, <u>317</u>                      |
| \GTSnIM                            | 18, <u>392</u> , 398, 399, 400, 401 |
| \GTSnIMR                           | 19, <u>398</u>                      |
| \GTSnIR                            | 12, <u>293</u>                      |
| \GTSnOI                            | 13, <u>302</u> , 305, 306, 307      |
| \GTSnOIM                           | 20, <u>410</u> , 417, 419, 420, 421 |
| \GTSnOIMR                          | 20, <u>416</u>                      |
| \GTSnOIR                           | 13, <u>305</u>                      |
| \GTSoI                             | 12, <u>296</u> , 299, 300, 301      |
| \GTSoIM                            | 19, <u>402</u> , 406, 407, 408, 409 |
| \GTSoIMR                           | 19, <u>406</u>                      |
| \GTSoIR                            | 12, <u>299</u>                      |
| \GTSoutInc                         | 12, <u>296</u>                      |
| \GTSoutIncidence                   | 12, <u>296</u>                      |
| \GTSoutIncidenceMonochrome         | 19, <u>402</u>                      |
| \GTSoutIncidenceMonochromeRelation | 19, <u>406</u>                      |
| \GTSoutIncidenceRelation           | 12, <u>299</u>                      |
| \GTSoutIncMon                      | 19, <u>402</u>                      |
| \GTSoutIncMono                     | 19, <u>402</u>                      |
| \GTSoutIncMonoRel                  | 19, <u>406</u>                      |
| \GTSoutIncMonRel                   | 19, <u>406</u>                      |
| \GTSoutIncRel                      | 12, <u>299</u>                      |
| \GTSsetMainColor                   | 7, <u>24</u> , 36, 86, 183, 229     |
| \GTSsetSecondColor                 | 7, <u>29</u> , 39, 89, 186, 232     |
| \GTSu                              | 8, <u>147</u> , 150, 151, 152       |
| \GTSuM                             | 15, <u>328</u> , 332, 333, 334, 335 |
| \GTSuMR                            | 15, <u>332</u>                      |
| \GTSunadj                          | 8, <u>147</u>                       |
| \GTSunadjacency                    | 8, <u>147</u>                       |
| \GTSunadjacencyMonochrome          | 15, <u>328</u>                      |
| \GTSunadjacencyMonochromeRelation  | 15, <u>332</u>                      |
| \GTSunadjacencyRelation            | 8, <u>150</u>                       |
| \GTSunadjMon                       | 15, <u>328</u>                      |

|                  |                      |
|------------------|----------------------|
| \GTSunadjMono    | 15, <u>328</u>       |
| \GTSunadjMonoRel | 15, <u>332</u>       |
| \GTSunadjMonRel  | 15, <u>332</u>       |
| \GTSunadjRel     | 8, <u>150</u>        |
| \GTSuR           | 8, <u>150</u>        |
| \GTSx            | 23, <u>517</u>       |
| \GTSxa           | 7, <u>99</u> , 519   |
| \GTSxadj         | 7, <u>99</u>         |
| \GTSxadjacency   | 7, <u>99</u>         |
| \GTSxi           | 11, <u>242</u> , 521 |
| \GTSxinc         | 11, <u>242</u>       |
| \GTSxincidence   | 11, <u>242</u>       |
| \GTSxmetallogic  | 23, <u>479</u>       |
| \GTSxml          | 23, <u>479</u> , 523 |