

graph-theory-symbol— A set of LaTeX commands to have symbols designed for Graph Theory

Laurent Frédéric Bernard François Lyaudet*

? ?

Abstract

This documentation is for package GraphTheorySymbol.

Contents

1 Usage	1
2 Implementation	1
3 Change History	10
4 Index	10

1 Usage

All symbols macros were designed with ease of use in mind: they are called with a trailing slash, they can be called in text mode or in math mode, a variant with relation spacing for math mode exists with suffix “relation”.

`\GTS@newcommand` This macro will enforce that the other macros are called with a trailing slash, avoiding problems with spaces after macro call. `{\langle commandname \rangle}` The name of the command to create. `{\langle commandcode \rangle}` The code of the command to create. This macro does nothing. It is merely an example. If this were a real macro, you would put a paragraph here describing what the macro is supposed to do, what its mandatory and optional arguments are, and so forth. Some text about an example macro called `\examplemacro`, which might have an optional argument `[\langle arg1 \rangle]` and mandatory one `{\langle arg2 \rangle}`.

`\GTSsetMainColor` This macro will set the main color used in GraphTheorySymbol. This color has initial value “black”. `{\langle color \rangle}` The color that must be used by GraphTheorySymbol afterward.

`\GTSadjacency` This macro will draw an adjacency symbol. A first drawing didn’t include the small dots in the middle of the two circles corresponding to the graph vertices. But it was too similar to “spoon” and multimap symbols, and could be confused with a graph with only two vertices and one edge. Hence, these dots were added and they have the nice property to remind of the classical textual notation of adjacency relation as `Adj(..)`.

2 Implementation

```
1 \langle *package \rangle
2 \RequirePackage{amsmath}
3 \RequirePackage{amssymb}
4 \RequirePackage{graphicx}
5 \RequirePackage{fdsymbol}
6 \RequirePackage{lua-unicode-math}
7 \RequirePackage{xcolor}
8
9 \def \GTS@mainColor {black}
10 \def \GTS@secondColor {gray}
```

*Email: Laurent.Lyaudet@gmail.com

```

11 \def \GTS@mainColorBackup {black}
12 \def \GTS@secondColorBackup {gray}
13 \def \GTS@drawSlash {}
14 \def \GTS@drawUpArrow {}
15 \def \GTS@drawDownArrow {}
16
\GTS@newcommand This macro will enforce that the other macros are called with a trailing slash, avoiding
problems with spaces after macro call.  $\langle commandname \rangle$  The name of the command to
create.  $\langle commandcode \rangle$  The code of the command to create.
17 \@ifdefinable{\GTS@newcommand}{\def\GTS@newcommand#1#2{%
18   \@ifdefinable{#1}{\def#1/{#2}}
19 }}

\GTSsetMainColor This macro will set the main color used in GraphTheorySymbol. This color has initial value
“black”.  $\langle color \rangle$  The color that must be used by GraphTheorySymbol afterward.
20 \newcommand{\GTSsetMainColor}[1]{%
21 \edef\GTS@mainColorTemp{#1}%
22 \edef\GTS@mainColorBackup{\GTS@mainColor}%
23 \edef\GTS@mainColor{\GTS@mainColorTemp}%
24 }

\GTSsetSecondColor This macro will set the second color used in GraphTheorySymbol. This color has initial
value “gray”.  $\langle color \rangle$  The color that must be used by GraphTheorySymbol afterward.
25 \newcommand{\GTSsetSecondColor}[1]{%
26 \edef\GTS@secondColorTemp{#1}%
27 \edef\GTS@secondColorBackup{\GTS@secondColor}%
28 \edef\GTS@secondColor{\GTS@secondColorTemp}%
29 }

\GTSadjacency This macro will draw an adjacency symbol.
\GTSa
30 \GTS@newcommand{\GTSadjacency}{%
31 \text{\ensuremath{%
32 \raisebox{-0.2ex}{\scalebox{1.5}[1.5]{%
33 %
34 \raisebox{0.7ex}{\scalebox{0.7}[0.7]{%
35 $\mathcolor{\GTS@secondColor}{\circ}$%
36 }}%
37 \hspace{-0.39ex}%
38 \raisebox{1.05ex}{\scalebox{0.1}[0.1]{%
39 $\mathcolor{\GTS@secondColor}{\bullet}$%
40 }}%
41 \hspace{-0.12ex}%
42 \raisebox{0.11ex}{\scalebox{0.1}[0.73]{%
43 $\mathcolor{\GTS@mainColor}{\smallblacksquare}$%
44 }}%
45 \hspace{-0.40ex}%
46 \raisebox{-0.3ex}{\scalebox{0.7}[0.7]{%
47 $\mathcolor{\GTS@secondColor}{\circ}$%
48 }}%
49 \hspace{-0.39ex}%
50 \raisebox{0.05ex}{\scalebox{0.1}[0.1]{%
51 $\mathcolor{\GTS@secondColor}{\bullet}$%
52 }}%
53 \hspace{0.27ex}%
54 \if\GTS@drawUpArrow\empty\else%
55 \hspace{-0.65ex}%
56 \raisebox{-0.18ex}{\scalebox{0.5}[0.5]{%
57 \textcolor{\GTS@mainColor}{\textasciicircum}%
58 }}%
59 \fi%
60 \if\GTS@drawDownArrow\empty\else%
61 \hspace{-0.65ex}%
62 \raisebox{1.37ex}{\scalebox{0.5}[-0.5]{%
63 \textcolor{\GTS@mainColor}{\textasciicircum}%
64 }}%

```

```

65 \fi%
66 \if\GTS@drawSlash\empty\else%
67 \hspace{-0.65ex}%
68 \raisebox{0.25ex}{\scalebox{0.6}[0.6]{%
69 \textcolor{black}{/}%
70 }}%
71 \fi%
72 %
73 }}%
74 }}%
75 }
76
77 \GTS@newcommand{\GTSa}{\GTSadjacency/}

\GTSadjacencyRelation This macro will draw an adjacency symbol with relation spacing in math mode.
\GTSaR 78 \GTS@newcommand{\GTSadjacencyRelation}{\mathrel{\GTSadjacency/}}
79 \GTS@newcommand{\GTSaR}{\GTSadjacencyRelation/}

\GTSunadjacency This macro will draw an unadjacency symbol.
\GTSu 80 \GTS@newcommand{\GTSunadjacency}{%
81 \def\GTS@drawSlash{1}%
82 \GTSadjacency/%
83 \def\GTS@drawSlash{}%
84 }
85
86 \GTS@newcommand{\GTSu}{\GTSunadjacency/}

\GTSunadjacencyRelation This macro will draw an unadjacency symbol with relation spacing in math mode.
\GTSuR 87 \GTS@newcommand{\GTSunadjacencyRelation}{\mathrel{\GTSunadjacency/}}
88 \GTS@newcommand{\GTSuR}{\GTSunadjacencyRelation/}

\GTSdirectedAdjacencyUp This macro will draw a directed adjacency upward symbol. The operand on the left of the
\GTSdAU symbol should be considered the source of the arc; the operand on the right of the symbol
should be considered the target of the arc.
89 \GTS@newcommand{\GTSdirectedAdjacencyUp}{%
90 \def\GTS@drawUpArrow{1}%
91 \GTSadjacency/%
92 \def\GTS@drawUpArrow{}%
93 }
94
95 \GTS@newcommand{\GTSdAU}{\GTSdirectedAdjacencyUp/}

\GTSdirectedAdjacencyUpRelation This macro will draw a directed adjacency upward symbol with relation spacing in math
\GTSdAUR mode.
96 \GTS@newcommand{\GTSdirectedAdjacencyUpRelation}{%
97 \mathrel{\GTSdirectedAdjacencyUp/}%
98 }
99 \GTS@newcommand{\GTSdAUR}{\GTSdirectedAdjacencyUpRelation/}

\GTSnegatedDirectedAdjacencyUp This macro will draw a negated directed adjacency upward symbol.
\GTSnDAU 100 \GTS@newcommand{\GTSnegatedDirectedAdjacencyUp}{%
101 \def\GTS@drawSlash{1}%
102 \GTSdirectedAdjacencyUp/%
103 \def\GTS@drawSlash{}%
104 }
105
106 \GTS@newcommand{\GTSnDAU}{\GTSnegatedDirectedAdjacencyUp/}

\GTSnegatedDirectedAdjacencyUpRelation This macro will draw a negated directed adjacency upward symbol with relation spacing in
\GTSnDAUR math mode.
107 \GTS@newcommand{\GTSnegatedDirectedAdjacencyUpRelation}{%
108 \mathrel{\GTSnegatedDirectedAdjacencyUp/}%
109 }
110 \GTS@newcommand{\GTSnDAUR}{\GTSnegatedDirectedAdjacencyDownRelation/}

```

`\GTSdirectedAdjacencyDown` This macro will draw a directed adjacency downward symbol. The operand on the left of the symbol should be considered the target of the arc; the operand on the right of the symbol should be considered the source of the arc.

```

111 \GTS@newcommand{\GTSdirectedAdjacencyDown}{%
112 \def\GTS@drawDownArrow{1}%
113 \GTSadjacency/%
114 \def\GTS@drawDownArrow{}}%
115 }
116
117 \GTS@newcommand{\GTSdAD}{\GTSdirectedAdjacencyDown/}

```

`\directedAdjacencyDownRelation` This macro will draw a directed adjacency downward symbol with relation spacing in math mode.

```

118 \GTS@newcommand{\GTSdirectedAdjacencyDownRelation}{%
119 \mathrel{\GTSdirectedAdjacencyDown/}%
120 }
121 \GTS@newcommand{\GTSdADR}{\GTSdirectedAdjacencyDownRelation/}

```

`\GTSnegatedDirectedAdjacencyDown` This macro will draw a negated directed adjacency downward symbol.

```

122 \GTS@newcommand{\GTSnegatedDirectedAdjacencyDown}{%
123 \def\GTS@drawSlash{1}%
124 \GTSdirectedAdjacencyDown/%
125 \def\GTS@drawSlash{}}%
126 }
127
128 \GTS@newcommand{\GTSnDAD}{\GTSnegatedDirectedAdjacencyDown/}

```

`\DirectedAdjacencyDownRelation` This macro will draw a negated directed adjacency downward symbol with relation spacing in math mode.

```

129 \GTS@newcommand{\GTSnegatedDirectedAdjacencyDownRelation}{%
130 \mathrel{\GTSnegatedDirectedAdjacencyDown/}%
131 }
132 \GTS@newcommand{\GTSnDADR}{\GTSnegatedDirectedAdjacencyDownRelation/}

```

`\GTSincidence` This macro will draw an incidence symbol. The operand on the left of the symbol should be considered the vertex to which the edge/the operand on the right of the symbol is incident.

```

133 \GTS@newcommand{\GTSincidence}{%
134 \text{\ensuremath{%
135 \raisebox{0ex}{\scalebox{1.8}[1.8]{%
136 %
137 \raisebox{-0.3ex}{\scalebox{0.7}[0.7]{%
138 $\mathcolor{\GTS@secondColor}{\circ}$%
139 }}%
140 \hspace{-0.39ex}%
141 \raisebox{0.05ex}{\scalebox{0.1}[0.1]{%
142 $\mathcolor{\GTS@secondColor}{\bullet}$%
143 }}%
144 \hspace{-0.12ex}%
145 \raisebox{0.11ex}{\scalebox{0.1}[0.73]{%
146 $\mathcolor{\GTS@secondColor}{\smallblacksquare}$%
147 }}%
148 \hspace{-0.18ex}%
149 \raisebox{0.15ex}{\scalebox{0.2}[0.2]{%
150 $\mathcolor{\GTS@mainColor}{\smallblacksquare}$%
151 }}%
152 \hspace{0.2ex}%
153 \if\GTS@drawUpArrow\empty\else%
154 \hspace{-0.65ex}%
155 \raisebox{-0.18ex}{\scalebox{0.5}[0.5]{%
156 \textcolor{\GTS@secondColor}{\textasciicircum}%
157 }}%
158 \fi%
159 \if\GTS@drawDownArrow\empty\else%
160 \hspace{-0.65ex}%
161 \raisebox{1.37ex}{\scalebox{0.5}[-0.5]{%

```

```

162 \textcolor{\GTS@secondColor}{\textasciicircum}%
163 }}%
164 \fi%
165 \if\GTS@drawSlash\empty\else%
166 \hspace{-0.65ex}%
167 \raisebox{0.1ex}{\scalebox{0.5}[0.5]{%
168 \textcolor{black}{/}%
169 }}%
170 \fi%
171 %
172 }}%
173 }}%
174 }
175
176 \GTS@newcommand{\GTSi}{\GTSincidence/}

\GTSincidenceRelation This macro will draw an incidence symbol with relation spacing in math mode.
\GTSiR 177 \GTS@newcommand{\GTSincidenceRelation}{\mathrel{\GTSincidence/}}
178 \GTS@newcommand{\GTSiR}{\GTSincidenceRelation/}

\GTSnegatedIncidence This macro will draw a negated incidence symbol.
\GTSnI 179 \GTS@newcommand{\GTSnegatedIncidence}{%
180 \def\GTS@drawSlash{1}%
181 \GTSincidence/%
182 \def\GTS@drawSlash{}%
183 }
184
185 \GTS@newcommand{\GTSnI}{\GTSnegatedIncidence/}

\GTSnegatedIncidenceRelation This macro will draw a negated incidence symbol with relation spacing in math mode.
\GTSnIR 186 \GTS@newcommand{\GTSnegatedIncidenceRelation}{%
187 \mathrel{\GTSnegatedIncidence/}%
188 }
189 \GTS@newcommand{\GTSnIR}{\GTSnegatedIncidenceRelation/}

\GTSoutIncidence This macro will draw a directed incidence upward (out(ward) incidence) symbol. The
\GTSoI operand on the left of the symbol should be considered the vertex to which the arc/the
operand on the right of the symbol is incident.
190 \GTS@newcommand{\GTSoutIncidence}{%
191 \def\GTS@drawUpArrow{1}%
192 \GTSincidence/%
193 \def\GTS@drawUpArrow{}%
194 }
195
196 \GTS@newcommand{\GTSoI}{\GTSoutIncidence/}

\GTSoutIncidenceRelation This macro will draw a directed incidence upward (out(ward) incidence) symbol with relation
\GTSoIR spacing in math mode.
197 \GTS@newcommand{\GTSoutIncidenceRelation}{%
198 \mathrel{\GTSoutIncidence/}%
199 }
200 \GTS@newcommand{\GTSoIR}{\GTSoutIncidenceRelation/}

\GTSnegatedOutIncidence This macro will draw a negated directed incidence upward (out(ward) incidence) symbol.
\GTSnOI 201 \GTS@newcommand{\GTSnegatedOutIncidence}{%
202 \def\GTS@drawSlash{1}%
203 \GTSoutIncidence/%
204 \def\GTS@drawSlash{}%
205 }
206
207 \GTS@newcommand{\GTSnOI}{\GTSnegatedOutIncidence/}

\GTSnegatedOutIncidenceRelation This macro will draw a negated directed incidence upward (out(ward) incidence) symbol
\GTSnOIR with relation spacing in math mode.
208 \GTS@newcommand{\GTSnegatedOutIncidenceRelation}{%

```

```

209 \mathrel{\GTSnegatedOutIncidence/}%
210 }
211 \GTS@newcommand{\GTSnOIR}{\GTSnegatedOutIncidenceRelation/}

\GTSinIncidence This macro will draw a directed incidence downward (in(ward) incidence) symbol. The
\GTSiI operand on the left of the symbol should be considered the vertex to which the arc/the
operand on the right of the symbol is incident.
212 \GTS@newcommand{\GTSinIncidence}{%
213 \def\GTS@drawDownArrow{1}%
214 \GTSincidence/%
215 \def\GTS@drawDownArrow{}}%
216 }
217
218 \GTS@newcommand{\GTSiI}{\GTSinIncidence/}

\GTSinIncidenceRelation This macro will draw a directed incidence downward (in(ward) incidence) symbol with re-
\GTSiIR lation spacing in math mode.
219 \GTS@newcommand{\GTSinIncidenceRelation}{%
220 \mathrel{\GTSinIncidence/}%
221 }
222 \GTS@newcommand{\GTSiIR}{\GTSinIncidenceRelation/}

\GTSnegatedInIncidence This macro will draw a negated directed incidence downward (in(ward) incidence) symbol.
\GTSnII 223 \GTS@newcommand{\GTSnegatedInIncidence}{%
224 \def\GTS@drawSlash{1}%
225 \GTSinIncidence/%
226 \def\GTS@drawSlash{}}%
227 }
228
229 \GTS@newcommand{\GTSnII}{\GTSnegatedInIncidence/}

\GTSnegatedInIncidenceRelation This macro will draw a negated directed incidence downward (in(ward) incidence) symbol
\GTSnIIR with relation spacing in math mode.
230 \GTS@newcommand{\GTSnegatedInIncidenceRelation}{%
231 \mathrel{\GTSnegatedInIncidence/}%
232 }
233 \GTS@newcommand{\GTSnIIR}{\GTSnegatedInIncidenceRelation/}

\GTSadjacencyMonochrome This macro will draw a monochrome adjacency symbol.
\GTSaM 234 \GTS@newcommand{\GTSadjacencyMonochrome}{%
235 \GTSsetMainColor{black}%
236 \GTSsetSecondColor{black}%
237 \GTSadjacency/%
238 \GTSsetMainColor{\GTS@mainColorBackup}%
239 \GTSsetSecondColor{\GTS@secondColorBackup}%
240 }
241
242 \GTS@newcommand{\GTSaM}{\GTSadjacencyMonochrome/}

\GTSadjacencyMonochromeRelation This macro will draw a monochrome adjacency symbol with relation spacing in math mode.
\GTSaMR 243 \GTS@newcommand{\GTSadjacencyMonochromeRelation}{%
244 \mathrel{\GTSadjacencyMonochrome/}%
245 }
246 \GTS@newcommand{\GTSaMR}{\GTSadjacencyMonochromeRelation/}

\GTSunadjacencyMonochrome This macro will draw a monochrome unadjacency symbol.
\GTSuM 247 \GTS@newcommand{\GTSunadjacencyMonochrome}{%
248 \def\GTS@drawSlash{1}%
249 \GTSadjacencyMonochrome/%
250 \def\GTS@drawSlash{}}%
251 }
252
253 \GTS@newcommand{\GTSuM}{\GTSunadjacencyMonochrome/}

```

`\unadjacencyMonochromeRelation` This macro will draw a monochrome unadjacency symbol with relation spacing in math mode.

```

\GTSuMR
254 \GTS@newcommand{\GTSunadjacencyMonochromeRelation}{%
255 \mathrel{\GTSunadjacencyMonochrome/}%
256 }
257 \GTS@newcommand{\GTSuMR}{\GTSunadjacencyMonochromeRelation/}

```

`\directedAdjacencyUpMonochrome` This macro will draw a monochrome directed adjacency upward symbol. The operand on the left of the symbol should be considered the source of the arc; the operand on the right of the symbol should be considered the target of the arc.

```

\GTSdAUM
258 \GTS@newcommand{\GTSdirectedAdjacencyUpMonochrome}{%
259 \def\GTS@drawUpArrow{1}%
260 \GTSadjacencyMonochrome/%
261 \def\GTS@drawUpArrow{}%
262 }
263
264 \GTS@newcommand{\GTSdAUM}{\GTSdirectedAdjacencyUpMonochrome/}

```

`\AdjacencyUpMonochromeRelation` This macro will draw a monochrome directed adjacency upward symbol with relation spacing in math mode.

```

\GTSdAUMR
265 \GTS@newcommand{\GTSdirectedAdjacencyUpMonochromeRelation}{%
266 \mathrel{\GTSdirectedAdjacencyUpMonochrome/}%
267 }
268 \GTS@newcommand{\GTSdAUMR}{\GTSdirectedAdjacencyUpMonochromeRelation/}

```

`\DirectedAdjacencyUpMonochrome` This macro will draw a monochrome negated directed adjacency upward symbol.

```

\GTSnDAUM
269 \GTS@newcommand{\GTSnegatedDirectedAdjacencyUpMonochrome}{%
270 \def\GTS@drawSlash{1}%
271 \GTSdirectedAdjacencyUpMonochrome/%
272 \def\GTS@drawSlash{}%
273 }
274
275 \GTS@newcommand{\GTSnDAUM}{\GTSnegatedDirectedAdjacencyUpMonochrome/}

```

`\AdjacencyUpMonochromeRelation` This macro will draw a monochrome negated directed adjacency upward symbol with relation spacing in math mode.

```

\GTSnDAUMR
276 \GTS@newcommand{\GTSnegatedDirectedAdjacencyUpMonochromeRelation}{%
277 \mathrel{\GTSnegatedDirectedAdjacencyUpMonochrome/}%
278 }
279 \GTS@newcommand{\GTSnDAUMR}{%
280 \GTSnegatedDirectedAdjacencyDownMonochromeRelation/%
281 }

```

`\directedAdjacencyDownMonochrome` This macro will draw a monochrome directed adjacency downward symbol. The operand on the left of the symbol should be considered the target of the arc; the operand on the right of the symbol should be considered the source of the arc.

```

\GTSdADM
282 \GTS@newcommand{\GTSdirectedAdjacencyDownMonochrome}{%
283 \def\GTS@drawDownArrow{1}%
284 \GTSadjacencyMonochrome/%
285 \def\GTS@drawDownArrow{}%
286 }
287
288 \GTS@newcommand{\GTSdADM}{\GTSdirectedAdjacencyDownMonochrome/}

```

`\adjacencyDownMonochromeRelation` This macro will draw a monochrome directed adjacency downward symbol with relation spacing in math mode.

```

\GTSdADMR
289 \GTS@newcommand{\GTSdirectedAdjacencyDownMonochromeRelation}{%
290 \mathrel{\GTSdirectedAdjacencyDownMonochrome/}%
291 }
292 \GTS@newcommand{\GTSdADMR}{\GTSdirectedAdjacencyDownMonochromeRelation/}

```

`\directedAdjacencyDownMonochrome` This macro will draw a monochrome negated directed adjacency downward symbol.

```

\GTSnDADM
293 \GTS@newcommand{\GTSnegatedDirectedAdjacencyDownMonochrome}{%
294 \def\GTS@drawSlash{1}%

```

```

295 \GTSdirectedAdjacencyDownMonochrome/%
296 \def\GTS@drawSlash{}%
297 }
298
299 \GTS@newcommand{\GTSnDADM}{\GTSnegatedDirectedAdjacencyDownMonochrome/}
\GTSnDADM} This macro will draw a monochrome negated directed adjacency downward symbol with
relation spacing in math mode.
300 \GTS@newcommand{\GTSnegatedDirectedAdjacencyDownMonochromeRelation}{%
301 \mathrel{\GTSnegatedDirectedAdjacencyDownMonochrome/}%
302 }
303 \GTS@newcommand{\GTSnDADM}{%
304 \GTSnegatedDirectedAdjacencyDownMonochromeRelation/%
305 }

\GTSincidenceMonochrome This macro will draw a monochrome incidence symbol. The operand on the left of the
\GTSiM symbol should be considered the vertex to which the edge/the operand on the right of the
symbol is incident.
306 \GTS@newcommand{\GTSincidenceMonochrome}{%
307 \GTSsetMainColor{black}%
308 \GTSsetSecondColor{black}%
309 \GTSincidence/%
310 \GTSsetMainColor{\GTS@mainColorBackup}%
311 \GTSsetSecondColor{\GTS@secondColorBackup}%
312 }
313
314 \GTS@newcommand{\GTSiM}{\GTSincidenceMonochrome/}

\GTSincidenceMonochromeRelation This macro will draw a monochrome incidence symbol with relation spacing in math mode.
\GTSiMR 315 \GTS@newcommand{\GTSincidenceMonochromeRelation}{%
316 \mathrel{\GTSincidenceMonochrome/}%
317 }
318 \GTS@newcommand{\GTSiMR}{\GTSincidenceMonochromeRelation/}

\GTSnegatedIncidenceMonochrome This macro will draw a monochrome negated incidence symbol.
\GTSnIM 319 \GTS@newcommand{\GTSnegatedIncidenceMonochrome}{%
320 \def\GTS@drawSlash{1}%
321 \GTSincidenceMonochrome/%
322 \def\GTS@drawSlash{}%
323 }
324
325 \GTS@newcommand{\GTSnIM}{\GTSnegatedIncidenceMonochrome/}

\GTSnegatedIncidenceMonochromeRelation This macro will draw a monochrome negated incidence symbol with relation spacing in math
\GTSnIMR mode.
326 \GTS@newcommand{\GTSnegatedIncidenceMonochromeRelation}{%
327 \mathrel{\GTSnegatedIncidenceMonochrome/}%
328 }
329 \GTS@newcommand{\GTSnIMR}{\GTSnegatedIncidenceMonochromeRelation/}

\GTSoutIncidenceMonochrome This macro will draw a monochrome directed incidence upward (out(ward) incidence) sym-
\GTSoIM bol. The operand on the left of the symbol should be considered the vertex to which the
arc/the operand on the right of the symbol is incident.
330 \GTS@newcommand{\GTSoutIncidenceMonochrome}{%
331 \def\GTS@drawUpArrow{1}%
332 \GTSincidenceMonochrome/%
333 \def\GTS@drawUpArrow{}%
334 }
335
336 \GTS@newcommand{\GTSoIM}{\GTSoutIncidenceMonochrome/}

\GTSoutIncidenceMonochromeRelation This macro will draw a monochrome directed incidence upward (out(ward) incidence) symbol
\GTSoIMR with relation spacing in math mode.
337 \GTS@newcommand{\GTSoutIncidenceMonochromeRelation}{%
338 \mathrel{\GTSoutIncidenceMonochrome/}%

```



```

339 }
340 \GTS@newcommand{\GTSoutIMR}{\GTSoutIncidenceMonochromeRelation/}

negatedOutIncidenceMonochrome This macro will draw a monochrome negated directed incidence upward (out(ward) inci-
\GTSnOIM dence) symbol.
341 \GTS@newcommand{\GTSnegatedOutIncidenceMonochrome}{%
342 \def\GTS@drawSlash{1}%
343 \GTSoutIncidenceMonochrome/%
344 \def\GTS@drawSlash{}%
345 }
346
347 \GTS@newcommand{\GTSnOIMR}{\GTSnegatedOutIncidenceMonochrome/}

utIncidenceMonochromeRelation This macro will draw a monochrome negated directed incidence upward (out(ward) inci-
\GTSnOIMR dence) symbol with relation spacing in math mode.
348 \GTS@newcommand{\GTSnegatedOutIncidenceMonochromeRelation}{%
349 \mathrel{\GTSnegatedOutIncidenceMonochrome/}%
350 }
351 \GTS@newcommand{\GTSnOIMR}{\GTSnegatedOutIncidenceMonochromeRelation/}

\GTSinIncidenceMonochrome This macro will draw a monochrome directed incidence downward (in(ward) incidence) sym-
\GTSiIM bol. The operand on the left of the symbol should be considered the vertex to which the
arc/the operand on the right of the symbol is incident.
352 \GTS@newcommand{\GTSinIncidenceMonochrome}{%
353 \def\GTS@drawDownArrow{1}%
354 \GTSinIncidenceMonochrome/%
355 \def\GTS@drawDownArrow{}%
356 }
357
358 \GTS@newcommand{\GTSiIM}{\GTSinIncidenceMonochrome/}

inIncidenceMonochromeRelation This macro will draw a monochrome directed incidence downward (in(ward) incidence) sym-
\GTSiIMR bol with relation spacing in math mode.
359 \GTS@newcommand{\GTSinIncidenceMonochromeRelation}{%
360 \mathrel{\GTSinIncidenceMonochrome/}%
361 }
362 \GTS@newcommand{\GTSiIMR}{\GTSinIncidenceMonochromeRelation/}

SnegatedInIncidenceMonochrome This macro will draw a monochrome negated directed incidence downward (in(ward) inci-
\GTSnIIM dence) symbol.
363 \GTS@newcommand{\GTSnegatedInIncidenceMonochrome}{%
364 \def\GTS@drawSlash{1}%
365 \GTSinIncidenceMonochrome/%
366 \def\GTS@drawSlash{}%
367 }
368
369 \GTS@newcommand{\GTSnIIM}{\GTSnegatedInIncidenceMonochrome/}

InIncidenceMonochromeRelation This macro will draw a monochrome negated directed incidence downward (in(ward) inci-
\GTSnIIMR dence) symbol with relation spacing in math mode.
370 \GTS@newcommand{\GTSnegatedInIncidenceMonochromeRelation}{%
371 \mathrel{\GTSnegatedInIncidenceMonochrome/}%
372 }
373 \GTS@newcommand{\GTSnIIMR}{\GTSnegatedInIncidenceMonochromeRelation/}

\dummyMacro This is a dummy macro. If it did anything, we'd describe its implementation here. "
374 \newcommand{\dummyMacro}{

Don't use % to introduce a code comment within a macrocode environment. Instead, you
should typeset all of your comments with LaTeX—doing so gives much prettier results. For
comments within a macro/environment body, just do an \end{macrocode}, include some
commentary, and do another \begin{macrocode}. It's that simple.

375 }

376 \endinput
377 \endpackage

```

3 Change History

v0.1		\dummyMacro: Added a spurious change
General: Initial version	 1	log entry to show what a change
v1.0.0		<i>within</i> an environment definition
General: First public release	 1	looks like. 9

4 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	\GTS@mainColorBackup .	\GTSdAUR
\@ifdefinable	11, 22, 238, 310	\GTSdirectedAdjacencyDown
B	\GTS@mainColorTemp . 21, 23	111, 119, 124
\bullet	\GTS@newcommand 1, 17, 30,	\GTSdirectedAdjacencyDownMonochrome
C	77, 78, 79, 80, 86,	282, 290, 295
\circ	87, 88, 89, 95, 96,	\GTSdirectedAdjacencyDownMonochromeRela
D	99, 100, 106, 107,	289
\def	110, 111, 117, 118,	\GTSdirectedAdjacencyDownRelation
9, 10,	121, 122, 128, 129,	118
11, 12, 13, 14, 15,	132, 133, 176, 177,	\GTSdirectedAdjacencyUp
17, 18, 81, 83, 90,	178, 179, 185, 186,	89, 97, 102
92, 101, 103, 112,	189, 190, 196, 197,	\GTSdirectedAdjacencyUpMonochrome
114, 123, 125, 180,	200, 201, 207, 208,	258, 266, 271
182, 191, 193, 202,	211, 212, 218, 219,	\GTSdirectedAdjacencyUpMonochromeRelati
204, 213, 215, 224,	222, 223, 229, 230,	265
226, 248, 250, 259,	233, 234, 242, 243,	\GTSdirectedAdjacencyUpRelation
261, 270, 272, 283,	246, 247, 253, 254,	96
285, 294, 296, 320,	257, 258, 264, 265,	\GTSi
322, 331, 333, 342,	268, 269, 275, 276,	\GTSiI
344, 353, 355, 364, 366	279, 282, 288, 289,	\GTSiIM
doing nothing	292, 293, 299, 300,	\GTSiIMR
\dummyMacro	303, 306, 314, 315,	\GTSiIR
E	318, 319, 325, 326,	\GTSiM
\edef . . 21, 22, 23, 26, 27, 28	329, 330, 336, 337,	\GTSiMR
\else 54, 60, 66, 153, 159, 165	340, 341, 347, 348,	\GTSincidence 133,
\empty 54, 60, 66, 153, 159, 165	351, 352, 358, 359,	177, 181, 192, 214, 309
\endinput 376	362, 363, 369, 370, 373	\GTSincidenceMonochrome
\ensuremath 31, 134	\GTS@secondColor 10, 27,	306, 316, 321, 332, 354
F	28, 35, 39, 47, 51,	\GTSincidenceMonochromeRelation
\fi 59, 65, 71, 158, 164, 170	138, 142, 146, 156, 162	315
G	\GTS@secondColorBackup	\GTSincidenceRelation . 177
\GTS@drawDownArrow	12, 27, 239, 311	\GTSinIncidence
15, 60,	\GTS@secondColorTemp 26, 28	212, 220, 225
112, 114, 159, 213,	\GTSa 30	\GTSinIncidenceMonochrome
215, 283, 285, 353, 355	\GTSadjacency 1,	352, 360, 365
\GTS@drawSlash 13,	30, 78, 82, 91, 113, 237	\GTSinIncidenceMonochromeRelation
66, 81, 83, 101, 103,	\GTSadjacencyMonochrome	359
123, 125, 165, 180,	234, 244, 249, 260, 284	\GTSinIncidenceRelation
182, 202, 204, 224,	\GTSadjacencyMonochromeRelation	219
226, 248, 250, 270,	243	\GTSiR 177
272, 294, 296, 320,	\GTSadjacencyRelation . . 78	\GTSnDAD 122
322, 342, 344, 364, 366	\GTSaM 234	\GTSnDADM 293
\GTS@drawUpArrow . . 14,	\GTSaMR 243	\GTSnDADMR 300
54, 90, 92, 153, 191,	\GTSaR 78	\GTSnDADR 129
193, 259, 261, 331, 333	\GTSdAD 111	\GTSnDAU 100
\GTS@mainColor 9,	\GTSdADM 282	\GTSnDAUM 269
22, 23, 43, 57, 63, 150	\GTSdADMR 289	\GTSnDAUMR 276
	\GTSdADR 118	\GTSnDAUR 107
	\GTSdAU 89	\GTSnegatedDirectedAdjacencyDown
	\GTSdAUM 258	122, 130
	\GTSdAUMR 265	

<code>\GTSnegatedDirectedAdjacencyDownMonochrome</code>	223	H
.	293, 301	<code>\hspace</code> 37, 41, 45, 49, 53,
<code>\GTSnegatedDirectedAdjacencyDownMonochromeRelation</code> .	370	55, 61, 67, 140, 144,
.	280, 300	148, 152, 154, 160, 166
<code>\GTSnegatedDirectedAdjacencyDownRelation</code>	319	I
.	110, 129	<code>\if</code> 54, 60, 66, 153, 159, 165
<code>\GTSnegatedDirectedAdjacencyUp</code>	100, 108	M
<code>\GTSnegatedDirectedAdjacencyUpMonochrome</code>	269, 277	<code>\mathcolor</code> 35, 39, 43, 47,
<code>\GTSnegatedDirectedAdjacencyUpMonochromeRelation</code> . .	348	51, 138, 142, 146, 150
.	276	<code>\mathrel</code> 78, 87, 97,
<code>\GTSnegatedDirectedAdjacencyUpRelation</code>	190	108, 119, 130, 177,
.	107	187, 198, 209, 220,
<code>\GTSnegatedIncidence</code>	179, 187	231, 244, 255, 266,
<code>\GTSnegatedIncidenceMonochrome</code>	319, 327	277, 290, 301, 316,
.	190, 198, 203	327, 338, 349, 360, 371
<code>\GTSnegatedIncidenceMonochromeRelation</code>	326	R
<code>\GTSnegatedIncidenceRelation</code>	186	<code>\raisebox</code> . . . 32, 34, 38,
<code>\GTSnegatedInIncidence</code>	223, 231	42, 46, 50, 56, 62,
<code>\GTSnegatedInIncidenceMonochrome</code>	363, 371	68, 135, 137, 141,
<code>\GTSnegatedInIncidenceMonochromeRelation</code>	370	145, 149, 155, 161, 167
<code>\GTSnegatedInIncidenceRelation</code>	230	<code>\RequirePackage</code>
<code>\GTSnegatedOutIncidence</code>	201, 209	 2, 3, 4, 5, 6, 7
<code>\GTSnegatedOutIncidenceMonochrome</code>	341, 349	S
<code>\GTSnegatedOutIncidenceMonochromeRelation</code>	247, 255	<code>\scalebox</code> . . . 32, 34, 38,
<code>\GTSnegatedOutIncidenceRelation</code>	208	42, 46, 50, 56, 62,
<code>\GTSnI</code>	179	68, 135, 137, 141,
		145, 149, 155, 161, 167
		<code>\smallblacksquare</code>
		 43, 146, 150
		T
		<code>\text</code> 31, 134
		<code>\textasciicircum</code>
		 57, 63, 156, 162
		<code>\textcolor</code>
		 57, 63, 69, 156, 162, 168