

## ANTWOORDEN HOOFDSTUK 7

### Opdracht 7.1

```
INSERT INTO student
-> VALUES ("2121", "Anton", "A", "van", "Zetten", "Revestraat
44", "2121VR", "Almere", "m", "0367654321", "1995-12-02", null,
"500", "500");
Query OK, 1 row affected (0.01 sec)
```

```
mysql -u root -p
student
1, "Anton", "A", "van", "Zetten", "Revestraat 44", "2121VR", "Almere", "m", "0367654321", "1995-12-02", null, "500", "500");
affected (0.01 sec)
```

### Opdracht 7.2

```
INSERT INTO student
-> VALUES ("1313", "Janneke", "J","", "Simonsen", "Revestraat 2", "2222VR", "Almere",
"v", "036-5467890", "1995-4-10", null, "500", "200");
Query OK, 1 row affected (0.00 sec)
```

```
mysql -u root -p
(sec)
student
1, "Janneke", "J","", "Simonsen", "Revestraat 2", "2222VR", "Almere", "v", "036-5467890", "1995-4-10", null, "500", "200");
affected (0.00 sec)
```

```
INSERT INTO student
-> VALUES ("3232", "Annemieke", "A", "de", "Groot", "Janstraat 33", "1533JJ",
"Zeewolde", "v", "036-8912765", "1995-10-03", null, "500", "500");
Query OK, 1 row affected (0.00 sec)
```

```
mysql -u root -p
Column count doesn't match value count at row 1
student
2, "Annemieke", "A", "de", "Groot", "Janstraat 33", "1533JJ", "Zeewolde", "v", "036-8912765", "1995-10-03", null, "500", "500");
affected (0.00 sec)
```

### OPDRACHT 7.3


UPDATE student

-> SET adres = 'Lotstraat 5', postcode = '4455 BT'

-> WHERE studentnr = '4444';

Query OK, 1 row affected (0.00 sec)

Rows matched: 1 Changed: 1 Warnings: 0



```

Select Command Prompt - mysql -u root -p

Query OK, 1 row affected (0.00 sec)

mysql> UPDATE student
      -> SET adres = 'Lotstraat 5', postcode = '4455 BT'
      -> WHERE studentnr = '4444';
Query OK, 1 row affected (0.00 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> UPDATE student
      -> SET betaald = '500'
```

### OPDRACHT 7.4


UPDATE student

-> SET betaald = '500'

-> WHERE studentnr = '5555';

Query OK, 1 row affected (0.00 sec)

Rows matched: 1 Changed: 1 Warnings: 0



```

Select Command Prompt - mysql -u root -p

Rows matched: 1  Changed: 1  Warnings: 0

mysql> UPDATE student
      -> SET betaald = '500'
      -> WHERE studentnr = '5555';
Query OK, 1 row affected (0.00 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> SELECT *
      -> FROM student
```