# **EXP 6 Demonstrate Session Tracking using HttpSession**

#### AIM:

To implement a simple login system using **HttpSession** to track user sessions in a Java Servlet.

### **ALGORITHM:**

- Step 1: Create an HTML Login Form to take username & password as input.
- **Step 2:** Develop a **Servlet** (LoginServlet.java) to handle login requests.
- **Step 3:** Validate the user credentials and start an **HttpSession**.
- **Step 4:** Redirect users to the **DashboardServlet**, where session details are displayed.
- **Step 5:** Provide a **LogoutServlet** to end the session.
- **Step 6:** Run the server and test session tracking.

#### **PROGRAM:**

#### index.html (Login Page)

```
html
CopyEdit
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Login Page</title>
    <link rel="stylesheet" href="styles.css"> </head>
<body>
    <div class="container">
        <h2>Login System with Session Tracking</h2>
        <form action="LoginServlet" method="POST">
            <input type="text" name="username" placeholder="Enter Username"</pre>
required>
            <input type="password" name="password" placeholder="Enter</pre>
Password" required>
            <button type="submit">Login
        </form>
    </div>
</body>
</html>
```

```
styles.css
```

```
css CopyEdit body
{
    font-
family:
```

```
'Poppins', sans-
serif;
   background: linear-gradient(to right, #fbc2eb, #a6c1ee);
text-align: center; display: flex; justify-content:
center; align-items: center; height: 100vh;
0;
.container {
               background:
#fff; padding: 20px;
border-radius: 15px;
   box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
width: 300px;
} h2
{
   color: #5B86E5;
} input {
             width: 90%; padding:
10px; margin:
10px 0; border: 1px solid
#5B86E5;
          border-radius:
8px; text-align: center;
} button
   background: #36D1DC;
color: white;
             border: none;
padding: 10px
15px;
        border-radius: 8px;
cursor: pointer;
transition: 0.3s;
   button:hover
{
   background: #1e6e8c;
}
```

#### LoginServlet.java (Login & Session Creation)

```
java CopyEdit import
java.io.IOException; import
java.io.PrintWriter; import javax.servlet.ServletException; import
javax.servlet.annotation.WebServlet; import
javax.servlet.http.HttpServlet; import
javax.servlet.http.HttpServletRequest; import
javax.servlet.http.HttpServletResponse; import
javax.servlet.http.HttpSession;  @WebServlet("/LoginServlet")  public
class LoginServlet extends HttpServlet {
                                             protected void
doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
response.setContentType("text/html");
                                             PrintWriter out =
response.getWriter();
        String username = request.getParameter("username");
String password = request.getParameter("password");
        // Simple validation (In real apps, use a database)
if(username.equals("admin") && password.equals("password")) {
HttpSession session = request.getSession();
session.setAttribute("user", username);
           response.sendRedirect("DashboardServlet"); // Redirect to
```

## DashboardServlet.java (Session Tracking & Dashboard)

```
java CopyEdit import
java.io.IOException; import
java.io.PrintWriter; import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet; import
javax.servlet.http.HttpServlet; import
javax.servlet.http.HttpServletRequest; import
javax.servlet.http.HttpServletResponse; import
javax.servlet.http.HttpSession;
@WebServlet("/DashboardServlet") public class DashboardServlet extends
                   protected void doGet(HttpServletRequest request,
HttpServlet {
HttpServletResponse
response) throws ServletException, IOException {
response.setContentType("text/html");
                                      PrintWriter out =
response.getWriter();
       HttpSession session = request.getSession(false); // Get session
without creating a new one
       if (session != null && session.getAttribute("user") != null) {
String username = (String) session.getAttribute("user");
out.println("<h2>Welcome, " + username + "!</h2>");
out.println("<a href='LogoutServlet'>Logout</a>");
        } else {
            out.println("<h3>Session expired! Please login again.</h3>");
request.getRequestDispatcher("index.html").include(request, response);
        }
    }
}
```

#### LogoutServlet.java (Session Invalidation)


```
java CopyEdit
import
java.io.IOExc
eption; import
java.io.Print
Writer; import
javax.servlet
.ServletExcep
tion; import
javax.servlet
.annotation.W
ebServlet;
import
javax.servlet
.http.HttpSer
vlet; import
```


```
javax.servlet
.http.HttpSer
vletRequest;
import
javax.servlet
.http.HttpSer
vletResponse;
import
javax.servlet
.http.HttpSes
sion;
@WebServlet("/LogoutServlet")
public class LogoutServlet extends HttpServlet {
                                                     protected void
doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
response.setContentType("text/html");
                                              PrintWriter out =
response.getWriter();
        HttpSession session = request.getSession(false);
                                                                  i f
(session != null) {
            session.invalidate(); // Destroy session
        out.println("<h3>You have been logged out successfully.</h3>");
request.getRequestDispatcher("index.html").include(request, response);
   }
                                                           web.xml (Servlet Configuration)
xml CopyEdit
<web-app xmlns="http://java.sun.com/xml/ns/javaee" version="3.0">
<servlet>
        <servlet-name>LoginServlet</servlet-name>
<servletclass>LoginServlet</servlet-class>
    </servlet>
    <servlet-mapping>
        <servlet-name>LoginServlet</servlet-name>
<urlpattern>/LoginServlet</url-pattern>
    </servlet-mapping>
    <servlet>
        <servlet-name>DashboardServlet</servlet-name>
<servlet-class>DashboardServlet</servlet-class> </servlet>
<servlet-mapping>
        <servlet-name>DashboardServlet</servlet-name>
        <url-pattern>/DashboardServlet</url-pattern>
    </servlet-mapping>
    <servlet>
        <servlet-name>LogoutServlet</servlet-name>
<servletclass>LogoutServlet</servlet-class>
    </servlet>
    <servlet-mapping>
        <servlet-name>LogoutServlet</servlet-name>
                                                            <url-
pattern>/LogoutServlet</url-pattern>
```

</servlet-mapping>

</web-app>

# **OUTPUT:**





DECLI To The Cassian Tracking using Hitte Cassian ways avenued averagefully.
<b>RESULT:</b> The Session Tracking using HttpSession were executed successfully.