

COMP90050 Advanced Database Systems: Tutorial Winter term, 2023 (Week 1)

Exercises

Part 1: Walk through of the Group Project description

Part 2:


1. In a hard disk drive (HDD), the average seek time is 12 ms, rotation delay is 4 ms, and transfer rate is 4MB/sec. For simplicity, we assume in this question only 1MB equals 1000KB.

a) What is seek time delay?


b) What is rotation delay?

c) What will be the disk access time for a transfer size of 8MB?
What will be the disk access time for a transfer size of 8KB?

d) In a solid state drive, what will be the disk access time for a transfer size of 8MB when transfer rate 4MB/sec? Is an SSD faster than an HDD for the same amount of data transfer? Why?



2. There are two different machines where machine A has a smaller cache with on average 50% cache hit ratio (H) and the other machine (machine B) has a much larger cache with on average 90% cache hit ratio. However, the memory access time of machine A is $100C$ and the memory access time of machine B is $400C$ (i.e., memory access in machine A is faster than memory access in machine B), where C is the cache access time. Which machine has overall faster effective memory access time?



3. More details on NoSQL databases - different types of NoSQL databases:

a. **Key-value storage:** A key-value database stores data as a collection of key-value pairs where a key serves as a unique identifier. All accesses to the database are done via the keys. Both keys and values can be complex.

b. **Document storage:** Flexible for storing different kinds of documents, where they may not all have the same sections. XML, JSON, etc. are subclasses of document-oriented databases.

```

<contact>
  <firstname>Bob</firstname>
  <lastname>Smith</lastname>
  <phone type="Cell">(123) 555-0178</phone>
  <phone type="Work">(890) 555-0133</phone>
  <address>
    <type>Home</type>
    <street1>123 Back St.</street1>
    <city>Boys</city>
    <state>AR</state>
    <zip>32225</zip>
    <country>US</country>
  </address>
</contact>


```

Image source: Wikipedia

c. Graph storage: Graphs capture connectivity between entities. Searching and traversing by relations are very fast in such structures.

The links can be material or immaterial:

- Links between two streets are junctions;
- Links between people as their Facebook connections (non-material links)
- a graph is a structure amounting to a set of objects (called vertices) where some pairs of the objects are connected/related in some sense. A connection is called an edge.



d. Discuss example applications of different type of NoSQL databases.

Part 3

4. Review commercially available different cloud computing and database services from Amazon

Amazon Elastic Compute Cloud (EC2)

- 📦 Amazon EC2 = Virtual Machine
- 📦 Amazon EC2: on-demand compute power
 - Obtain and boot new server instances in minutes
 - Quickly scale capacity up or down
 - Servers from \$0.02 (2 cents) per hour
 - On Demand, Reserved, and Spot Pricing
- 📦 Key features:
 - Support for Windows, Linux, FreeBSD, and OpenSolaris
 - Supports all major web and application platforms
 - Deploy across Availability Zones for reliability
 - monitors status and usage



1

Amazon Elastic Block Store (EBS)

- 📦 You can use Amazon EBS as you would use a hard drive on a physical server.
- 📦 Amazon EBS is particularly well-suited for use as the primary storage for a file system, database or for any applications that require fine granular updates and access to raw, unformatted block-level storage.



Amazon Simple Storage Service (S3)

- ❗ In traditional on-premise applications, this type of data would ordinarily be maintained on **SAN** or **NAS**. However, a cloud-based mechanism such as Amazon S3 is far more agile, flexible, and geo-redundant.
- ❗ Amazon S3 is a highly scalable, durable and available distributed object store designed for mission-critical and primary data storage with an easy to use web service interface.



aws.amazon.com AWS | Products | Developers | Community | Support | Account Welcome, AWS User | Settings | Sign Out

Amazon S3 Amazon EC2 **Amazon VPC** Amazon Elastic MapReduce Amazon CloudFront Amazon RDS Amazon SNS

Navigation

Region: US-1

- > VPC Dashboard
- > Your VPC
- > Subnets
- > Routing
- > Internet Gateways
- > DHCP Options
- > Elastic IPs

SECURITY

- > Network ACLs
- > Security Groups

VPN CONNECTION

- > Customer Gateways
- > VPN Gateways
- > VPN Connections

Create a Virtual Private Cloud

Select a VPC Quickstart configuration below:

- ☐ **VPC with a Single Public Subnet**
Your instances run in a private, isolated section of the AWS cloud with direct access to the Internet. Network access control lists and security groups can be used to provide strict control over inbound and outbound network traffic to your instances.
- ☐ **VPC with Public & Private Subnets**
This configuration adds a second subnet whose instances are not exposed to the Internet. Instances in this subnet communicate with the Internet via Network Address Translation.
- ☒ **VPC with Internet & VPN Access**
This configuration adds an IPsec Virtual Private Network (VPN) connection between your VPC and your data center - extending your data center to the cloud while also providing direct access to the Internet for instances in your VPC. [View details](#)
- ☐ **VPC with VPN Only Access**
Your instances run in a private subnet which is connected to your corporate data center via an IPsec VPN connection. All communication with the Internet is routed via the VPN connection and out your data center. This configuration has no direct access to the Internet.

The diagram illustrates a VPC configuration with two subnets: a Public Subnet and a Private Subnet. The Public Subnet is connected to the Internet cloud, which contains Amazon S3, EC2, SimpleDB, and RDS. The Private Subnet is connected to the Public Subnet. A VPN connection is shown between the Private Subnet and a corporate data center represented by server racks.

Creates: a /16 network with two /24 subnets. One subnet is directly connected to the Internet while the other subnet is connected to your corporate network via IPsec VPN tunnel. (VPN charges apply)

[Continue](#)

Amazon Relational Database Service (RDS)

- Amazon RDS = MySQL and Oracle 11g Managed Database
- Amazon RDS automates common administrative tasks to reduce the complexity and total cost of ownership. Amazon RDS automatically backs up your database and maintains your database software, allowing you to spend more time on application development.



5. Discuss the advantages and disadvantages of different database architectures for different application scenarios.

6. Consider the different scenarios below and discuss which database architecture is the most suitable choice and why –

I. FriendBook is a new startup app that will launch its operation soon. They have only one office with not much budget right now, but they are expecting a high growth in the scale of millions of users across the globe in a couple of years. Which of the following database architecture is the most suitable choice for this scenario?

- a. Cloud storage
- b. World wide web
- c. Distributed database
- d. Centralised database

II. FriendBook is a new social network site that will launch its operation soon. They have offices in many major cities of USA. They need a database that can handle millions of users across the globe. **For preserving privacy and security, they need their own data storage system, which is not shared or owned by any other company.** Which of the following database architecture is the most suitable choice for this scenario?

- a. Cloud storage
- b. World wide web
- c. Distributed database
- d. Centralised database