Compass

{} My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
> use retail_db
< switched to db retail_db
> db["products"].find()
< {
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
  }
  {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
  {
    _id: 3,
    name: 'Chair',
    category: 'Furniture',
    price: 7000,
    stock: 20
```

y Queries
ata Modeling

ECTIONS (1)

rch connections

mongo
HexaDB
Dept
Employee
admin
config
local
startup_log
retail_db
products

>_MONGOSH

```
  city: 'Mumbai'
}
{
  _id: 4,
  name: 'Desk',
  category: 'Furniture',
  price: 15000,
  stock: 8,
  city: 'Delhi'
}
{
  _id: 5,
  name: 'Tablet',
  category: 'Electronics',
  price: 30000,
  stock: 12,
  city: 'Chennai'
}
{
  _id: 6,
  name: 'Printer',
  category: 'Electronics',
  price: 12000,
  stock: 5,
  city: 'Hyderabad'
```

My Queries
Data Modeling
NECTIONS (1)
arch connections
mongo
HexaDB
Dept
Employee
admin
config
local
startup_log
retail_db
products
>_MONGOSH
> db.products.aggregate([
{
$group: {
_id: null,
maxPrice: { $max: "$price" }
}
}
])
< {
_id: null,
maxPrice: 80000
}
> db.products.aggregate([
{
$group: {
_id: null,
totalValue: { $sum: { $multiply: ["$price", "$stock"] } }
}
}
])
< {
_id: null,
totalValue: 1910000
}
retail_db>

ompass

My Queries

Data Modeling

ONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | >_ mongosh: mongo | retail_db | >_ mongosh: mongo | products | local

>_MONGOSH

```
  }
> db.products.find({
    category: "Electronics",
    price: { $gt: 40000 }
  })
< {
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
  }
  {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
> db.products.updateOne(
    { name: "Laptop" },
    { $set: { price: 80000 } }
  )
```

Queries

Modeling

CTIONS (1)

ch connections

ongo

HexaDB

Dept

Employee

admin

config

local

startup_log

retail_db

products

>_MONGOSH

```
  }
> db.products.find({ stock: { $gt: 10 } })
< {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
  {
    _id: 3,
    name: 'Chair',
    category: 'Furniture',
    price: 7000,
    stock: 20,
    city: 'Mumbai'
  }
  {
    _id: 5,
    name: 'Tablet',
    category: 'Electronics',
    price: 30000,
    stock: 12,
```

y Queries

ata Modeling

ECTIONS (1)

rch connections

mongo

HexaDB

Dept

Employee

admin

config

local

startup_log

retail_db

products

>_MONGOSH

```
> db.products.find().sort({ price: -1 }).limit(3)
< {
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
  }
  {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
  {
    _id: 5,
    name: 'Tablet',
    category: 'Electronics',
    price: 30000,
    stock: 12,
    city: 'Chennai'
```

My Queries

Data Modeling

ONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

>_MONGOSH

```
    city: 'Chennai'
  }
> db.products.find().sort({ price: 1 }).limit(2)
< {
    _id: 3,
    name: 'Chair',
    category: 'Furniture',
    price: 7000,
    stock: 20,
    city: 'Mumbai'
  }
  {
    _id: 6,
    name: 'Printer',
    category: 'Electronics',
    price: 12000,
    stock: 5,
    city: 'Hyderabad'
  }
> db.products.find().skip(2)
< {
    _id: 3,
    name: 'Chair',
    category: 'Furniture',
    price: 7000
```

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
  }
> db.products.find().sort({ price: -1 })
< {
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
  }
  {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
  {
    _id: 5,
    name: 'Tablet',
    category: 'Electronics',
    price: 30000,
    stock: 12,
    city: 'Chennai'
```

My Queries

Data Modeling

ONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

>_MONGOSH

```
  }
> db.products.find().sort({ price: 1 })
< {
    _id: 3,
    name: 'Chair',
    category: 'Furniture',
    price: 7000,
    stock: 20,
    city: 'Mumbai'
  }
  {
    _id: 6,
    name: 'Printer',
    category: 'Electronics',
    price: 12000,
    stock: 5,
    city: 'Hyderabad'
  }
  {
    _id: 4,
    name: 'Desk',
    category: 'Furniture',
    price: 15000,
    stock: 8,
    city: 'Delhi'
```

mpass

My Queries

Data Modeling

NECTIONS (1)

arch connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | >_ mongosh: mongo | retail_db | >_ mongosh: mongo | products | local

>_MONGOSH

```
    price: 12000
  }
> db.products.find({}, { name: 1, category: 1, city: 1, _id: 0 })
< {
    name: 'Laptop',
    category: 'Electronics',
    city: 'Hyderabad'
  }
  {
    name: 'Phone',
    category: 'Electronics',
    city: 'Bangalore'
  }
  {
    name: 'Chair',
    category: 'Furniture',
    city: 'Mumbai'
  }
  {
    name: 'Desk',
    category: 'Furniture',
    city: 'Delhi'
  }
  {
    name: 'Tablet',
```

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
  }
> db.products.find({}, { name: 1, price: 1, _id: 0 })
< {
    name: 'Laptop',
    price: 75000
  }
  {
    name: 'Phone',
    price: 50000
  }
  {
    name: 'Chair',
    price: 7000
  }
  {
    name: 'Desk',
    price: 15000
  }
  {
    name: 'Tablet',
    price: 30000
  }
  {
    name: 'Printer',
    price: 12000
```

My Queries

Data Modeling

ONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

>_MONGOSH

```
}
> db.products.find({
  category: { $ne: "Furniture" }
})
< {
  _id: 1,
  name: 'Laptop',
  category: 'Electronics',
  price: 75000,
  stock: 10,
  city: 'Hyderabad'
}
{
  _id: 2,
  name: 'Phone',
  category: 'Electronics',
  price: 50000,
  stock: 15,
  city: 'Bangalore'
}
{
  _id: 5,
  name: 'Tablet',
  category: 'Electronics',
```

onnections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
> db.products.find({
    city: { $in: ["Hyderabad", "Bangalore"] }
  })
< {
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
  }
  {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
  {
    _id: 6,
    name: 'Printer',
    category: 'Electronics',
    price: 12000,
    stock: 5
```

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
  }
> db.products.find({ category: "Furniture" })
< {
    _id: 3,
    name: 'Chair',
    category: 'Furniture',
    price: 7000,
    stock: 20,
    city: 'Mumbai'
  }
  {
    _id: 4,
    name: 'Desk',
    category: 'Furniture',
    price: 15000,
    stock: 8,
    city: 'Delhi'
  }
> db.products.find({
    category: "Electronics",
    city: "Hyderabad"
  })
< {
    _id: 1,
    name: 'Laptop',
```

```
}
> db.products.find({ category: "Furniture" })
< {
    _id: 3,
    name: 'Chair',
    category: 'Furniture',
    price: 7000,
    stock: 20,
    city: 'Mumbai'
  }
  {
    _id: 4,
    name: 'Desk',
    category: 'Furniture',
    price: 15000,
    stock: 8,
    city: 'Delhi'
  }
```

ompass

My Queries

Data Modeling

NNECTIONS (1)

earch connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
  }
  {
    _id: 6,
    name: 'Printer',
    category: 'Electronics',
    price: 12000,
    stock: 5,
    city: 'Hyderabad'
  }
> db.products.find({ price: { $gte: 10000, $lte: 50000 } })
< {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
  {
    _id: 4,
    name: 'Desk',
    category: 'Furniture',
    price: 15000,
    stock: 8,
    city: 'Delhi'
```

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

>_MONGOSH

```
  }
  {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
> db.products.find({ price: { $lt: 20000 } })
< {
    _id: 3,
    name: 'Chair',
    category: 'Furniture',
    price: 7000,
    stock: 20,
    city: 'Mumbai'
  }
  {
    _id: 4,
    name: 'Desk',
    category: 'Furniture',
    price: 15000,
    stock: 8,
```

Compass

My Queries

Data Modeling

ONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
  }
  {
    _id: 6,
    name: 'Printer',
    category: 'Electronics',
    price: 12000,
    stock: 5,
    city: 'Hyderabad'
  }
> db.products.find({ price: { $gt: 30000 } })
< {
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
  }
  {
```

ompass

My Queries

Data Modeling

NNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
  _id: 2,
  name: 'Phone',
  category: 'Electronics',
  price: 50000,
  stock: 15,
  city: 'Bangalore'
}
{
  _id: 5,
  name: 'Tablet',
  category: 'Electronics',
  price: 30000,
  stock: 12,
  city: 'Chennai'
}
{
  _id: 6,
  name: 'Printer',
  category: 'Electronics',
  price: 12000,
  stock: 5,
  city: 'Hyderabad'
}
> db.products.find({ city: "Hyderabad" })
```

ompass

My Queries

Data Modeling

ONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

HexaDB | mongo | mongosh: mongo | retail_db | mongosh: mongo | products | local

>_MONGOSH

```
> db.products.find({price:{$gt:30000}})
< {
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
  }
  {
    _id: 2,
    name: 'Phone',
    category: 'Electronics',
    price: 50000,
    stock: 15,
    city: 'Bangalore'
  }
> db.products.find({category:"Electronics"})
< {
    _id: 1,
    name: 'Laptop',
    category: 'Electronics',
    price: 75000,
    stock: 10,
    city: 'Hyderabad'
```

My Queries

Data Modeling

NNECTIONS (1)

earch connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

```
>_MONGOSH
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
  }
> db.products.updateMany(
    { category: "Electronics" },
    { $set: { discount: 10 } }
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 4,
    modifiedCount: 4,
    upsertedCount: 0
  }
> db.products.deleteOne({ name: "Printer" })
< {
    acknowledged: true,
    deletedCount: 1
  }
> db.products.deleteMany({ category: "Furniture" })
< {
    acknowledged: true,
```

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- mongo
  - HexaDB
    - Dept
    - Employee
  - admin
  - config
  - local
    - startup_log
  - retail_db
    - products

>_MONGOSH

```
    deletedCount: 2
  }
> db.products.countDocuments()
< 3
> db.products.countDocuments({ category: "Electronics" })
< 3
> db.products.aggregate([
    {
      $group: {
        _id: "$category",
        totalStock: { $sum: "$stock" }
      }
    }
  ])
< {
    _id: 'Electronics',
    totalStock: 37
  }
> db.products.aggregate([
    {
      $group: {
        _id: "$category",
        avgPrice: { $avg: "$price" }
      }
```