Project

- basic function.py
- data types.py
- hello.py
- if.py
- if else.py
- iterate.py
- main.py
- nested if.py
- no1 name age.py
- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py

no1 name age.py | no2 1 to 10.py | no3 even.py | no4 odd.py | no 5 greeting.py

```python
for i in range(1, 11):
    print(i)
```

Run: no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

Project

- basic function.py
- data types.py
- hello.py
- if.py
- if else.py
- iterate.py
- main.py
- nested if.py
- no1 name age.py
- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py

no1 name age.py | no2 1 to 10.py | no3 even.py | no4 odd.py | no 5 greeting.py

```python
print("Name: Thamarai")
print("City: Chennai")
```

Run: no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

onProject > no1 name age.py 2:23 CRLF UTF-8 4 spaces Python 3.14 (PythonProject)

basic function.py
data types.py
hello.py
if.py
if else.py
iterate.py
main.py
nested if.py
no1 name age.py
no2 1 to 10.py
no3 even.py
no4 odd.py
no 5 greeting.py
no 6 square.py
no 6 sum of two.py

```python
for i in range(1, 21):
    if i % 2 == 0:
        print(i)
```

no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

Project

- basic function.py
- data types.py
- hello.py
- if.py
- if else.py
- iterate.py
- main.py
- nested if.py
- no1 name age.py
- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py

no1 name age.py | no2 1 to 10.py | no3 even.py | no4 odd.py | no 5 greeting.py

```python
for i in range(1, 21):
    if i % 2 != 0:
        print(i)
```

Run: no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

Project

- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py

no1 name age.py | no2 1 to 10.py | no3 even.py | no4 odd.py | no 5 greeting.py

```python
for i in range(1, 21):
    if i % 2 != 0:
        print(i)
```

Project

- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py

no3 even.py | no4 odd.py | no 5 greeting.py | no 6 sum of two.py | no 6 square.py

```python
n = int(input("Enter number: "))
print("Square:", n * n)
```

Run: no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

no2 1 to 10.py
no3 even.py
no4 odd.py
no 5 greeting.py
no 6 square.py
no 6 sum of two.py
no 8 cube.py
no 9 odd even.py
no 10 posneg.py
no11 vote.py
no12 grade.py
no 13.py
no 14 multi.py
no 15.py
no 16.py

```python
a = int(input("Enter first: "))
b = int(input("Enter second: "))
print("Sum:", a + b)
```

no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

Project

- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py

no4 odd.py | no 5 greeting.py | no 6 sum of two.py | no 6 square.py | no 8 cube.py

```python
n = int(input("Enter number: "))
print("Cube:", n * n * n)
```

Run: no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

no2 1 to 10.py
no3 even.py
no4 odd.py
no 5 greeting.py
no 6 square.py
no 6 sum of two.py
no 8 cube.py
no 9 odd even.py
no 10 posneg.py
no11 vote.py
no12 grade.py
no 13.py
no 14 multi.py
no 15.py
no 16.py

```python
n = int(input("Enter number: "))
if n % 2 == 0:
    print("Even")
else:
    print("Odd")
```

no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

Project

- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py

no 6 sum of two.py | no 6 square.py | no 8 cube.py | no 9 odd even.py | no 10 posneg.py

```python
n = int(input("Enter number: "))
if n >= 0:
    print("Positive")
else:
    print("Negative")
```

Run: no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

Project

- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py

no 6 square.py | no 8 cube.py | no 9 odd even.py | no 10 posneg.py | no11 vo

```python
age = int(input("Enter age: "))
if age >= 18:
    print("Eligible to vote")
else:
    print("Not eligible")
```

Run: no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```

- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py

```python
marks = int(input("Enter marks: "))

if marks >= 90:
    print("A")
elif marks >= 70:
    print("B")
elif marks >= 50:
    print("C")
else:
    print("Fail")
```

no12 grade

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no12 grade.py"
Enter marks: 78
B

Process finished with exit code 0
```

Project

- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py

e.py | no 9 odd even.py | no 10 posneg.py | no11 vote.py | no12 grade.py | no 13.py

```python
for i in range(1, 51):
    print(i)
```

Run: no 13

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 13.py"
1
2
3
4
5
6
```

PythonProject > no 13.py 2:13 CRLF UTF-8 4 spaces Python 3.14 (Py

roject

no2 1 to 10.py
no3 even.py
no4 odd.py
no 5 greeting.py
no 6 square.py
no 6 sum of two.py
no 8 cube.py
no 9 odd even.py
no 10 posneg.py
no11 vote.py
no12 grade.py
no 13.py
no 14 multi.py
no 15.py
no 16.py

no 15.py | no 16.py | no 17.py | no 18.py | no 19.py | no 20.py | no 14 mu

```python
n = int(input("Enter number: "))
for i in range(1, 11):
    print(n, "x", i, "=", n * i)
```

un | no 13

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 13.py"
1
2
3
4
```

ject

- no2 1 to 10.py
- no3 even.py
- no4 odd.py
- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py

no 15.py | no 16.py | no 17.py | no 18.py | no 19.py | no

```python
total = 0
for i in range(1, 101):
    total += i

print("Sum:", total)
```

no 13

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProjec
1
2
3
4
5
6
```

Snipping To

Screenshot co
Automatically


no 10 posneg.py
no11 vote.py
no12 grade.py
no 13.py
no 14 multi.py
no 15.py
no 16.py
no 17.py
no 18.py
no 19.py
Run
no 17

no 5 greeting.py
no 6 square.py
no 6 sum of two.py
no 8 cube.py
no 9 odd even.py
no 10 posneg.py
no11 vote.py
no12 grade.py
no 13.py
no 14 multi.py
no 15.py
no 16.py
no 17.py
no 18.py
no 19.py

```python
lst = [10, 20, 30, 40, 50]
print(lst)
```

no 17

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 17.py"
[10, 20, 30, 40, 50]

Process finished with exit code 0
```

Project

- no 5 greeting.py
- no 6 square.py
- no 6 sum of two.py
- no 8 cube.py
- no 9 odd even.py
- no 10 posneg.py
- no11 vote.py
- no12 grade.py
- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py
- no 17.py
- no 18.py
- no 19.py

no 15.py | no 16.py | no 17.py | no 18.py | no 19.py | no 20.py | no 14 multi.

```python
lst = [10, 50, 30, 20]
print("Largest:", max(lst))
```

Run: no 18

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 18.py"
Largest: 50

Process finished with exit code 0
```

Project

- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py
- no 17.py
- no 18.py
- no 19.py
- no 20.py
- passing parameter.py
- range.py
- stringtointeger.py
- while.py
- External Libraries
- Scratches and Consoles

no 15.py | no 16.py | no 17.py | no 18.py | no 19.py | no 20.py | no 14 multi.

```python
lst = [10, 50, 30, 20]
print("Smallest:", min(lst))
```

Run: no 19

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 19.py"
Smallest: 10

Process finished with exit code 0
```

Project

- no 13.py
- no 14 multi.py
- no 15.py
- no 16.py
- no 17.py
- no 18.py
- no 19.py
- no 20.py
- passing parameter.py
- range.py
- stringtointeger.py
- while.py
- External Libraries
- Scratches and Consoles

no 15.py | no 16.py | no 17.py | no 18.py | no 19.py | no 20.py | no 14 multi...

```python
lst = [10, 20, 30, 40]
print("Sum:", sum(lst))
```

Run: no 20

```
C:\Users\acer\PycharmProjects\PythonProject\.venv\Scripts\python.exe "C:\Users\acer\PycharmProjects\PythonProject\no 20.py"
Sum: 100

Process finished with exit code 0
```