



UPPSALA UNIVERSITET

UPPSATSENS TITEL

Av

Inge Tabell

Kandidatuppsats i statistik

Handledare

Efraim Stolle

20yy

Författarens tack

I want to thank a few people.

Sammanfattning

A clearly worded, short, precise, abstract of no more than 300 Words; No formulas; Avoid references utmost; Same tense; No indentation or enumeration etc.; Write in normal text (no italic, bold or underline)

Innehåll

Författarens tack	i
Sammanfattning	ii
Förkortningar	iv
Figurer	v
Tabeller	vi
About this Thesis Template	1
Why use R Markdown?	1
1 Introduktion	1
2 Metod	2
3 Data	2
4 Resultat	3
4.1 Review of Results	4
5 Slutsatser	5
Källförteckning	6
A Bilaga	7
A.1 Figurer	7
A.2 Tabeller	7

Förkortningar

CPI	Consumer Price Index	ETF	Equity Traded Funds
ETH	Eat the Horse	XLM	Xetra Liquidity

Figurer

1	Estimated residuals from model XXX.	4
2	Estimated residuals (2) from model XXX.	7

Tabeller

1	Detailed descriptive statistics of location and dispersion for 2100 observed swap rates for the period from February 15, 1999 to March 2, 2007. Swap rates measured as 3.12 (instead of 0.0312).	3
2	This table was handwritten with LaTeX.	3
3	Detailed descriptive statistics of location and dispersion for 2100 observed swap rates for the period from February 15, 1999 to March 2, 2007. Swap rates measured as 3.12 (instead of 0.0312).	7

About this Thesis Template

Welcome to the thesis template. This template is based on the `huwiwidown` template package.

Why use R Markdown?

R Markdown creates a simple and straightforward way to interface with the beauty of LaTeX. Packages have been written in **R** to work directly with LaTeX to produce nicely formatting tables and paragraphs.

R Markdown also allows you to read in your data, to analyze it and to visualize it using **R** functions, and also to provide the documentation and commentary on the results of your project. Using *R Markdown* will also allow you to easily keep track of your analyses in **R** chunks of code, with the resulting plots and output included as well.

1 Introduction

- What is the subject of the study? Describe the statistical problem.
- What is the purpose of the study (working hypothesis)?
- What do we already know about the subject (literature review)? Use citations: Lingens, Wagner, and André (2011) shows that... Alternative Forms of the Wald test are considered (Kuncheva 2004). If you put the references in bibtex format in the `bib/references.bib` file, they will show up automatically in the reference list if you refer to them.
- What is the innovation of the study?
- Provide an overview of your results.
- Outline of the paper:
The paper is organized as follows. The next section describes the model under investigation. Section 3 describes the data set and Section 4 presents the results. Finally, Section 5 concludes.
- The introduction should not be longer than 4 pages.

2 Metod

- How was the data analyzed ?
- Present the underlying statistical model/theory and give reasons why it is suitable to answer the given problem¹.
- Present the statistical estimation method and give reasons why it is suitable to answer the given problem.
- Allows the reader to judge the validity of the study and its findings.
- Depending on the topic this section can also be split up into separate sections.

3 Data

- Describe the data and its quality.
- How was the data sample selected?
- Provide descriptive statistics such as:
 - time period,
 - item number of observations, data frequency,
 - item mean, median,
 - item min, max, standard deviation,
 - item skewness, kurtosis, Jarque–Bera statistic,
 - item time series plots, histogram.
- For example:

¹ Here is an example of a footnote.

	3m	6m	1yr	2yr	3yr	5yr	7yr	10yr	12yr	15yr
Mean	3.138	3.191	3.307	3.544	3.756	4.093	4.354	4.621	4.741	4.878
StD	0.915	0.919	0.935	0.910	0.876	0.825	0.803	0.776	0.768	0.762

Tabell 1: Detailed descriptive statistics of location and dispersion for 2100 observed swap rates for the period from February 15, 1999 to March 2, 2007. Swap rates measured as 3.12 (instead of 0.0312).

- Allows the reader to judge whether the sample is biased or to evaluate possible impacts of outliers, for example.
- Here tables can be easily integrated using the `kable()` function in the `knitr` package (with perhaps some additional help from the `kableExtra` package). `kable()` will automatically generate a label for the table environment. That way you don't have to manually enter in the table in LaTeX, you can embed tables from R code.
- Tables can be referenced using `\@ref(label)`, where `label` is `tab:<name>`, where `<name>` is the code chunk label.
- The appearance may look different to tables directly typed with LaTeX, due to limitations in `kable()`. To compare:

	3m	6m	1yr	2yr	3yr	5yr	7yr	10yr	12yr	15yr
Mean	3.138	3.191	3.307	3.544	3.756	4.093	4.354	4.621	4.741	4.878
StD	0.915	0.919	0.935	0.910	0.876	0.825	0.803	0.776	0.768	0.762

Tabell 2: This table was handwritten with LaTeX.

4 Resultat

- Organize material and present results.
- Use tables, figures (but prefer visual presentation):
 - Tables and figures should supplement (and not duplicate) the text.
 - Tables and figures should be provided with legends.
 - *Figure 1 shows how to include and reference graphics. The graphic must be labelled before. Files must be in .eps format. You can do this really easily in R Markdown with `knitr::include_graphics()`!*




Figure 1: Estimated residuals from model XXX. ...

- Figures can be referenced with `\@ref(fig:<name>)`, where `<name>` is the name of the code chunk.
- Tables and graphics may appear in the text or in the appendix, especially if there are many simulation results tabulated, but is also depends on the study and number of tables resp. figures. The key graphs and tables must appear in the text!
- R Markdown can also supports math equations just like *LaTeX*!
 - Equation (1) represents the ACs of a stationary stochastic process:

$$f_y(\lambda) = (2\pi)^{-1} \sum_{j=-\infty}^{\infty} \gamma_j e^{-i\lambda j} = (2\pi)^{-1} \left(\gamma_0 + 2 \sum_{j=1}^{\infty} \gamma_j \cos(\lambda j) \right) \quad (1)$$

where $i = \sqrt{-1}$ is the imaginary unit, $\lambda \in [-\pi, \pi]$ is the frequency and the γ_j are the autocovariances of y_t .

- Equations can be referenced with `\@ref(eq:<name>)`, where name is defined by adding `(\#eq:<name>)` in the line immediately before `\end{equation}`.

4.1 Review of Results

- Do the results support or do they contradict theory ?
- What does the reader learn from the results?
- Try to give an intuition for your results.
- Provide robustness checks.

- Compare to previous research.

5 Slutsatser

- Give a short summary of what has been done and what has been found.
- Expose results concisely.
- Draw conclusions about the problem studied. What are the implications of your findings?
- Point out some limitations of study (assist reader in judging validity of findings).
- Suggest issues for future research.

Källförteckning

- Kuncheva, Ludmila I. 2004. *Combining Pattern Classifiers: Methods and Algorithms*. John Wiley & Sons.
- Lingenfelser, Florian, Johannes Wagner, and Elisabeth André. 2011. "A Systematic Discussion of Fusion Techniques for Multi-Modal Affect Recognition Tasks." In *Proceedings of the 13th International Conference on Multimodal Interfaces*, 19–26. ACM.




Figure 2: Estimated residuals (2) from model XXX. ...

A Bilaga

Here goes the appendix!

A.1 Figurer

A.2 Tabeller

	3m	6m	1yr	2yr	3yr	5yr	7yr	10yr	12yr	15yr
Mean	3.138	3.191	3.307	3.544	3.756	4.093	4.354	4.621	4.741	4.878
Median	3.013	3.109	3.228	3.490	3.680	3.906	4.117	4.420	4.575	4.759
Min	1.984	1.950	1.956	2.010	2.240	2.615	2.850	3.120	3.250	3.395
Max	5.211	5.274	5.415	5.583	5.698	5.805	5.900	6.031	6.150	6.295
StD	0.915	0.919	0.935	0.910	0.876	0.825	0.803	0.776	0.768	0.762

Tabell 3: Detailed descriptive statistics of location and dispersion for 2100 observed swap rates for the period from February 15, 1999 to March 2, 2007. Swap rates measured as 3.12 (instead of 0.0312).