L1

```
(base) evgenij@VelmozhinMac lab6 % bash hello.sh
Hello, World!
```

L2

```
[(base) evgenij@VelmozhinMac lab6 % nano greet.sh
[(base) evgenij@VelmozhinMac lab6 % bash greet.sh
 Your name: Evgenii
 Hello, Evgenii!
 (base) evgenij@VelmozhinMac lab6 %
```

L3

```
(base) evgenij@VelmozhinMac lab6 % nano check_number.sh
(base) evgenij@VelmozhinMac lab6 % bash check_number.sh
enter Number: 5
Number +
(base) evgenij@VelmozhinMac lab6 % bash check_number.sh
enter Number: 0
Number Zero
(base) evgenij@VelmozhinMac lab6 % bash check_number.sh
enter Number: -4
Number -
(base) evgenij@VelmozhinMac lab6 %
```

L4

```
[(base) evgenij@VelmozhinMac lab6 % nano countdown.sh
[(base) evgenij@VelmozhinMac lab6 % bash countdown.sh
 Enter number: 6
 Count: 6
 Count: 5
 Count: 4
 Count: 3
 Count: 2
 Count: 1
 (base) evgenij@VelmozhinMac lab6 %
```

L5

```
(base) evgenij@VelmozhinMac lab6 % nano file_manager.sh
(base) evgenij@VelmozhinMac lab6 % bash file_manager.sh
create case5 dir
create file test.txt
.                ..                test1.txt        test2.txt        test3.txt
remove file
exit dirictory
(base) evgenij@VelmozhinMac lab6 %
```