

[Pay for StudyPal AI Extension!](#)

Claim.MD API (1.17)

Download OpenAPI specification: [Download](#)

Claim.MD API Service calls. Locate your AccountKey under the Settings->Account Settings menu in the web portal. Contact support if no key is available.

API calls should not exceed 100 requests per-minute.

[\[Additional Code Samples Available\]](#)

Upload Batch Files

Batch file upload. Submit claims, eligibility, ERA or attachment files. Acceptable claim file formats include 837P, 837I, CSV, JSON, XML, XLS, XLSX.

Claim files uploaded via the API may contain between 1 - 2000 claims per API call.

- [837P/837I Companion Guide](#)
- [Professional Claims JSON Example](#)
- [Professional Claims XML Example](#) - ".xml" filename extension required.
- [Institutional Claims XML Example](#) - ".xml" filename extension required.
- [Professional Claims CSV Example](#) (One row per claim) - ".csv" filename extension required.
- [Professional Claims XLS Example](#) (One row per claim) - ".xls" filename extension required.
- [Professional Claims XLSX Example](#) (One row per procedure) - ".xlsx" filename extension required.
- [Field List for XML, CSV, XLS, XLSX File Formats](#)

Request ▾

HEADER PARAMETERS

Accept

string

Default: `application/xml`

Enum: `"application/xml"` `"application/json"`

REQUEST BODY SCHEMA: `multipart/form-data`

AccountKey

required

string

Claim.MD API Key. Locate this value in the portal under Settings - Account Settings.

File

required

string <binary>

Claim file data.

Filename

string

Name of file. Required if File parameter is not submitted with Content-Disposition: 'filename' header, and data type is not X12.

Responses ▾

200 OK



POST /services/upload/ >

Try it

Request samples ▾

curl

Node.js

Python

C#

PHP

Copy

```
curl -i -X POST \
  https://svc.claim.md/services/upload/ \
  -H 'Accept: application/xml' \
  -H 'Content-Type: multipart/form-data' \
  -F AccountKey=string \
  -F File=@filepath
```

Response samples ▾

200

application/xml

Result

Copy

```
<result messages="Received 2 claims in file: sample837.txt">
  <claim batchid="13388918" bill_npi="1234567893" bill_taxid="741111111" claimid="396723"
    <messages fields="" mesgid="ACK" message="Acknowledged" status="A" />
  </claim>
  <claim batchid="13388919" bill_npi="1234567893" bill_taxid="741111111" claimid="396723"
```

```
<messages fields="" mesgid="ACK" message="Acknowledged" status="A" />
</claim>
</result>
```

List Uploaded Files

List of files uploaded into Claim.MD

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded

AccountKey

required

string

Claim.MD API Key. Locate this value in the portal under Settings - Account Settings.

Page

string

Up to 500 results returned at a time. Use Page to request additional pages. (i.e. Page=2, for the second page of results)

UploadDate

string

Return files uploaded on a specific date. Format yyyy-mm-dd.

Responses ▾

200 OK



POST /services/uploadlist/ >

Try it

Request samples ▾

Payload

curl

Node.js

Python

C#

1 more ▾

```
application/x-www-form-urlencoded
```

Copy

```
AccountKey=string
```

Response samples ▾

200

```
application/xml
```

```
Result
```

Copy

```
<result>
  <file file_amount="1297271.00" file_count="294" file_type="claim" filename="myfile.txt"
  <file file_amount="3990.00" file_count="1" file_type="claim" filename="medicare_claims"
  <file file_amount="2000070.00" file_count="62" file_type="claim" filename="bcbs_claims"
</result>
```

Response Request

Receive delayed claim status updates. Periodically call this service to download the most recent updates on all claims submitted from this account. *Max 20,000 results per request.*

Request ▾**HEADER PARAMETERS**

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded

AccountKey

required

string

Claim.MD API Key. Locate this value in the portal under Settings - Account Settings.

ResponseID

required

string

Download all responses greater than a specific ResponseID. First request should contain ResponseID=0, save the last_responseid to use on follow up requests.

ClaimID

string

Download all responses received for a particular Claim.MD claim ID. Do not use this option for periodic status updates.[optional]

Responses ▾

200 OK



POST /services/response/ >

Try it

Request samples ▾

Payload

curl

Node.js

Python

C#

1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string&ResponseID=string

Response samples ▾

200

application/xml

Result

Copy

```
<result last_responseid="755595618">
  <claim batchid="13388918" bill_npi="1234567893" bill_taxid="741111111" claimid="396723"
    <messages fields="" mesgid="ACK" message="Acknowledged" responseid="755534642" statu
  </claim>
  <claim batchid="13388919" bill_npi="1234567893" bill_taxid="741111111" claimid="396723"
    <messages fields="" mesgid="ACK" message="Acknowledged" responseid="755534643" statu
  </claim>
  <claim batchid="13388918" bill_npi="1234567893" bill_taxid="741111111" claimid="396723"
    <messages fields="" mesgid="ACK" message="CLAIM ACKNOWLEDGED" responseid="755595616"
  </claim>
  <claim batchid="13388919" bill_npi="1234567893" bill_taxid="741111111" claimid="396723"
    <messages fields="" mesgid="ACK" message="CLAIM ACKNOWLEDGED" responseid="755595617"
    <messages fields="" mesgid="ACK" message="STATUS - Finalized/Payment-The claim/line
  </claim>
</result>
```

Eligibility Request 270/271

Realtime eligibility request in the X12 270/271 formats. Send one request per 270 file.

Request ▾

HEADER PARAMETERS

Accept
string
Default: application/xml
Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: multipart/form-data

AccountKey
required

string
Claim.MD API Key. Locate this value in the portal under Settings - Account Settings.
File
required
string <binary>
270 file data

Responses ▾

200 OK >

POST /services/elig/ > Try it

Request samples ▾

curl Node.js Python C# PHP

Copy

```
curl -i -X POST \
  https://svc.claim.md/services/elig/ \
  -H 'Accept: application/xml' \
  -H 'Content-Type: multipart/form-data' \
  -F AccountKey=string \
  -F File=string
```

Response samples ▾

200

application/xml

Result

Copy

```
<result>
  <eligibility data="ISA... DATA ...IEA" eligid="43830230" />
```

</result>

Eligibility Request XML/JSON

Realtime eligibility request, send parameters. Results return in XML or JSON formats.
Service formerly /eligxml/, this legacy URL is still supported.

Reference

Request ▾

HEADER PARAMETERS

Accept
string
Default: application/xml
Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded

AccountKey
required
string
Claim.MD API Key. Locate this value in the portal under Settings - Account Settings.

ins_name_l
required
string
Insured/Patient last name

ins_name_f
required
string
Insured/Patient first name

ins_name_m
string
Insured/Patient middle name

payerid
required
string
Payer ID to identify which payer to query.

pat_rel
required
any
Patient relationship code.
Valid values:

18 = Self

G8 = Dependent

Enum: "18" "G8"

service_code

string

Eligibility benefit type codes requested. Comma separated values. Corresponds with 'benefit_type_code' listed in reference above. Defaults to '30', Health Benefit Plan Coverage.

Enum: "1" "2" "3" "4" "5" "6" "7" "8" "9" "10" "11" "12" "13" "14" "15" "16" "17" "18" "19" "20" "21" "22" "23" "24" "25" "26" "27" "28" "30" "32" "33" "34" "35" "36" "37" "38" "39" "40" "41" "42" "43" "44" "45" "46" "47" "48" "49" "50" "51" "52" "53" "54" "55" "56" "57" "58" "59" "60" "61" "62" "63" "64" "65" "66" "67" "68" "69" "70" "71" "72" "73" "74" "75" "76" "77" "78" "79" "80" "81" "82" "83" "84" "85" "86" "87" "88" "89" "90" "91" "92" "93" "94" "95" "96" "97" "98" "99" "A0" "A1" "A3" "A4" "A5" "A6" "A7" "A8" "A9" "AA" "AB" "AC" "AD" "AE" "AF" "AG" "AH" "AI" "AJ" "AK" "AL" "AM" "AN" "AO" "AP" "AQ" "AR" "B1" "B2" "B3" "BA" "BB" "BC" "BD" "BE" "BF" "BG" "BH" "BI" "BJ" "BK" "BL" "BM" "BN" "BP" "BQ" "BR" "BS" "BT" "BU" "BV" "BW" "BX" "BY" "BZ" "C1" "CA" "CB" "CC" "CD" "CE" "CF" "CG" "CH" "CI" "CJ" "CK" "CL" "CM" "CN" "CO" "CP" "CQ" "DG" "DM" "DS" "GF" "GN" "GY" "IC" "MH" "NI" "ON" "PT" "PU" "RN" "RT" "TC" "TN" "UC" "E0" "E1" "E2" "E3" "E4" "E5" "E6" "E7" "E8" "E9" "E10" "E11" "E12" "E13" "E14" "E15" "E16" "E17" "E18" "E19" "E20" "E21" "E22" "E23" "E24" "E25" "E26" "E27" "E28" "E29" "E30" "E31" "E32" "E33" "E34" "E35" "E36" "EA" "EB" "EC" "ED" "EE" "EF" "GF" "GN" "GY" "IC" "MH" "NI" "ON" "PE" "PT" "PU" "RN" "RT" "SMH" "TC" "TN" "UC"

proc_code

string

CPT Code. Used in place of service_code.

fdos

required

string

Service date. Format yyymmdd.

prov_npi

required

string

Provider NPI

ins_number

string

Insured policy/MBI

ins_dob

string

Insured date of birth. Format yyymmdd.

ins_sex

string

Insured gender. M = Male, F = Female.

pat_name_l

string

Patient last name (used when pat_rel = G8)

pat_name_f

string

Patient first name (used when pat_rel = G8)

pat_name_m

string
Patient middle name (used when pat_rel = G8)

pat_dob
string
Patient date of birth. Format yyyyymmdd. (used when pat_rel = G8)

pat_sex
string
Patient gender. M = Male, F = Female.

prov_name_l
string
Provider organization name, or individual provider last name.

prov_name_f
string
Individual provider first name.

prov_taxonomy
string
Provider taxonomy code.

prov_taxid
required
string
Provider tax ID.

prov_taxid_type
any
Provider tax ID Type
E = EIN
S = SSN
Enum: "E" "S"

prov_addr_1
string
Provider street address.

prov_city
string
Provider city.

prov_state
string
Provider state.

prov_zip
string
Provider zip.

Responses ▾

200 OK



POST /services/eligdata/ >

Try it

Request samples ▾

Payload

curl

Node.js

Python

C#

1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string&ins_name_l=string&ins_name_f=string&payerid=string&pat_rel=18&fdos=string

Response samples ▾

200

application/xml

Result

Copy

```
<result>
  <elig elig_result_date="20220909" elig_result_time="1341" eligid="28277016" group_numk
    <benefit benefit_code="30" benefit_coverage_code="1" benefit_coverage_description="A
      <entity_addr_1>P.O. BOX 30555</entity_addr_1>
      <entity_city>SALT LAKE CITY</entity_city>
      <entity_code>PR</entity_code>
      <entity_description>Payer</entity_description>
      <entity_name>UNITED HEALTH CARE</entity_name>
      <entity_state>UT</entity_state>
      <entity_zip>841300555</entity_zip>
    </benefit>
    <benefit benefit_amount="0" benefit_code="30" benefit_coverage_code="C" benefit_cove
    <benefit benefit_amount="0" benefit_code="30" benefit_coverage_code="C" benefit_cove
    <benefit benefit_amount="0" benefit_code="30" benefit_coverage_code="G" benefit_cove
    <benefit benefit_amount="0" benefit_code="30" benefit_coverage_code="G" benefit_cove
    <benefit benefit_amount="3000" benefit_code="30" benefit_coverage_code="C" benefit_c
    <benefit benefit_amount="0" benefit_code="30" benefit_coverage_code="C" benefit_cove
    <benefit benefit_amount="9000" benefit_code="30" benefit_coverage_code="G" benefit_c
    <benefit benefit_amount="1500" benefit_code="30" benefit_coverage_code="C" benefit_c
    <benefit benefit_amount="99999" benefit_code="30" benefit_coverage_code="G" benefit_
```

12/35

```
<benefit benefit_amount="15" benefit_code="33" benefit_coverage_code="B" benefit_cov
<benefit benefit_amount="15" benefit_code="PT" benefit_coverage_code="B" benefit_cov
<benefit benefit_amount="250" benefit_code="48" benefit_coverage_code="B" benefit_cc
<benefit benefit_amount="75" benefit_code="86" benefit_coverage_code="B" benefit_cov
<benefit benefit_amount="999999.99" benefit_code="33" benefit_coverage_code="F" bene
<benefit benefit_amount="999999.99" benefit_code="33" benefit_coverage_code="F" bene
<benefit benefit_code="PT" benefit_coverage_code="F" benefit_coverage_description="L
<benefit benefit_code="33" benefit_coverage_code="F" benefit_coverage_description="L
<benefit benefit_amount="999999.99" benefit_code="PT" benefit_coverage_code="F" bene
<benefit benefit_amount="999999.99" benefit_code="PT" benefit_coverage_code="F" bene
<benefit benefit_code="88" benefit_coverage_code="U" benefit_coverage_description="(
  <entity_code>VN</entity_code>
  <entity_description>Vendor</entity_description>
  <entity_name>OPTUMRX</entity_name>
  <entity_website>PROFESSIONALS.OPTUMRX.COM</entity_website>
</benefit>
</elig>
</result>
```

Electronic Remittance Advice (ERA) List

This service will return a list of ERA received. To keep your system updated with all new remittance it is recommended you use the "ERAID" parameter to download the latest updates. After successfully loading all results returned, store the value of "last_eraid", and use it as the parameter in "ERAID" to only receive the latest remits. [For remittance details see the below service options.] *Service formerly /era/, this legacy URL is still supported.*

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded

required

AccountKey

required

string

Locate this value under Settings - Account Settings in the web portal.

CheckDate

string

Search for ERA with a specific payment date. Format mm-dd-yyyy.

ReceivedDate

string

Search for ERA using the date Claim.MD received the file.Format mm-dd-yyyy, or 'today' or 'yesterday'

ReceivedAfterDate

string

Returns all ERA received after a specific date. Format mm-dd-yyyy, or 'today' or 'yesterday'

CheckNumber

string

Search for ERA with specific Check/EFT

CheckAmount

string

Search for ERA with specific payment amoun

PayerID

string

Search for ERA with specific PayerID

NPI

string

Search for ERA with specific Billing Provider NPI

TaxID

string

Search for ERA with specific Billing Provider Tax ID

NewOnly

string

Only list ERA not yet downloaded, true or false (use '1' or '0'). Defaults to '1' if no search options are given.

ERAID

string

Return only remits with an ERAID greater than this

Page

string

If more than 100 results are available use Page to return additional results. Defaults to '1'.

Responses ▾

200 OK

>

POST /services/eralist/ >

Try it

Request samples ▾

Payload

curl

Node.js

Python

C#

1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string

Response samples ▾

200

application/xml

Result

Copy

```
<result last_eraid="23853671">
  <era check_number="397547097-1662491256" check_type="eft" claimmd_prov_name="MEDICAL C
  <era check_number="397547116-1662491256" check_type="eft" claimmd_prov_name="MEDICAL C
  <era check_number="397547086-1662491256" check_type="eft" claimmd_prov_name="MEDICAL C
  <era check_number="397547087-1662491256" check_type="eft" claimmd_prov_name="MEDICAL C
  <era check_number="397547090-1662491257" check_type="eft" claimmd_prov_name="MEDICAL C
  <era check_number="397547083-1662491258" check_type="eft" claimmd_prov_name="MEDICAL C
</result>
```

ERA Details (835 Format)

Download a specific electronic remittance in the 835 file format.

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded
required

AccountKey
required
string
Locate this value under Settings - Account Settings in the web portal.

eraid
required
string
Claim.MD ERA ID, found using /era/ service

Responses ▾

200 OK >

POST /services/era835/ > Try it

Request samples ▾

Payload curl Node.js Python C# 1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string&eraid=string

Response samples ▾

200

application/xml

Acknowledged

Copy


```
<result check_number="397547083-1662491258" check_type="eft" eraid="23853671" paid_amour
  <data>ISA... DATA ...IEA</data>
</result>
```



ERA Details (PDF Format)

Download a specific electronic remittance in the human readable PDF report format. Results are Base64 encoded.

Request ▾

HEADER PARAMETERS

Accept
string
Default: application/xml
Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded
required

AccountKey
required
string
Locate this value under Settings - Account Settings in the web portal.

eraid
required
string
Claim.MD ERA ID, found using /era/ service

pcn
string
Generate remittance for only the given Acct #. [Optional]

Responses ▾

200 OK >

POST /services/erapdf/ >

Try it

Request samples ▾

Payload

curl

Node.js

Python

C#

1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string&eraid=string

Response samples ▾

200

application/xml

Result

Copy

```
<result check_number="397547083-1662491258" eraid="23853671" paid_amount="346.00" paid_c
  <data>BASE64 ENCODED PDF DATA</data>
</result>
```



ERA Details (XML/JSON Format)

Download a specific electronic remittance in the XML/JSON formats.
Service formerly /eraxml/, this legacy URL is still supported.

[Claim Adjustment Codes Reference](#)

Request ▾

HEADER PARAMETERS

Accept
string
Default: application/xml
Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded
required

AccountKey
required
string
Account associated
eraid
required
string
Claim.MD ERA ID, found using /era/ service

Responses ▾

200 OK >

POST /services/eradata/ >

Try it

Request samples ▾

Payload curl Node.js Python C# 1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string&eraid=string

Response samples ▾

200

application/xml

Result

Copy

```
<result check_number="397547083-1662491258" eraid="23853671" paid_amount="346.00" paid_c
  <claim crossover_carrier="" crossover_id="" from_dos="20220827" ins_name_f="NORMAN" ir
    <charge allowed="0" charge="48" chgid="221043771" from_dos="20220827" mod1="" mod2='
      <adjustment amount="48" code="109" group="0A" />
    </charge>
  </claim>
  <claim crossover_carrier="" crossover_id="" from_dos="20220827" ins_name_f="ROBERT" ir
    <charge allowed="60" charge="75" chgid="221043716" from_dos="20220827" mod1="" mod2=
      <adjustment amount="15" code="45" group="C0" />
      <adjustment amount="10" code="2" group="PR" />
      <adjustment amount="5" code="3" group="PR" />
    </charge>
  </claim>
  <claim crossover_carrier="" crossover_id="" from_dos="20220827" ins_name_f="VIRGINIA"
    <charge allowed="60" charge="75" chgid="221043755" from_dos="20220827" mod1="" mod2=
      <adjustment amount="15" code="45" group="C0" />
      <adjustment amount="10" code="2" group="PR" />
      <adjustment amount="5" code="3" group="PR" />
    </charge>
  </claim>
  <claim crossover_carrier="" crossover_id="" from_dos="20220827" ins_name_f="OHPELIA" i
    <charge allowed="80" charge="100" chgid="221043774" from_dos="20220827" mod1="" mod2
      <adjustment amount="20" code="45" group="C0" />
      <adjustment amount="10" code="2" group="PR" />
      <adjustment amount="5" code="3" group="PR" />
    </charge>
  </claim>
  <claim crossover_carrier="" crossover_id="" from_dos="20220827" ins_name_f="JANET" ins
    <charge allowed="80" charge="100" chgid="221043722" from_dos="20220827" mod1="" mod2
      <adjustment amount="20" code="45" group="C0" />
      <adjustment amount="10" code="2" group="PR" />
      <adjustment amount="5" code="3" group="PR" />
    </charge>
  </claim>
  <claim crossover_carrier="" crossover_id="" from_dos="20220827" ins_name_f="JAMES" ins
    <charge allowed="80" charge="100" chgid="221043779" from_dos="20220827" mod1="" mod2
      <adjustment amount="20" code="45" group="C0" />
      <adjustment amount="10" code="2" group="PR" />
      <adjustment amount="5" code="3" group="PR" />
    </charge>
  </claim>
  <claim crossover_carrier="" crossover_id="" from_dos="20220508" ins_name_f="LYDIA" ins
    <charge allowed="16" charge="20" chgid="221043759" from_dos="20220508" mod1="" mod2=
      <adjustment amount="4" code="45" group="C0" />
```

```
</charge>
<charge allowed="60" charge="75" chgid="221043760" from_dos="20220508" mod1="" mod2=
  <adjustment amount="15" code="45" group="CO" />
  <adjustment amount="10" code="2" group="PR" />
  <adjustment amount="5" code="3" group="PR" />
</charge>
</claim>
</result>
```

Archive Claim

Remove a claim from the Manage Claims Menu. delete_status of 'archived' will be returned on claims that were removed from the Manage Claims menu that have been transmitted previously. delete_status of 'deleted' will be returned on claims that have never been transmitted.

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded
required

AccountKey

required

string

Locate this value under Settings - Account Settings in the web portal.

claimid

required

string

Claim.MD Claim ID, this argument can be sent multiple times.

Responses ▾

200 OK



POST /services/archive/ >

Try it

Request samples ▾

Payload

curl

Node.js

Python

C#

1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string&claimid=string

Response samples ▾

200

application/xml

Result

Copy

```
{
  "result": [
    {
      "claimid": "160050620",
      "delete_status": "archived",
      "success": "1"
    },
    {
      "claimid": "160050631",
      "delete_status": "deleted",
      "success": "1"
    },
    {
      "claimid": "160050632",
      "delete_status": "archived",
      "success": "1"
    }
  ]
}
```

```
]
}
```

Claim Modification Event

List all modifications made to any claims within Claim.MD. This may include changes that occur due to a corrected claim upload. Save the value of "LastModid" and pass as parameter in ModID to always download only new modification updates.

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded

required

AccountKey

required

string

Locate this value under Settings - Account Settings in the web portal.

ModID

string

Return all modifications that have occurred after ModID [Optional]

ClaimMD_ID

string

Download all responses that have been returned for a particular "claimmd_id"[Optional]

Field

string

Only return changes on a particular field. Note that further requests using ModID will not contain any modifications skipped over in sequence. [Optional]

Responses ▾

200 OK

>

POST /services/modify/ >

Try it

Request samples ▾

Payload curl Node.js Python C# 1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string

Response samples ▾

200

application/xml

Acknowledged

Copy

```
{
  "LastModid": "12345678",
  "claim": [
    {
      "claimid": "ABCD1",
      "claimmd_id": "135961467",
      "pcn": "A1234",
      "modification": [
        {
          "modid": "123000001",
          "field": "pcn",
          "was": "A1234",
          "value": "A1111",
          "mod_time": "2015-08-01 10:48:00am",
          "username": "bob"
        },
        {
          "modid": "12300190",
          "field": "ins_number",
          "value": "1000034A",
          "mod_time": "2015-08-01 10:49:00am",

```



```
    "username": "bob"
  },
  {
    "modid": "12345677",
    "field": "proc_code_1",
    "value": "90054",
    "mod_time": "2015-08-01 11:60:00am",
    "username": "sara"
  },
  {
    "modid": "12345678",
    "field": "from_date_1",
    "value": "2016-01-12",
    "mod_time": "2015-08-01 11:60:00am",
    "username": "sara"
  }
]
}
```

Provider Enrollment Request

Initiate provider enrollment. Request will add provider to Claim.MD account and return a link to be displayed to customer. Link will contain one of the following: Online Enrollment Form, Quick Enrollment Option, Enrollment Instructions, Existing Enrollment Status

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded

required

AccountKey

required

string

Locate this value under Settings - Account Settings in the web portal.

payerid

required

string

Payer ID for the desired payer

enroll_type

required

string

Enrollment Type:

era = Electronic Remittance Advice / 835**1500** = Professional Claims / 837P / CMS-1500**ub** = Institutional Claims / 837I / UB-04**elig** = Eligibility**attach** = Electronic Attachments

Enum: "era" "500" "ub" "elig" "attach"

prov_taxid

required

string

Tax ID for the provider

prov_npi

string

(situational) Provider Group or individual NPI. *Required unless the provider is atypical.

prov_name_l

string

(situational) Provider organization name or individual provider last name. *Required if no NPI given

prov_name_f

string

(situational) Individual provider first name. *Required if no NPI given and the provider is not an organization

prov_name_m

string

Individual provider middle name [optional]

contact

string

Individual who will be completing this enrollment form. (recommended)

contact_title

string

Title for the Individual who will be completing this enrollment form. (recommended)

contact_email

string

(optional) Phone number for the individual completing this form. (recommended)

contact_phone

string

(optional) Phone number for the individual completing this form. (recommended)

contact_fax

string

(optional) Fax number for the individual completing this form.

prov_id

string

(optional) Payer specific provider ID (Medicare/Medicaid provider ID)

prov_addr_1

string

(optional) Provider address line (auto completed when NPI given)

prov_addr_2

string

(optional) Provider address line (auto completed when NPI given)

prov_city

string

(optional) Provider city (auto completed when NPI given)

prov_state

string

(optional) Provider state (auto completed when NPI given)

prov_zip

string

Provider zip code (auto completed when NPI given)

Responses ▾

200 OK

>

POST /services/enroll/ >

Try it

Request samples ▾

PayloadcurlNode.jsPythonC#1 more ▾

application/x-www-form-urlencoded

AccountKey=string&payerid=string&enroll_type=era&prov_taxid=string

Copy

Response samples ▾

200

application/xml

Result

Copy

```
<result success="1">
  <link url="https://www.claim.md/enroll/11074_DmtGQYjHVZtCscQxrHosXjRzZyWCysWS/" />
</result>
```

Claim Appeal Request

Initiate an appeal from an existing claim. Request will return a link to be loaded in iframe or popup. Link will contain online form for completing an appeal to be submitted to the payer. Choices include options to fax, mail, download or submit electronic appeals. Service fees may apply for faxed or mailed appeals. **Either claimid OR remote_claimid MUST be sent**

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded
required

AccountKey

required

string

Locate this value under Settings - Account Settings in the web portal.

claimid

string

Claim.MD Claim ID - ID assigned by Claim.MD on claim upload.

remote_claimid

string

Unique claim identifier sent on original claim submission. (In 837 this is the REF*D9 segment, in XML/CSV/XLS this is the remote_claimid field).

contact_name

string

Individual who will be completing this appeal. (recommended)

contact_title

string

Title for the Individual who will be completing this appeal. (recommended)

contact_email

string

(optional) Phone number for the individual completing appeal. (recommended)

contact_phone

string

(optional) Phone number for the individual completing appeal. (recommended)

contact_fax

string

(optional) Fax number for the individual completing appeal.

contact_addr_1

string

(optional) Contact address line 1 (Defaults to claim billing provider address)

contact_addr_2

string

(optional) Contact address line 2 (Defaults to claim billing provider address)

contact_city

string

(optional) Contact city (Defaults to claim billing provider address)

contact_state

string

(optional) Contact state (Defaults to claim billing provider address)

contact_zip

string

(optional) Contact zip code (Defaults to claim billing provider address)

Responses ▾

200 OK

>

POST /services/appeal/ >

Try it

Request samples ▾

Payload

curl

Node.js

Python

C#

1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string

Response samples ▾

200

application/xml

Result

Copy

```
<result success="1">
  <link url="https://www.claim.md/appeal/11074_DmtGQYjHVZtCscQxrHosXjRzZyWCysWS/" />
</result>
```

Payer List

Current Payer List and available services.

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded
required

AccountKey

required

string

Account associated

payerid

string

Request specific payer ID.

payer_name

string

Wildcard search for matching payer name or alt payer name.

Responses ▾

200 OK

>

POST /services/payerlist/ >

Try it

Request samples ▾

Payload

curl

Node.js

Python

C#

1 more ▾

application/x-www-form-urlencoded

Copy

AccountKey=string

Response samples ▾

200

application/xml

Copy

```
<result>
  <payer 1500_claims="yes" attachment="no" auto="no" dent_claims="no" eligibility="yes"
    <payer_alt_names alt_payer_name="Aetna Better Health of Texas" />
  </payer>
  <payer 1500_claims="yes" attachment="no" auto="no" dent_claims="no" eligibility="no"
    <payer_alt_names alt_payer_name="TX Medicaid - Yes Waiver" />
    <payer_alt_names alt_payerid="TXYWB" />
  </payer>
  <payer 1500_claims="enrollment" attachment="no" auto="no" dent_claims="enrollment" eli
    <payer_alt_names alt_payer_name="TX Medicaid LTC" />
    <payer_alt_names alt_payer_name="Local intellectual and development disability authc
    <payer_alt_names alt_payer_name="Texas Home Living (TxHmL)" />
    <payer_alt_names alt_payer_name="Home and Community-based Services (HCS)" />
    <payer_alt_names alt_payer_name="TDMHMR" />
    <payer_alt_names alt_payerid="SKTX1" />
    <payer_alt_names alt_payer_name="617591011CMSP" />
```

```

</payer>
<payer 1500_claims="yes" attachment="no" auto="no" dent_claims="no" eligibility="yes"
  <payer_alt_names alt_payerid="SKTX0" />
  <payer_alt_names alt_payerid="CKTX1" />
  <payer_alt_names alt_payerid="12K64" />
  <payer_alt_names alt_payer_name="Texas Medicaid" />
  <payer_alt_names alt_payerid="MCDTX" />
  <payer_alt_names alt_payer_name="TMHP" />
  <payer_alt_names alt_payer_name="Texas Medicaid/Healthcare Services" />
  <payer_alt_names alt_payer_name="999999999" />
  <payer_alt_names alt_payer_name="617591011C21P" />
</payer>
<payer 1500_claims="yes" attachment="no" auto="no" dent_claims="no" eligibility="no"
  <payer_alt_names alt_payer_name="Texas Medicaid - Long Term Support Services" />
  <payer_alt_names alt_payer_name="TX EVV - LTSS" />
  <payer_alt_names alt_payer_name="TMHP" />
</payer>
</result>

```

Claim Notes Request

List all notes made to any claims within Claim.MD. This includes any notes made by users from the web portal.

Request ▾

HEADER PARAMETERS

Accept

string

Default: application/xml

Enum: "application/xml" "application/json"

REQUEST BODY SCHEMA: application/x-www-form-urlencoded

required

AccountKey

required

string

Locate this value under Settings - Account Settings in the web portal.

NoteID

string

Return all notes that have occurred after NoteID [Optional] [Recommended]

ClaimMD_ID

string
Download all notes that have been returned for a particular “claimmd_id” [Optional]

Responses ▾

200 OK >

POST /services/notes/ > Try it

Request samples ▾

Payload curl Node.js Python C# 1 more ▾

application/x-www-form-urlencoded
Copy

AccountKey=string

Response samples ▾

200

application/xml
Acknowledged
Copy

```
{
  "LastNoteID": "111111112",
  "notes": [
    {
      "note": "I updated this claim.",
      "claimmd_id": "135961467",
      "claimid": "123ABC",
      "username": "Joe S.",
      "date_time": "2021-03-19 11:20:48am",
      "noteid": "111111111",
    }
  ]
}
```

```
    "pcn": "ACNT456"
  },
  {
    "note": "Following up next week.",
    "claimmd_id": "135934535",
    "claimid": "124BBB",
    "username": "Joe S.",
    "date_time": "2021-03-19 11:20:48am",
    "noteid": "11111112",
    "pcn": "ACNT999"
  }
]
```

Webhook Webhook

Request ▾

REQUEST BODY SCHEMA: application/json

Webhook results. Claim.MD Webhook will return provider enrollment updates and appeal form creation/updates. Open a support ticket to request setup of webhook to your HTTPS server.

UTCTime

string

UTC current time.

acct_number

string

Claim.MD Account Number.

remote_acct_number

string

Customer assigned account number.

events >

Array of objects

Responses ▾

200 Return a 200 status to indicate that the data was received successfully

Request samples ▾

Payload

application/json

Copy

Expand all

Collapse all

```
{
  "UTCTime": "string",
  "acct_number": "string",
  "remote_acct_number": "string",
  - "events": [
    + { ... }
  ]
}
```