

LQC Whitepaper Version 5.6

Intent Solver and Settlement Architecture Review Edition

Universal Liquidity and Execution Infrastructure for DeFi

Issued by MMXlabs&LQC LLC | Wyoming United States

September 2026

Unaudited testnet development | No production or listing claim

Contents and Status Legend

Pages	Section
3 to 9	Executive summary, market position and architecture
10 to 15	Routing, execution, risk and test evidence
16 to 21	Deployment, lending, Intent Solver settlement and execution quality
22 to 26	Gasless, utility, tokenomics and roadmap
27 to 30	Audit, due diligence, team, legal and priorities

Implemented means public repository code and test evidence. In development means active implementation or configuration work. Subject to review means independent, legal, governance or deployment verification is required. Planned means no completed production module is claimed.

1. Executive Summary

Liquidity Chain (LQC) is a modular infrastructure project for connecting fragmented liquidity across decentralized exchanges and, in later phases, across blockchain ecosystems. The initial engineering focus is an EVM routing stack and LQC Flow automated market maker for controlled BNB Smart Chain testnet validation.

The public repository includes protocol-neutral adapter registration, failure-isolated quotes, gas-aware route comparison, one-to-four-route split optimization, atomic protected execution, native BNB handling, risk limits, emergency controls and testnet deployment validation.

Current status: unaudited testnet MVP. No production deployment, live liquidity, exchange listing, audit approval or guaranteed commercial outcome is claimed.

- Liquidity first - utility second - revenue third - scale last.
- Security gates precede unrestricted deployment.
- Every material claim should be independently verifiable.

2. The Liquidity Fragmentation Problem

Liquidity is distributed across exchanges, pools, fee tiers, networks and assets. A visible quoted price may not represent the best executable result once depth, price impact, pool fees, gas and failure risk are considered.

Users and applications often perform fragmented discovery and submit an order to one venue. This can produce unnecessary slippage, failed execution and inconsistent operational controls.

Fragmentation	Resulting challenge
Many venues	Quotes and interfaces differ
Uneven depth	Price impact varies by order size
Different networks	Assets and messages require separate security assumptions
Operational risk	Paused or compromised routes must be isolated

3. LQC's Proposed Response

LQC separates route discovery, optimization, execution and risk control into auditable modules. Reviewed adapters translate protocol-specific behavior into a shared interface while the registry determines which integrations are eligible.

The objective is to compare executable outcomes, support direct and multi-hop paths, split larger orders when justified, and apply protection before funds are sent to an external venue.

- Multi-DEX liquidity aggregation
- Gas- and slippage-aware route selection
- Atomic single or split execution
- Staged limits and emergency disable controls
- Public deployment and verification evidence

4. Purpose, Users and Differentiation

LQC is designed as liquidity infrastructure rather than a single isolated exchange. Its purpose is to connect fragmented DEX liquidity, compare executable outcomes and provide a controlled foundation for liquidity deployment and later DeFi services.

Stakeholder	Intended value
Traders and wallets	Better route discovery with gas, slippage and price-impact awareness
Liquidity providers	Infrastructure for measured allocation across approved pools
DEX ecosystems	Adapter-based access without replacing the shared routing stack
Projects and market makers	Transparent execution controls and auditable route policy

LQC distinction	Reviewer evidence
Protocol-neutral adapters	Separate V2, V3 and LQC Flow integration modules
Risk before execution	Token, transaction, daily and DEX-specific caps
Atomic route protection	Deadline, minimum output, exact approval and rollback tests
Evidence-led launch	Pinned tests, deployment records, validation and verification tooling

The commercial objective is sustainable infrastructure usage. The whitepaper does not rely on token-price appreciation or guaranteed exchange listing as a value proposition.

5. Global Liquidity Operating Layer

LQC is positioned as a non-custodial liquidity operating layer rather than only a consumer wallet or isolated exchange. LQC Flow provides the user interface, while Router 2.0, reviewed adapters and future SDK/API access form the reusable infrastructure layer.

Strategic capability	Target outcome
Best Execution Proof	Compare executable net output after gas, fees, slippage and price impact, then bind the selected route to settlement evidence
Liquidity quality	Prioritize measurable depth and reliable execution across approved venues instead of maximizing the number of integrations
B2B Router SDK/API	Allow wallets, DEXs, projects and market makers to consume LQC quote, route and verification services
Unified capital utility	Extend reviewed liquidity from trading into separately audited Vault, lending and staking modules
Simple access	Add policy-limited Gasless and cross-chain abstraction only after core routing and security gates pass

Core objective: make LQC the verifiable liquidity and execution layer that other trading applications can integrate, while preserving independent LQC Flow access for end users.

Commercial expansion depends on audited contracts, verified deployments, real liquidity, partner adoption and measured execution performance. No market leadership or guaranteed economic outcome is claimed.

6. Principles and Modular Architecture

Principle	Engineering application
Liquidity first	Executable depth and measurable routing quality
Modularity	Separate quote, execution, risk and integration responsibilities
Least privilege	Divide governance, emergency and risk authority
Evidence	Pin code, settings, addresses and on-chain state
Phased launch	Testnet, caps and independent review before expansion

Layer	Current status
LQC Flow AMM	Implemented testnet MVP
Registry / quote / optimizer	Implemented
Execution / native BNB	Implemented
Risk and emergency controls	Implemented foundation
Lending / bridge / perpetuals	Planned as separate scope

Production configuration, audits, external integrations and live liquidity are separate gates from repository implementation.

7. LQC Flow AMM

LQC Flow is the native constant-product AMM implementation in the repository. Its factory creates token pairs, each pair holds reserves and issues ERC-20 liquidity shares, and the router coordinates liquidity and swaps.

- Constant-product reserve model with a 0.30% swap fee retained for LPs
- Minimum liquidity permanently locked
- Exact-input and exact-output swaps
- Direct and multi-hop paths
- Token/native-BNB liquidity and swap support
- Deadline and minimum-output protection

LQC Flow is testnet-oriented and unaudited. It must not be used with production funds before independent review and formal launch approval.

8. Adapter and Registry Model

Each reviewed DEX integration uses a protocol-specific adapter. The registry records adapter identity, priority and active state. A failed quote is isolated so another enabled route may still be evaluated.

Protocol-neutral architecture does not mean automatic compatibility. Every integration requires address review, path validation, automated tests and security review before activation.

Integration	Implemented scope
LQC Flow	Native direct/multi-hop quote and execution
PancakeSwap V2	Compatible-router quote and protected exact-input execution
PancakeSwap V3	Packed paths, reviewed fee tiers/pools and maximum three hops

9. Quote Discovery and Gas-Aware Selection

The quote layer queries enabled adapters independently and excludes failed calls from comparison. Deterministic registry priority resolves ties and makes selection reproducible.

Expected output is only one component of execution quality. The intended comparison considers pool fee, price impact, route gas, minimum output, deadline and route availability.

A quote is an estimate, not a guarantee. Realized output depends on state changes, inclusion timing, network conditions and user-selected protection.

The gas-cost oracle converts estimated BNB gas into units of the output token. The router can therefore compare estimated net output rather than gross quote alone.

- Primary and secondary feed checks
- Positive-value enforcement
- Freshness windows
- Maximum feed-deviation rule
- Governance-controlled configuration

Production oracle addresses, heartbeat windows, deviation thresholds and fallback policy are not finalized. The current implementation uses test infrastructure and does not guarantee best execution.

10. Split Optimization

The optimizer samples allocations and may distribute one order across two to four eligible routes when the estimated net result is superior. Allocation and expected-output totals must reconcile exactly.

The auto router converts the optimizer result into an atomic execution plan and derives route-level minimum outputs from the user's slippage tolerance.

- One-to-four active route cap
- No duplicate DEX identifiers
- Deterministic allocation and tie behavior
- Inactive legs excluded
- Invalid part and route bounds rejected

11. Protected Execution and Native BNB

The execution router transfers the specified input, grants an exact temporary approval to the selected adapter and verifies recipient output. Deadline and minimum-output conditions apply to supported exact-input flows.

For split execution, every leg is part of one transaction. If a later adapter fails, earlier transfers, pool changes and risk usage revert.

Repository tests require zero residual router/adapter custody after successful and reverted paths. This tested property is not a substitute for an independent audit.

The native router wraps BNB into WBNB before protected token execution and unwraps WBNB for the final native-asset transfer. It is designed not to retain user balances.

- Configured WBNB address
- Controlled receive path
- Minimum-output and deadline enforcement
- Exact approval lifecycle
- No unsolicited native transfer acceptance

Each deployment must verify the canonical WBNB address and module linkage on the selected network.

12. Risk, Governance and Emergency Controls

The risk registry stages exposure through token allowlisting and input caps. Limits apply before adapter execution and rejected transactions must not consume daily capacity.

Control	Purpose
Token allowlist	Restrict eligible input assets
Per-transaction cap	Bound single-order exposure
Per-DEX/token cap	Limit venue-specific exposure
UTC-day cap	Bound aggregate daily input
Module pause	Stop new protected execution

Structural expansion is reserved for timelocked governance. Guardians may disable a DEX or pause new swaps immediately, but they cannot resume service, move user funds, add adapters or increase limits.

A designated risk role may reduce existing limits but cannot create a new permission or expand exposure. Emergency-controller ownership uses nomination and explicit acceptance.

Production governance configuration is in development. Final multisig addresses, signer threshold, timelock delay and operating procedures require formal approval and verifiable disclosure.

13. Token Compatibility Boundaries

The current execution design supports standard ERC-20 accounting assumptions. Fee-on-transfer inputs are explicitly rejected when the received balance differs from the requested input.

- Fee-on-transfer execution: unsupported and rejected
- Rebasing token execution: unsupported
- Permit signatures: planned for later review
- Non-standard approval behavior: integration review required
- Token and pool allowlists: subject to production approval

Unsupported behavior must not leave retained balances, approvals or risk-accounting residue.

14. Reproducible Engineering Baseline

The current working branch compiles 54 Solidity source files with locked dependencies. Intent Phase 1 adds five passing lifecycle and security tests covering escrow locking, forged signatures, wrong source chains, nonce replay, cancellation, expiry, restricted settlement and pause-safe refunds.

Area	Representative evidence
AMM	Reserves, product, LP lock, liquidity and swap flows
Router	Quotes, adapters, gas, split routing and atomic rollback
Intent	EIP-712, nonce, deadline, escrow, cancellation and expiry
Risk	Allowlists, caps and model-based daily accounting
Governance	Timelock, pause-only guardian and ownership transfer
Deployment	Chain 97, bytecode, ownership and module links

Known release-gate issue: the existing Proof Gateway deployment bundle hash does not match the freshly compiled Gateway artifact and the same mismatch is reproducible on the unmodified baseline commit. The deployment evidence must not be rewritten without an independent reconciliation.

Passing tests do not prove the absence of vulnerabilities or certify production economic safety.

15. BSC Testnet Deployment

Deployment tooling targets BSC testnet chain ID 97. It deploys test tokens, LQC Flow and Router 2.0 modules, establishes ownership and registers the native adapter. Reviewed PancakeSwap endpoints may be supplied separately.

- Read-only preflight checks chain ID, contract bytecode, reviewed endpoints and deployer tBNB balance
- Reject unexpected chain IDs before deployment
- Record deployed contracts and external dependencies
- Record compiler and optimizer settings
- Record governance and adapter configuration
- Never commit deployer private keys

A generated deployment record is evidence only when its addresses and transactions are independently checked on the explorer.

16. Address and Explorer Verification

The read-only validator checks deployed bytecode, Router-to-Factory and WBNB relationships, registry order, adapter status, module linkage, ownership and minimum timelock delay.

The verification-package generator produces Solidity Standard JSON input, compiler settings, constructor arguments, deployed addresses and the recorded source revision for BscScan submission.

Explorer verification is the next deployment evidence gate. It becomes complete only after a real deployment record is validated and published against the exact reviewed commit.

17. Lending, Oracle and Liquidation Direction

Lending is implemented as an unaudited local module and is not part of the current production claim. The current source includes dual-feed oracle validation, isolated markets, indexed supplier and borrower accounting, controlled liquidation and bounded bad-debt recovery. Local state-based tests cover sequential liquidation, high utilization, cash exhaustion, oracle divergence and recapitalization accounting.

Parameter	Current design disclosure
Maximum LTV	45% baseline
Liquidation threshold	60%
Base liquidation penalty	5%
Automatic additional borrowing	Off by default; explicit opt-in required

The current hard safety ceilings are 50% maximum LTV and 5% maximum liquidation bonus, with a 70% liquidation threshold used in the local reference market. Production parameters remain subject to testnet measurement, economic simulation, oracle validation, liquidity testing, independent audit, legal review and formal governance approval.

Account risk should be determined by collateral value, debt and health factor rather than price movement alone. A shallow LQC pool must not be the sole lending oracle.

- Validated external feeds
- Sufficiently liquid DEX TWAP where appropriate
- Freshness and deviation checks
- Debt and market-specific caps
- Partial liquidation where safe and economical
- Emergency pause and recovery procedures

Mainnet portability requirement: Lending contracts must remain EVM-compatible and chain-neutral. Chain ID, RPC, token, oracle, DEX, governance, finality, gas and deployment addresses belong in chain-specific configuration and evidence, not immutable BSC-only assumptions. Share and index accounting must support a reviewable snapshot, while pause and exit modes must block new risk without blocking repayment or safe withdrawal.

Production liquidation requires adversarial simulation, keeper design, bad-debt handling and clearly disclosed parameters.

18. Intent Solver and Settlement Architecture

LQC will not operate a proprietary cross-chain bridge. It will extend the existing Router 2.0, DEX aggregation, split routing, vault, lending, oracle and treasury foundations into a universal liquidity and execution layer.

Architecture decision: LQC defines and verifies the required outcome. Registered solvers compete to deliver that outcome using their own liquidity or approved external DEX and bridge infrastructure.

Component	Responsibility	Initial status
IntentHub	Validate EIP-712 intents, nonce, source chain, deadline and lifecycle	Phase 1 implemented
SourceEscrow	Lock each order's source asset and preserve cancellation or expiry refunds	Phase 1 implemented
SolverRegistry and Bond	Control eligibility, capacity, accountability and slashing exposure	Next gate
Route Optimizer	Compare net output, gas, fees, slippage, latency, probability and risk	Router foundation exists
ExecutionVerifier	Verify destination-chain recipient, token, amount, transaction and finality	Planned
SettlementHub	Reimburse only after proof validation; manage challenge, fees and reputation	Planned
BridgeRegistry	Allowlist adapters and apply chain, token, amount and daily limits	Planned

- The user's intent specifies source asset and amount, destination chain and asset, recipient, minimum output, deadline, nonce and salt.
- A solver quote is not sufficient settlement evidence. Destination payment and canonical finality must be independently verified.
- A bootstrap settler may be used only for controlled testnet development and does not represent decentralized or trust-minimized cross-chain settlement.
- Custom bridge custody, mint and burn, native messaging, relayer consensus and bridge liquidity management remain outside LQC Core.

19. Execution Quality and Solver Safety Requirements

Best execution must be based on independently verifiable execution inputs. Solver-provided gas, fees, price impact and success probability are treated as claims until LQC recomputes or validates them.

Requirement	Mandatory method	Release evidence
Gas estimation	Run <code>eth_estimateGas</code> with the selected Router, sender, route and actual calldata	Block, gas price, token conversion, source and confidence
Fallback gas	Use conservative configured units only when live estimation fails	Explicit fallback label and reason
V2 and LQC Flow impact	Calculate from reserves and the applicable AMM formula	Pre-trade state and expected post-trade result
V3 impact	Use current tick, fee tier and liquidity across crossed ranges	Pool, block and tick-range evidence
Multi-hop and split	Calculate every hop and leg, then reconcile aggregate output	Per-leg inputs and deterministic total
Market deviation	Compare execution price with fresh, validated oracle or TWAP data	Separate from route-caused price impact
Settlement	Verify recipient, token, amount, transaction and canonical finality	No reimbursement before verification

- Mixed LQC and approved stablecoin bonds reduce dependence on the market value of one collateral asset.
- Outstanding exposure, safety reserves and oracle haircuts determine solver capacity.
- Bridge-specific transaction, daily, token and chain limits contain external infrastructure failures.
- Short-lived signed quotes and winning-solver binding are the initial MEV controls; private order flow and commit-reveal are later gates.

Cross-chain mainnet activation is blocked until live gas estimation, DEX-specific price-impact validation, destination finality verification, pre-verification reimbursement blocking and independent audit gates are complete.

20. Gasless Transaction Design and Eligibility

Gasless is a planned user-experience module intended to let an eligible user authorize a transaction without separately holding BNB for network gas. It does not remove the user's signature requirement. A reviewed paymaster or signed relay design would pay network gas while the user retains control of the wallet and assets.

Current status: adopted design conditions only. No LQC Gasless paymaster, relayer, sponsorship balance or production service is deployed or claimed in this edition.

No.	Adopted condition	No.	Adopted condition
1	Begin on BSC testnet only	11	Require a valid route and sufficient liquidity
2	Use only when the user's BNB is insufficient	12	Keep slippage and price impact within limits
3	Require explicit user signature	13	Exclude fee-on-transfer, rebasing and unapproved tokens
4	Limit to approved Router swaps and transfers	14	Show eligibility and cost before signature
5	Use only risk-registry-approved assets	15	Disclose stablecoin cost recovery after free quota
6	Require at least 10 USDT equivalent	16	Apply anti-bot, replay and abuse controls
7	Start at five sponsored transactions per wallet/day	17	Use pause, paymaster balance caps and rate limits
8	Cap sponsored gas per transaction	18	No mainnet use before independent audit
9	Cap the protocol-wide daily sponsorship budget	19	Expand only after controlled BSC validation
10	Require healthy, fresh oracle data	20	Remain non-custodial; never store private keys

Final sponsorship funding, stablecoin settlement, smart-account or relay architecture, oracle thresholds and abuse controls require implementation, testing, economic review, legal review, governance approval and independent security audit.

21. Utility, Fees, Treasury and Burn

The approved design direction associates LQC with future loan-origination and repayment fee settlement and permanent burning of those fees. This does not mean the lending or burn contracts are currently live.

Routing and AMM development does not by itself activate staking, governance, fee benefits, gas support, treasury distributions or other proposed utilities.

Utility activates only after contract completion, audit, parameters, legal review, formal approval and on-chain disclosure.

Potential revenue sources include routing and swap fees, future lending and repayment fees, liquidation fees, cross-chain services and Liquidity-as-a-Service arrangements. Actual revenue depends on deployed products and usage.

Fee rates, settlement, conversion, burn addresses, treasury allocation and distributions are not final. A future burn must be verifiable on-chain and permanently remove the relevant LQC from circulation.

No yield, revenue, token-price appreciation or investment return is promised.

22. Tokenomics and Release Framework

The current approved project design uses a fixed maximum supply of 1,000,000,000 LQC and planned TGE circulation of 150,000,000 LQC (15%). Earlier draft figures are superseded.

Allocation	Share	LQC
Future ecosystem rewards	35%	350,000,000
Community initial	20%	200,000,000
Team and core contributors	20%	200,000,000
Protocol treasury	10%	100,000,000
Liquidity and market making	10%	100,000,000
Grants and strategic ecosystem	5%	50,000,000

Allocation	TGE / release framework
Ecosystem rewards	0 at TGE; 7+ years, up to 50M annually
Community initial	80M at TGE; remaining 120M activity-based over 24 months
Team / contributors	0 at TGE; 12-month cliff, then 36-month monthly vesting
Protocol treasury	10M at TGE; remaining 90M under 5-year budget framework
Liquidity / MM	50M at TGE; remaining 50M linked to exchange and pool growth
Grants / strategic	10M at TGE; remaining 40M milestone-based

The planned 150M TGE circulation is Community 80M, Liquidity/MM 50M, Treasury 10M and Grants 10M. Contract and wallet evidence will be published after implementation and verification.

23. Supply and Vesting Verification

Before launch, the token contract cap, total supply, decimals and mint/burn powers must reconcile to the approved disclosure. Every allocation wallet and vesting contract should be labeled and independently verifiable.

- Canonical network and token address
- Deployment and ownership transactions
- Explorer-verified source and ABI
- Mint, pause, blacklist, upgrade and recovery powers
- Beneficiaries, cliffs and vesting schedules
- Circulating-supply methodology and excluded wallets

No on-chain production token evidence is claimed in this edition.

24. Gate Based Development Sequence

Gate	Deliverable	Completion evidence
1 Core intent	IntentHub, EIP-712, nonce, deadline and SourceEscrow	Lifecycle, replay, cancellation, expiry and refund tests
2 Internal solver	Connect Router 2.0 as the first controlled solver	One end-to-end intent with atomic rollback
3 Solver network	Registry, bond, signed quote and auction	Eligibility, capacity, withdrawal-delay and quote tests
4 Verification	ExecutionVerifier and destination finality adapters	Wrong token, recipient, amount, reorg and replay rejection
5 Settlement	SettlementHub, challenge, fees, reimbursement and slashing	Double-settlement and adversarial dispute tests
6 External routes	Reviewed DEX and bridge adapters plus exposure limits	Failure isolation and per-adapter caps
7 Hardening	Audit, remediation, bounty, simulations and capped pilot	Independent evidence and governance approval

Each gate preserves existing BSC testnet deployment records and package locks. A later module may consume an earlier interface, but it must not silently modify reviewed Router 2.0 bytecode, deployment evidence or risk settings.

24.1 EVM Compatible LQC Mainnet Transition Strategy

LQC adopts a staged migration path. The current BSC system remains the delivery and validation baseline; an independent LQC network is a later program and must not weaken current testnet, audit or user-exit gates.

1. Complete the current BSC Lending and Intent system.
2. Validate it on BSC testnet and, only after approval, through a tightly capped production pilot.
3. Build an EVM-compatible LQC testnet with native LQC, validators, RPC, explorer and operational controls.
4. Redeploy the same audited contracts to LQC rather than copying BSC contract state or addresses.
5. Operate BSC and LQC in parallel while monitoring accounting, liquidity, finality and incident response.
6. Migrate LQC through a governed snapshot and claim process that prevents duplicate supply.
7. Migrate ordinary Lending positions primarily by repay, withdraw, transfer and reopen.
8. Use Intent and Solver automation to reduce migration steps only after proof, bond, finality and rollback controls are verified.
9. Shift liquidity and limits gradually to the LQC network under independent caps and governance.
10. Retire BSC risk creation only after every position is repaid, migrated or placed in an enduring safe exit path.

Contracts are redeployed, not copied. Token supply, user assets, supplier claims, borrower debt, reserves and bad debt must reconcile across both networks at a recorded migration block. Cross-chain collateral remains out of scope until same-chain Lending, external infrastructure and migration controls pass separate audits.

SECURITY

25. Audit and Incident Readiness

An independent audit engagement must pin the exact commit, compiler, settings, contracts, addresses and configuration reviewed. Every Critical and High finding requires documented remediation and auditor retest or an explicit unresolved disposition.

- Named incident responders and escalation contacts
- Alert coverage and pause procedure
- Compromised-key and signer-loss procedure
- Public vulnerability reporting policy
- Postmortem and recovery policy
- Periodic emergency drills

The repository's audit scope and handoff documents are preparation materials, not an audit report.

26. CEX Listing Evidence

Evidence group	Required before submission
Technical	Pinned build, tests, audit, verified source and addresses
Token	Supply, decimals, powers, vesting and circulation proof
Market	Timestamped liquidity, holders, volume and methodology
Operations	Deposits, withdrawals, confirmations, monitoring and contacts
Legal	Entity, KYB/KYC, legal analysis, sanctions and AML controls
Integrity	Market-making policy and wash-trading prohibition

Evidence not yet available must be completed, marked not applicable with accepted reasoning, or disclosed as an unresolved risk. No exchange approval is claimed.

ORGANIZATION

27. Team and Corporate Accountability

LQC is organized through MMXlabs&LQC LLC, a Wyoming limited liability company filed on April 30, 2026. The confirmed team structure is two Co-Founders, five Core Engineers, one Chief Marketing Officer and three Advisors, for a total of eleven team members. Public profiles and exchange KYB, KYC, beneficial-ownership and authority evidence must be reconciled before submission.

Role	Confirmed team structure
Co-Founders	2 - ALI ISIK and CHEONHO KIM
Core Engineers	5 - individual public disclosure subject to approval
Chief Marketing Officer	1 - AHMET DIZLEK
Advisors	3 - includes JEONG JAE-WON; remaining individual disclosure subject to approval

- Corporate authority and authorized signatory must match the exchange application
- Engineering, security, treasury and market-operation responsibilities must have named owners before submission
- Team identity evidence should be shared securely and reconciled with public profiles
- No private personal documents should be committed to the public repository

Public team pages support transparency but do not replace exchange KYC/KYB, background review or signed authority records.

28. Conclusion and Immediate Priorities

The disclosed project entity is MMXlabs&LQC LLC, a Wyoming limited liability company. Formation, good standing, beneficial ownership, authorized signatory, KYB and legal-opinion materials must be supplied through the reviewer's secure process.

LQC's recommended direction is to become a verifiable liquidity and execution layer rather than a proprietary bridge. Users define the result, solvers compete on executable outcomes, and settlement occurs only after destination payment is verified.

Priority	Next evidence milestone
1	Review and stabilize the Phase 1 IntentHub and SourceEscrow
2	Connect Router 2.0 as the first internal solver without changing existing deployments
3	Implement SolverRegistry, SolverBond and signed quote competition
4	Implement destination execution verification before solver reimbursement
5	Complete SettlementHub, challenge, slashing, audit and capped pilot

This document is technical and informational. It is not investment, legal, financial or tax advice; an offer or solicitation; or a guarantee of launch, listing, liquidity, revenue or return.

Current status: unaudited testnet development. Intent Phase 1 does not constitute production cross-chain settlement, a live solver market or a security audit.