ChemCritic 文献证据卡

PMC13010367 | Suzuki – Miyaura 偶联 | 采集状态 imported_unchecked

标题	Extracting Mechanistic Information from an Open Data Set for a Pharma-Relevant Suzuki – Miyaura Cross-Coupling Reaction
作者	Franklin B., Donaldson N., Firth J., Horbaczewskyj C., Aspell A., Tanner T. 等 10 人
出处	Organic Process Research & Development 2026
DOI	10.1021/acs.oprd.5c00298
原文链接	https://pmc.ncbi.nlm.nih.gov/articles/PMC13010367/
许可	https://creativecommons.org/licenses/by/4.0/This article is licensed under CC-BY 4.0

摘要（原文节选）

Open reaction data sets, particularly those gathered through high-throughput experimental (HTE) reaction screening campaigns, hold considerable value in downstream data analysis and reaction understanding. Data can be used to reveal important trends. Such open reaction data are increasingly being reported and deposited to appropriate databases, particularly for the most popular chemical reactions, e.g., Suzuki – Miyaura cross-coupling (SMCC) of organohalides and organoboron compounds, catalyzed by Pd and mediated by ⋯

数据表 · 1（6 行，含数值行 5 行）

High-Yielding Reactions (for 3) with Altering Organohalide Type (1a – 1d) and Indazole Boronic Acid 2a in Four Solvents

	solvent				
high-yielding reactions for product 3	DMF	MeCN	MeOH	THF	
quinoline electrophile	1a	6	14	0	24
1b	20	45	56	47	
1c	22	63	45	28	
1d	61	84	85	53	
Total	109	206	186	152	

本卡为 NCBI PMC 开放获取 XML
的逐字摘录（标题、作者、表格行列、脚注、正文句均未改写），用于参照集候选与覆盖面登记；未逐条人工核验，标记
imported_unchecked，不写入判定记录、不参与 ChemCritic 引擎的可比性判定。对外引用一律回到 DOI 原文核对页码与表号。