ChemCritic 文献证据卡

PMC13363593 | 氧化 / 环氧化 | 采集状态 imported_unchecked

标题	Blue-Light-Driven Aerobic Oxidation via ROS-Generating Binuclear Cobalt(II) Complex Photocatalyst
作者	Mu Y., Miao Z., Zhang R., Ma X., Xie Z., Stratakis M.
出处	Nanomaterials 2026
DOI	10.3390/nano16130835
原文链接	https://pmc.ncbi.nlm.nih.gov/articles/PMC13363593/
许可	https://creativecommons.org/licenses/by/4.0/Licensee MDPI, Basel, Switzerland. This article is an open access article di

摘要（原文节选）

Developing earth-abundant photocatalysts that operate efficiently under visible light remains a central challenge in sustainable aerobic oxidation chemistry. We synthesized a binuclear cobalt(II) structure (Co2) in which two redox-active metal centers are bridged by a polypyridine scaffold to integrate light-harvesting and catalytic functions within a single low-nuclearity unit. The complex exhibits a strong absorption band below 450 nm, undergoes facile charge separation upon photoexcitation, and channels molecula ⋯

数据表 · Table 1（4 行，含数值行 4 行）

Photocatalytic oxidation of thioether over different photocatalysts.

Entry	Photocat.	Yield (%)	Sel. (%)
1	None	0	0
2	Co(NO3)2 · 6H2O	0	0
3	L1	37	100
4	Co2	99	100

脚注（逐字）：Reaction conditions: 0.05 mmol photocatalyst, 0.3 mmol thioanisole, 2 mL methanol, air, 30 W blue LED lamp, 1 h, 30 ° C. The yield was determined by GC-MS.

正文对应句（逐字）：To evaluate the photocatalytic performance of Co2, the oxidation of thioether was selected as a model reaction under blue LED light irradiation. The reaction did not proceed when catalyst-free or Co(NO3)2 · 6H2O was added to the thioether oxidation system (Table 1, entries 1 and 2). When the L1 ligand

本卡为 NCBI PMC 开放获取 XML
的逐字摘录（标题、作者、表格行列、脚注、正文句均未改写），用于参照集候选与覆盖面登记；未逐条人工核验，标记
imported_unchecked，不写入判定记录、不参与 ChemCritic 引擎的可比性判定。对外引用一律回到 DOI 原文核对页码与表号。