LM Studio

Model: **qwen/qwen3.6-35b-a3b**

Prompt 3 - trial 5 (seed 14180)

System

Your name is ChemicHAL, an AI-based assistant for molecular machine learning. If the user asks a question not related to chemistry, machine learning, AI, or related fields which are relevant to the tools, answer that you are an assistant for machine learning-based chemoinformatics and can only provide support for that. When providing answers, be user-friendly, using descriptive emojis for paragraphs. When possible, structure the results using tables. When a task takes long, tell the user to wait for completion.

Displaying images

When a tool result contains an object with `"type": "image"` and a `"markdown"` field, you MUST copy that markdown string verbatim into your response so the image renders in the chat. For example, if the tool returns:

```
{"type": "image", "markdown": "

![image-123.png](./image-123.png)

", "$hint": "..."}
```

You must output exactly:

```


![image-123.png](./image-123.png)


```

Do NOT paraphrase, describe, or skip the image. Do NOT say "I have displayed the image" without outputting the markdown. Always output the `markdown` value from every image object in the tool result.

User

Train a GNN model on a compound activity prediction dataset. Select a correctly predicted active compound and a correctly predicted inactive compound from the test set and explain the predictions using EdgeSHAPer. Highlight the differences between the two compounds using visualizations and reporting a chemical interpretation.

Assistant

I'll help you train a GNN model and perform EdgeSHAPer explanations on both active and inactive compounds. Let me start by finding a suitable dataset. 🔍

(Calling tool `find_datasets`)

Assistant

Great! I found some ChEMBL datasets. Let me load the activity prediction dataset and start the GNN training workflow. 🧪

(Calling tool `load_dataset`)

Assistant

Let me use the correct label column name:

(Calling tool `load_dataset`)

Assistant

Excellent! The dataset is loaded with 8,348 compounds. Now let me split the dataset for GNN training:

(Calling tool `split_dataset`)

Assistant

Great! The dataset has been split. Now let me prepare the GNN dataset:

(Calling tool `prepare_gnn_dataset`)

Assistant

Excellent! The GNN dataset is prepared. Now let me train a GCN model:

(Calling tool `train_gnn_model_mcp`)

Assistant

The GNN model training has been submitted. Let me check the training status:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Let me check the training status again:

(Calling tool `check_gnn_training`)

Assistant

The model is still training. Let me check once more:

(Calling tool `check_gnn_training`)

Assistant

Excellent! 🎉 The GNN model training is complete with impressive results:

Metric	Value
Best Validation Accuracy	95.09%
Test Accuracy	94.49%
Training Samples	6,678
Validation Samples	835
Test Samples	835

Now let me select a correctly predicted active compound from the test set:

(Calling tool `select_compound_for_edgeshaper`)

Assistant

Great! I've selected a correctly predicted **active compound** (class 1):

🧪 **Active Compound (Class 1)**:

- **SMILES**: `CNC(=O)c1cccc(OCCCCN2CCN(c3cccc(Cl)c3Cl)CC2)c1C`
- **True Label**: 1
- **Predicted Label**: 1
- **Confidence**: 99.86%

Now let me select a correctly predicted **inactive compound** (class 0):

(Calling tool `select_compound_for_edgeshaper`)

Assistant

Excellent! I've selected a correctly predicted **inactive compound** (class 0):

🧪 **Inactive Compound (Class 0)**:

- **SMILES**: `C#CCN(C)CC(=C)c1ccc(F)c(C)c1`
- **True Label**: 0
- **Predicted Label**: 0
- **Confidence**: 98.13%

Now let me explain both predictions using EdgeSHAPer. Starting with the **active compound**:

(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

Excellent! The EdgeSHAPer explanation for the **active compound** is complete. Now let me visualize it:

(Calling tool `visualize_edgeshaper_results`)

Assistant

Great! The visualization for the **active compound** is complete. Now let me explain the **inactive compound**:

(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

Excellent! The EdgeSHAPer explanation for the **inactive compound** is complete. Now let me visualize it:

(Calling tool `visualize_edgeshaper_results`)

Assistant

Excellent! Now let me get the top bond environments for both compounds to provide a detailed chemical interpretation:

(Calling tool `get_edgeshaper_bond_environments`)

Assistant

Now let me get the top bond environments for the **inactive compound**:

(Calling tool `get_edgeshaper_bond_environments`)

Assistant

Perfect! Now I have all the EdgeSHAPer results for both compounds. Let me provide a comprehensive comparison and chemical interpretation. 🧪

📊 Summary of Results

🏆 Model Performance

Metric	Value
Best Validation Accuracy	95.09%
Test Accuracy	94.49%
Training Samples	6,678
Validation Samples	835
Test Samples	835

🔬 Compound Analysis

Compound 1: Active Compound (Class 1) 🟢

Property	Value
SMILES	`CNC(=O)c1cccc(OCCCCN2CCN(c3cccc(Cl)c3Cl)CC2)c1C`
True Label	1 (Active)
Predicted Label	1 (Active)
Confidence	99.86%
Fidelity	84.11%
Trustworthiness	88.02%

Top 5 Contributing Bonds (Positive SHAP Values):

Bond	Environment	SHAP Sum	Interpretation
C-C (ring)	`NCCN`	+0.146	Piperazine ring C-C bonds
N-C (ring)	`CCN(C)C`	+0.107	N-methylpiperazine bonds
C-N (ring)	`CCN(C)C`	+0.099	Piperazine nitrogen bonds
C-C (ring)	`NCCN`	+0.098	Piperazine ring C-C bonds
C-N (chain)	`CCN(C)C`	+0.095	N-methylpiperazine bonds

Compound 2: Inactive Compound (Class 0) 🔴


Property	Value
SMILES	`C#CCN(C)CC(=C)c1ccc(F)c(C)c1`
True Label	0 (Inactive)
Predicted Label	0 (Inactive)
Confidence	98.13%
Fidelity	95.94%
Trustworthiness	97.97%

Top 5 Contributing Bonds (Positive SHAP Values):


Bond	Environment	SHAP Sum	Interpretation
N-C (chain)	`CN(C)C`	+0.218	N-methyl group bonds
C-C (aryl)	`cc(c)C`	+0.202	Aromatic methyl bond
C-F (aryl)	`cc(c)F`	+0.016	Fluorophenyl bond
C-N (chain)	`CCN(C)C`	+0.013	N-methylpiperazine-like
C=C (aromatic)	`ccc(c)C`	+0.008	Aromatic ring bonds

📈 Visualization

Active Compound EdgeSHAPer Heatmap



Inactive Compound EdgeSHAPer Heatmap



🔍 Chemical Interpretation & Key Differences

1. Structural Complexity 🧬

Feature	Active Compound	Inactive Compound
Molecular Weight	~500 Da	~245 Da
Number of Rings	3 (2 aromatic, 1 aliphatic)	1 (aromatic)
Heteroatoms	N (4), O (1), Cl (2)	N (1), F (1)
Flexibility	High (multiple rotatable bonds)	Moderate

2. Key Pharmacophore Features 💊

Active Compound (Class 1) - Important Features:

- ✅ **Piperazine ring** with N-methyl groups (SHAP: +0.107 to +0.099)
- ✅ **Dichlorophenyl ring** attached to piperazine (SHAP: +0.107)
- ✅ **Benzamide moiety** with methyl substitution (SHAP: +0.067)
- ✅ **Ether linkage** connecting phenyl to piperazine (SHAP: +0.056)
- ✅ **Multiple aromatic rings** providing π-stacking potential

Inactive Compound (Class 0) - Important Features:

- ✅ **N-methyl amine** group (SHAP: +0.218) - reinforces inactivity
- ✅ **Fluorophenyl ring** (SHAP: +0.016) - minor contribution
- ✅ **Alkyne chain** (C≡C) - no significant contribution
- ✅ **Methylphenyl group** (SHAP: +0.202) - reinforces inactivity

3. Critical Differences ⚡

Aspect	Active Compound	Inactive Compound	Impact
Piperazine Ring	Present (key pharmacophore)	Absent	**Critical for activity**
Dichlorophenyl	Present (hydrophobic interaction)	Absent	**Important for binding**
Benzamide	Present (H-bond acceptor)	Absent	**H-bonding capability**
Molecular Size	Larger (500 Da)	Smaller (245 Da)	**Better target coverage**
Aromaticity	Multiple rings	Single ring	**π-stacking potential**
Halogenation	2 Cl atoms	1 F atom	**Halogen bonding**

4. SHAP Value Comparison 📊

Metric	Active Compound	Inactive Compound
Max SHAP Value	+0.158	+0.414
**Mean	SHAP	**
Number of Positive Bonds	54	18
Number of Negative Bonds	10	14
Fidelity	84.11%	95.94%
Trustworthiness	88.02%	97.97%

Insights:

- The **inactive compound** has higher fidelity (95.94%) because its prediction is more straightforward with fewer contributing features
- The **active compound** has more distributed SHAP values, indicating multiple structural features contribute to its activity
- The **N-methylpiperazine** motif in the active compound is a known pharmacophore for many CNS-active drugs

---

🎯 Conclusions

1. **The GNN model successfully distinguishes** between active and inactive compounds with 94.49% accuracy
2. **Key structural determinants of activity:**
   - **Piperazine ring with N-methyl groups** is the most important feature for activity
   - **Dichlorophenyl substitution** enhances hydrophobic interactions
   - **Benzamide moiety** provides hydrogen bonding capability
   - **Multiple aromatic rings** enable π-π stacking with target proteins
3. **EdgeSHAPer effectively identifies** the critical bonds contributing to predictions:
   - For active compounds: Distributed contributions across multiple pharmacophores
   - For inactive compounds: Localized contributions from simple structural features
4. **The model learned meaningful chemical patterns** that align with known structure-activity relationships (SAR) in medicinal chemistry 🔬

Note: The visualizations show bond-level importance with red indicating bonds that increase the probability of the predicted class and blue indicating bonds that decrease it.