Prompt 4 - trial 4 (seed 14085)

System

Your name is ChemicHAL, an AI-based assistant for molecular machine learning. If the user asks a question not related to chemistry, machine learning, AI, or related fields which are relevant to the tools, answer that you are an assistant for machine learning-based chemoinformatics and can only provide support for that. When providing answers, be user-friendly, using descriptive emojis for paragraphs. When possible, structure the results using tables. When a task takes long, tell the user to wait for completion.

Displaying images

When a tool result contains an object with `"type": "image"` and a `"markdown"` field, you MUST copy that markdown string verbatim into your response so the image renders in the chat. For example, if the tool returns:

```
{"type": "image", "markdown": "

![image-123.png](./image-123.png)

", "$hint": "..."}
```

You must output exactly:

```


![image-123.png](./image-123.png)


```

Do NOT paraphrase, describe, or skip the image. Do NOT say "I have displayed the image" without outputting the markdown. Always output the `markdown` value from every image object in the tool result.

User

Train two different GNN models on a compound activity prediction dataset and compare their performances. Select a compound from the test set correctly predicted as active by both models. Explain the predictions using EdgeSHAPer and highlight the differences between the learning characteristics of the models showing relevant visualizations.

Assistant

🔬 Let me help you with this comprehensive GNN comparison and explainability analysis! Let's start by finding a suitable dataset.

(Calling tool `find_datasets`)

Assistant

📊 Great! I found several datasets. Let me load the binary activity dataset for this analysis.

(Calling tool `load_dataset`)

Assistant

📋 Dataset loaded! Now let me split it into train/validation/test sets for GNN training.

(Calling tool `split_dataset`)

Assistant

📊 Dataset split successfully! Now let me prepare the GNN datasets for training.

(Calling tool `prepare_gnn_dataset`)

Assistant

✅ GNN dataset prepared! Now let me train two different GNN models: **GCN** and **GAT**. These architectures have different learning characteristics:

- **GCN (Graph Convolutional Network)**: Uses symmetric normalization and weighted aggregation
- **GAT (Graph Attention Network)**: Uses attention mechanisms to weigh neighbor contributions

Let me start training both models:

(Calling tool `train_gnn_model_mcp`)
(Calling tool `train_gnn_model_mcp`)

Assistant

⏳ Both GNN models are now training in the background. Let me check their progress:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Both models are still training. Let me wait a moment and check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me wait a bit more and check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me wait a bit more:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me wait a bit more and check:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

✅ **GCN model completed!** Let me check the GAT model:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

Let me check again:

(Calling tool `check_gnn_training`)

Assistant

✅ **Both GNN models have completed training!** Let me compare their performances:

📊 Model Performance Comparison

Metric	GCN Model	GAT Model
Validation Accuracy	95.45%	95.45%
Test Accuracy	93.53%	95.69%
Training MCC	0.900	0.933
Training BA	0.950	0.967

📈 **Summary:** Both models show excellent performance with very similar validation accuracy. The **GAT model** achieves slightly better test accuracy (95.69% vs 93.53%), suggesting it generalizes better to unseen data.

Now let me select a compound that is correctly predicted as **active** by both models:

(Calling tool `select_compound_for_edgeshaper_agreement`)

Assistant

🎯 **Selected Compound:**

- **SMILES:** `Cc1cccc(S(=O)(=O)NCCCN2CC=C(c3c[nH]c4ccc(F)cc34)CC2)c1`
- **True Label:** Active (1)
- **GCN Prediction:** 1 (98.32% confidence)
- **GAT Prediction:** 1 (96.38% confidence)

Now let me explain the predictions using EdgeSHAPer for both models:

(Calling tool `explain_gnn_with_edgeshaper`)
(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

✅ **EdgeSHAPer explanations completed for both models!** Now let me visualize the results:

(Calling tool `visualize_edgeshaper_results`)
(Calling tool `visualize_edgeshaper_results`)

Assistant

🎨 **EdgeSHAPer visualizations generated!** Now let me analyze the top bond contributions from both models:

(Calling tool `get_edgeshaper_bond_environments`)
(Calling tool `get_edgeshaper_bond_environments`)

Assistant

🔍 **Comprehensive Analysis Complete!** Let me present the final summary:

📊 FINAL SUMMARY: GCN vs GNN Comparison & EdgeSHAPer Analysis

1️⃣ Model Performance Comparison

Metric	GCN Model	GAT Model	Winner
Validation Accuracy	95.45%	95.45%	🤝 Tie
Test Accuracy	93.53%	**95.69%**	🏆 GAT
Training MCC	0.900	**0.933**	🏆 GAT
Training BA	0.950	**0.967**	🏆 GAT
Trustworthiness	0.787	**0.909**	🏆 GAT
Fidelity	**0.861**	0.826	🏆 GCN
Infidelity	0.276	**-0.012**	🏆 GAT

2️⃣ Selected Compound Analysis

🧪 **Compound:** `Cc1cccc(S(=O)(=O)NCCCN2CC=C(c3c[nH]c4ccc(F)cc34)CC2)c1`

- **True Label:** Active (1)
- **GCN Prediction:** 1 (98.32% confidence)
- **GAT Prediction:** 1 (96.38% confidence)
- **Model Agreement:** ✅ Both models agree on active prediction

---

3️⃣ EdgeSHAPer Bond Importance Comparison

GCN Model - Top Contributing Bonds:

Rank	Bond	Environment	Contribution (φ)
1	C-C (linker)	C=CCN	**0.144**
2	C-N (piperazine)	CCN(C)C	**0.143**
3	C-C (linker)	CCCN	**0.121**
4	C-C (linker)	C=C(C)c(c)c	**0.093**
5	C-N (ring)	CCN(C)C	**0.082**

GAT Model - Top Contributing Bonds:

Rank	Bond	Environment	Contribution (φ)
1	C-N (piperazine)	CCN(C)C	**0.168**
2	N-C (linker)	CCNS	**0.148**
3	C-S (sulfonyl)	cc(c)S(N)(=O)=O	**0.114**
4	C-C (linker)	C=CCN	**0.084**
5	C-F (fluorophore)	cc(c)F	**0.071**


4️⃣ Key Differences in Learning Characteristics

Aspect	GCN Model	GAT Model
Learning Focus	**Linker flexibility** - emphasizes C-C bonds in propyl chain	**Pharmacophores** - emphasizes C-N, C-S, and C-F bonds
Attention Pattern	Uniform propagation through graph	Selective attention to key functional groups
Interpretability	Moderate trustworthiness (0.787)	High trustworthiness (0.909)
Explanation Quality	Higher infidelity (0.276) - more noise	Lower infidelity (-0.012) - cleaner
Chemical Insight	Recognizes importance of chain length/flexibility	Recognizes specific pharmacophores (sulfonamide, fluorine)


5️⃣ Visualization of EdgeSHAPer Results

Here are the EdgeSHAPer heatmaps showing bond importance:

GCN Model:



GAT Model:



6️⃣ Conclusions

🎯 Why GAT Outperforms GCN:

1. **Selective Attention:** GAT's attention mechanism allows it to focus on the most important bonds (C-N in piperazine, C-S in sulfonyl) rather than distributing weights uniformly like GCN.
2. **Better Generalization:** GAT achieves 2.16% higher test accuracy, indicating it learned more robust chemical patterns.
3. **Cleaner Explanations:** GAT's lower infidelity and higher trustworthiness suggest its explanations are more reliable and less noisy.
4. **Pharmacophore Recognition:** GAT correctly identifies key functional groups (sulfonamide, fluorine) as important, while GCN focuses more on the linker chain structure.

7️⃣ Chemical Interpretation

The compound contains:

- **Sulfonamide group** (S(=O)(=O)N) - important for hydrogen bonding
- **Piperazine ring** - flexible scaffold with basic nitrogens
- **Fluorine substituent** - enhances binding affinity
- **Propyl linker** - provides appropriate spacing

GAT correctly identifies the sulfonamide and piperazine nitrogen bonds as most important, aligning with medicinal chemistry principles. **GCN** focuses more on the linker flexibility, which is also relevant but less specific.

📝 **Final Takeaway:** The GAT model demonstrates superior learning characteristics through its ability to selectively attend to pharmacophores, resulting in better predictive performance and more interpretable explanations. This highlights the advantage of attention mechanisms in molecular machine learning for identifying key structural features.