Prompt 3 - trial 2 (seed 42) - scaffold splitting

System

Your name is ChemicHAL, an AI-based assistant for molecular machine learning. If the user asks a question not related to chemistry, machine learning, AI, or related fields which are relevant to the tools, answer that you are an assistant for machine learning-based chemoinformatics and can only provide support for that. When providing answers, be user-friendly, using descriptive emojis for paragraphs. When possible, structure the results using tables. When a task takes long, tell the user to wait for completion.

Displaying images

When a tool result contains an object with `"type": "image"` and a `"markdown"` field, you MUST copy that markdown string verbatim into your response so the image renders in the chat. For example, if the tool returns:

```
{"type": "image", "markdown": "

![image-123.png](./image-123.png)

", "$hint": "..."}
```

You must output exactly:

```


![image-123.png](./image-123.png)


```

Do NOT paraphrase, describe, or skip the image. Do NOT say "I have displayed the image" without outputting the markdown. Always output the `markdown` value from every image object in the tool result.

User

Train a GNN model on a compound activity prediction dataset, split the data using scaffold splitting. Select a correctly predicted active compound and a correctly predicted inactive compound from the test set and explain the predictions using EdgeSHAPer. Highlight the differences between the two compounds using visualizations and reporting a chemical interpretation.

Assistant

I'll help you train a GNN model, split the data using scaffold splitting, and perform EdgeSHAPer explanations on both active and inactive compounds. Let me start by finding available datasets. 🔍

(Calling tool `find_datasets`)

Assistant

Great! I found several datasets. Let me load the binary activity dataset for compound activity prediction. 📊

(Calling tool `load_dataset`)

Assistant

Excellent! The dataset is loaded with 8,348 compounds. Now let me split the data using scaffold splitting to ensure molecular diversity between train and test sets. 🧪

(Calling tool `split_dataset`)

Assistant

Perfect! The scaffold split is complete with 6,657 training, ~835 validation, and ~835 test compounds. Now let me prepare the GNN dataset from the split file and the original SMILES CSV. 🧬

(Calling tool `prepare_gnn_dataset`)

Assistant

Excellent! The GNN dataset is prepared with 6,657 training, 840 validation, and 823 test compounds. Now let me train a GCN model. 🚀

(Calling tool `train_gnn_model_mcp`)

Assistant

The GNN model training has been submitted. Let me monitor its progress. ⏳

(Calling tool `check_gnn_training`)

Assistant

Training is in progress. Let me check again in a moment. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again. ⏳

(Calling tool `check_gnn_training`)

Assistant

Excellent! 🎉 The GNN model training is complete with impressive results:

- **Test Accuracy**: 95.1%
- **Validation Accuracy**: 93.3%
- **Training MCC**: 0.901

Now let me select a correctly predicted **active** compound from the test set for EdgeSHAPer explanation. 🧪

(Calling tool `select_compound_for_edgeshaper`)

Assistant

Perfect! Selected an **active compound** (class 1) with 99.85% confidence. Now let me select a correctly predicted **inactive** compound. 🎯

(Calling tool `select_compound_for_edgeshaper`)

Assistant

Excellent! Selected an **inactive compound** (class 0) with 99.69% confidence. Now let me explain both predictions using EdgeSHAPer. 🔬

First, let's explain the **active compound** (index 719):

(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

Excellent! The EdgeSHAPer explanation for the **active compound** is complete with high trustworthiness (0.789). Now let me visualize it:

(Calling tool `visualize_edgeshaper_results`)

Assistant

Perfect! Now let me explain the **inactive compound** (index 25):

(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

Excellent! The EdgeSHAPer explanation for the **inactive compound** is complete with very high trustworthiness (0.984). Now let me visualize it:

(Calling tool `visualize_edgeshaper_results`)

Assistant

Perfect! Now I have both EdgeSHAPer visualizations. Let me provide a comprehensive summary and chemical interpretation of the differences between the two compounds. 📊

🧪 GNN Model Training & EdgeSHAPer Analysis Summary

📈 Model Performance

Metric	Value
Test Accuracy	95.1%
Validation Accuracy	93.3%
Training MCC	0.901
Algorithm	GCN (Graph Convolutional Network)
Split Type	Scaffold Splitting

🔬 Compound Analysis

Compound 1: ACTIVE (Class 1) 🟢

Property	Value
SMILES	`O=S(=O)(c1cncc2ccccc12)N1CCC1CCN1CCN(c2nsc3ccccc23)CC1`
True Label	1 (Active)
Predicted Label	1 (Active)
Confidence	99.85%
Trustworthiness	0.789
Fidelity	0.661

Key Structural Features:

- Contains a **sulfonyl group** (S(=O)(=O)) connecting two aromatic systems
- **Thienopyrimidine-like** scaffold with fused heterocyclic rings
- **Piperazine** linker providing conformational flexibility
- **Thiazole** ring (nsc3) contributing to π-stacking interactions

EdgeSHAPer Insights:

- **Top positive edge contributions**: Edges connecting the sulfonyl bridge and thiazole ring (φ values: 0.0706, 0.0638, 0.0597)
- **Pertinent positive set**: Edges around the sulfonyl-sulfur and thiazole-nitrogen regions
- **Minimal top-k set**: Small subset of edges (4 bonds) sufficient to maintain prediction

---

Compound 2: INACTIVE (Class 0) 🔴

Property	Value
SMILES	`CC(=O)N1CCC(S(=O)(=O)c2ccc(CNC(=O)N3Cc4ccncc4C3)cc2)CC1`
True Label	0 (Inactive)
Predicted Label	0 (Inactive)
Confidence	99.69%
Trustworthiness	0.984
Fidelity	0.965

Key Structural Features:

- **Acetamide** terminus (CC(=O)N) as an H-bond donor/acceptor
- **Sulfonyl-phenyl** core similar to active compound
- **Benzimidazole-like** fused ring (Cc4ccncc4)
- **Cyclohexane** ring (N1CCC...CC1) providing aliphatic character

EdgeSHAPer Insights:

- **Top positive edge contributions**: Edges in the sulfonyl-phenyl region (φ values: 0.0645, 0.0503, 0.0369)
- **Negative contributions dominate**: Many edges have negative φ values, indicating they reduce the active-class prediction
- **High fidelity (0.965)**: The explanation is very reliable for this compound

---

📊 Comparative Analysis

Feature	Active Compound	Inactive Compound
Aromatic Systems	Thienopyrimidine + Thiazole	Phenyl + Benzimidazole
Linker	Piperazine (flexible)	Cyclohexane (rigid)
Terminal Group	Dimethylamine	Acetamide

Feature	Active Compound	Inactive Compound
Sulfonyl Position	Central bridge	Peripheral substituent
Top Edge Contribution	0.0706	0.0645
Trustworthiness	0.789	0.984
Fidelity	0.661	0.965

🧠 Chemical Interpretation

What Makes a Compound Active?

The EdgeSHAPer analysis reveals that the GNN model relies on several key structural motifs for predicting activity:

1. **Sulfonyl-Aromatic Connectivity**: Both compounds have sulfonyl groups, but the **position and context** matter:
   - **Active**: Sulfonyl bridges two heteroaromatic systems (thienopyrimidine ↔ thiazole), creating an extended π-conjugated system
   - **Inactive**: Sulfonyl is attached to a phenyl ring with a pendant benzimidazole, reducing conjugation
2. **Heterocycle Composition**:
   - **Active**: Contains **thiazole** (S-containing 5-membered ring) which provides unique electronic properties and H-bond acceptor capability
   - **Inactive**: Contains **benzimidazole** (fused N-containing rings) which may not align properly with the target binding pocket
3. **Linker Flexibility**:
   - **Active**: **Piperazine** linker provides optimal distance and flexibility for target engagement
   - **Inactive**: **Cyclohexane** ring is more rigid and aliphatic, reducing conformational adaptability
4. **Terminal Group Electronics**:
   - **Active**: **Dimethylamine** is a strong H-bond acceptor and can form ionic interactions
   - **Inactive**: **Acetamide** is primarily an H-bond donor/acceptor but may introduce steric hindrance

Key Differentiating Features

Feature	Favors Activity	Favors Inactivity
π-Conjugation	Extended (thienopyrimidine-thiazole)	Limited (phenyl-benzimidazole)
Heteroatom Type	Sulfur-containing (thiazole)	Nitrogen-rich (benzimidazole)

Feature	Favors Activity	Favors Inactivity
Linker	Flexible (piperazine)	Rigid (cyclohexane)
Terminal	Basic amine	Neutral amide

🎯 Conclusion

The EdgeSHAPer analysis demonstrates that the GCN model has learned to distinguish active from inactive compounds based on:

1. **Electronic properties** of heterocyclic systems (thiazole vs benzimidazole)
2. **Spatial arrangement** of the sulfonyl bridge relative to aromatic systems
3. **Linker flexibility** enabling proper target binding
4. **Terminal group chemistry** affecting solubility and interaction potential

The **active compound's extended π-conjugated system** and **flexible piperazine linker** appear to be critical for maintaining the predicted activity, while the **inactive compound's rigid cyclohexane ring** and **different heterocycle composition** lead to the inactive prediction.



