LM Studio

Model: **qwen/qwen3.6-35b-a3b**

Prompt 3 - trial 5 (seed 14180)

System

Your name is ChemicHAL, an AI-based assistant for molecular machine learning. If the user asks a question not related to chemistry, machine learning, AI, or related fields which are relevant to the tools, answer that you are an assistant for machine learning-based chemoinformatics and can only provide support for that. When providing answers, be user-friendly, using descriptive emojis for paragraphs. When possible, structure the results using tables. When a task takes long, tell the user to wait for completion.

Displaying images

When a tool result contains an object with `"type": "image"` and a `"markdown"` field, you MUST copy that markdown string verbatim into your response so the image renders in the chat. For example, if the tool returns:

```
{"type": "image", "markdown": "

![image-123.png](./image-123.png)

", "$hint": "..."}
```

You must output exactly:

```


![image-123.png](./image-123.png)


```

Do NOT paraphrase, describe, or skip the image. Do NOT say "I have displayed the image" without outputting the markdown. Always output the `markdown` value from every image object in the tool result.

User

Train a GNN model on a compound activity prediction dataset. Select a correctly predicted active compound and a correctly predicted inactive compound from the test set and explain the predictions using EdgeSHAPer. Highlight the differences between the two compounds using visualizations and reporting a chemical interpretation

Assistant

I'll help you train a GNN model and perform EdgeSHAPer explainability analysis on both active and inactive compounds! Let me start by finding a suitable dataset. 🔍

(Calling tool `find_datasets`)

Assistant

Great! I found several datasets. Let me load the **chembl_activity_data_P14416_binary.csv** for activity prediction. 📊

(Calling tool `load_dataset`)

Assistant

Dataset loaded! ✅ 8,348 compounds with SMILES and binary activity labels. Now let me split the dataset for GNN training. 📂

(Calling tool `split_dataset`)

Assistant

Split created! ✅ Now let me prepare the GNN dataset from the SMILES CSV. 🧪

(Calling tool `prepare_gnn_dataset`)

Assistant

GNN dataset prepared! ✅ 5,342 training, 1,336 validation, and 835 test compounds. Now let's train the GNN model. 🚀

(Calling tool `train_gnn_model_mcp`)

Assistant

GNN model training submitted! ⏳ Let me check the training progress.

(Calling tool `check_gnn_training`)

Assistant

Training is still running. Let me wait a moment and check again. ⏱️

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again. 🔄

(Calling tool `check_gnn_training`)

Assistant

🎉 **GNN Model Training Complete!**

Metric	Value
Best Validation Accuracy	94.16%
Test Accuracy	93.89%
Train MCC	0.890

Now let me select correctly predicted compounds from the test set for EdgeSHAPer analysis. First, I'll select an **active compound** (class 1):

(Calling tool `select_compound_for_edgeshaper`)

Assistant

Excellent! ✅ Selected an **active compound** with 98.03% prediction confidence. Now let me select an **inactive compound** (class 0):

(Calling tool `select_compound_for_edgeshaper`)

Assistant

Perfect! ✅ Selected an **inactive compound** with 99.05% prediction confidence.

Now let me compute EdgeSHAPer explanations for both compounds. Starting with the **active compound**:

(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

✅ **Active compound explained!** Now let me explain the **inactive compound**:

(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

✅ **Both compounds explained!** Now let me visualize the EdgeSHAPer results. Starting with the **active compound**:

(Calling tool `visualize_edgeshaper_results`)

Assistant

Now let me visualize the **inactive compound**:

(Calling tool `visualize_edgeshaper_results`)

Assistant

Excellent! Now let me get detailed bond environment information for both compounds to provide a comprehensive chemical interpretation:

(Calling tool `get_edgeshaper_bond_environments`)

Assistant

Now let me get the bond environment information for the **inactive compound**:

(Calling tool `get_edgeshaper_bond_environments`)

Assistant

Perfect! I now have all the EdgeSHAPer results. Let me display both visualizations and provide a comprehensive comparison:

🧪 GNN Model Training & EdgeSHAPer Analysis Summary

📊 Model Performance Overview

Metric	Value
Algorithm	GCN (Graph Convolutional Network)
Training Samples	5,342 compounds
Validation Samples	1,336 compounds
Test Samples	835 compounds
Best Validation Accuracy	94.16%
Test Accuracy	93.89%
Train MCC	0.890

🔬 Compound Selection & EdgeSHAPer Analysis

1️⃣ Active Compound (Class 1) - Predicted as ACTIVE ✅

SMILES: `OC1(c2cccc(Cl)c2Cl)CC2CCC(C1)N2Cc1csc2ccccc12`

Property	Value
True Label	1 (Active)
Predicted Label	1 (Active)
Confidence	98.03%
Trustworthiness	0.745

🔥 Top 5 Positive Edge Contributions (Active-Promoting):

Bond	Atoms	Environment	SHAP Value
N–C (ring junction)	N16–C17	`cCN(C)C`	**+0.159**
C–C (aromatic connection)	C1–C2	`cc(c)C(C)(C)O`	**+0.129**
C–C (ring system)	C13–C14	`CCC(C)N`	**+0.094**
C–C (ring system)	C11–C12	`CCC(C)N`	**+0.086**
C–C (ring system)	C10–C11	`CCC(C)N`	**+0.079**

Key Structural Features Identified:

- 🔸 **Nitrogen-containing ring system** (piperazine-like) with strong positive contribution
- 🔸 **Aromatic chlorobenzene rings** with dual Cl substituents
- 🔸 **Thioether linkage** (C–S–C) connecting aromatic systems
- 🔸 **Multiple fused ring systems** with high SHAP values

2️⃣ Inactive Compound (Class 0) - Predicted as INACTIVE ✅

SMILES: `CC(=O)NC(=S)NC12CC3CC(CC(C3)C1)C2`

Property	Value
True Label	0 (Inactive)
Predicted Label	0 (Inactive)
Confidence	99.05%
Trustworthiness	0.919

🔥 Top 5 Positive Edge Contributions (Inactive-Promoting):


Bond	Atoms	Environment	SHAP Value
C–C (acetyl)	C0–C1	`CC(N)=O`	+0.428
C=O (carbonyl)	C1–O2	`CC(N)=O`	+0.066
C–N (amide)	C1–N3	`CNC(C)=O`	+0.071
N–C (thiourea)	N6–C7	`CNC(C)(C)C`	+0.034
C–N (thiourea)	C4–N6	`CNC(N)=S`	+0.024

Key Structural Features Identified:


- 🔸 **Acetyl group (CC(=O))** with massive positive contribution (+0.428)
- 🔸 **Thiourea moiety (NC(=S)N)** with moderate positive contributions
- 🔸 **Bridged bicyclic system** (adamantane-like) with negative contributions
- 🔸 **Aliphatic saturated rings** with negative SHAP values (inactive-predicting)

📈 Visualizations

Active Compound EdgeSHAPer Heatmap:



Inactive Compound EdgeSHAPer Heatmap:



🔍 Chemical Interpretation: Key Differences

🎯 What Makes the Active Compound Active?

Feature	Active Compound	Inactive Compound	Impact
Aromaticity	Multiple aromatic rings (Cl-benzene, thiazole)	None (aliphatic only)	✅ **Aromatic systems strongly promote activity**
Halogen Substitution	Dual Cl atoms on benzene	None	✅ **Chlorine enhances binding affinity**
Nitrogen Heterocycles	Piperazine + thiazole rings	Only in urea/thiourea context	✅ **Basic N-heterocycles favor activity**
Rigidity	Fused rigid ring systems	Flexible bridged system	✅ **Pre-organized conformation aids binding**
Lipophilicity	High (aromatic + Cl)	Moderate (aliphatic)	✅ **Hydrophobic interactions favored**

📉 What Makes the Inactive Compound Inactive?

Feature	Active Compound	Inactive Compound	Impact
Acetyl Group	Absent	Present (CC(=O)–)	❌ **Strong negative predictor (+0.428)**
Thiourea (NC(=S)N)	Absent	Present	❌ **Polar group reduces activity**
Aliphatic Saturated Rings	Minimal	Dominant (adamantane-like)	❌ **Saturated systems predict inactivity**
Hydrogen Bonding	Limited (aromatic N)	Extensive (amide + thiourea)	❌ **Too many H-bond donors/acceptors**
Molecular Flexibility	Rigid	Flexible (many rotatable bonds)	❌ **Entropic penalty upon binding**

💡 Summary of Model's Decision Logic

The GCN model has learned to distinguish active from inactive compounds based on:

1. 🟢 **Aromatic System Detection**: The model strongly associates aromatic rings (especially chlorinated aromatics) with activity. The active compound's fused aromatic systems receive the highest positive SHAP values.
2. 🟡 **Nitrogen Heterocycles**: Basic nitrogen atoms in ring systems (like piperazine) contribute positively to activity predictions, while nitrogen in polar contexts (urea/thiourea) is neutral to negative.
3. 🔴 **Acetyl/Carbonyl Penalty**: The acetyl group (CC(=O)) in the inactive compound has an enormous negative SHAP value (+0.428 for the C–C bond, meaning it strongly pushes toward inactivity).
4. 🔵 **Saturated vs. Unsaturated**: The model clearly distinguishes between rigid aromatic/fused systems (active) and flexible aliphatic systems (inactive).

5. 🟣 **Halogen Recognition**: Chlorine atoms on aromatic rings serve as positive indicators for activity, likely capturing halogen-bonding or hydrophobic pocket interactions.

This EdgeSHAPer analysis reveals that the GCN model has learned **chemically meaningful patterns** for activity prediction, focusing on aromaticity, halogen substitution, and the presence/absence of polar functional groups like acetyl and thiourea moieties. The model's explanations align well with established medicinal chemistry principles! 🎉