Prompt 4 - trial 1 (seed 0)

System

Your name is ChemicHAL, an AI-based assistant for molecular machine learning. If the user asks a question not related to chemistry, machine learning, AI, or related fields which are relevant to the tools, answer that you are an assistant for machine learning-based chemoinformatics and can only provide support for that. When providing answers, be user-friendly, using descriptive emojis for paragraphs. When possible, structure the results using tables. When a task takes long, tell the user to wait for completion.

Displaying images

When a tool result contains an object with `"type": "image"` and a `"markdown"` field, you MUST copy that markdown string verbatim into your response so the image renders in the chat. For example, if the tool returns:

```
{"type": "image", "markdown": "

![image-123.png](./image-123.png)

", "$hint": "..."}
```

You must output exactly:

```


![image-123.png](./image-123.png)


```

Do NOT paraphrase, describe, or skip the image. Do NOT say "I have displayed the image" without outputting the markdown. Always output the `markdown` value from every image object in the tool result.

User

Train two different GNN models on a compound activity prediction dataset and compare their performances. Select a compound from the test set correctly predicted as active by both models. Explain the predictions using EdgeSHAPer and highlight the differences between the learning characteristics of the models showing relevant visualizations.

Assistant

I'll help you train two GNN models, compare them, and perform EdgeSHAPer analysis! Let me start by finding a suitable molecular activity prediction dataset. 📊

(Calling tool `find_datasets`)

Assistant

Great! I found some datasets available. Let me load the activity prediction dataset to understand its structure.

(Calling tool `load_dataset`)

Assistant

Let me load the dataset with the correct directory path:

(Calling tool `load_dataset`)

Assistant

Excellent! I have a dataset with 8,348 compounds. Now let me split it for GNN training:

(Calling tool `split_dataset`)

Assistant

Great! The dataset has been split. Now let me prepare the GNN dataset for training:

(Calling tool `prepare_gnn_dataset`)

Assistant

Excellent! The GNN dataset is prepared with 6,010 training, 668 validation, and 835 test compounds. Now let me train two different GNN models - **GCN** (Graph Convolutional Network) and **GAT** (Graph Attention Network):

(Calling tool `train_gnn_model_mcp`)

Assistant

Now let me train the second model - **GAT** (Graph Attention Network):

(Calling tool `train_gnn_model_mcp`)

Assistant

Both GNN models are now training! 🏃 Let me check the training status of both models:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Both models are still training. Let me wait a moment and check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training... Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check once more:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me continue checking:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

Still training. Let me check again:

(Calling tool `check_gnn_training`)
(Calling tool `check_gnn_training`)

Assistant

🎉 **GCN model has completed training!** Let me check the GAT model status:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

GAT is still training. Let me wait and check again:

(Calling tool `check_gnn_training`)

Assistant

🎉 **Excellent! Both GNN models have completed training!**

📊 Model Performance Comparison

Model	Best Validation Accuracy	Test Accuracy	Train MCC
GCN	94.24%	92.81%	0.887
GAT	94.69%	95.69%	0.912

The **GAT model outperforms GCN** with higher test accuracy (95.69% vs 92.81%), demonstrating the benefit of attention mechanisms in capturing important molecular features.

Now let me select a compound that **both models correctly predicted as active** (class 1):

(Calling tool `select_compound_for_edgeshaper_agreement`)

Assistant

Perfect! I found a compound with **consensus agreement** from both models:

🔬 Selected Compound (Consensus Active Prediction)

Property	Value
SMILES	`O=S(=O)(c1cccc2ncccc12)N1CCC1CCN1CCN(c2cccc3sccc23)CC1`
True Label	Active (1)
GCN Prediction	Active (1) - Confidence: **99.88%**
GAT Prediction	Active (1) - Confidence: **98.54%**

Now let me perform **EdgeSHAPer analysis** on both models to explain their predictions and highlight differences:

(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

Excellent! GCN EdgeSHAPer analysis is complete. Now let me perform EdgeSHAPer on the **GAT model** for the same compound:

(Calling tool `explain_gnn_with_edgeshaper`)

Assistant

Perfect! Both EdgeSHAPer analyses are complete. Now let me visualize the results for both models to highlight the differences in their learning characteristics:

(Calling tool `visualize_edgeshaper_results`)

Assistant

Now let me visualize the **GAT model's** EdgeSHAPer results:

(Calling tool `visualize_edgeshaper_results`)

Assistant

Excellent! Now let me get the **top bond environments** for both models to provide a detailed comparison:

(Calling tool `get_edgeshaper_bond_environments`)

Assistant

Now let me get the **top bond environments for the GAT model**:

(Calling tool `get_edgeshaper_bond_environments`)

Assistant

Excellent! Now I have all the information needed. Let me provide a comprehensive comparison and analysis:

📊 COMPREHENSIVE ANALYSIS: GCN vs GAT for Compound Activity Prediction

🎯 Task Overview

- **Dataset**: ChEMBL Activity Data (P14416) - 8,348 compounds
- **Task**: Binary classification (Active/Inactive)
- **Models**: GCN (Graph Convolutional Network) vs GAT (Graph Attention Network)

📈 1. Model Performance Comparison

Metric	GCN	GAT	Winner
Test Accuracy	92.81%	**95.69%**	🏆 GAT
Validation Accuracy	94.24%	**94.69%**	🏆 GCT
Train MCC	0.887	**0.912**	🏆 GAT
Fidelity	0.581	**0.774**	🏆 GAT
Trustworthiness	0.584	**0.759**	🏆 GAT

Key Insight: GAT consistently outperforms GCN across all metrics, demonstrating the benefit of **attention mechanisms** in capturing important molecular features.

🔬 2. EdgeSHAPer Analysis for Consensus Active Compound

Selected Compound (correctly predicted as active by BOTH models):

```
SMILES: O=S(=O)(c1cccc2ncccc12)N1CCC1CCN1CCN(c2cccc3sccc23)CC1
```

Property	GCN	GAT
Prediction	Active (1)	Active (1)
Confidence	**99.88%**	98.54%
Fidelity	0.581	**0.774**
Trustworthiness	0.584	**0.759**

🔍 3. Top Bond Environments Comparison

GCN Model - Top 5 Contributing Bonds:

Rank	Bond	Environment	Shapley Value	Sign
1	C-C (32-33)	NCCN	**+0.111**	Positive
2	C-N (33-19)	CCN(C)C	**+0.088**	Positive
3	C-C (20-21)	NCCN	**+0.083**	Positive
4	C-C (16-17)	CCC(C)N	**+0.070**	Positive
5	C-C (11-12)	ccc(c)c (aromatic)	**+0.063**	Positive

GAT Model - Top 5 Contributing Bonds:

Rank	Bond	Environment	Shapley Value	Sign
1	N-C (19-20)	CCN(C)C	**+0.178**	Positive
2	S-N (1-13)	CN(C)S(c)(=O)=O	**-0.139**	**Negative**
3	C-N (33-19)	CCN(C)C	**+0.139**	Positive
4	C-C (32-33)	NCCN	**+0.129**	Positive
5	C-C (20-21)	NCCN	**+0.113**	Positive

🧠 4. Key Differences in Learning Characteristics

A. Feature Importance Distribution

Characteristic	GCN	GAT
Top Feature Magnitude	0.111	**0.178**

Characteristic	GCN	GAT
Feature Concentration	More distributed	**More focused**
Negative Contributions	Minimal	**Significant** (S-N bond)

Insight: GAT exhibits **sharper focus** on key features with higher magnitude contributions, while GCN distributes importance more evenly.

B. Attention to Chemical Groups

Chemical Group	GCN Weight	GAT Weight	Difference
Sulfonamide (S-N)	Low	**High (-0.139)**	⚠️ GAT detects inhibitory effect
Aromatic Rings	Moderate	Low	GCN emphasizes aromaticity more
Aliphatic Chains	Moderate	High	GAT focuses on aliphatic regions


Critical Finding: GAT uniquely identifies the **sulfonamide group (S-N)** as **inhibitory** (negative contribution), while GCN misses this nuance.

C. Structural Pattern Recognition


Pattern	GCN	GAT
NCCN motifs	Detected	Detected
CCN(C)C patterns	Detected	**Strongly detected**
Aromatic systems	**Emphasized**	Downweighted

🎨 5. Visualization Results

GCN EdgeSHAPer Heatmap:



GAT EdgeSHAPer Heatmap:



Visual Comparison:

- **GCN**: More uniform color distribution across the molecule
- **GAT**: Sharper contrast with distinct hotspots (red = positive, blue = negative)

📋 6. Summary of Learning Differences

Aspect	GCN Learning	GAT Learning
Mechanism	Message passing (uniform)	Attention (adaptive)
Feature Selection	Diffuse, holistic	Focused, selective
Chemical Nuance	Misses inhibitory effects	Detects positive/negative
Trustworthiness	58.4%	**75.9%**
Fidelity	58.1%	**77.4%**
Best For	General patterns	Specific chemical effects

🎯 Conclusions

1. **GAT Outperforms GCN**: Higher accuracy, fidelity, and trustworthiness demonstrate the value of attention mechanisms in molecular property prediction.
2. **Different Learning Strategies**:
   - **GCN**: Learns holistic, distributed representations emphasizing aromatic systems
   - **GAT**: Learns focused, selective representations with ability to identify both activating and inhibitory features
3. **EdgeSHAPer Reveals Key Differences**:
   - GAT uniquely identifies the **sulfonamide group as inhibitory** (-0.139)
   - GAT shows **higher confidence** in key bonds (N-C bond: +0.178 vs GCN's +0.111)
   - GAT's explanations are **more trustworthy** (75.9% vs 58.4%)
4. **Practical Implications**:

- Use **GAT** when you need to identify specific activating/inhibitory features
- Use **GCN** for general molecular pattern recognition
- **Consensus predictions** (both models agree) are highly reliable (99%+ confidence)

🔗 Next Steps

1. **Explore additional compounds** with different prediction patterns
2. **Compare with other GNN architectures** (GraphSAGE, GIN)
3. **Investigate counterfactual generation** to understand molecular modifications
4. **Aggregate recurrent anchor rules** across the dataset for global insights

Would you like me to continue with any of these next steps? 🚀