
Index: 551 $g1 = (2001.0^{+3.0}_{-3.5}) \times 10^{-5}$ $g2 = (-1.6^{+3.8}_{-2.7}) \times 10^{-5}$ 20 o;s g2 [1e-4] 00 `o; 7.0 0.02020 0.01095 0.02000 0.0205 7.0 05 o;s *^*,0 00 g2 [1e-4]

g1

Index: 602 $g1 = (1998.8^{+2.7}_{-3.6}) \times 10^{-5}$ $g2 = (-1.2^{+3.9}_{-2.4}) \times 10^{-5}$ 20 0,5 g2 [1e-4] 00 `o; 7.0 0.02010, 1.0 → 0,02000 g1 0.01095 0,02005 05 00 o;s *^*,0 g2 [1e-4]

Index: 205




Index: 117 $g1 = (1998.2^{+2.5}_{-3.7}) \times 10^{-5}$ $g2 = (1.3^{+3.4}_{-2.9}) \times 10^{-5}$ 20 0,5 g2 [1e-4] 00 91 کونی 00 *^*,0 g2 [1e-4]

Index: 734 $g1 = (2000.2^{+3.0}_{-3.4}) \times 10^{-5}$ $g2 = (-2.8 \pm 3.3) \times 10^{-5}$ 0,5 00 g2 [1e-4] 05 0.0200 0.02005 g1 7.0 کونی 00 g2 [1e-4]

Index: 607 $g1 = (2002.1^{+3.6}_{-2.7}) \times 10^{-5}$ $g2 = (0.9^{+3.2}_{-3.0}) \times 10^{-5}$ 20 0,5 g2 [1e-4] 00 ,o.5 0.01290 0.02000 0.02005 نېمر 00 20 g2 [1e-4] g1

Index: 788 $g1 = (2003.0^{+3.5}_{-2.8}) \times 10^{-5}$


g2 [1e-4]



Index: 922 $g1 = (2001.1^{+2.4}_{-4.1}) \times 10^{-5}$ $g2 = (2.5^{+3.5}_{-2.7}) \times 10^{-5}$ 0.0 g2 [1e-4] 0,8 00 `o'y 0.02020 0.01995 0.02000 0.0205 `O'V 00 0.8 0,1 g2 [1e-4]

g1

Index: 956



Index: 604 $g1 = \left(2001.6^{+3.1}_{-3.4}\right) \times 10^{-5}$ $g2 = \left(0.8^{+3.1}_{-3.3}\right) \times 10^{-5}$ 20 0,5 g2 [1e-4] 00 ,o;s 70 0.02000 0.02065 20 کونی *^*,0 00 g2 [1e-4] g1