

1. Automated Translation Memory Curation

Tool: Phrase

Feature: Automated Asset Curation (AAC)

Access: Students can use the **14-day Phrase free trial** to complete the activity. Alternatively, where available, the activity can be carried out through institutional access to Phrase Custom AI.

Activity: Students are provided with a deliberately “dirty” translation memory containing duplicates, near-duplicates, unusually short or long segments, inconsistent source–target length ratios, and other potentially problematic entries. After creating their Phrase account, students access **Automated Asset Curation (AAC)** and create a dataset from the provided translation memory. They apply a selection of Phrase’s rule-based and machine-learning-based cleaning filters and generate a curated version of the TM.

Students compare the original and curated translation memories, identify which segments have been removed, and evaluate whether the automated decisions were justified. Particular attention should be paid to cases in which automated cleaning may remove data that could still be useful to a human translator. The activity concludes with a discussion of the advantages and risks of using AI-assisted curation to prepare linguistic resources for CAT and machine translation workflows.

Learning outcomes: (LT-LiDER map skill(s)): By the end of this exercise, you will be able to:

- perform TM clean-up/maintenance
- import/export/merge TMs

Related LT-LiDER book chapter: For the completion of this activity, in addition to Chapter 7, you may find Chapter 3 Data Management Planning also useful.

Access and resources:

[Start or consult the Phrase free trial](#)

[Automated Asset Curation: instructions and available filters](#)

[Phrase Custom AI overview and access information](#)

Important: The instructor should verify that AAC remains accessible through the current trial immediately before the activity. Phrase documents AAC as part of Custom AI and describes it specifically as a tool for automatically cleaning and optimising translation memories.

2. Exploring Dynamic Domain Adaptation in Generative Translation

Tool: memoQ AGT

Feature: Adaptive Generative Translation

Access: Students can activate the **14-day memoQ TMS Starter trial**, which currently includes one Project Manager and five Linguist licences. According to memoQ’s current documentation, starting a memoQ TMS trial also automatically starts an AGT trial and creates the necessary default AGT

API key. Alternatively, the activity can be organised through an existing institutional memoQ TMS environment with AGT access.

Activity: Students are provided with a short domain-specific source text together with a small translation memory, term base and, where appropriate, aligned reference documents. They first use memoQ AGT to translate the text with limited contextual resources available to the system and save the resulting translations.

Students then add or activate the domain-specific TM, terminology and reference material and translate the same content again. They compare the two sets of translations and identify instances in which the additional linguistic resources affect terminology, phraseology, style or domain appropriateness.

Students should determine whether the additional context consistently improves the output or whether it can also introduce inappropriate solutions. The exercise concludes by considering how retrieval-augmented generative translation differs from using a general-purpose LLM without project-specific linguistic resources.

Learning outcomes: (LT-LiDER map skill(s)): By the end of this exercise, you will be able to:

- pre-translate (in CAT tools) with TM/MT/LLM
- know where information comes from in a CAT tool (e.g. TM/TB/MT/MTQE/LLM)

Related LT-LiDER book chapter: For the completion of this activity, in addition to Chapter 7, you may find Chapter 9 on Low-resource Languages and Neural Machine Translation also useful.

Access and resources:

[Start the memoQ TMS Starter free trial](#)

[Start and configure the memoQ AGT trial](#)

[Introduction to memoQ AGT and domain adaptation](#)

[memoQ TMS Starter trial and licence information](#)

Important: AGT is not a standalone application: students need access to memoQ TMS. The activity should therefore be scheduled within the trial period. Alternatively, using AGT may require an academic licence providing students with institutional access to memoQ TMS and the relevant AGT functionality.

3. Comparing Fuzzy-Matching Methods

Tool: XTM Cloud

Feature: Weighted Token Levenshtein (WTL)

Access: The activity can be carried out using an **XTM Cloud free trial**, provided that the necessary project configuration is available in the trial environment. If students do not have permission to modify the relevant settings, the instructor should prepare two projects in advance and provide students with translator access.

Activity: Students are provided with a source text and a translation memory specifically designed to contain potential fuzzy matches involving differences in word order, terminology, syntax and function words.

The same material is processed in two projects: one using XTM's standard fuzzy-matching configuration and another using **Weighted Token Levenshtein (WTL)**. Students record the matches and similarity percentages returned for selected segments and compare the results produced by the two matching methods.

They then evaluate the usefulness of the retrieved matches from a translator's perspective. Particular attention should be given to cases in which similar percentages conceal important semantic differences and cases in which token weighting produces a more useful match. Students conclude by considering the limitations of treating numerical fuzzy-match scores as direct indicators of translation usefulness.

Learning outcomes: (LT-LiDER map skill(s)): By the end of this exercise, you will be able to:

- pre-translate (in CAT tools) with TM/MT/LLM
- know where information comes from in a CAT tool (e.g. TM/TB/MT/MTQE/LLM)

Related LT-LiDER book chapter: For the completion of this activity, in addition to Chapter 7, you may find Chapter 3 on Data Management also useful.

Access and resources:

[XTM Cloud](#)

[XTM documentation](#)

[XTM information on AI and advanced TM leveraging](#)

4. Prompt-Based Translation and AI-Assisted Revision

Tool: Crowdin

Feature: Crowdin AI

Access: Students can use Crowdin's **14-day Team trial** to create a localisation project and explore the AI functionality available under the trial. Alternatively, the instructor can investigate access through **Crowdin's Academic Program** for teaching purposes.

Activity: Students create a small localisation project from a source file supplied by the instructor and produce an initial AI-assisted translation of a selected group of segments.

They subsequently use Crowdin's available AI prompting and editing functions to request controlled modifications to the translations. For example, they can ask the system to adopt a different register, improve terminological consistency, respect a specific stylistic instruction or reformulate an awkward translation.

For each selected segment, students retain the initial output, the AI-assisted revision and their own final human revision. They compare the three versions and classify the changes introduced by the

AI. They should identify cases in which prompting produces a clear improvement, cases in which it merely produces an alternative, and cases in which it introduces a new problem.

The activity concludes with a discussion of the extent to which interactive prompting can function as a revision mechanism inside a localisation environment rather than simply as a translation-generation tool.

Learning outcomes: (LT-LiDER map skill(s)): By the end of this exercise, you will be able to:

- know prompt design
- use LLM to summarise/rewrite text

Related LT-LiDER book chapter: For the completion of this activity, Chapter 7 provides the necessary background.

Access and resources:

[Crowdin plans and free trials](#)

[Crowdin AI](#)

[Crowdin Academic Program](#)

[Crowdin documentation](#)

5. Identifying and Evaluating Semantic Issues in AI-Assisted Translation

Tool: wxrks

Feature: Translation Smells / Semantic Verifier

Access: Students create a **free wxrks account**. The current Free plan provides a limited annual allowance of processed words, API calls and AI tokens, which is sufficient for a short classroom exercise. Students should use the AI service provided within wxrks rather than connecting their own OpenAI, Azure OpenAI or other paid API account.

Activity: Students are provided with a short source text and translate it in the wxrks translation environment using the AI-assisted translation functionality available in their account. The text should be kept short so that the entire exercise remains comfortably within the allowances of the Free plan.

Once an initial translation has been produced, students use **Translation Smells**, or the **Check Smells** action where manual analysis is required, to analyse a selection of translated segments. The Semantic Verifier can identify potential semantic problems such as omissions, additions, ambiguity, tone mismatches and other shifts in meaning.

Students examine each issue identified by the system and decide whether it represents a genuine translation problem, a debatable issue or a false positive. They should not automatically accept the system's assessment.

Students then select several flagged segments and revise them manually or use the available AI-assisted actions to explore possible corrections. Where possible, they run **Check Smells** again on the revised segments and compare the results with the original analysis.

For each selected example, students record the original translation, the issue identified by Translation Smells, their assessment of whether the warning was justified, the revised translation and the result of the second analysis.

The activity concludes with a discussion of the extent to which semantic verification can support human revision. Students should consider both the types of errors that Translation Smells successfully identifies and those for which human contextual and linguistic judgement remains necessary.

Learning outcomes: (LT-LiDER map skill(s)): By the end of this exercise, you will be able to:

- use LLMs to find bias
- know MT capabilities and limitations (e.g. MT errors/hallucinations)

Related LT-LiDER book chapter: For the completion of this activity, in addition to Chapter 7, you may find Chapter 10 on Evaluation of Automatic Translation also useful.

Access and resources:

[Create a free wxrks account and consult the current plans](#)

[Translation Smells and Semantic Verifier](#)

[Documentation on the integrated LLM and Translation Smells](#)

Important: Students do **not** need to purchase an OpenAI or Azure OpenAI API subscription for this activity. wxrks allows its own AI instance to be selected as the provider. The Free plan has usage limits, so the instructor should use a short source text and verify the Free-plan allowances shortly before the activity.

6. Collaborative Generative Translation and AI-Assisted Review

Tool: Trados Ignite

Features: Generative Translation and Smart Review

Access: Students can register for the **14-day free trial of Trados Ignite**. RWS currently states that the trial allows users to explore all Ignite features. Generative Translation and Smart Review can be used subject to the account's throughput allowance. Alternatively, students can work within an appropriately configured institutional Trados environment where such access already exists.

Activity: Students work in small groups on the same short translation project and are assigned different professional roles, such as translator and reviewer.

The translator first uses **Generative Translation** to produce an initial version of the assigned content and performs any modifications they consider necessary. The project is then passed to the

reviewer, who uses the available review functionality, including **Smart Review**, to examine the translation and identify segments requiring attention.

Students record situations in which the AI-generated translation is accepted without modification, modified by the translator, subsequently questioned by Smart Review, or ultimately overridden by the human reviewer. Particular attention should be paid to disagreements between the different forms of automated assistance and human judgement.

Each group reconstructs the decision-making process for several representative segments and discusses how generative translation and AI-assisted review redistribute responsibilities between translators, reviewers and automated systems in a collaborative translation workflow.

Learning outcomes: (LT-LiDER map skill(s)): By the end of this exercise, you will be able to:

- pre-translate (in CAT tools) with TM/MT/LLM
- perform QA with CAT tools

Related LT-LiDER book chapter: For the completion of this activity, in addition to Chapter 7, you may find Chapter 11 on MT Literacy in the Translation Classroom also useful.

Access and resources:

[Trados Ignite](#)

[Trados Ignite free-trial FAQ](#)

[Trados Generative Translation](#)

[Trados Smart Review](#)

7. Comparing Human Translation with Integrated Generative AI Assistance

Tool: Wordscope Campus

Feature: Integrated ChatGPT/AI assistance

Access – Option 1: Students who are not yet enrolled through their institution can use the **15-day Wordscope Campus student trial**.

Access – Option 2: For regular teaching, the instructor can join the **Wordscope Academic Program** and add students to the class roster. Eligible students then receive Wordscope Campus access free of charge within the academic usage limits. This is the recommended solution for semester-long teaching.

Activity: Students create a short translation project in Wordscope and independently translate a selection of segments before consulting the integrated generative-AI functionality.

For each selected segment, they then ask the integrated AI to generate an alternative translation, reformulate their existing translation or provide an explanation of an unfamiliar expression or terminological problem. Students use Wordscope's comparison and revision functionality to compare their original solution with the AI-generated proposal.

Students classify the AI suggestions according to whether they would accept them unchanged, accept them after modification or reject them. They must justify each decision by referring to factors such as meaning, terminology, register, idiomaticity, context and stylistic appropriateness.

The activity concludes with a comparison between generative assistance and more conventional CAT resources. Students identify the types of translation problems for which conversational generative assistance appears particularly useful and those for which translation memories, terminology resources or human research remain preferable.

Learning outcomes: (LT-LiDER map skill(s)): By the end of this exercise, you will be able to:

- know LLM and NMT limitations and capabilities
- use LLMs to summarise/rewrite text

Related LT-LiDER book chapter: For the completion of this activity, in addition to Chapter 7, you may find Chapter 10 on MT Literacy in the Translation Classroom also useful.

Access and resources:

[Wordscope Campus](#)

[Student access, free trial and academic allowances](#)

[Wordscope Campus information for professors](#)

[Wordscope documentation](#)

Important: Access to Wordscope Campus and its integrated AI functionality depends on the type of account and institutional arrangement. While eligible students may receive free access through the Wordscope Academic Program, some configurations or uses of the integrated AI features may require a paid subscription.