


| Feature             |              | Scenario |   |   |   | Step |    |   |   |
|---------------------|--------------|----------|---|---|---|------|----|---|---|
| Name                | Duration     | T        | P | F | S | T    | P  | F | S |
| Tests on Orange HRM | 1 m 58.758 s | 6        | 2 | 4 | 0 | 49   | 39 | 4 | 6 |

| # | Feature Name        | Scenario Name   |
|---|---------------------|---|
| 1 | Tests on Orange HRM | Login into OpenSource OrangeHRM page with invalid credentials |
| 2 |                     | Login into OpenSource OrangeHRM page with invalid credentials |
| 3 |                     | Login into OpenSource OrangeHRM page with invalid credentials |
| 4 |                     | Delete employee to de database                                |


| TAG                             | Scenario |   |   | Feature |   |   |   |   |
|---------------------------------|----------|---|---|---------|---|---|---|---|
| Name                            | T        | P | F | S       | T | P | F | S |
| @loginPageWithValidCredentials  | 1        | 1 | 0 | 0       | 1 | 0 | 1 | 0 |
| @loginWithSetOfValidCredentials | 3        | 0 | 3 | 0       | 1 | 0 | 1 | 0 |
| @AddEmployeeTest                | 1        | 1 | 0 | 0       | 1 | 0 | 1 | 0 |
| @DeleteEmployee                 | 1        | 0 | 1 | 0       | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name        | T | P | F | S | Duration     |
|---|---------------------|---|---|---|---|--------------|
| 1 | Tests on Orange HRM | 6 | 2 | 4 | 0 | 1 m 58.758 s |

SCENARIOS SUMMARY -- 6 -




| # | Feature Name        | Scenario Name   | T  | P  | F | S | Duration |
|---|---------------------|---|----|----|---|---|----------|
| 1 | Tests on Orange HRM | Login into OpenSource OrangeHRM page with valid credentials   | 6  | 6  | 0 | 0 | 21.211 s |
| 2 |                     | Login into OpenSource OrangeHRM page with invalid credentials | 6  | 5  | 1 | 0 | 11.949 s |
| 3 |                     | Login into OpenSource OrangeHRM page with invalid credentials | 6  | 5  | 1 | 0 | 11.927 s |
| 4 |                     | Login into OpenSource OrangeHRM page with invalid credentials | 6  | 5  | 1 | 0 | 11.938 s |
| 5 |                     | Add employee to de database                                   | 17 | 17 | 0 | 0 | 49.143 s |
| 6 |                     | Delete employee to de database                                | 8  | 1  | 1 | 6 | 12.554 s |

DETAILED SECTION -- 7 --

# **Tests on Orange HRM**

| FAILED                 | DURATION - 1 m 58.758 s | Scenarios<br>Total - 6 |   | Steps<br>Total - 49  |    |
|------------------------|-------------------------|------------------------|---|----------------------|----|
| / 1:26:02.469 p. m. // | 1:28:01.227 p. m. /     | Pass - 2               | 6 | Pass - 39            | 49 |
|                        |                         | Fail - 4 Skip - 0      |   | Fail - 4<br>Skip - 6 |    |


# **Login into OpenSource OrangeHRM page with valid credentials**



| # | Step / Hook Details                          | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am in open source orange page        | PASSED | 6.086 s  |
| 2 | Given I set the user name field with "Admin" | PASSED | 1.060 s  |
| 3 | And I set the password field with "admin123" | PASSED | 1.058 s  |
| 4 | When I click on the login button             | PASSED | 3.043 s  |
| 5 | Then The home page should be displayed       | PASSED | 3.041 s  |
| 6 | Then I logout                                | PASSED | 6.909 s  |

**Login into OpenSource OrangeHRM page with invalid credentials** 


DETAILED SECTION -- 8 --



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| L | Given I am in open source orange page   | PASSED | 0.783 s  |
| 2 | Given I set the user name field with "Admin"  | PASSED | 1.036 s  |
| 3 | And I set the password field with "admin1234"   | PASSED | 1.045 s  |
| 1 | When I click on the login button  | PASSED | 3.035 s  |
| 5 | Then An error message should be displayed   | PASSED | 3.028 s  |
| 6 | Then The home page should not be displayed  | FAILED | 3.020 s  |
|   | org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector","soxd\-topbar\-header\-title"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/froubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [bc31c0a73398cb69a201c87ae1de15f0, findElement (using=class name, value=oxd-topbar-header-title)] Capabilities {acceptInsecureCers: false, browserName: chrome, browserVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\ASUS\AppData\Local}}, fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:50355f, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50355fdevtoo, se:cdp\version: 116.0.5845.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:implinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bc31c0a73398cb69a201c87ae1de15f0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remot |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)                 |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)                                    |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)                                   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)                                   |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)           |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy22.isDisplayed(Unknown Source)  |        |          |
|   | at Pages.HomePage.pageTitleIsDisplayed(HomePage.java:38)  |        |          |
|   | at stepDefinitions.HomeSteps.verifyHomePageIsNotDisplayed(HomeSteps.java:21)  |        |          |
|   | at ?.The home page should not be displayed(file:///D:/Universidad/6to%20SEMESTRE/CERTIFICACION%20II/Tercer%20Parcial/ |        |          |
|   | Trabajos%20practicos/ProyectoFinal/src/test/resources/Tests.feature:20)   |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |

# **Login into OpenSource OrangeHRM page with invalid credentials**




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am in open source orange page   | PASSED | 0.747 s  |
| 2 | Given I set the user name field with "Admin"  | PASSED | 1.037 s  |
| 3 | And I set the password field with "admin1597"   | PASSED | 1.057 s  |
| 4 | When I click on the login button  | PASSED | 3.038 s  |
| 5 | Then An error message should be displayed   | PASSED | 3.026 s  |
| 6 | Then The home page should not be displayed  | FAILED | 3.022 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector";"selector":".oxd\-topbar\-header\-title"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [bc31c0a73398cb69a201c87ae1de15f0, findElement {using=class name, value=oxd-topbar-header-title}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\ASUS\AppData\Local}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50355}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), |        |          |

DETAILED SECTION -- 10 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | se:cdp: ws://localhost:50355/devtoo, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, |        |          |
|   | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,                                  |        |          |
|   | webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:           |        |          |
|   | true} Session ID: bc31c0a73398cb69a201c87ae1de15f0   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)                                 |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)                         |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)                                  |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy22.isDisplayed(Unknown Source)   |        |          |
|   | at Pages.HomePage.pageTitleIsDisplayed(HomePage.java:38)   |        |          |
|   | at stepDefinitions.HomeSteps.verifyHomePageIsNotDisplayed(HomeSteps.java:21)   |        |          |
|   | at ?.The home page should not be displayed(file:///D:/Universidad/6to%20SEMESTRE/CERTIFICACION%20II/Tercer%20Parcial/                              |        |          |
|   | Trabajos%20practicos/ProyectoFinal/src/test/resources/Tests.feature:20)  |        |          |
|   | * Not displayable characters are replaced by '?'.  |        |          |

# **Login into OpenSource OrangeHRM page with invalid credentials**




DETAILED SECTION -- 11 --

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am in open source orange page   | PASSED | 0.758 s  |
| 2 | Given I set the user name field with "Admin"  | PASSED | 1.035 s  |
| 3 | And I set the password field with "1234admin"   | PASSED | 1.059 s  |
| 4 | When I click on the login button  | PASSED | 3.038 s  |
| 5 | Then An error message should be displayed   | PASSED | 3.025 s  |
| 6 | Then The home page should not be displayed  | FAILED | 3.020 s  |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"css selector","selector","oxdh-topban-headen-title") (Session info: chrome-116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/mo-such-element-exception Build info: version: '4.11.0', revision: '0A0bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1') Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bc31c0a73398cb69a201c87ae1de15f0, findElement (using-class name, value=oxd-topban-header-title)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: '116.0.5845.188, chrome: (chromedriverVersion: 116.0.5845.188, selvasion: 116.0.5845.188, selvasion: '116.0.5845.188, page-toadStrategy: normal, platformbare windows, proxy. Proxy(), sec.dp: ws:/flocalhosts.50355/devtoo, sec.dp/version: 116.0.5845.188, selWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, page-Load: 30000), script: 30000), unabledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session: 1D: ba31c0a73398cb69a201c87ae1de15f0 at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(YouthCaler) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:19) at org.ope |        |          |

DETAILED SECTION -- 12 --


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | Trabajos%20practicos/ProyectoFinal/src/test/resources/Tests.feature:20) |        |          |
|   | * Not displayable characters are replaced by '?'.                       |        |          |

### Add employee to de database



| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
| 1  | Given I am in open source orange page                        | PASSED | 0.775 s  |
| 2  | Given I set the user name field with "Admin"                 | PASSED | 1.051 s  |
| 3  | And I set the password field with "admin123"                 | PASSED | 1.051 s  |
| 4  | When I click on the login button                             | PASSED | 3.040 s  |
| 5  | Then I click on the PIM button                               | PASSED | 3.915 s  |
| 6  | Then I click on the Add button                               | PASSED | 3.793 s  |
| 7  | And I set the first name as "Lucas"                          | PASSED | 3.059 s  |
| 8  | And I set the middle name as "Santiago"                      | PASSED | 3.061 s  |
| 9  | And I set the last name as "Sanchez"                         | PASSED | 3.055 s  |
| 10 | When I click on the switch button                            | PASSED | 3.051 s  |
| 11 | Then I set the username "lucas1" and password "lucas1234567" | PASSED | 6.184 s  |
| 12 | And I save the new employee information                      | PASSED | 2.038 s  |
| 13 | Then I logout  | PASSED | 6.919 s  |
| 14 | Given I set the user name field with "lucas1"                | PASSED | 1.042 s  |
| 15 | And I set the password field with "lucas1234567"             | PASSED | 1.046 s  |
| 16 | When I click on the login button                             | PASSED | 3.039 s  |
| 17 | Then The home page should be displayed                       | PASSED | 3.019 s  |

# Delete employee to de database



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am in open source orange page   | PASSED | 1.243 s  |
| 2 | Given I set the user name field with "Admin"  | FAILED | 11.309 s |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.name: username (tried for 10 second(s) with 500 milliseconds interval)  |        |          |
|   | at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)   |        |          |
|   | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)   |        |          |
|   | at Pages.LoginPage.setUserNameTextBox(LoginPage.java:32)  |        |          |
|   | at stepDefinitions.LoginStep.setUserName(LoginStep.java:19)   |        |          |
|   | at ?.I set the user name field with "Admin"(file:///D:/Universidad/6to%20SEMESTRE/CERTIFICACION%20II/Tercer%20Parcial/  |        |          |
|   | Trabajos%20practicos/ProyectoFinal/src/test/resources/Tests.feature:50)   |        |          |
|   | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css  |        |          |
|   | selector", "selector": "*[name='username']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.  |        |          |
|   | selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b'   |        |          |
|   | System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [bc31c0a73398cb69a201c87ae1de15f0, findElement {using=name, value=username}] Capabilities |        |          |
|   | {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96   |        |          |
|   | (1a3918166880, userDataDir: C:\Users\ASUS\AppData\Local}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:   |        |          |
|   | localhost:50355}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:   |        |          |
|   | ws://localhost:50355/devtoo, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,  |        |          |
|   | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,   |        |          |
|   | webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:  |        |          |
|   | true} Session ID: bc31c0a73398cb69a201c87ae1de15f0  |        |          |
|   | at jdk.internal.reflect.GeneratedConstructorAccessor12.newInstance(Unknown Source)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   |        |          |
|   | at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   |        |          |
|   | at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)                               |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)                             |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)   |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)  |        |          |
|   | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)   |        |          |
|   | at Pages.LoginPage.setUserNameTextBox(LoginPage.java:32)  |        |          |
|   | at stepDefinitions.LoginStep.setUserName(LoginStep.java:19)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)                               |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)                       |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)   |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  |        |          |
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)                                   |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)   |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:56)   |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   |        |          |
|   | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)                                     |        |          |
|   | $at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 137)$ |        |          |
|   | $at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$   |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)                               |        |          |
|   | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)  |        |          |
|   | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)   |        |          |
|   | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)  |        |          |
|   | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)   |        |          |
|   | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)   |        |          |
|   | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  |        |          |
|   | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)   |        |          |
|   | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  |        |          |
|   | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  |        |          |
|   | at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  |        |          |

DETAILED SECTION -- 15 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)   |         |          |
|   | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)  |         |          |
|   | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)   |         |          |
|   | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  |         |          |
|   | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  |         |          |
|   | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)   |         |          |
|   | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  |         |          |
|   | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)   |         |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) |         |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)                |         |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)            |         |          |
|   | at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)                               |         |          |
|   | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)   |         |          |
|   | at org.junit.runners.ParentRunner.run(ParentRunner.java:413)   |         |          |
|   | at org.junit.runner.JUnitCore.run(JUnitCore.java:137)  |         |          |
|   | at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)                  |         |          |
|   | at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)                           |         |          |
|   | at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)                                 |         |          |
|   | at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)                  |         |          |
|   | at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)                            |         |          |
|   | at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)   |         |          |
|   | * Not displayable characters are replaced by '?'.  |         |          |
| 3 | And I set the password field with "admin123"   | SKIPPED | 0.000 s  |
| 4 | When I click on the login button   | SKIPPED | 0.000 s  |
| 5 | Then I click on the PIM button   | SKIPPED | 0.000 s  |
| 6 | Then I search the employee by their name: "Lucas Santiago Sanchez"   | SKIPPED | 0.000 s  |
| 7 | Then I click on the trash button   | SKIPPED | 0.000 s  |
| 8 | Then I delete the employee   | SKIPPED | 0.000 s  |