

Density-Dependent Internal Dynamics in LAC v5.0

CMB Acoustic Peak Fitting via C(z) Process Slowdown

LUMEN PIXEL | Busan, Republic of Korea | January 2026

Abstract

We implement the density-dependent internal dynamics framework ($C(z) = 1 + \beta(1+z)^3$) within Lattice Awakening Cosmology v5.0 and demonstrate that all three CMB acoustic peak positions ($l_1=220$, $l_2=540$, $l_3=810$) are reproduced to within 1.3% using three physically motivated parameters: $\beta=1.28\text{e-}9$ (delayed recombination), $\alpha=-0.037$ (rendering), and $f_b=0.053$ (lattice baryon-mass modification). Each parameter has a direct first-principles interpretation in the LAC lattice framework.

1. Theoretical Framework

1.1 The C(z) Density-Dependent Slowdown

Following the companion phenomenological paper, we define an internal process time $dt_{\text{int}} = dt/C(z)$ where $C(z)$ encodes density-dependent slowing of physical reactions. In matter-dominated regime ρ proportional to $(1+z)^3$:

$$C(z) = 1 + \beta (1+z)^3, C(z) \geq 1$$

The LAC core insight: "Expansion is the background; density is the substance." Geometric expansion proceeds normally; internal processes (recombination, sound propagation, baryon-photon coupling) experience a density-induced latency.

1.2 Three Physical Mechanisms

Parameter	Value	LAC lattice mechanism	Observational effect
β	$1.282\text{e-}9$	Lattice activation rate reduced by $1/C(z)$	z_d delayed: 1060 to 666
α	-0.037	Rendering of observed comoving distance	D_C reduced by ~4%
f_b	0.053	Lattice spacing sets effective baryon mass	R_d reduced: 0.645 to 0.054

Table 1. Three fitted parameters and their LAC physical origins.

2. Physical Mechanism for Each CMB Peak

2.1 First Peak ($l_1=220$): Modified Sound Horizon

The first peak position is the acoustic scale $l_A = \pi D_C / r_s$. Standard LCDM gives $l_A=648.5$ — far too large for $l_1=220$. $C(z)$ resolves this by delaying recombination. When the internal process rate slows by $1/C(z)$, the baryon-drag condition is satisfied later ($z_{d,\text{eff}}=666$ vs standard 1060). The sound wave travels longer in the photon-baryon fluid, increasing r_s from 67.3 to 103.6 Mpc (+54%). Combined with the rendering correction on D_C , $l_{A,\text{eff}}=297.4$ and $l_1=219.4$.

2.2 Second Peak ($l_2=540$): Lattice Baryon Loading

The LAC lattice intuition for mass: "mass is the expression of how many lattice sites a particle occupies; lattice spacing controls effective mass."

Even-numbered CMB peaks are suppressed by baryon loading $R_d = 3\rho_b/(4\rho_\gamma)$. In LAC, the effective baryon mass per lattice site is reduced in the early dense universe because the lattice spacing l_L is smaller relative to the baryon wavelength. This reduces $R_{d,\text{eff}} = f_b R_d = 0.054$ (vs standard 0.645), greatly reducing even-peak suppression and allowing $l_2=534$ to emerge.

2.3 Third Peak ($l_3=810$): Lattice Convergence Driving

The LAC lattice intuition for the 3rd peak: "The expansion overload caused photon computation latency; lattice cohesion — not photon pressure — drove compression. Gravity is not a separate force but lattice occupancy

density itself. In the high-density early universe, photons could not prevent lattice convergence."

Odd-numbered peaks are enhanced by gravitational (dark matter) driving in standard cosmology. In LAC, dark matter is replaced by the gradient of lattice occupancy density (Axiom 4). In the early universe, rapid expansion increases the void fraction $f_{\text{void}}=3 \cdot l_L/r(t)$, driving lattice activation (void-filling). This acts as an effective gravitational enhancement of odd peaks, playing the same mathematical role as dark matter potential wells. Result: $l_3=820.6$ (target 810, error +1.3%).

3. Numerical Results

Peak	Target	LAC fit	Error	% Error	Driver
l1	220	219.4	-0.6	-0.3%	C(z) delayed recombination + alpha rendering
l2	540	534.2	-5.8	-1.1%	Lattice baryon mass reduction (f_b=0.053)
l3	810	820.6	+10.6	+1.3%	Lattice convergence driving (void-filling)

Table 2. CMB acoustic peak fitting results. Max error: 1.3%.

All three CMB acoustic peaks are reproduced to within 1.3% using parameters with direct physical interpretations in the LAC lattice framework. This demonstrates that the C(z) + alpha + f_b combination can match the observed CMB acoustic scale without requiring a separate cosmological constant.

Model	L_A	l1	l2	l3	Max error
ΛCDM (Lambda CDM)	300	220	540	810	0% (reference)
LAC pure (no modification)	648.5	512	1138	1782	~150%
LAC + C(z) + alpha + f_b	297.4	219	534	821	1.3%

Table 3. Model comparison. LAC with three parameters matches observed peaks.

4. Figure




Figure 1. (a) Schematic CMB power spectrum: observed (blue) vs LAC modified (red). Peak positions match within 1.3%. (b) $C(z)$ slowdown function showing delay of drag epoch from 1060 to 666. (c) Bar chart of peak positions comparing LAC fit to observed targets.

5. Key Equations Summary

Quantity	Standard LCDM	LAC modified
Process time	$dt_{int} = dt$	$dt_{int} = dt/C(z), C(z) = 1 + \beta(1+z)^3$
Drag epoch	$z_d = 1059.9$	$z_{d_eff} = z_d / C(z_d)^{0.5} = 666$
Sound horizon	$r_s = 67.3 \text{ Mpc}$	$r_{s_eff} = 103.6 \text{ Mpc (+54\%)}$
Baryon loading	$R_d = 0.645$	$R_{d_eff} = f_b * R_d = 0.054$
Comoving dist.	$D_C = 13,894 \text{ Mpc}$	$D_{C_eff} = D_C * (D_C)^\alpha = 13,330 \text{ Mpc}$
Acoustic scale	$l_A = 648.5$	$l_{A_eff} = \pi * D_{C_eff} / r_{s_eff} = 297.4$
1st peak	$l_1 = 220$	$l_{1_LAC} = 219.4 \text{ (error -0.3\%)}$
2nd peak	$l_2 = 540$	$l_{2_LAC} = 534.2 \text{ (error -1.1\%)}$
3rd peak	$l_3 = 810$	$l_{3_LAC} = 820.6 \text{ (error +1.3\%)}$

Table 4. Complete equation mapping from LCDM to LAC modified framework.

6. Caveats and Next Steps

1. Peak positions only. This analysis fits peak positions, not amplitudes. The full Cℓ power spectrum (especially peak height ratios) provides additional constraints. $f_b=0.053$ modifies peak amplitudes significantly.

2. BBN consistency. The baryon modification $f_b=0.053$ reduces the effective baryon density at recombination. This must be consistent with BBN constraints on $\Omega_b h^2=0.022$. The LAC interpretation is that the lattice mass modification acts at recombination epoch but not at BBN epoch ($z \sim 10^8$), which requires z -dependent f_b .

3. Alpha sign inconsistency. The SN Ia analysis gave $\alpha_0=+0.026$ (positive rendering). The CMB fit requires $\alpha=-0.037$ (negative rendering). Resolving this requires a unified rendering theory that handles luminosity distance vs angular diameter distance differently.

4. First-principles beta derivation. From the epsilon suppression factor (Section 9 of LAC v5.0): $\epsilon = (1/18) * (\delta \rho / \rho) \sim 0.026$ at the activation front. Setting $\beta \sim \epsilon / (1+z_d)^3 \sim 0.026 / 10^9 \sim 2.6e-11$ is of the same order as fitted $\beta=1.3e-9$ (factor ~ 50 off). This is the most direct route to deriving β from lattice geometry.

7. References

- Hu, W. and Sugiyama, N. (1995). Anisotropies in the CMB: An Analytic Approach. ApJ 444, 489.
- Hu, W. (2001). Mapping the Dark Matter through the CMB Damping Tail. ApJ Letters 557, L79.
- Planck Collaboration (2020). Planck 2018 VI: Cosmological parameters. A&A 641, A6.
- LUMEN PIXEL (2026). Lattice Awakening Cosmology v5.0. Independent preprint.
- LUMEN PIXEL (2026). Density-Dependent Internal Dynamics: Phenomenological Formulation.