SCHOOL OF COMPUTATION, INFORMATION AND TECHNOLOGY — INFORMATICS

TECHNISCHE UNIVERSITÄT MÜNCHEN

Master's Thesis ... in Informatics

Portfolio Optimization with Gaussian Process Regression

Xiyue ZHANG

SCHOOL OF COMPUTATION, INFORMATION AND TECHNOLOGY — INFORMATICS

TECHNISCHE UNIVERSITÄT MÜNCHEN

Master's Thesis ... in Informatics

Portfolio Optimization with Gaussian Process Regression

Titel der Abschlussarbeit

Author: Xiyue ZHANG

Supervisor: Prof. Dr. Hans-Jochim Bungartz

Advisor: Kislaya Ravi Submission Date: December 3rd

I confirm that this master's thesis sources and material used.	is my own work and I have documented all
Munich Dogombor 2nd	Vious THANC
Munich, December 3rd	Xiyue ZHANG



Abstract

Contents

A	Acknowledgments			
Αl	ostrac		iv	
1		luction Section	1	
2	Prev	.1.1 Subsection	1 3	
	2.1	Section	3	
3		Section	5 5	
Αl	obrev	tions	8	
Li	st of	gures	9	
Li	st of	hles	10	

1 Introduction

1.1 Section

Citation test [latex].

Acronyms must be added in main.tex and are referenced using macros. The first occurrence is automatically replaced with the long version of the acronym, while all subsequent usages use the abbreviation.

E.g. \ac{TUM} , \ac{TUM} \Rightarrow Technical University of Munich (TUM), TUM For more details, see the documentation of the acronym package¹.

1.1.1 Subsection

See Table 3.1, Figure 3.1, Figure 3.2, Figure 3.3.

Table 1.1: An example for a simple table.

A	В	C	D
1	2	1	2
2	3	2	3



Figure 1.1: An example for a simple drawing.

¹https://ctan.org/pkg/acronym



Figure 1.2: An example for a simple plot.

```
SELECT * FROM tbl WHERE tbl.str = "str"
```

Figure 1.3: An example for a source code listing.

2 Previous Literature

2.1 Section

Citation test [latex].

Acronyms must be added in main.tex and are referenced using macros. The first occurrence is automatically replaced with the long version of the acronym, while all subsequent usages use the abbreviation.

E.g. \ac{TUM}, \ac{TUM} \Rightarrow TUM, TUM

For more details, see the documentation of the acronym package¹.

2.1.1 Subsection

See Table 3.1, Figure 3.1, Figure 3.2, Figure 3.3.

Table 2.1: An example for a simple table.

A	В	C	D
1	2	1	2
2	3	2	3




Figure 2.1: An example for a simple drawing.

¹https://ctan.org/pkg/acronym




Figure 2.2: An example for a simple plot.

```
SELECT * FROM tbl WHERE tbl.str = "str"
```

Figure 2.3: An example for a source code listing.

3 The US Stock Market

3.1 Section

Citation test [latex].

Acronyms must be added in main.tex and are referenced using macros. The first occurrence is automatically replaced with the long version of the acronym, while all subsequent usages use the abbreviation.

E.g. \ac{TUM} , \ac{TUM} \Rightarrow \ac{TUM} , \ac{TUM}

For more details, see the documentation of the acronym package¹.

3.1.1 Subsection

See Table 3.1, Figure 3.1, Figure 3.2, Figure 3.3.

The idea combines not only return and volatility but also the fixed-income market. The fixed-income market is important because it shows what any risk-adverse investor would earn by simply being in the most conservative investment: the risk-free rate. The risk-free rate is the rate earned simply for investing in a risk-free bond. Since stocks are risky, they should earn returns in excess of that return. If a stock were to earn less than the risk-free return, then a rational investor would forgo the volatility of the stock market and stick with risk-free investments, which protect the principal while still earning some return.

The numerator in our example is the market premium. So, suppose for stock C, the market premium and standard deviation are 7% and 10%, respectively. Suppose for stock D, the market premium and standard deviation are 8% and 12%, respectively. Which is the preferred investment? In this case, stock C has a higher return per unit of volatility (risk) than stock D does. We would prefer the investment that has a higher amount of return per unit of risk. Now, this is the opposite of our coefficient of variation. When we express volatility units per return, we would like the lower number. When we express return units per volatility, we prefer the larger number. Here, the larger number means we expect to earn more return per unit of volatility.

In this case, we will name this ratio (keep a *sharp* lookout for it) and use it extensively to compare investments, but for now, the important thing is that we have

¹https://ctan.org/pkg/acronym

seen how return and volatility can be combined to compare investments. This can just as easily work if these securities are from different asset classes. Return and risk help encapsulate the key statistical properties of a financial asset's performance. In the next lesson, we'll dive deeper into the details of these statistics.

Table 3.1: An example for a simple table.

A	В	C	D
1	2	1	2
2	3	2	3




Figure 3.1: An example for a simple drawing.



Figure 3.2: An example for a simple plot.

```
SELECT * FROM tbl WHERE tbl.str = "str"
```

Figure 3.3: An example for a source code listing.

Abbreviations

TUM Technical University of Munich

List of Figures

1.1	Example drawing	1
1.2	Example plot	2
1.3	Example listing	2
2.1	Example drawing	3
2.2	Example plot	4
2.3	Example listing	4
3.1	Example drawing	6
	Example plot	
3.3	Example listing	7

List of Tables

1.1	Example table]
2.1	Example table	3
3.1	Example table	6