Swagger
Supported by SMARTBEAR

Alliodesk API 0.1.0

Authorize 🔓

Administrators ⌄

PUT	/admins/login

Login one administrator

Parameters

Try it out

Name	Description
login * required *(body)*	Administrator's login **Example Value** │ Model **Parameter content type** application/json ⌄
password * required *(body)*	Administrator's password **Example Value** │ Model **Parameter content type** application/json ⌄

Responses

Response content type application/json ⌄

Code	Description
200	Ok
400	Invalid login and/or password
404	Can't find administrator
500	An internal error has occurred

PUT	/admins/{id}/logout	🔓

Logout one administrator from id

Parameters

Try it out

Name	Description
id * required (path)	Administrator's id id - Administrator's id

Responses

Response content type application/json ⌄

Code	Description
200	Ok
400	Invalid id and/or token session
404	Can't find administrator

Code	Description
500	An internal error has occurred

GET /admins/{id}

Get one administrator from id

Parameters

Try it out

Name	Description
id * required (path)	Administrator's id
	id - Administrator's id

Responses

Response content type: application/json

Code	Description
200	Ok
400	Invalid id
404	Can't find administrator
500	An internal error has occurred

DELETE /admins/{id}

Delete one administrator from id

Parameters

Name	Description
id * required *(path)*	Administrator's id id - Administrator's id

Responses

Response content type   application/json ⌄

Code	Description
200	Ok
400	Invalid id
404	Can't find administrator
500	An internal error has occurred

PUT   `/admins/{id}`

Update one administrator from id

Parameters

Try it out

Name	Description
id * required *(path)*	Administrator's id id - Administrator's id

Name	Description
name *(body)*	New administrator's name **Example Value** │ Model **Parameter content type** application/json ⌄
email *(body)*	New administrator's email address **Example Value** │ Model **Parameter content type** application/json ⌄
password *(body)*	New administrator's password **Example Value** │ Model **Parameter content type** application/json ⌄

Responses   Response content type application/json ⌄

Code	Description
200	Ok
400	Invalid inputs
404	Can't find administrator
500	An internal error has occurred

GET   `/admins`

Get all administrators

Parameters　　　　　　　　　　　　　　　　　　　　　　　　　| Try it out |

No parameters

Responses　　　　　　　　　　Response content type　| application/json ⌄ |

Code	Description
200	Ok
204	No administrators to return
500	An internal error has occurred

| POST | /admins |

Create one administrator

Parameters　　　　　　　　　　　　　　　　　　　　　　　　　| Try it out |

Name	Description
name * required *(body)*	Administrator's name **Example Value** │ Model **Parameter content type** | application/json ⌄ |

Name	Description
email * required *(body)*	Administrator's email **Example Value** | Model **Parameter content type** application/json ⌄
login * required *(body)*	Administrator's login **Example Value** | Model **Parameter content type** application/json ⌄
password * required *(body)*	Administrator's password **Example Value** | Model **Parameter content type** application/json ⌄

Responses

Response content type application/json ⌄

Code	Description
201	Created
400	Invalid inputs
409	Administrator is already existing
500	An internal error has occurred

Errors ⌄

DELETE /errors/{id} 🔓

Remove one error from id

Parameters

<div align="right">

Try it out

</div>

Name	Description
id * required *(path)*	Error's id id - Error's id

Responses

Response content type application/json ⌄

| Code	Description
200	Ok
400	Invalid error's id or administrator's token session
401	Unauthorized operation
404	Can't find error from id
500	An internal error has occurred

GET /errors/{id} 🔓

Get one error from id

Parameters

<div style="text-align:right">**Try it out**</div>

Name	Description
id * required *(path)*	Error's id `id - Error's id`

Responses

Response content type `application/json`

Code	Description
200	Ok
204	No errors to return
400	Invalid error's id or administrator's token session
401	Unauthorized operation
404	Can't find error from id
500	An internal error has occurred

GET `/errors` 🔓

Get all errors

Parameters

<div style="text-align:right">**Try it out**</div>

No parameters

Responses

Response content type   application/json ⌄

Code	Description
200	Ok
204	No errors to return
400	Invalid administrator's token session
401	Unauthorized operation
500	An internal error has occurred

POST   `/errors` 🔓

Create a new error

Parameters   [Try it out]

Name	Description
message * required *(body)*	Error's message **Example Value** | Model **Parameter content type** application/json ⌄
service_name *(body)*	Target service's name **Example Value** | Model **Parameter content type** application/json ⌄

Responses

Response content type [application/json ⌄]

Code	Description
201	Error successfully created
400	Invalid error's message or target service's name
404	Can't find user from token session or service from name
500	An internal error has occurred

Services ⌄

PUT	/services/{id}/reject	🔓

Reject one service from id

Parameters [Try it out]

Name	Description
id * required *(path)*	Service's id
	[id - Service's id]

Responses

Response content type [application/json ⌄]

Code	Description
200	Ok

Code	Description
400	Invalid inputs
401	Invalid administrator's token session
404	Can't find service
500	An internal error has occurred

PUT `/services/{id}/validate` 🔓

Validate one service from id

Parameters

Try it out

Name	Description
id * required (path)	Service's id id - Service's id

Responses

Response content type application/json ⌄

Code	Description
200	Ok
400	Invalid id
401	Invalid administrator's token session

Code	Description
404	Can't find service
500	An internal error has occurred

GET `/services/{id}`

Get one service from id

Parameters

Try it out

Name	Description
id * required (path)	Service's id id - Service's id

Responses

Response content type: application/json

Code	Description
200	Ok
400	Invalid id
404	Can't find service
500	An internal error has occurred

DELETE `/services/{id}`

Remove one service from id

Parameters

<button>Try it out</button>

Name	Description
id * required *(path)*	Service's id [id - Service's id]

Responses

Response content type [application/json ⌄]

Code	Description
200	Ok
400	Invalid id
401	Invalid administrator's token session
404	Can't find service
500	An internal error has occurred

PUT `/services/{id}` 🔓

Update one service from id

Parameters

<button>Try it out</button>

Name	Description

Name	Description
id * required *(path)*	Service's id [id - Service's id]
name *(body)*	New service's name **Example Value** | Model **Parameter content type** [application/json ▾]
version *(body)*	New service's version **Example Value** | Model **Parameter content type** [application/json ▾]
source_url *(body)*	New service's source URL **Example Value** | Model **Parameter content type** [application/json ▾]

Responses   Response content type   [application/json ▾]

Code	Description
200	Ok
400	Invalid inputs
401	Invalid administrator's token session
404	Can't find service

Code	Description
500	An internal error has occurred

GET /services

Get all services

Parameters

Try it out

No parameters

Responses

Response content type: application/json

Code	Description
200	Ok
204	No services to return
500	An internal error has occurred

POST /services 🔓

Create a new service with pending status

Parameters

Try it out

Name	Description

Name	Description

name * required
(body)

Service's name

Example Value | Model

Parameter content type

application/json ▾

version * required
(body)

Service's version

Example Value | Model

Parameter content type

application/json ▾

source_url * required
(body)

Service's source URL (Github, Gitlab...)

Example Value | Model

Parameter content type

application/json ▾

Responses

Response content type   application/json ▾

Code	Description
201	New service created
400	Invalid input(s)
401	Invalid user's token session
409	A service with the given name already exists
500	An internal error has occurred

GET `/users/{id}/services/{service_id}`

Get a service of one user from id

Parameters	Try it out

Name	Description
id * required *(path)*	User's id [id - User's id]
service_id * required *(path)*	Service's id [service_id - Service's id]

Responses	Response content type	application/json ▾

Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

DELETE `/users/{id}/services/{service_id}`

Remove a service of one user from id

Parameters

<div style="text-align:right">**Try it out**</div>

Name	Description
id * required *(path)*	User's id `id - User's id`
service_id * required *(path)*	Service's id `service_id - Service's id`

Responses

Response content type   `application/json` ⌄

Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

POST   `/users/{id}/services`   🔓

Add a service in one user's account from id

Parameters

<div style="text-align:right">**Try it out**</div>

Name	Description
id * required *(path)*	User's id id - User's id
service_id * required *(body)*	Service's id **Example Value** | Model **Parameter content type** application/json ⌄

Responses

Response content type application/json ⌄

Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

GET `/users/{id}/services` 🔓

Get all services of one user from id

Parameters

Try it out

Name	Description

Name	Description
id * required *(path)*	User's id id - User's id

Responses   Response content type   application/json ⌄

Code	Description
200	Ok
204	No services to return
400	Invalid id
401	Invalid user's token session
404	Can't find user from id
500	An internal error has occurred

DELETE   /workspaces/{id}/services/{service_id}

Remove one service from one workspace by id

Parameters   Try it out

Name	Description
id * required *(path)*	Workspace's id id - Workspace's id

Name	Description
service_id * required (path)	Service's id service_id - Service's id

Responses		Response content type	application/json ⌄

Code	Description
200	Ok
400	Invalid inputs
404	Can't find workspace or service from id
500	An internal error has occurred

GET	/workspaces/{id}/services

Get all services of one workspace from id

Parameters	Try it out

Name	Description
id * required (path)	Workspace's id id - Workspace's id

Responses		Response content type	application/json ⌄

Code	Description
200	Ok
204	No services to return
400	Invalid workspace's id
404	Can't find workspace from id
500	An internal error has occurred

POST   `/workspaces/{id}/services`

Add a new service in one workspace from id

Parameters   [Try it out]

Name	Description
id * required *(path)*	Workspace's id [id - Workspace's id]
service_id * required *(body)*	Service's id **Example Value** | Model **Parameter content type** [application/json ▾]

Responses   Response content type   [application/json ▾]

Code	Description

Code	Description
201	Service successfully added
400	Invalid inputs
404	Can't find service or workspace from ids
500	An internal error has occurred

Users

GET	/users/me/infos

Get information of the user currently logged in

Parameters   Try it out

No parameters

Responses   Response content type   application/json ▾

Code	Description
200	Ok
400	Invalid token session
401	Unauthorized operation

Code	Description
500	An internal error has occurred

PUT   /users/login

Login one user

Parameters

<div align="right">

Try it out

</div>

Name	Description
login * required *(body)*	User's login **Example Value** │ Model **Parameter content type** application/json ⌄
password * required *(body)*	User's password **Example Value** │ Model **Parameter content type** application/json ⌄

Responses

Response content type   application/json ⌄

Code	Description
200	Ok
400	Invalid login and/or password
404	Can't find user

Code	Description
500	An internal error has occurred

GET /users/{id}/workspaces

Get all workspaces of one user from id

Parameters

Try it out

Name	Description
id * required (path)	User's id
	id - User's id

Responses

Response content type

application/json

Code	Description
200	Ok
204	No workspaces to return
400	Invalid user's id
404	Can't find user from id
500	An internal error has occurred

GET /users/{id}/services/{service_id}

Get a service of one user from id

Parameters

Try it out

Name	Description
id * **required** *(path)*	User's id [id - User's id]
service_id * **required** *(path)*	Service's id [service_id - Service's id]

Responses

Response content type   application/json ⌄

Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

DELETE   `/users/{id}/services/{service_id}`   🔓

Remove a service of one user from id

Parameters

Try it out

Name	Description
id * required *(path)*	User's id id - User's id
service_id * required *(path)*	Service's id service_id - Service's id

Responses　　　　　Response content type　application/json ⌄

Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

POST　`/users/{id}/services`　　　🔓

Add a service in one user's account from id

Parameters　　　　　　　　　　　　　　Try it out

Name	Description

Name	Description
id * required *(path)*	User's id [id - User's id]
service_id * required *(body)*	Service's id **Example Value** | Model **Parameter content type** [application/json ▾]

Responses Response content type [application/json ▾]

Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

GET   /users/{id}/services   🔓

Get all services of one user from id

Parameters   [Try it out]

Name	Description

Name	Description
id * required (path)	User's id ┌─────────────────────────────┐ │ id - User's id │ └─────────────────────────────┘

Responses		Response content type	application/json ▾

Code	Description
200	Ok
204	No services to return
400	Invalid id
401	Invalid user's token session
404	Can't find user from id
500	An internal error has occurred

PUT   `/users/{id}/logout`   🔓

Logout one user from id

Parameters   [Try it out]

Name	Description
id * required (path)	User's id ┌─────────────────────────────┐ │ id - User's id │ └─────────────────────────────┘

Responses   Response content type   application/json ▾

Code	Description
200	Ok
400	Invalid id and/or token session
404	Can't find user
500	An internal error has occurred

DELETE /users/{id}

Delete one user from id

Parameters   Try it out

Name	Description
id * required (path)	User's id id - User's id

Responses   Response content type   application/json ▾

Code	Description
200	Ok

Code	Description
400	Invalid id
404	Can't find user
500	An internal error has occurred

GET `/users/{id}`

Get one user from id

Parameters

Try it out

Name	Description
id * required *(path)*	User's id id - User's id

Responses Response content type `application/json`

Code	Description
200	Ok
400	Invalid id
404	Can't find user
500	An internal error has occurred

PUT	/users/{id}

Update one user from id

Parameters

<div style="text-align:right">**Try it out**</div>

Name	Description
id * required *(path)*	User's id id - User's id
name *(body)*	New user's name **Example Value** | Model **Parameter content type** application/json ▼
email *(body)*	New user's email address **Example Value** | Model **Parameter content type** application/json ▼
password *(body)*	New user's password **Example Value** | Model **Parameter content type** application/json ▼

Responses

Response content type: application/json ▼

Code	Description
200	Ok

Code	Description
400	Invalid inputs
404	Can't find user
500	An internal error has occurred

GET /users

Get all users

Parameters

Try it out

No parameters

Responses

Response content type: application/json

Code	Description
200	Ok
204	No users to return
500	An internal error has occurred

POST /users

Create one user

Parameters

Try it out

Name	Description
name * required *(body)*	User's name **Example Value** │ Model **Parameter content type** application/json ⌄
email * required *(body)*	User's email **Example Value** │ Model **Parameter content type** application/json ⌄
login * required *(body)*	User's login **Example Value** │ Model **Parameter content type** application/json ⌄
password * required *(body)*	User's password **Example Value** │ Model **Parameter content type** application/json ⌄

Responses Response content type application/json ⌄

Code	Description
201	Created
400	Invalid inputs
409	User is already existing

Code	Description
500	An internal error has occurred

Workspaces ⌄

GET	/users/{id}/workspaces

Get all workspaces of one user from id

Parameters   Try it out

Name	Description
id * required *(path)*	User's id id - User's id

Responses   Response content type application/json ⌄

Code	Description
200	Ok
204	No workspaces to return
400	Invalid user's id
404	Can't find user from id

Code	Description
500	An internal error has occurred

DELETE `/workspaces/{id}/services/{service_id}`

Remove one service from one workspace by id

Parameters

Try it out

Name	Description
id * required *(path)*	Workspace's id `id - Workspace's id`
service_id * required *(path)*	Service's id `service_id - Service's id`

Responses

Response content type `application/json`

Code	Description
200	Ok
400	Invalid inputs
404	Can't find workspace or service from id
500	An internal error has occurred

GET `/workspaces/{id}/services`

Get all services of one workspace from id

Parameters		Try it out

Name	Description
id * required (path)	Workspace's id id - Workspace's id

Responses	Response content type	application/json ⌄

Code	Description
200	Ok
204	No services to return
400	Invalid workspace's id
404	Can't find workspace from id
500	An internal error has occurred

POST `/workspaces/{id}/services`

Add a new service in one workspace from id

Parameters		Try it out

Name	Description

id * required
(path)

Workspace's id

> id - Workspace's id

service_id * required
(body)

Service's id

Example Value | Model

Parameter content type

application/json ⌄

Responses   Response content type   application/json ⌄

Code	Description
201	Service successfully added
400	Invalid inputs
404	Can't find service or workspace from ids
500	An internal error has occurred

GET /workspaces/{id}

Get one workspace from id

Parameters   Try it out

Name	Description

Name	Description
id * required *(path)*	Workspace's id [id - Workspace's id]

Responses		Response content type	application/json ⌄

Code	Description
200	Ok
400	Invalid workspace's id
404	Can't find workspace from given id
500	An internal error has occurred

DELETE `/workspaces/{id}` 🔓

Remove one workspace from id

Parameters	Try it out

Name	Description
id * required *(path)*	Workspace's id [id - Workspace's id]

Responses		Response content type	application/json ⌄

| Code	Description
200	Ok
400	Invalid workspace's id
401	Can't find user from given token session
404	Can't find workspace from given id
500	An internal error has occurred

PUT /workspaces/{id} 🔓

Update one workspace from id

Parameters   Try it out

Name	Description
id * required	Workspace's id
(path)	`id - Workspace's id`
name * required	Workspace's name
(body)	**Example Value**	Model
	Parameter content type
	application/json ⌄
description * required	Workspace's description
(body)	**Example Value**	Model
	Parameter content type
	application/json ⌄

Responses   Response content type application/json ▾

Code	Description
200	Ok
400	Invalid inputs
401	Can't find user from given token session
404	Can't find workspace from given id
500	An internal error has occurred

GET `/workspaces`

Get all workspaces

Parameters   Try it out

No parameters

Responses   Response content type application/json ▾

Code	Description
200	Ok
204	No workspaces to return
500	An internal error has occurred

| POST | /workspaces | 🔓 |

Create a new workspace

Parameters

Try it out

Name	Description
name * required (body)	Workspace's name

Example Value | Model

Parameter content type

application/json ⌄

| description * required (body) | Workspace's description |

Example Value | Model

Parameter content type

application/json ⌄

Responses

Response content type application/json ⌄

Code	Description
201	New workspace created
400	Invalid workspace's name or description
500	An internal error has occurred