



# Alliodesk API 0.1.0

Authorize



## Administrators



PUT

/admins/login

Login one administrator

Parameters

Try it out

Name

Description

**login** \* required

(body)

Administrator's login

Example Value Model

Parameter content type

application/json

**password** \* required

(body)

Administrator's password

Example Value Model

Parameter content type

application/json

Responses

Response content type

application/json

Code	Description
200	Ok
400	Invalid login and/or password
404	Can't find administrator
500	An internal error has occurred

**PUT** /admins/{id}/logout



Logout one administrator from id

#### Parameters

Try it out

Name	Description
------	-------------

**id** \* required

(path) Administrator's id

id - Administrator's id

#### Responses

Response content type

application/json

Code	Description
200	Ok
400	Invalid id and/or token session
404	Can't find administrator

Code	Description
500	An internal error has occurred

GET	/admins/{id}										
Get one administrator from id											
Parameters	<div>Try it out</div>										
<table><tr><th>Name</th><th>Description</th></tr><tr><td>id * required (path)</td><td>Administrator's id</td></tr><tr><td colspan="2"><div>id - Administrator's id</div></td></tr></table>	Name	Description	id * required (path)	Administrator's id	<div>id - Administrator's id</div>						
Name	Description										
id * required (path)	Administrator's id										
<div>id - Administrator's id</div>											
Responses	<div>Response content typeapplication/json</div>										
<table><tr><th>Code</th><th>Description</th></tr><tr><td>200</td><td>Ok</td></tr><tr><td>400</td><td>Invalid id</td></tr><tr><td>404</td><td>Can't find administrator</td></tr><tr><td>500</td><td>An internal error has occurred</td></tr></table>	Code	Description	200	Ok	400	Invalid id	404	Can't find administrator	500	An internal error has occurred	
Code	Description										
200	Ok										
400	Invalid id										
404	Can't find administrator										
500	An internal error has occurred										

DELETE	/admins/{id}
Delete one administrator from id	

## Parameters

[Try it out](#)

Name	Description
------	-------------

**id** \* required

(path)

Administrator's id

id - Administrator's id

## Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

400

Invalid id

404

Can't find administrator

500

An internal error has occurred

**PUT**

/admins/{id}

Update one administrator from id

## Parameters

[Try it out](#)

Name	Description
------	-------------

**id** \* required

(path)

Administrator's id

id - Administrator's id

Name	Description
name (body)	<div>New administrator's name</div> <div>Example ValueModel</div> <div>Parameter content type</div> <div>application/json</div>
email (body)	<div>New administrator's email address</div> <div>Example ValueModel</div> <div>Parameter content type</div> <div>application/json</div>
password (body)	<div>New administrator's password</div> <div>Example ValueModel</div> <div>Parameter content type</div> <div>application/json</div>
Responses	
Response content type	
application/json	
Code	Description
200	Ok
400	Invalid inputs
404	Can't find administrator
500	An internal error has occurred

Get all administrators

### Parameters

Try it out

No parameters

### Responses

Response content type

application/json

Code	Description
200	Ok
204	No administrators to return
500	An internal error has occurred

## POST /admins

Create one administrator

### Parameters

Try it out

Name	Description
<b>name</b> * required (body)	Administrator's name
Example Value	Model
Parameter content type	application/json

Name	Description
------	-------------

**email** \* required

(body)

Administrator's email

Example Value    Model

Parameter content type

application/json

**login** \* required

(body)

Administrator's login

Example Value    Model

Parameter content type

application/json

**password** \* required

(body)

Administrator's password

Example Value    Model

Parameter content type

application/json

**Responses**

Response content type

application/json

Code	Description
------	-------------

201

Created

400

Invalid inputs

409

Administrator is already existing

500

An internal error has occurred

# Errors



**DELETE** /errors/{id}



Remove one error from id

## Parameters

Try it out

Name	Description
------	-------------

**id** \* required

(path)

Error's id

id - Error's id

## Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

400

Invalid error's id or administrator's token session

401

Unauthorized operation

404

Can't find error from id

500

An internal error has occurred

**GET**

/errors/{id}



Get one error from id



## Parameters

[Try it out](#)

Name	Description
------	-------------

**id** \* required

(path)

Error's id

## Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

204

No errors to return

400

Invalid error's id or administrator's token session

401

Unauthorized operation

404

Can't find error from id

500

An internal error has occurred

GET

/errors



Get all errors

## Parameters

[Try it out](#)

No parameters

## Responses

Response content type

application/json

### Code

### Description

200

Ok

204

No errors to return

400

Invalid administrator's token session

401

Unauthorized operation

500

An internal error has occurred

**POST**

/errors



Create a new error

## Parameters

Try it out

### Name

### Description

**message** \* required

(body)

Error's message

Example Value Model

Parameter content type

application/json

service\_name

(body)

Target service's name

Example Value Model

Parameter content type

application/json

Responses		Response content type
		application/json
Code	Description	
201	Error successfully created	
400	Invalid error's message or target service's name	
404	Can't find user from token session or service from name	
500	An internal error has occurred	

## Feedbacks



PUT

/feedbacks/{id}


Update one feedback from id

Parameters

Try it out

Name	Description
<div>id * required</div> <div>(path)</div>	<div>Feedback's id</div> <div><div>id - Feedback's id</div></div>
<div>score</div> <div>(body)</div>	<div>Feedback's score</div> <div><div>Example Value</div><div>Model</div></div> <div><div>Parameter content type</div><div>application/json</div></div>

Name	Description
title (body)	Feedback's title  Example Value    Model  Parameter content type application/json
description (body)	Feedback's description  Example Value    Model  Parameter content type application/json
Responses	
Response content type application/json	
Code	Description
200	Ok
400	Invalid parameters
401	Unauthorized operations
404	Can't find feedback from id
500	An internal error has occurred

DELETE    /feedbacks/{id}	
Remove one feedback from id	
Parameters	Try it out

Name	Description
<b>id</b> * required (path)	Feedback's id
	<input type="text" value="id - Feedback's id"/>
<b>Responses</b>	Response content type <input type="text" value="application/json"/>
Code	Description
200	Ok
400	Invalid parameters
401	Unauthorized operation
404	Can't find feedback from id
500	An internal error has occurred

<b>GET</b>	/feedbacks/{id}
Get one feedback from id	
<b>Parameters</b>	<input type="button" value="Try it out"/>
Name	Description
<b>id</b> * required (path)	Feedback's id
	<input type="text" value="id - Feedback's id"/>

## Responses

Response content type

application/json

### Code

### Description

200

Ok

400

Invalid parameters

404

Can't find feedback from id

500

An internal error has occurred

GET

/feedbacks

Get all feedbacks

### Parameters

Try it out

No parameters

## Responses

Response content type

application/json

### Code

### Description

200

Ok

204

No feedbacks to return

500

An internal error has occurred

POST

/feedbacks



Create a new feedback about a service

## Parameters

Try it out

### Name

### Description

**score** \* required

(body)

Feedback's score

Example Value Model

Parameter content type

application/json

**title** \* required

(body)

Feedback's title

Example Value Model

Parameter content type

application/json

description

(body)

Feedback's description

Example Value Model

Parameter content type

application/json

**service\_id** \* required

(body)

Service's id

Example Value Model

Parameter content type

application/json

## Responses

Response content type

application/json

### Code

### Description

201

New feedback successfully created

Code	Description
400	Invalid parameters
401	Unauthorized operation
404	Can't find service from id
409	A conflict error has occurred while creating a new feedback
500	An internal error has occurred


<b>GET</b> /services/{id}/feedbacks							
Get all feedbacks of one service from id							
<b>Parameters</b>	<a href="#">Try it out</a>						
<table><tr><th>Name</th><th>Description</th></tr><tr><td><b>id</b> * required (path)</td><td>Service's id</td></tr><tr><td></td><td><div>id - Service's id</div></td></tr></table>	Name	Description	<b>id</b> * required (path)	Service's id		<div>id - Service's id</div>	
Name	Description						
<b>id</b> * required (path)	Service's id						
	<div>id - Service's id</div>						
<b>Responses</b>	<b>Response content type</b> <a href="#">application/json</a>						
<table><tr><th>Code</th><th>Description</th></tr><tr><td>200</td><td>Ok</td></tr><tr><td>204</td><td>No feedbacks to return</td></tr></table>	Code	Description	200	Ok	204	No feedbacks to return	
Code	Description						
200	Ok						
204	No feedbacks to return						



Code	Description
400	Invalid service's id
404	Can't find service
500	An internal error has occurred

## Services



**POST** /feedbacks 

Create a new feedback about a service

Parameters

Try it out

Name	Description
<b>score</b> * required (body)	Feedback's score
	Example Value    Model
	Parameter content type
	<div>application/json</div>
<b>title</b> * required (body)	Feedback's title
	Example Value    Model
	Parameter content type
	<div>application/json</div>

Name	Description
description (body)	<div>Feedback's description</div> <div>Example Value    Model</div> <div>Parameter content type</div> <div>application/json</div>
service_id * required (body)	<div>Service's id</div> <div>Example Value    Model</div> <div>Parameter content type</div> <div>application/json</div>
Responses	
Response content type	
application/json	
Code	Description
201	New feedback successfully created
400	Invalid parameters
401	Unauthorized operation
404	Can't find service from id
409	A conflict error has occurred while creating a new feedback
500	An internal error has occurred

GET	/services/{id}/feedbacks
Get all feedbacks of one service from id	

## Parameters

[Try it out](#)

Name	Description
------	-------------

**id** \* required

(path)

Service's id

## Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

204

No feedbacks to return

400

Invalid service's id

404

Can't find service

500

An internal error has occurred

PUT

/services/{id}/reject



Reject one service from id

## Parameters

[Try it out](#)

Name	Description
------	-------------

Name	Description
------	-------------

**id** \* required

(path)

Service's id

id - Service's id

## Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

400

Invalid inputs

401

Invalid administrator's token session

404

Can't find service

500

An internal error has occurred

PUT

/services/{id}/validate



Validate one service from id

## Parameters

Try it out

Name	Description
------	-------------

**id** \* required

(path)

Service's id

id - Service's id

## Responses

Response content type

application/json

### Code

### Description

200

Ok

400

Invalid id

401

Invalid administrator's token session

404

Can't find service

500

An internal error has occurred

GET

/services/{id}

Get one service from id

## Parameters

Try it out

### Name

### Description

**id** \* required

(path)

Service's id

id - Service's id

## Responses

Response content type

application/json


### Code

### Description

200

Ok

Code	Description
400	Invalid id
404	Can't find service
500	An internal error has occurred

**DELETE** `/services/{id}` 

Remove one service from id

Parameters

Try it out

Name	Description
<b>id</b> * required (path)	Service's id
<div>id - Service's id</div>	

Responses

Response content type 

application/json

Code	Description
200	Ok
400	Invalid id
401	Invalid administrator's token session
404	Can't find service

Code	Description
500	An internal error has occurred

PUT

/services/{id}

Update one service from id

Parameters

Try it out

Name	Description
<b>id</b> * required (path)	Service's id <div>id - Service's id</div>
name (body)	New service's name <div>Example Value    Model</div> <div>Parameter content type application/json</div>
version (body)	New service's version <div>Example Value    Model</div> <div>Parameter content type application/json</div>
source_url (body)	New service's source URL <div>Example Value    Model</div> <div>Parameter content type application/json</div>

Name	Description
update_config_link (body)	New service's updating configuration link
	Example Value    Model
	Parameter content type
	<div>application/json</div>
Responses	
Response content type	
<div>application/json</div>	
Code	Description
200	Ok
400	Invalid inputs
401	Invalid administrator's token session
404	Can't find service
500	An internal error has occurred

GET	/services
Get all services	
Parameters	<div>Try it out</div>
No parameters	
Responses	
Response content type	
<div>application/json</div>	



Code	Description
200	Ok
204	No services to return
500	An internal error has occurred

POST

/services


Create a new service with pending status

Parameters

Try it out

Name	Description
<b>name</b> * required (body)	<div>Service's name</div> <div>Example Value Model</div> <div>Parameter content type</div> <div>application/json</div>
<b>version</b> * required (body)	<div>Service's version</div> <div>Example Value Model</div> <div>Parameter content type</div> <div>application/json</div>
<b>source_url</b> * required (body)	<div>Service's source URL (Github, Gitlab...)</div> <div>Example Value Model</div> <div>Parameter content type</div> <div>application/json</div>


Name	Description
<b>update_config_link</b> * required (body)	Link to the configuration.xml file of the source repository (useful for automated updates)  Example Value    Model  Parameter content type application/json
Responses	Response content type    application/json
Code	Description
201	New service created
400	Invalid input(s)
401	Unauthorized operation (you need to be logged in as a user)
409	A service with the given name already exists
500	An internal error has occurred

GET	/users/{id}/services/{service_id}	
Get a service of one user from id		
Parameters	<div>Try it out</div>	
Name	Description	

Name	Description
<b>id</b> * required (path)	User's id <div>id - User's id</div>
<b>service_id</b> * required (path)	Service's id <div>service_id - Service's id</div>
Responses	
Response content type <div>application/json</div>	
Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

DELETE /users/{id}/services/{service_id}		
Remove a service of one user from id		
Parameters		<div>Try it out</div>
Name	Description	


Name	Description
<b>id</b> * required (path)	User's id <div>id - User's id</div>
<b>service_id</b> * required (path)	Service's id <div>service_id - Service's id</div>
<b>Responses</b>	Response content type <div>application/json</div>
<b>Code</b>	<b>Description</b>
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

<b>POST</b>	<b>/users/{id}/services</b>	
Add a service in one user's account from id		
<b>Parameters</b>	<div>Try it out</div>	
<b>Name</b>	<b>Description</b>	

Name	Description
<b>id</b> * required (path)	User's id <div>id - User's id</div>
<b>service_id</b> * required (body)	Service's id <div>Example Value    Model</div> <div>Parameter content type application/json</div>
<b>Responses</b>	Response content type <div>application/json</div>
Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

GET

/users/{id}/services



Get all services of one user from id

Parameters

Try it out

Name

Description

Name	Description
------	-------------

**id** \* required

(path)

User's id

id - User's id

Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

204

No services to return

400

Invalid id

401

Invalid user's token session

404

Can't find user from id

500

An internal error has occurred

**DELETE** /workspaces/{id}/services/{service\_id}

Remove one service from one workspace by id

Parameters

Try it out

Name	Description
------	-------------

**id** \* required

(path)

Workspace's id

id - Workspace's id

Name	Description
<b>service_id</b> * required (path)	Service's id
<div>service_id - Service's id</div>	
Responses	Response content type <div>application/json</div>
Code	Description
200	Ok
400	Invalid inputs
404	Can't find workspace or service from id
500	An internal error has occurred

GET	/workspaces/{id}/services
Get all services of one workspace from id	
Parameters	<div>Try it out</div>
Name	Description
<b>id</b> * required (path)	Workspace's id
<div>id - Workspace's id</div>	
Responses	Response content type <div>application/json</div>

Code	Description
200	Ok
204	No services to return
400	Invalid workspace's id
404	Can't find workspace from id
500	An internal error has occurred

POST

/workspaces/{id}/services

Add a new service in one workspace from id

Parameters

Try it out

Name	Description
<b>id</b> * required (path)	Workspace's id
	<div>id - Workspace's id</div>
<b>service_id</b> * required (body)	Service's id
	<div>Example Value    Model</div> <div>Parameter content type</div> <div>application/json</div>

Responses

Response content type

application/json

Code	Description
------	-------------



Code	Description
201	Service successfully added
400	Invalid inputs
404	
<b>Users</b>	
404	
↓	
GET	/users/me/infos
Get information of the user currently logged in	
Parameters	Try it out
No parameters	
Responses	Response content type application/json
Code	Description
200	Ok
400	Invalid token session
401	Unauthorized operation
500	An internal error has occurred
PUT	/users/login
Login one user	
Parameters	Try it out

Name	Description
<b>login</b> * required (body)	User's login  Example Value    Model  Parameter content type application/json
<b>password</b> * required (body)	User's password  Example Value    Model  Parameter content type application/json
Responses	Response content type application/json
<b>Code</b>	<b>Description</b>
200	Ok
400	Invalid login and/or password
404	Can't find user
500	An internal error has occurred

GET	/users/{id}/workspaces
Get all workspaces of one user from id	
Parameters	Try it out
<b>Name</b>	<b>Description</b>

Name	Description
------	-------------

**id** \* required

(path)

User's id

id - User's id

## Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

204

No workspaces to return

400

Invalid user's id

404

Can't find user from id

500

An internal error has occurred

GET

/users/{id}/services/{service\_id}



Get a service of one user from id

## Parameters

Try it out

Name	Description
------	-------------

**id** \* required

(path)

User's id

id - User's id

Name	Description
------	-------------

**service\_id** \* required

(path)

Service's id

service\_id - Service's id

## Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

400

Invalid user id or service id

401

Invalid user's token session

404

Can't find user or service from id

500

An internal error has occurred

**DELETE** /users/{id}/services/{service\_id}



Remove a service of one user from id

## Parameters

Try it out

Name	Description
------	-------------


**id** \* required

(path)


User's id

id - User's id

Name	Description
<b>service_id</b> * required (path)	Service's id
<div>service_id - Service's id</div>	
<b>Responses</b>	Response content type <div>application/json</div>
Code	Description
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

<b>POST</b>	/users/{id}/services	
Add a service in one user's account from id		
<b>Parameters</b>		<div>Try it out</div>
Name	Description	
<b>id</b> * required (path)	User's id	
<div>id - User's id</div>		

Name	Description
<b>service_id</b> * required (body)	Service's id
	Example Value    Model
	Parameter content type
	<div>application/json</div>
<b>Responses</b>	Response content type <div>application/json</div>
<b>Code</b>	<b>Description</b>
200	Ok
400	Invalid user id or service id
401	Invalid user's token session
404	Can't find user or service from id
500	An internal error has occurred

<b>GET</b>	/users/{id}/services	
Get all services of one user from id		
<b>Parameters</b>		<div>Try it out</div>
<b>Name</b>	<b>Description</b>	
<b>id</b> * required (path)	User's id	
	<div>id - User's id</div>	

## Responses

Response content type

application/json

### Code

### Description

200

Ok

204

No services to return

400

Invalid id

401

Invalid user's token session

404

Can't find user from id

500

An internal error has occurred

PUT

/users/{id}/logout



Logout one user from id

## Parameters

Try it out

### Name

### Description

**id** \* required

(path)

User's id

id - User's id

## Responses

Response content type

application/json

Code	Description
200	Ok
400	Invalid id and/or token session
404	Can't find user
500	An internal error has occurred

<b>DELETE</b> /users/{id}									
Delete one user from id									
Parameters	<div>Try it out</div>								
<table><tr><th>Name</th><th>Description</th></tr><tr><td><b>id</b> * required (path)</td><td>User's id</td></tr><tr><td colspan="2"><div>id - User's id</div></td></tr></table>	Name	Description	<b>id</b> * required (path)	User's id	<div>id - User's id</div>				
Name	Description								
<b>id</b> * required (path)	User's id								
<div>id - User's id</div>									
Responses	<div>Response content type    application/json</div>								
<table><tr><th>Code</th><th>Description</th></tr><tr><td>200</td><td>Ok</td></tr><tr><td>400</td><td>Invalid id</td></tr><tr><td>404</td><td>Can't find user</td></tr></table>	Code	Description	200	Ok	400	Invalid id	404	Can't find user	
Code	Description								
200	Ok								
400	Invalid id								
404	Can't find user								



Code	Description
500	An internal error has occurred

<b>GET</b> /users/{id}											
Get one user from id											
<b>Parameters</b>	<a href="#">Try it out</a>										
<table><tr><th>Name</th><th>Description</th></tr><tr><td><b>id</b> * required (path)</td><td>User's id</td></tr><tr><td colspan="2"><input type="text" value="id - User's id"/></td></tr></table>	Name	Description	<b>id</b> * required (path)	User's id	<input type="text" value="id - User's id"/>						
Name	Description										
<b>id</b> * required (path)	User's id										
<input type="text" value="id - User's id"/>											
<b>Responses</b>	<b>Response content type</b> <a href="#">application/json</a>										
<table><tr><th>Code</th><th>Description</th></tr><tr><td>200</td><td>Ok</td></tr><tr><td>400</td><td>Invalid id</td></tr><tr><td>404</td><td>Can't find user</td></tr><tr><td>500</td><td>An internal error has occurred</td></tr></table>	Code	Description	200	Ok	400	Invalid id	404	Can't find user	500	An internal error has occurred	
Code	Description										
200	Ok										
400	Invalid id										
404	Can't find user										
500	An internal error has occurred										

<b>PUT</b> /users/{id}	
Update one user from id	

## Parameters

[Try it out](#)

Name	Description
------	-------------

**id** \* required

(path)

User's id

id - User's id

name

(body)

New user's name

Example Value   Model

Parameter content type

application/json

email

(body)

New user's email address

Example Value   Model

Parameter content type

application/json

password

(body)

New user's password

Example Value   Model

Parameter content type

application/json

## Responses

Response content type

application/json

Code	Description
------	-------------

200

Ok

400

Invalid inputs

404

Can't find user

Code	Description
500	An internal error has occurred

<b>GET</b> /users	
Get all users	
<b>Parameters</b>	<a href="#">Try it out</a>
No parameters	
<b>Responses</b>	Response content type <a href="#">application/json</a>
<b>Code</b>	<b>Description</b>
200	Ok
204	No users to return
500	An internal error has occurred

<b>POST</b> /users	
Create one user	
<b>Parameters</b>	<a href="#">Try it out</a>
<b>Name</b>	<b>Description</b>

Name		Description
<b>name</b> * required (body)		User's name
	Example Value	Model
	Parameter content type	
		application/json
<b>email</b> * required (body)		User's email
	Example Value	Model
	Parameter content type	
		application/json
<b>login</b> * required (body)		User's login
	Example Value	Model
	Parameter content type	
		application/json
<b>password</b> * required (body)		User's password
	Example Value	Model
	Parameter content type	
		application/json
Responses		Response content type application/json
Code	Description	
201	Created	
400	Invalid inputs	
409	User is already existing	

Code	Description
500	An internal error has occurred

## Workspaces



GET	/users/{id}/workspaces										
Get all workspaces of one user from id											
Parameters	<div>Try it out</div>										
<table><tr><th>Name</th><th>Description</th></tr><tr><td><b>id</b> * required (path)</td><td>User's id</td></tr><tr><td colspan="2"><div>id - User's id</div></td></tr></table>	Name	Description	<b>id</b> * required (path)	User's id	<div>id - User's id</div>						
Name	Description										
<b>id</b> * required (path)	User's id										
<div>id - User's id</div>											
Responses	<div>Response content type<div>application/json</div></div>										
<table><tr><th>Code</th><th>Description</th></tr><tr><td>200</td><td>Ok</td></tr><tr><td>204</td><td>No workspaces to return</td></tr><tr><td>400</td><td>Invalid user's id</td></tr><tr><td>404</td><td>Can't find user from id</td></tr></table>	Code	Description	200	Ok	204	No workspaces to return	400	Invalid user's id	404	Can't find user from id	
Code	Description										
200	Ok										
204	No workspaces to return										
400	Invalid user's id										
404	Can't find user from id										

Code	Description
500	An internal error has occurred

<b>DELETE</b>	/workspaces/{id}/services/{service_id}										
Remove one service from one workspace by id											
Parameters	<div>Try it out</div>										
<table><tr><th>Name</th><th>Description</th></tr><tr><td><b>id</b> * required (path)</td><td>Workspace's id</td></tr><tr><td></td><td><div>id - Workspace's id</div></td></tr><tr><td><b>service_id</b> * required (path)</td><td>Service's id</td></tr><tr><td></td><td><div>service_id - Service's id</div></td></tr></table>	Name	Description	<b>id</b> * required (path)	Workspace's id		<div>id - Workspace's id</div>	<b>service_id</b> * required (path)	Service's id		<div>service_id - Service's id</div>	
Name	Description										
<b>id</b> * required (path)	Workspace's id										
	<div>id - Workspace's id</div>										
<b>service_id</b> * required (path)	Service's id										
	<div>service_id - Service's id</div>										
Responses	<div>Response content type<div>application/json</div></div>										
<table><tr><th>Code</th><th>Description</th></tr><tr><td>200</td><td>Ok</td></tr><tr><td>400</td><td>Invalid inputs</td></tr><tr><td>404</td><td>Can't find workspace or service from id</td></tr><tr><td>500</td><td>An internal error has occurred</td></tr></table>	Code	Description	200	Ok	400	Invalid inputs	404	Can't find workspace or service from id	500	An internal error has occurred	
Code	Description										
200	Ok										
400	Invalid inputs										
404	Can't find workspace or service from id										
500	An internal error has occurred										

**GET**     /workspaces/{id}/services

Get all services of one workspace from id

**Parameters**

Try it out

Name	Description
------	-------------

**id** \* required

(path)

Workspace's id

id - Workspace's id

**Responses**

Response content type

application/json

Code	Description
------	-------------

200

Ok

204

No services to return

400

Invalid workspace's id

404

Can't find workspace from id

500

An internal error has occurred

**POST**     /workspaces/{id}/services

Add a new service in one workspace from id

**Parameters**


Try it out

Name		Description
<b>id</b> * required (path)		Workspace's id <div>id - Workspace's id</div>
<b>service_id</b> * required (body)		Service's id Example Value    Model Parameter content type <div>application/json</div>
Responses		Response content type <div>application/json</div>
Code	Description	
201	Service successfully added	
400	Invalid inputs	
404	Can't find service or workspace from ids	
500	An internal error has occurred	

GET	/workspaces/{id}
Get one workspace from id	
Parameters	<div>Try it out</div>
Name	Description



Name	Description
<b>id</b> * required (path)	Workspace's id
<div>id - Workspace's id</div>	
<b>Responses</b>	Response content type <div>application/json</div>
Code	Description
200	Ok
400	Invalid workspace's id
404	Can't find workspace from given id
500	An internal error has occurred

<b>DELETE</b>	/workspaces/{id}	
Remove one workspace from id		
<b>Parameters</b>		<div>Try it out</div>
Name	Description	
<b>id</b> * required (path)	Workspace's id	
<div>id - Workspace's id</div>		
<b>Responses</b>	Response content type	<div>application/json</div>

Code	Description
200	Ok
400	Invalid workspace's id
401	Can't find user from given token session
404	Can't find workspace from given id
500	An internal error has occurred

PUT

/workspaces/{id}

Update one workspace from id

Parameters

Try it out

Name	Description
<b>id</b> * required (path)	Workspace's id
	<div>id - Workspace's id</div>
<b>name</b> * required (body)	Workspace's name
	<div>Example Value    Model</div>
	<div>Parameter content type</div> <div>application/json</div>
<b>description</b> * required (body)	Workspace's description
	<div>Example Value    Model</div>
	<div>Parameter content type</div> <div>application/json</div>

## Responses

Response content type

application/json

Code	Description
200	Ok
400	Invalid inputs
401	Can't find user from given token session
404	Can't find workspace from given id
500	An internal error has occurred

GET

/workspaces

Get all workspaces

## Parameters

Try it out

No parameters

## Responses

Response content type

application/json

Code	Description
200	Ok
204	No workspaces to return
500	An internal error has occurred

**POST** /workspaces



Create a new workspace

### Parameters

[Try it out](#)

Name	Description
<b>name</b> * required (body)	Workspace's name  Example Value Model  Parameter content type <div>application/json</div>
<b>description</b> * required (body)	Workspace's description  Example Value Model  Parameter content type <div>application/json</div>

### Responses

Response content type

application/json

Code	Description
201	New workspace created
400	Invalid workspace's name or description
500	An internal error has occurred