

**Exp 3.4.15** Retrieve the city names containing customers who order product p01.

---

**Answer 1:** 表的连接查询

```
SELECT city  
FROM customers c, orders o  
WHERE c.cid = o.cid and o.pid = 'p01' ;
```

## **Exp 3.4.15** Retrieve the city names containing customers who order product p01.

---

**Answer 2:** IN谓词 + 独立子查询

```
SELECT city
FROM customers
WHERE cid IN ( SELECT cid
                  FROM orders
                  WHERE pid = 'p01' ) ;
```

## **Exp 3.4.15** Retrieve the city names containing customers who order product p01.

---

**Answer 3:** IN谓词 + 相关子查询

```
SELECT city
FROM customers c
WHERE 'p01' IN (SELECT o.pid
                  FROM orders o
                  WHERE o.cid = c.cid ) ;
```

## **Exp 3.4.15** Retrieve the city names containing customers who order product p01.

---

**Answer 4:** =SOME + 子查询

```
SELECT city
FROM customers
WHERE cid = SOME (
    SELECT cid
    FROM orders
    WHERE pid = 'p01' ) ;
```

## **Exp 3.4.15** Retrieve the city names containing customers who order product p01.

---

**Answer 5:** **EXISTS + 相关子查询**

```
SELECT city
FROM customers c
WHERE EXISTS (
    SELECT *
    FROM orders o
    WHERE o.cid = c.cid and
           o.pid = 'p01' ) ;
```