Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic Building · Synthetic Storey · A (Light scene 1)

Summary

Ground area 24.00 m² Clearance height 3.000 m

Height Working plane 0.800 m

Synthetic Building · Synthetic Storey · A (Light scene 1)

Summary

Results

Working plane Ēperpendicular 531 lx ≥ 500 lx WP1

Uo (g1) 0.57 ≥ 0.60 WP1

Space Lighting power density 6.5 W/m² –

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic Building · Synthetic Storey · B (Light scene 1)

Summary

Ground area 24.00 m² Clearance height 3.000 m

Height Working plane 0.800 m

Synthetic Building · Synthetic Storey · B (Light scene 1)

Summary

Results

Working plane Ēperpendicular 693 lx ≥ 500 lx WP1

Uo (g1) 0.59 ≥ 0.60 WP1

Space Lighting power density 9.75 W/m² –

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic Building · Synthetic Storey · C (Light scene 1)

Summary

Ground area 24.00 m² Clearance height 3.000 m

Height Working plane 0.800 m

Synthetic Building · Synthetic Storey · C (Light scene 1)

Summary

Results

Working plane Ēperpendicular 0 lx ≥ 500 lx WP1

Uo (g1) - ≥ 0.60 WP1

Space Lighting power density 0 W/m² –

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page

Synthetic filler page