



Comment	Description	Designator	Footprint	LibRef	Quantity
104		C2, C4	RAD-0.2	104, 103	2
103		C3	RAD-0.2	103	1
HDR-F-2.54_1x2		H1	HDR-F-2.54_1X2	HDR-F-2.54_1x2	1
LED-TH-5mm_R		LED1, LED2	LED-TH_BD5.0_RED	LED-TH-5mm_R	2
220		R1, R4, R5, R6, R7, R8, R9, R10, R11,	R_AXIAL-0.4	220, 1k	
					13
		R12, R13, R14, R15			
10k		R2, R3	R_AXIAL-0.4	10k	2
SEG-TH_0.56x 1_Anode		SEG1	LED-SEG-TH_10P-	SEG-TH_0.56x 1_Anode	1
			L12.6-W19.0-P2.54-		
			S15.24-BL		
复位		SW1	SW-TH_4P-L6.0-	复位	1
			W6.0-P4.50-LS6.5		'
选择选手		SW2	SW-TH_4P-L6.0-	选择选手	1
			W6.0-P4.50-LS6.5		
副评委		SW3, SW5	SW-TH_4P-L6.0-	副评委	2
			W6.0-P4.50-LS6.5		
主评委		SW4	SW-TH_4P-L6.0-	主评委	1
			W6.0-P4.50-LS6.5		'
XKB8080-Z		SW6, SW7	SW-TH_6P-L8.0-	XKB8080-Z	2
		300, 3007	W8.0-P2.50		
HD74HC192P		U1	DIP16	HD74HC192P	1
NE555P		U2	DIP-8_L9.8-W6.6-	NE555P	1
			P2.54-LS7.6-BL		1
CD4511BE		U3	DIP-16_L19.8-W6.5-	CD4511BE	1
			P2.54-LS7.6-BL		
XD74LS00		U4	DIP-14_L20.0-W7.6-	XD74LS00	1
			P2.54-LS7.6-BL		