


磁滞回线

张世航


2025 年 5 月 26 日

0.1 样品1


0.1.1 不同频率的磁滞回线




25Hz



50Hz




100Hz



150Hz

0.1.2 基本磁化曲线


序号	1	2	3	4	5	6	7	8	9	10	11	12
X格	0	0.2	0.4	0.6	0.8	1.0	1.5	2.0	2.5	3.0	4.0	5.0
H(A/m)	0	7.69	15.38	23.07	30.76	38.46	57.69	76.92	96.15	115.38	153.84	192.30
Y(格)	0	0.2	0.46	0.84	1.21	1.6	2.69	3.26	3.56	3.72	3.96	4.02
B(mT)	0	19.35	44.52	81.29	117.10	154.84	260.32	315.48	344.52	360.00	383.23	389.03



0.1.3 μ_1


0.1.4 磁滞回线


序号	1	2	3	4	5	6	7	8	9	10	11	12
X(格)	-5.00	-4.00	-3.00	-2.50	-2.00	-1.50	-1.00	-0.80	-0.60	-0.40	-0.20	0.00
H(A/m)	-192.31	-153.85	-115.38	-96.15	-76.92	-57.69	-38.46	-30.77	-23.08	-15.38	-7.69	0.00
Y1(格)	-4.02	-3.87	-3.20	-2.01	-0.58	0.79	1.72	2.06	2.31	2.53	2.76	2.88
Y2(格)	-4.02	-3.96	-3.85	-3.76	-3.67	-3.55	-3.44	-3.32	-3.27	-3.13	-3.04	-2.89
B1(mT)	-389.03	-374.52	-309.68	-194.52	-56.13	76.45	166.45	199.35	223.55	244.84	267.10	278.71
B2(mT)	-389.03	-383.23	-372.58	-363.87	-355.16	-343.55	-332.90	-321.29	-316.45	-302.90	-294.19	-279.68
X(格)	0.00	0.20	0.40	0.60	0.80	1.00	1.50	2.00	2.50	3.00	4.00	5.00
H(A/m)	0.00	7.69	15.38	23.08	30.77	38.46	57.69	76.92	96.15	115.38	153.85	192.31
Y1(格)	2.88	3.01	3.16	3.24	3.35	3.42	3.57	3.67	3.77	3.83	3.94	4.02
Y2(格)	-2.89	-2.73	-2.61	-2.37	-2.06	-1.81	-0.86	0.48	2.05	2.75	3.63	4.02
B1(mT)	278.71	291.29	305.81	313.55	324.19	330.97	345.48	355.16	364.84	370.65	381.29	389.03
B2(mT)	-279.68	-264.19	-252.58	-229.35	-199.35	-175.16	-83.23	46.45	198.39	266.13	351.29	389.03




0.2 样品2

0.2.1 不同频率的磁滞回线






50Hz




100Hz



150Hz

0.2.2 基本磁化曲线


序号	1	2	3	4	5	6	7	8	9	10	11	12
X格	0	0.2	0.4	0.6	0.8	1.0	1.5	2.0	2.5	3.0	4.0	5.0
H(A/m)	0.00	7.69	15.38	23.08	30.77	38.46	57.69	76.92	96.15	115.38	153.85	192.31
Y(格)	0.00	4.80	11.60	20.80	30.60	43.50	58.40	68.40	74.20	77.80	79.60	80.40
B(mT)	0.00	23.23	56.13	100.65	148.06	210.48	282.58	330.97	359.03	376.45	385.16	389.03



0.2.3 μ_2

0.2.4 磁滞回线

序号	1	2	3	4	5	6	7	8	9	10	11	12
X(格)	-5.00	-4.00	-3.00	-2.50	-2.00	-1.50	-1.00	-0.80	-0.60	-0.40	-0.20	0.00
H(A/m)	-192.31	-153.85	-115.38	-96.15	-76.92	-57.69	-38.46	-30.77	-23.08	-15.38	-7.69	0.00
Y1(格)	-3.99	-3.89	-3.86	-3.65	-3.30	-2.45	-0.90	-0.23	0.37	1.18	1.86	2.18
Y2(格)	-3.99	-3.98	-3.97	-3.88	-3.77	-3.60	-3.39	-3.22	-3.08	-2.76	-2.56	-2.18
B1(mT)	-386.13	-376.45	-373.55	-353.23	-319.35	-237.10	-87.10	-22.26	35.81	114.19	180.00	210.97
B2(mT)	-386.13	-385.16	-384.19	-375.48	-364.84	-348.39	-328.06	-311.61	-298.06	-267.10	-247.74	-210.97
X(格)	0.00	0.20	0.40	0.60	0.80	1.00	1.50	2.00	2.50	3.00	4.00	5.00
H(A/m)	0.00	7.69	15.38	23.08	30.77	38.46	57.69	76.92	96.15	115.38	153.85	192.31
Y1(格)	2.18	2.57	2.80	3.01	3.23	3.34	3.54	3.71	3.80	3.91	3.99	4.02
Y2(格)	-2.18	-1.60	-0.73	-0.25	0.48	1.03	2.59	3.24	3.65	3.82	3.98	4.02
B1(mT)	210.97	248.71	270.97	291.29	312.58	323.23	342.58	359.03	367.74	378.39	386.13	389.03
B2(mT)	-210.97	-154.84	-70.65	-24.19	46.45	99.68	250.65	313.55	353.23	369.68	385.16	389.03



μ