



Jupyter Notebook 使用帮助

目录

Jupyter Notebook 使用帮助	1
1 启动 Jupyter Notebook.....	1
2 jupyter 内核管理	2

1 启动 Jupyter Notebook

1. 导航到 jupyter 文件（文件后缀.ipynb）所在的目录，然后在导航处输入“cmd”，并回车，会弹出黑色的终端窗口；




2. 在终端窗口的命令行中，输入“jupyter notebook”，并回车，就会出现以下日志内容，并弹出 jupyter notebook;

```
C:\Windows\System32\cmd.e x + v
Microsoft Windows [版本 10.0.22631.3737]
(c) Microsoft Corporation。保留所有权利。

D:\OneDrive\MyCourse\JupyterFiles>jupyter notebook
[W 10:42:34.628 NotebookApp] Loading JupyterLab as a classic notebook (v6) extension.
[I 2024-07-05 10:42:34.639 LabApp] JupyterLab extension loaded from D:\MySoftware\Anaconda\lib\site-packages\jupyterlab
[I 2024-07-05 10:42:34.639 LabApp] JupyterLab application directory is D:\MySoftware\Anaconda\share\jupyter\lab
[I 10:42:38.575 NotebookApp] The port 8888 is already in use, trying another port.
[I 10:42:38.578 NotebookApp] Serving notebooks from local directory: D:\OneDrive\MyCourse\JupyterFiles
[I 10:42:38.578 NotebookApp] Jupyter Notebook 6.5.2 is running at:
[I 10:42:38.578 NotebookApp] http://localhost:8889/?token=af429c4fd4ddb9a563f0b320fd0e264db39b81478edb005
[I 10:42:38.578 NotebookApp] or http://127.0.0.1:8889/?token=af429c4fd4ddb9a563f0b320fd0e264db39b81478edb005
[I 10:42:38.578 NotebookApp] Use Control-C to stop this server and shut down all kernels (twice to skip confirmation).
[C 10:42:38.736 NotebookApp]



To access the notebook, open this file in a browser:
file:///C:/Users/yangyi/AppData/Roaming/jupyter/runtime/nbserver-29268-open.html
Or copy and paste one of these URLs:
http://localhost:8889/?token=af429c4fd4ddb9a563f0b320fd0e264db39b81478edb005
or http://127.0.0.1:8889/?token=af429c4fd4ddb9a563f0b320fd0e264db39b81478edb005
```



2 jupyter 内核管理

- 2.1 当你在虚拟环境中工作并且想要在 Jupyter 中使用这个环境时，你需要安装 ipykernel 并为这个环境安装一个 Jupyter 内核

```
conda activate myenv
pip install ipykernel
python -m ipykernel install --user --name=myenv
```



2.2 删除指定的内核（虚拟环境）
jupyter kernelspec uninstall myenv

