
Shifter –Advanced Usage





Shane Canon NERSC Data and Analytics Services

March 3, 2017





Volume Mounts



- Volume Mounts provide a way to map external paths into container paths.
- This allows paths in the container to be abstracted so it can be portable across different systems.
- Basic syntax is:
 - -volume <external path>:<container path>
- Shifter places some constraints on what paths can be mapped and where they can be mapped for added security.





Using Volume Mounts



```
canon@nid00275:~> ls $SCRATCH
MyQuota spark spark conf files
canon@nid00275:~> shifter --image ubuntu --volume $SCRATCH:/data bash
canon@nid00275:~$ ls /data
MyQuota spark spark conf files
canon@nid00275:~$ exit
```





PerNode Write Cache



- PerNodeWrite extends the volume concept to create temporary writeable space that aren't shared across nodes.
- These spaces are ephemeral (removed on exit)
- These are node local and the size can be adjusted
- Performs like a local disk but is more flexible
- Basic syntax is

--volume <external path>:<container path>:perNodeCache=size=XXG





Using Volume Mounts



```
canon@nid00172:~> shifter --image=ubuntu \
        --volume=$SCRATCH:/scratch:perNodeCache=size=100G bash
canon@nid00172:~$ df -h /scratch
Filesystem Size Used Avail Use% Mounted on
/dev/loop1 100G 33M 100G 1% /scratch
canon@nid00172:~$ dd if=/dev/zero bs=1k count=10M of=/scratch/output
10485760+0 records in
10485760+0 records out
10737418240 bytes (11 GB, 10 GiB) copied, 14.1891 s, 757 MB/s
canon@nid00172:~$ ls -lh /scratch/output
-rw-r--r- 1 canon canon 10G Mar 3 04:01 /scratch/output
canon@nid00172:~$ exit
Exit
canon@nid00172:~> shifter --image=ubuntu \
        --volume=$SCRATCH:/scratch:perNodeCache=size=100G bash
canon@nid00172:~$ ls -1 /scratch
total 0
```





Shifter Gotchas



- Containers run as the user, not root
- Images are mounted read-only
- Some volume mount locations are disallowed
- Volumes currently can't be mounted over each other





Shifter Gotchas Examples



```
canon@nid00173:~> shifter --image=ubuntu bash
canon@nid00173:~$ ls -ld /var/tmp/
drwxrwxrwt 2 root 0 3 Feb 14 23:29 /var/tmp/
canon@nid00173:~$ touch /var/tmp/blah
touch: cannot touch '/var/tmp/blah': Read-only file system
canon@nid00173:~> shifter --image=ubuntu --volume=$SCRATCH:/opt bash|head -
2
Invalid Volume Map: /scratch1/scratchdirs/canon:/opt, aborting! 1
Failed to parse volume map options
canon@nid00173:~> shifter --image=ubuntu --volume=$SCRATCH:/data --
volume=$SCRATCH/spark:/data/spark2 bash
Mount request path /var/udiMount/data/spark2 not on an approved device for
volume mounts.
FAILED to setup user-requested mounts.
FAILED to setup image.
```





Work Arounds



- Make sure critical paths and files are worldreadable
- Rsync image contents to a volume mount, then volume mount the copy over the original to work around read-only limitation





Dockerfile Best Practices



Bad:

```
RUN wget http://hostname.com/mycode.tgz
RUN tar xzf mycode.tgz
RUN cd mycode; make; make install
RUN rm -rf mycode.tgz mycode
```

Good:

```
RUN wget http://hostname.com/mycode.tgz && \
tar xzf mycode.tgz && \
cd mycode && make && make install && \
rm -rf mycode.tgz mycode
```





Dockerfile Best Practices



Bad:

```
RUN wget http://hostname.com/mycode.tgz ; \
  tar xzf mycode.tgz ; \
  cd mycode ; make ; make install ; \
  rm -rf mycode.tgz mycode
```

Good:

```
RUN wget http://hostname.com/mycode.tgz && \
tar xzf mycode.tgz && \
cd mycode && make && make install && \
rm -rf mycode.tgz mycode
```





Dockerfile Best Practices



Bad:

```
ADD . /src

RUN apt-get update -y && atp-get install gcc

RUN cd /src && make && make install
```

Good:

```
RUN apt-get update -y && apt-get install gcc

ADD . /src

RUN cd /src && make && make install
```





Other Considerations



- Avoid very large images (> ~5 GB)
- Keep data in \$SCRATCH and volume mount into the container if data is large
- Use volume mounts for rapid prototyping and testing, then add that into the image after code stabalizes







National Energy Research Scientific Computing Center



