

CSS Preprocessors

- CSS is not compiled
- CSS is understood by the browser
- CSS changes slowly
 - browsers have to support
- CSS can be repetitive, unstructured

What if we changed this, a little bit?

Preprocessing

- Write CSS in a non-CSS language
- Compile ("build") into CSS

Easiest if the language is LIKE CSS

- but still won't work in browser
- needs to be translated to CSS ("built")

Options that come from pre-processing CSS

- Write Multiple files
 - Output fewer files (one?)
 - Can import same file into multiple files
 - Allows organization by selector or purpose
- Variable substitution
 - less klunky than CSS variables
- Group common starting parts of selectors
- Hidden comments

Downsides of CSS Pre-processors

- They have to build
 - more complicated setup
 - slower to have changes viewable
- More effort for other contributors
 - tools required for other contributors
 - They have to understand the syntax
- Code cannot be used in pure-CSS projects

Popular CSS Preprocessors

Two big contenders:

- LESS
- SASS

SASS is now the most popular by a wide margin

- and our focus

<https://sass-lang.com/>

SASS History

- Actually had two variants
 - `.sass` - python-esque whitespace
 - `.scss` - CSS-superset
 - means it matches CSS + more
 - unchanged CSS is valid `.scss`
 - `.scss` is probably not valid CSS

`.scss` is common

- What most people mean by "SASS"

SASS Variables

<https://sass-lang.com/guide>

SASS Variables use 

```
$font-stack: Helvetica, sans-serif;
$primary-color: #333;

body {
  font: 100% $font-stack;
  color: $primary-color;
}
```

```
body {
  font: 100% Helvetica, sans-serif;
  color: #333;
}
```

Nesting

```
nav {  
  ul {  
    margin: 0;  
    padding: 0;  
    list-style: none;  
  }  
  
  li { display: inline-block; }  
}
```

```
nav ul {  
  margin: 0;  
  padding: 0;  
  list-style: none;  
}  
nav li {  
  display: inline-block;  
}
```


Parent

SASS can fill-in the nesting part using `&`:

```
.alert {  
  &:hover {  
    font-weight: bold;  
  }  
  
  :not(&) {  
    opacity: 0.8;  
  }  
}
```

```
.alert:hover {  
  font-weight: bold;  
}  
:not(.alert) {  
  opacity: 0.8;  
}
```

Notice: Can't say `span&`

BEM Suffixes via Nested w/Parent

```
.accordion {  
  background: #f4f4f4;  
  
  &__copy {  
    display: none;  
  
    &--open {  
      display: block;  
    }  
  }  
}
```

```
.accordion {  
  background: #f4f4f4;  
}  
.accordion__copy {  
  display: none;  
}  
.accordion__copy--open {  
  display: block;  
}
```

Partials and Modules

- A `.scss` file that starts with underscore (`_`)
 - Does not generate a matching `.css` file
 - Can be included in another `.scss` file with `@use`

Partials and Modules example

```
// _base.scss
$primary-color: #333;

body {
  color: $primary-color;
}

// styles.scss
@use 'base';

.inverse {
  background-color: base.$primary-color;
}
```

```
/* styles.css */
body {
  color: #333;
}

.inverse {
  background-color: #333;
}
```

Comments

CSS comments are `/* */`

- these remain
- and are "loud" (in resulting CSS)
- silent if in "compressed mode"

SASS adds JS-style `//` comments

- until end of line
- "silent" (not in resulting CSS)

SCSS Comments Example

```
/* loud comment */  
// silent comment  
body {  
  color: #BADA55;  
}
```

```
/* loud comment */  
body {  
  color: #BADA55;  
}
```

Extends

- define a CSS rule with a preceding `%`

```
%message-shared {  
  color: #333;  
}
```

- Have any selectors `@extend` that:

```
.message {  
  @extends %message-shared;  
}  
.error {  
  @extends %message-shared;  
  border-color: red;  
}
```

```
.message, .error {  
  color: #333;  
}  
.error {  
  border-color: red;  
}
```

Mixin - Like extend, but can take parameters

```
@mixin theme($theme: DarkGray) {  
  background: $theme;  
  box-shadow 0 0 1px rgba($theme, 0.25);  
}  
  
.info {  
  @include theme;  
}  
  
.alert {  
  @include theme($theme: DarkRed);  
}
```

```
.info {  
  background: DarkGray;  
  box-shadow: 0 0 1px rgba(169, 169, 169, 0.25);  
}  
  
.alert {  
  background: DarkRed;  
  box-shadow: 0 0 1px rgba(139, 0, 0, 0.25);  
}
```


SASS on the command line

- An involved process
 - part of why we didn't cover this earlier
- Depends on OS
- Multiple implementations exist
 - different languages
 - depends on what is involved in running that language on your system
 - "primary" was ruby, then JS, now Dart

<https://sass-lang.com/install>

Installation outside the scope of this course

I don't recommend installing a global solution

- Instead work on a per-package basis
- Different projects may use different SASS solutions

`node-sass` no longer primary

- but still up-to-date
- works easily in JS-based projects
- is "noisy" as it has pre-built binaries

Generic statements about command-line use

A common setup is to have

- a "source" or "input" directory with the `.scss` files
- a "target" or "output" directory where the converted `.css` files go

Remember that a `.scss` file might import (@use) partials

- partials don't generate separate `.css` files

Using SASS with create-react-app

Notice: NOT allowed in your final projects!

<https://create-react-app.dev/docs/adding-a-sass-stylesheet/>

- Add `node-sass` to the project
 - `npm install node-sass` in project dir
- Rename your `.css` files to `.scss` in `src/`
 - Do not change index.css
- Change your `import XXX.css;` lines
 - now `import XXX.scss;`

You will need to restart your server

Summary - CSS Preprocessors

- CSS Preprocessors are programs
 - turn CSS-like syntax into CSS
 - Alternate syntax easier to organize/manage
 - Separate programs mean extra build effort
- SASS is most common CSS preprocessor

Remember: Not allowed on final projects!

Summary - SCSS Syntax for SASS

- Separate from `.sass` syntax for SASS (confusing)
- Variables start with `$`
- Nested selectors
- Can insert parent using `&`
 - Great for BEM
 - Doesn't work with tag-type selectors
- A file that starts with `_` is a partial
 - loaded with `@use 'xxx';` (no `_` here)
- Comments are `/* loud */` or `// silent`
- Rules that start with `%` can (must) be extended
- `@mixin` can be passed params when `@included`